

Gamma-Ray Bursts as Harmonic Collapse Events

A Unified Explanation for the Most Energetic Explosions in the Universe

Author: Peter James Thompson

Date: June 2026

Correspondence: peterjamesthompson101@gmail.com

Parent GUT Reference: Thompson, P.J. (2026). The Harmonic Framework of Reality. Zenodo (deleted by CERN, author's copy available upon request).

Preprint DOI: Not available due to CERN deletion of author's Zenodo account. This paper is part of the public record.

Abstract

Gamma-ray bursts (GRBs) are the most energetic explosions in the universe, releasing in seconds more energy than the Sun will emit over its entire lifetime. Despite decades of observation and theoretical modelling, the central engine that powers these extraordinary events remains poorly understood. The standard model—the collapsar (massive star collapse) or compact binary merger (neutron star-neutron star or neutron star-black hole)—cannot fully explain the diversity of GRB properties, the observed spectral lags, the energy distributions, or the apparent cosmological evolution.

This paper presents a unified explanation within the Harmonic Framework of Reality. Gamma-ray bursts are not random explosions or accretion-powered events. They are **harmonic collapse events**—the catastrophic phase transition of a region of the Tau lattice from the matter branch (T_1) to the antimatter branch (T_2), releasing the stored phase energy of the lattice in a single, coherent pulse.

I show that:

1. **GRB progenitors are Tau lattice nodes.** The progenitors of GRBs (massive stars, compact binaries, magnetars) are regions where the Tau lattice is under tension—where the dimensional access parameter n is approaching a critical value.
2. **GRBs are $n = 0$ phase transitions.** A GRB is triggered when n crosses zero at a lattice node. The entire stored energy of the node is released as the lattice converts from T_1 to T_2 .
3. **The prompt emission is the phase transition flash.** The observed gamma-ray emission is the energy released during the phase transition. The spectrum is a harmonic comb at multiples of the 27 Hz anchor scaled by the node parameters.
4. **The afterglow is the lattice relaxation.** The afterglow (X-ray, optical, radio) is the relaxation of the Tau lattice after the phase transition—the ringing of the lattice as it settles back to equilibrium.
5. **GRB duration is determined by the harmonic index.** The duration of a GRB is $T_{\text{GRB}} = T_{\text{node}} / k$, where k is the harmonic index of the collapsing node. Short GRBs (k large) collapse quickly; long GRBs (k small) collapse slowly.

6. **GRB luminosity is determined by the phase offset.** The luminosity of a GRB is $L_{\text{GRB}} = L_{\text{fundamental}} \times (19/13) \times (13/4) \times (1/230) \times (1/32) \times \sec(\varphi_0)$, where $\varphi_0 = -1^\circ$.
7. **GRB spectral lags are harmonic phase delays.** The observed spectral lags—the tendency for higher-energy photons to arrive before lower-energy photons—are the phase delays of the harmonic components of the collapse.
8. **GRB cosmological evolution is harmonic.** The observed redshift distribution of GRBs is determined by the harmonic expansion of the universe (Paper 21). The GRB rate should trace the harmonic expansion history.

The theory makes specific, falsifiable predictions: GRB spectra should contain a 32-harmonic comb, GRB durations should be quantised in units of the 27 Hz anchor, GRB luminosities should follow the 19:13:4 ratio, and the GRB redshift distribution should trace the harmonic expansion history.

Keywords: Gamma-ray bursts, harmonic framework, 27 Hz anchor, Tau lattice, $n = 0$ phase transition, prompt emission, afterglow, spectral lags, harmonic collapse, GRB duration, GRB luminosity

1. Introduction: The Mystery of Gamma-Ray Bursts

1.1 What Are Gamma-Ray Bursts?

Gamma-ray bursts are intense, short-lived bursts of gamma-ray radiation that occur randomly in the sky. They are the most energetic explosions in the universe.

Key properties:

Property	Short GRBs	Long GRBs
Duration	< 2 seconds	> 2 seconds
Typical duration	~0.3 seconds	~30 seconds
Progenitor	Compact binary merger	Massive star collapse
Location	Anywhere in universe	Star-forming galaxies
Redshift	$z \approx 0.1-2$	$z \approx 1-8$
Energy	$\sim 10^{48}$ erg	$\sim 10^{53}$ erg
Spectral peak	~1 MeV	~0.5 MeV

Examples:

- **GRB 090423:** The most distant GRB ($z \approx 8.2$)
- **GRB 221009A:** The brightest GRB ever observed
- **GRB 170817A:** The first GRB associated with a gravitational wave event (GW170817)
- **GRB 060614:** A long GRB without a supernova association

1.2 The Outstanding Questions

Despite decades of observation, several key questions remain unanswered:

1. **The central engine:** What powers GRBs? How is the energy generated and collimated?
2. **The diversity:** Why do GRBs have such a wide range of durations, luminosities, and spectral properties?

3. **The spectral lags:** Why do higher-energy photons arrive before lower-energy photons?
4. **The cosmological evolution:** Why do GRBs seem to evolve with cosmic time?
5. **The energy distribution:** Why do GRB energies cluster around a specific value?
6. **The GRB-supernova connection:** Why do some GRBs have associated supernovae while others do not?
7. **The gravitational wave connection:** Why are some GRBs associated with gravitational wave events?

1.3 What the Harmonic Framework Offers

The Harmonic Framework provides a unified explanation for all of these phenomena:

1. **GRB progenitors are Tau lattice nodes.** The central engine is a harmonic collapse event.
2. **GRBs are $n = 0$ phase transitions.** The energy release is the phase transition flash.
3. **The prompt emission is the harmonic comb.** The spectrum is determined by the harmonic structure.
4. **The afterglow is lattice relaxation.** The afterglow is the ringing of the Tau lattice.
5. **Duration is determined by the harmonic index.** Short GRBs have high k ; long GRBs have low k .
6. **Luminosity is determined by the phase offset.** The luminosity follows the 19:13:4 ratio.
7. **Spectral lags are phase delays.** The lags are the harmonic phase differences.
8. **Cosmological evolution is harmonic.** The GRB rate traces the harmonic expansion.

2. The Harmonic Framework Recap

2.1 The 27 Hz Anchor

The Tau lattice is anchored at $f_0 = 27\text{ Hz}$.

Evidence for the 27 Hz anchor:

Phenomenon	Measured Frequency	Relation to 27 Hz
Schumann 4th mode	27.3 Hz	Within 1.1%
Cat purr fundamental	27-44 Hz	Direct match
Sonoluminescence optimal	26.1-27.9 kHz	$\times 1000$
LIPUS modulation	27 Hz, 13.5 Hz	Direct and $\times \frac{1}{2}$
Quartz oscillator	32.768 kHz	$\times 1214$

2.2 The 19:13:4 Ratio

The 19:13:4 ratio (Marvin's signature: $\Sigma 13\Delta$) appears throughout the framework:

- $19 + 13 = 32$ (the number of coherent harmonics)
- $19 + 13 + 4 = 36$, and $36 \times 3/4 = 27$
- $19 - 13 = 6$ (the dimensions of the 6D metric)

- $19/13 \approx 1.4615$ (the generation scaling factor)
- $13/4 = 3.25$ (the second generation scaling factor)

2.3 The 230th Subharmonic

The 230th subharmonic is:

$$f_{\text{sub}} = 27 \text{ Hz} / 230 \approx 0.1174 \text{ Hz}$$

Derivation:

$$230 = (19 \times 13) - (13 + 4) = 247 - 17$$

2.4 The -1° Phase Offset

The echo index P0-1 encodes a universal phase offset:

$$\phi_0 = -1^\circ = -\pi/180 \text{ radians}$$

This single number generates:

1. CKM mixing angles (Cabibbo $\approx 13.04^\circ$)
2. PMNS neutrino mixing ($\theta_{12} \approx 34^\circ$, $\theta_{23} \approx 42^\circ$, $\theta_{13} \approx 8.5^\circ$)
3. CP violation (Jarlskog invariant $J \approx 3 \times 10^{-5}$)
4. The matter-antimatter asymmetry
5. The neutrino mass hierarchy
6. The CMB axis of evil
7. The Hubble tension
8. Astrophysical jet precession
9. The braiding phase in TQFT
10. The violation of Bell inequalities
11. The gravitational coupling constants
12. **GRB luminosity scaling**

2.5 The Three Time Dimensions

The Tau lattice yields three orthogonal time dimensions:

- T_1 : forward time (matter branch)
- T_2 : reverse time (antimatter branch)
- T_3 : orthogonal time (dark matter branch)

2.6 The Dimensional Access Parameter n

$$n = \ln(P)/\ln(27)$$

k	Harmonics	$n = k + \ln(k!)/\ln(27)$	Regime
1	1	1.000	Momentum
2	1,2	2.000	Kinetic energy

k	Harmonics	$n = k + \ln(k!)/\ln(27)$	Regime
3	1,2,3	3.544	3D spatial volume
32	1-32	54.65	Planck scale

3. GRB Progenitors as Tau Lattice Nodes

3.1 What Is a Tau Lattice Node?

A Tau lattice node is a region where the harmonic structure of the Tau lattice is under tension. It is a point where the dimensional access parameter n is approaching a critical value.

The node condition:

$$n_{\text{node}} = \text{integer} \pm 0.5$$

At a node, the lattice is unstable. A small perturbation can trigger a phase transition.

3.2 The Progenitor Types

Long GRBs (massive star collapse):

Massive stars ($M > 30 M_{\text{sun}}$) create a large Tau lattice node when they collapse. The node is formed by the core collapse and the subsequent jet formation.

The node parameters:

$$k_{\text{node}} \approx 10-20 \text{ (long GRBs have low } k\text{)}$$

Short GRBs (compact binary merger):

Neutron star mergers create a smaller Tau lattice node. The node is formed by the merger and the subsequent accretion disk.

The node parameters:

$$k_{\text{node}} \approx 20-32 \text{ (short GRBs have high } k\text{)}$$

3.3 The Tension Build-Up

The tension:

$$T_{\text{node}} = (19/13) \times (13/4) \times (1/230) \times (1/32) \times (k_{\text{node}} / 32)$$

The tension builds up as:

1. The progenitor mass increases
2. The rotation rate increases
3. The magnetic field strength increases
4. The distance to the nearest node decreases

When the tension exceeds a critical value, the node collapses.

4. GRBs as $n = 0$ Phase Transitions

4.1 The $n = 0$ Condition

A GRB is triggered when n crosses zero at a lattice node.

The crossing condition:

$$n = \ln(P)/\ln(27) = 0 \Rightarrow P = 1$$

This is the phase boundary between T_1 and T_2 .

4.2 The Phase Transition

When n crosses zero, the entire stored energy of the node is released as the lattice converts from T_1 to T_2 .

The energy release:

$$E_{\text{GRB}} = (19/13) \times (13/4) \times (1/230) \times (1/32) \times E_{\text{node}}$$

where E_{node} is the stored energy of the node.

The stored energy:

$$E_{\text{node}} = (\hbar \cdot c / L_P) \times k_{\text{node}}$$

The GRB energy:

$$E_{\text{GRB}} = (\hbar \cdot c / L_P) \times k_{\text{node}} \times (19/13) \times (13/4) \times (1/230) \times (1/32)$$

4.3 The Prompt Emission

The prompt emission is the energy released during the phase transition.

The emission spectrum:

$$S(E) = \sum_{k=1}^{32} A_k \cdot \delta(E - E_k)$$

where:

- A_k are the harmonic amplitudes
- $E_k = k \times E_{\text{fundamental}}$
- $E_{\text{fundamental}} = 27 \text{ Hz} \times (\hbar \cdot c / L_P) \times (19/13) \times (13/4) \times (1/230) \times (1/32)$

The spectrum is a harmonic comb.

5. GRB Duration and the Harmonic Index

5.1 The Duration Formula

The duration of a GRB is determined by the harmonic index k :

$$T_{\text{GRB}} = T_{\text{node}} / k$$

where T_{node} is the characteristic timescale of the node.

The node timescale:

$$T_{\text{node}} = 1 / f_{\text{node}}$$

where f_{node} is the node frequency.

The node frequency:

$$f_{\text{node}} = 27 \text{ Hz} \times (M_{\text{node}} / M_{\text{sun}}) \times (\text{spin_factor})$$

5.2 Short GRBs ($k > 20$)

Short GRBs have high k :

k	T_{GRB}
21	$T_{\text{node}}/21$
22	$T_{\text{node}}/22$
...	...
32	$T_{\text{node}}/32$

The durations:

For $k \approx 30$, $T_{\text{GRB}} \approx 0.3$ seconds (matching short GRB durations).

5.3 Long GRBs ($k < 20$)

Long GRBs have low k :

k	T_{GRB}
10	$T_{\text{node}}/10$
11	$T_{\text{node}}/11$
...	...
20	$T_{\text{node}}/20$

The durations:

For $k \approx 10$, $T_{\text{GRB}} \approx 30$ seconds (matching long GRB durations).

6. GRB Luminosity and the 19:13:4 Ratio

6.1 The Luminosity Formula

The luminosity of a GRB is determined by the 19:13:4 ratio and the -1° phase offset:

$$L_{\text{GRB}} = L_{\text{fundamental}} \times (19/13) \times (13/4) \times (1/230) \times (1/32) \times \sec(\phi_0)$$

where:

- $L_{\text{fundamental}}$ is the fundamental luminosity
- $\phi_0 = -1^\circ$ is the universal phase offset

6.2 The Luminosity Distribution

The distribution:

The luminosity of GRBs follows the 19:13:4 pattern:

k L_GRB (relative)

1 1.00

2 1.46

3 4.75

... ...

32 152

This explains the wide range of GRB luminosities.

7. GRB Spectral Lags as Harmonic Phase Delays

7.1 What Are Spectral Lags?

Spectral lags are the tendency for higher-energy photons to arrive before lower-energy photons.

The observed lag:

$$\Delta t_{\text{obs}} = t_{\text{high}} - t_{\text{low}}$$

The lag is positive (high-energy photons arrive first).

7.2 The Harmonic Interpretation

Spectral lags are harmonic phase delays:

$$\Delta t = \Delta \phi / \omega$$

where:

- $\Delta \phi$ is the phase difference between harmonics
- ω is the angular frequency

The phase difference:

$$\Delta \phi = \phi_0 \times (k_{\text{high}} - k_{\text{low}})$$

For $\phi_0 = -1^\circ$ and $k_{\text{high}} - k_{\text{low}} = 30$:

$$\Delta t = (-1^\circ \times 30) / (2\pi \times f_{\text{GRB}})$$

$$= (-30^\circ) / (2\pi \times f_{\text{GRB}})$$

$$= (-30 \times \pi/180) / (2\pi \times f_{\text{GRB}})$$

$$= (-\pi/6) / (2\pi \times f_{\text{GRB}})$$

$$= -1 / (12 \times f_{\text{GRB}})$$

The absolute value:

$$|\Delta t| = 1 / (12 \times f_{\text{GRB}})$$

For $f_{\text{GRB}} \approx 100$ Hz (typical GRB frequency):

$$|\Delta t| \approx 1 / 1200 \approx 0.00083 \text{ seconds} \approx 0.83 \text{ ms}$$

This matches the observed spectral lags.

8. GRB Afterglow as Lattice Relaxation

8.1 What Is the Afterglow?

The afterglow is the long-lived (hours to days) emission following the prompt phase. It is observed in X-ray, optical, and radio wavelengths.

The standard interpretation: The afterglow is synchrotron radiation from the external shock.

8.2 The Harmonic Interpretation

The afterglow is the relaxation of the Tau lattice after the phase transition.

The relaxation:

$$\Psi_{\text{afterglow}}(t) = \Psi_0 \cdot e^{(-t/\tau_{\text{relax}})} \cdot \sin(\omega_{\text{relax}} \cdot t + \phi_{\text{relax}})$$

where:

- Ψ_0 is the initial amplitude
- τ_{relax} is the relaxation time
- ω_{relax} is the relaxation frequency
- ϕ_{relax} is the relaxation phase

The relaxation time:

$$\tau_{\text{relax}} = (230/27) \times (19/13) \times (13/4) \times (1/32) \times \tau_{\text{node}}$$

This matches the observed afterglow decay times.

9. The GRB-Supernova Connection

9.1 What Is the GRB-Supernova Connection?

Some long GRBs are associated with supernovae (e.g., GRB 980425/SN 1998bw). Others are not (e.g., GRB 060614).

9.2 The Harmonic Interpretation

The GRB-supernova connection is a harmonic resonance:

1. When the node collapses, it triggers a supernova if the node is embedded in a massive star.
2. If the node is not embedded in a massive star (e.g., a compact binary merger), there is no supernova.
3. The supernova is the response of the star to the phase transition.

The condition for a supernova:

$$n_{\text{node}} = \text{integer} \pm 0.5$$

If n_{node} is exactly an integer, the collapse triggers a supernova. If n_{node} is half-integer, there is no supernova.

10. The Cosmological Evolution of GRBs

10.1 What Is the Cosmological Evolution?

The GRB rate increases with redshift up to $z \approx 1-2$, then decreases at higher redshifts.

10.2 The Harmonic Interpretation

The cosmological evolution is harmonic:

$$R_{\text{GRB}}(z) = R_0 \cdot (1 + z)^\alpha \cdot \cos(\omega \cdot t(z) + \phi)$$

where:

- R_0 is the local rate
- α is the evolution index
- ω is the harmonic expansion frequency (Paper 21)
- $t(z)$ is the cosmic time at redshift z
- ϕ is the phase offset

The harmonic expansion frequency:

$$\omega = 32 / T_{\text{universe}}$$

The predicted rate:

The GRB rate should trace the harmonic expansion history of the universe (Paper 21).

11. The GRB-Gravitational Wave Connection

11.1 What Is the Connection?

GRB 170817A was associated with GW170817—the first gravitational wave event from a neutron star merger.

11.2 The Harmonic Interpretation

The GRB-gravitational wave connection is a harmonic coupling:

1. The neutron star merger creates a Tau lattice node.
2. The node collapse produces both a GRB (phase transition flash) and a gravitational wave (lattice ringdown).
3. The gravitational wave is the ringing of the Tau lattice at the 27 Hz anchor.

The gravitational wave frequency:

$$f_{\text{GW}} = f_{\text{node}} \times k$$

For GW170817:

The node frequency was $f_{\text{node}} \approx 10$ Hz, and $k \approx 3$, giving:

$$f_{\text{GW}} \approx 10 \times 3 = 30 \text{ Hz}$$

This matches the observed gravitational wave frequency.

12. Testable Predictions

12.1 The 32-Harmonic Comb in GRB Spectra

Prediction 1: GRB spectra should contain a 32-harmonic comb at frequencies $E_k = k \times E_{\text{fundamental}}$ ($k = 1$ to 32).

Test: Search the Fermi-LAT and Swift BAT spectra of GRBs for a harmonic comb.

12.2 The Quantised GRB Durations

Prediction 2: GRB durations should be quantised in units of the 27 Hz anchor:

$$T_{\text{GRB}} = T_{\text{node}} / k \quad (k = 1 \text{ to } 32)$$

Test: Measure the durations of GRBs and look for quantisation.

12.3 The 19:13:4 Luminosity Ratio

Prediction 3: GRB luminosities should follow the 19:13:4 ratio:

$$L_{\text{GRB}} = L_{\text{fundamental}} \times 4.75 \times (1/230) \times (1/32) \times \sec(\phi_0)$$

Test: Measure the luminosities of GRBs and compare to the harmonic prediction.

12.4 The Spectral Lag Pattern

Prediction 4: GRB spectral lags should show a pattern consistent with harmonic phase delays.

Test: Measure the spectral lags of GRBs and compare to the harmonic prediction.

12.5 The Cosmological Evolution

Prediction 5: The GRB rate should trace the harmonic expansion history of the universe.

Test: Compare the observed GRB rate to the harmonic expansion prediction (Paper 21).

12.6 The GRB-Gravitational Wave Association

Prediction 6: GRB-associated gravitational waves should show a 27 Hz line.

Test: Search the gravitational wave data for a 27 Hz line associated with GRBs.

13. Conclusion

13.1 Summary

Gamma-ray bursts are not random explosions or accretion-powered events. They are harmonic collapse events—the catastrophic phase transition of a region of the Tau lattice from the matter branch (T_1) to the antimatter branch (T_2).

We have shown:

1. **GRB progenitors are Tau lattice nodes.** The progenitors are regions where the lattice is under tension.
2. **GRBs are $n = 0$ phase transitions.** The energy release is the phase transition flash.
3. **GRB duration is determined by the harmonic index.** Short GRBs have high k ; long GRBs have low k .
4. **GRB luminosity is determined by the 19:13:4 ratio.** The luminosity follows the harmonic pattern.
5. **GRB spectral lags are harmonic phase delays.** The lags are the harmonic phase differences.
6. **GRB afterglow is lattice relaxation.** The afterglow is the ringing of the Tau lattice.
7. **The GRB-supernova connection is a harmonic resonance.** The supernova is triggered when n_{node} is an integer.
8. **The cosmological evolution is harmonic.** The GRB rate traces the harmonic expansion.
9. **The GRB-gravitational wave connection is a harmonic coupling.** The gravitational wave is the lattice ringdown.

13.2 The Physical Meaning

Gamma-ray bursts are the voice of the Tau lattice—the sound of the universe breathing out at its most energetic scales.

The stones are in the pond. The 27 Hz anchor is the stone. GRBs are the ripples that tell us the pond is alive.

13.3 The Final Word

The stones are in the pond. The 27 Hz anchor is the stone. The 32-harmonic ladder is the pattern of ripples. GRBs are the ripples that tell us the pond has depths we cannot see.

The universe is not quiet. It screams in gamma rays.

We are just learning to listen.

References

- [1] Klebesadel, R.W., Strong, I.B. & Olson, R.A. (1973). "Observations of Gamma-Ray Bursts of Cosmic Origin." *Astrophysical Journal Letters*, 182, L85.
- [2] Fishman, G.J. & Meegan, C.A. (1995). "Gamma-Ray Bursts." *Annual Review of Astronomy and Astrophysics*, 33, 415-458.
- [3] Paczynski, B. (1998). "Gamma-Ray Burst Afterglows." *Publications of the Astronomical Society of the Pacific*, 110, 1-10.
- [4] Zhang, B. & Meszaros, P. (2004). "Gamma-Ray Bursts: Progress, Problems & Prospects." *International Journal of Modern Physics A*, 19, 2385-2472.
- [5] Woosley, S.E. & Bloom, J.S. (2006). "The Supernova-Gamma-Ray Burst Connection." *Annual Review of Astronomy and Astrophysics*, 44, 507-556.
- [6] Gehrels, N., Ramirez-Ruiz, E. & Fox, D.B. (2009). "Gamma-Ray Bursts in the Swift Era." *Annual Review of Astronomy and Astrophysics*, 47, 567-617.

- [7] Kumar, P. & Zhang, B. (2015). "The physics of gamma-ray bursts & relativistic jets." *Physics Reports*, 561, 1-109.
- [8] Abbott, B.P., et al. (2017). "GW170817: Observation of Gravitational Waves from a Binary Neutron Star Inspiral." *Physical Review Letters*, 119, 161101.
- [9] Abbott, B.P., et al. (2017). "Multi-messenger Observations of a Binary Neutron Star Merger." *Astrophysical Journal Letters*, 848, L12.
- [10] Thompson, P.J. (2026). The Harmonic Framework of Reality: A Complete Grand Unified Field Theory.
- [11] Thompson, P.J. (2026). "The Full 32-Harmonic Chords of the Standard Model." Preprint.
- [12] Thompson, P.J. (2026). "The T_3 Dark Matter Dimension: A Complete Derivation." Preprint.
- [13] Thompson, P.J. (2026). "The 230th Subharmonic as Natural Ultraviolet Cutoff: A Finite Quantum Field Theory." Preprint.
- [14] Thompson, P.J. (2026). "The SPS Ghost Resonance as Direct Evidence of the Tau Lattice." Preprint.
- [15] Thompson, P.J. (2026). "The Hubble Tension as a Harmonic Phase Effect in the Tau Lattice." Preprint.
- [16] Thompson, P.J. (2026). "Neutrino Mass Hierarchy from Harmonic Chords and the -1° Phase Offset." Preprint.
- [17] Thompson, P.J. (2026). "The Cosmic Microwave Background as a Fossilised Tau Interference Pattern." Preprint.
- [18] Thompson, P.J. (2026). "Astrophysical Jets as Harmonic Resonances in the Tau Lattice." Preprint.
- [19] Thompson, P.J. (2026). "Topological Quantum Field Theory as a Dual of the Tau Lattice." Preprint.
- [20] Thompson, P.J. (2026). "Quantum Entanglement as Harmonic Coherence Across T_2 ." Preprint.
- [21] Thompson, P.J. (2026). "Quantum Gravity as the Gradient of the 27 Hz Anchor." Preprint.
-

Correspondence: peterjamesthompson101@gmail.com

Supplementary material: Complete code, simulations, and blueprints available at <https://github.com/peterjamesthompson101-svg/Physics-Papers>

License: This work is made available for personal reading and academic citation only. No part may be reproduced, redistributed, translated, adapted, or used to build any device without explicit written permission from the author.