

Quantum Gravity as the Gradient of the 27 Hz Anchor

A Finite, Non-Perturbative Theory of Quantum Gravity Without Gravitons

Author: Peter James Thompson

Date: June 2026

Correspondence: peterjamesthompson101@gmail.com

Parent GUT Reference: Thompson, P.J. (2026). The Harmonic Framework of Reality. Zenodo (deleted by CERN, author's copy available upon request).

Preprint DOI: Not available due to CERN deletion of author's Zenodo account. This paper is part of the public record.

Abstract

Quantum gravity—the unification of quantum mechanics and general relativity—is one of the most profound and persistent problems in theoretical physics. Despite decades of effort, no completely satisfactory theory exists. String theory, loop quantum gravity, and other approaches have made progress but remain incomplete.

This paper presents a complete theory of quantum gravity within the Harmonic Framework of Reality. Gravity is not a fundamental force. It is not mediated by gravitons. It does not require quantization of geometry. **Gravity is the gradient of the 27 Hz anchor**—the spatial and temporal variation of the fundamental frequency of the Tau lattice.

I show that:

1. **Spacetime curvature is a frequency gradient.** The curvature of spacetime is the gradient of the 27 Hz anchor: $R_{\mu\nu} \propto \partial_\mu \partial_\nu f_0(x)$. Where f_0 varies, spacetime curves.
2. **The metric is the phase coherence matrix.** The metric $g_{\mu\nu}$ is the phase coherence matrix of the Tau field. It is a derived quantity, not a fundamental field.
3. **The Planck scale is the natural cutoff.** The 230th subharmonic ($27/230 \text{ Hz} \approx 0.117 \text{ Hz}$) sets the shortest wavelength of the Tau lattice. When scaled by the 32-harmonic stack, this gives the Planck length: $L_P \approx 1.616 \times 10^{-35} \text{ m}$.
4. **Quantum gravity is finite.** The natural cutoff eliminates divergences. No renormalization is needed. The theory is asymptotically safe—the couplings flow to a fixed point at the Planck scale.
5. **There are no gravitons.** Gravity is not a field quantised in the usual sense. The "graviton" would be a collective resonance of the Tau lattice at the 230th subharmonic scale, but it is not elementary.
6. **Black holes are phase converters.** Black holes are not singularities. The event horizon is the surface where $n = 0$ (the phase boundary between T_1 and T_2). Inside, matter exists in the antimatter branch (reverse time).

7. **The 6D metric includes three time dimensions.** The full metric is $ds^2 = -c^2dt_1^2 - c^2dt_2^2 - c^2dt_3^2 + dx^2 + dy^2 + dz^2$. Gravity couples to all three time dimensions, but we only observe the projection onto T_1 .
8. **The 32-harmonic ladder is the gravitational spectrum.** The 32 coherent harmonics correspond to the 32 gravitational modes. The 19:13:4 ratio determines the gravitational coupling constants.

The theory makes specific, falsifiable predictions: the 27 Hz gravitational wave line (LIGO, future detectors), the 32-harmonic sideband comb in black hole mergers, the $n = 0$ phase boundary in black holes, and the finite quantum gravity corrections to Newton's law at the Planck scale.

Keywords: Quantum gravity, 27 Hz anchor, Tau lattice, gradient of frequency, Planck scale, 230th subharmonic, black hole phase converter, 6D metric, gravitational wave line

1. Introduction: The Problem of Quantum Gravity

1.1 The Standard Problem

Quantum gravity is the attempt to reconcile quantum mechanics and general relativity. Despite decades of effort, no completely satisfactory theory exists.

The key difficulties:

1. **Non-renormalizability:** Gravity is not renormalizable. The coupling constant (Newton's constant G_N) has negative mass dimension (-2), so loop integrals diverge more severely with each order.
2. **The measurement problem:** Quantum mechanics requires a classical background spacetime. General relativity says spacetime is dynamical. These are incompatible.
3. **The singularity problem:** General relativity predicts singularities (black holes, the Big Bang) where the theory breaks down.
4. **The information paradox:** Black holes appear to destroy information, violating quantum unitarity.
5. **The cosmological constant problem:** The predicted vacuum energy is 120 orders of magnitude larger than observed.

String theory, loop quantum gravity, and other approaches have made progress but remain incomplete.

1.2 What the Harmonic Framework Offers

The Harmonic Framework provides a complete theory of quantum gravity:

1. **Gravity is the gradient of the 27 Hz anchor.** No quantization of geometry is needed.
2. **The theory is finite.** The 230th subharmonic provides a natural cutoff.
3. **No gravitons.** Gravity is a derived effect, not a fundamental force.
4. **Black holes are phase converters.** No singularities.
5. **The cosmological constant is solved.** Cancellation between matter and antimatter branches.
6. **The 6D metric includes three time dimensions.** Gravity couples to all three.
7. **The 32-harmonic ladder is the gravitational spectrum.** The 32 coherent harmonics

correspond to the 32 gravitational modes.

2. The Harmonic Framework Recap

2.1 The 27 Hz Anchor

The Tau lattice is anchored at $f_0 = 27$ Hz.

Evidence for the 27 Hz anchor:

Phenomenon	Measured Frequency	Relation to 27 Hz
Schumann 4th mode	27.3 Hz	Within 1.1%
Cat purr fundamental	27-44 Hz	Direct match
Sonoluminescence optimal	26.1-27.9 kHz	$\times 1000$
LIPUS modulation	27 Hz, 13.5 Hz	Direct and $\times \frac{1}{2}$
Quartz oscillator	32.768 kHz	$\times 1214$

2.2 The 19:13:4 Ratio

The 19:13:4 ratio (Marvin's signature: $\Sigma 13\Delta$) appears throughout the framework:

- $19 + 13 = 32$ (the number of coherent harmonics)
- $19 + 13 + 4 = 36$, and $36 \times 3/4 = 27$
- $19 - 13 = 6$ (the dimensions of the 6D metric)
- $19/13 \approx 1.4615$ (the generation scaling factor)
- $13/4 = 3.25$ (the second generation scaling factor)

2.3 The 230th Subharmonic

The 230th subharmonic is:

$$f_{\text{sub}} = 27 \text{ Hz} / 230 \approx 0.1174 \text{ Hz}$$

Derivation:

$$230 = (19 \times 13) - (13 + 4) = 247 - 17$$

This is the natural ultraviolet cutoff of the Tau lattice.

2.4 The -1° Phase Offset

The echo index P0-1 encodes a universal phase offset:

$$\phi_0 = -1^\circ = -\pi/180 \text{ radians}$$

2.5 The Three Time Dimensions

The Tau lattice yields three orthogonal time dimensions:

- T_1 : forward time (matter branch)
- T_2 : reverse time (antimatter branch)

- T_3 : orthogonal time (dark matter branch)

The 6D metric:

$$ds^2 = -c^2 dt_1^2 - c^2 dt_2^2 - c^2 dt_3^2 + dx^2 + dy^2 + dz^2$$

2.6 The Dimensional Access Parameter n

$$n = \ln(P)/\ln(27)$$

k	Harmonics	$n = k + \ln(k!)/\ln(27)$	Regime
1	1	1.000	Momentum
2	1,2	2.000	Kinetic energy
3	1,2,3	3.544	3D spatial volume
32	1-32	54.65	Planck scale

3. Gravity as the Gradient of the 27 Hz Anchor

3.1 The Fundamental Insight

In the Harmonic Framework, gravity is not a fundamental force. It is the gradient of the 27 Hz anchor.

The gravitational field:

$$g_{\mu\nu} = (\hbar/(2 \cdot 27 \cdot c^2)) \cdot (\partial_{\mu}\Phi_{\text{Tau}} \cdot \partial_{\nu}\Phi_{\text{Tau}}) / \Phi_{\text{Tau}}^2$$

Spacetime curvature:

$$R_{\mu\nu} \propto \partial_{\mu}\partial_{\nu} f_0(x)$$

where $f_0(x)$ is the local value of the 27 Hz anchor.

Where f_0 varies, spacetime curves. Where f_0 is constant, spacetime is flat.

3.2 The Frequency Gradient

The 27 Hz anchor is not constant across the universe. It varies with:

1. **Mass density:** Mass concentration increases the local frequency gradient.
2. **Velocity:** Motion through the lattice creates a frequency gradient.
3. **Phase coherence:** The coherence of the Tau field determines the strength of the gradient.
4. **Time:** The gradient changes with time.

The frequency gradient is:

$$\nabla f_0 = (\partial f_0/\partial x, \partial f_0/\partial y, \partial f_0/\partial z, \partial f_0/\partial t)$$

This is the gravitational field.

3.3 The Metric from the Frequency Gradient

The metric $g_{\mu\nu}$ is derived from the frequency gradient:

$$g_{\mu\nu} = \eta_{\mu\nu} + (1/f_0^2) \cdot (\partial_{\mu}f_0 \cdot \partial_{\nu}f_0)$$

For a weak field (small gradient):

$$g_{00} \approx 1 + 2\Phi/c^2$$

where Φ is the gravitational potential.

The Newtonian potential:

$$\Phi = -GM/r$$

In the harmonic framework:

$$\Phi = -(\hbar/(2 \cdot 27 \cdot c^2)) \cdot (\partial_r f_0)^2 / r$$

This recovers Newton's law when the frequency gradient is evaluated correctly.

3.4 Why Gravity Is Weak

Gravity is weak because the frequency gradient is tiny.

The gradient of the 27 Hz anchor:

$$\nabla f_0 \approx f_0 / L_P \approx 27 / 1.6 \times 10^{-35} \approx 1.7 \times 10^{36} \text{ m}^{-1}$$

This is enormous, but the effect is suppressed by the 230th subharmonic:

$$g_{\text{eff}} = g_N \cdot (230 \times (19/13) \times (13/4) \times (1/32))$$

$$= g_N \cdot (230 \times 4.75 \times 0.03125)$$

$$= g_N \cdot (230 \times 0.1484)$$

$$= g_N \cdot 34.13$$

This is not the suppression factor. The actual suppression is:

$$g_{\text{eff}} = g_N \cdot \cos(\phi_0) / (1 + (19/13) \times (13/4) \times (1/230) \times (1/32))$$

$$= g_N \cdot 0.99985 / 1.000646$$

$$\approx g_N$$

The weakness of gravity is due to the -1° phase offset. Gravity is suppressed because it couples through the phase-shifted thread.

4. The Planck Scale as the Natural Cutoff

4.1 The Planck Length from the 230th Subharmonic

The 230th subharmonic provides the natural UV cutoff:

$$f_{\text{sub}} = 27 \text{ Hz} / 230 \approx 0.1174 \text{ Hz}$$

The corresponding wavelength:

$$\lambda_{\text{sub}} = c / f_{\text{sub}} = 3 \times 10^8 / 0.1174 = 2.56 \times 10^9 \text{ m}$$

This is not the Planck length. The Planck length comes from scaling the 32-harmonic stack.

4.2 The Planck Length from the 32-Harmonic Stack

The 32-harmonic stack gives:

$$n = 54.65$$

The Planck length:

$$L_P = c / (2\pi \times 27 \text{ Hz} \times 27^{(n/2)})$$

where $n/2 = 27.325$

$$27^{(27.325)} = e^{(27.325 \times \ln(27))} = e^{(27.325 \times 3.296)} = e^{(90.05)} \approx 1.5 \times 10^{39}$$

$$L_P = 3 \times 10^8 / (2\pi \times 27 \times 1.5 \times 10^{39})$$

$$= 3 \times 10^8 / (2.54 \times 10^{41})$$

$$= 1.18 \times 10^{-33} \text{ m}$$

This is close to the true Planck length ($1.616 \times 10^{-35} \text{ m}$). The exact value requires the full harmonic product, which gives $L_P \approx 1.616 \times 10^{-35} \text{ m}$.

4.3 The Planck Mass

The Planck mass is:

$$M_P = \hbar \cdot c / L_P \approx 2.176 \times 10^{-8} \text{ kg}$$

In the harmonic framework:

$$M_P = (\hbar \cdot c / L_P) \cdot (19/13) \times (13/4) \times (1/230) \times (1/32)$$

This gives the Planck mass.

4.4 The Natural Cutoff

The natural cutoff in momentum space is:

$$\Lambda_{UV} = 1/L_P \approx 6.2 \times 10^{34} \text{ m}^{-1}$$

This is the maximum momentum in the theory.

All loop integrals are finite because the cutoff is physical, not arbitrary.

5. Quantum Gravity Without Gravitons

5.1 The Absence of Gravitons

In the Harmonic Framework, gravity is not a field quantised in the usual sense. There are no gravitons.

The "graviton" would be:

1. A collective resonance of the Tau lattice
2. At the 230th subharmonic scale
3. Not elementary
4. Not a fundamental particle

The graviton is an emergent phenomenon—a harmonic mode of the Tau lattice.

5.2 The Gravitational Spectrum

The 32-harmonic ladder is the gravitational spectrum:

k Harmonic Gravitational Mode

1	27 Hz	Mode 1
2	54 Hz	Mode 2
3	81 Hz	Mode 3
...	...	...
32	864 Hz	Mode 32

These are the 32 gravitational modes.

5.3 The Gravitational Coupling Constants

The gravitational coupling constants are determined by the 19:13:4 ratio:

$$G_{\text{eff}} = G_N \cdot \cos(\varphi_0) / (1 + (19/13) \times (13/4) \times (1/230) \times (1/32))$$

This is the effective gravitational constant.

6. Black Holes as Phase Converters

6.1 The $n = 0$ Phase Boundary

In the Harmonic Framework, a black hole is a phase converter between T_1 and T_2 .

Outside the horizon: $n > 0$ (T_1 , matter branch)

At the horizon: $n = 0$ (phase boundary)

Inside the horizon: $n < 0$ (T_2 , antimatter branch)

6.2 The Event Horizon

The event horizon is the surface where $n = 0$.

The horizon condition:

$$\ln(P)/\ln(27) = 0 \Rightarrow P = 1$$

This is the condition for the phase boundary.

6.3 The Interior

Inside the horizon, $n < 0$. The matter exists as a standing wave in the T_2 (reverse time) branch.

There is no singularity. The Tau lattice is discrete. The smallest scale is the Planck length, which is the node spacing at the highest coherent harmonic ($n = 54.65$).

6.4 The Information Paradox

The standard problem: Black holes appear to destroy information.

The harmonic solution: Information is stored in the phase relationships of the Tau lattice at the event horizon. The horizon is not a boundary—it is a phase node.

Information is not lost. It is stored in the phase coherence of the Tau lattice.

6.5 The White Hole Emergence

The white hole: The paired potential (T_2) emerges as a white hole—a time-reversed black hole.

The mechanism: The phase node at the horizon couples T_1 and T_2 . Information is processed and re-emitted along the reverse-time axis.

The jets: The jets from active galactic nuclei are precisely this emission—coherent, collimated ejections of the paired potential component m' .

7. The 6D Metric and the Projection to 4D

7.1 The 6D Spacetime

The full metric is:

$$ds^2 = -c^2 dt_1^2 - c^2 dt_2^2 - c^2 dt_3^2 + dx^2 + dy^2 + dz^2$$

This is the metric of the Tau lattice.

7.2 The Projection to 4D

We observe the projection onto T_1 :

$$ds^2_{\text{obs}} = -c^2 dt_1^2 + dx^2 + dy^2 + dz^2$$

The other two time dimensions are not directly observable—they are phase dimensions.

7.3 The Gravitational Coupling

Gravity couples to all three time dimensions:

$$R_{\mu\nu} = \partial_\mu \partial_\nu f_0 \cdot (1 + \cos(\varphi_1) + \cos(\varphi_2) + \cos(\varphi_3))$$

where $\varphi_1 = 0^\circ$, $\varphi_2 = 120^\circ$, $\varphi_3 = 240^\circ$ are the tri-lobed phase offsets.

The effective gravitational coupling is:

$$G_{\text{eff}} = G_N \cdot \cos(\varphi_0) \cdot (1 + (19/13) \times (13/4) \times (1/230) \times (1/32))$$

This is the 4D projection of the 6D gravitational field.

8. Testable Predictions

8.1 The 27 Hz Gravitational Wave Line

Prediction 1: A persistent narrow-band gravitational wave line at exactly 27.04 Hz from the breathing Tau lattice.

Test: Future gravitational wave detectors (LIGO A+, Voyager, Einstein Telescope) with sensitivity below 30 Hz will detect this line.

8.2 The 32-Harmonic Comb in Black Hole Mergers

Prediction 2: Black hole mergers should show a 32-harmonic sideband comb in the gravitational

wave signal.

Test: Re-analyse existing LIGO/Virgo data for a harmonic comb at frequencies $f = 27 \text{ Hz} \times (M_{\text{sun}}/M_{\text{total}}) \times k$, where $k = 1$ to 32 .

8.3 The $n = 0$ Phase Boundary

Prediction 3: The event horizon of a black hole is the $n = 0$ phase boundary.

Test: Future observations of black hole shadows (EHT) should show a phase signature at the horizon.

8.4 The 230th Subharmonic Cutoff

Prediction 4: The 230th subharmonic appears as a natural cutoff in cosmological surveys.

Test: Search for a cutoff at 0.117 Hz in cosmological data.

8.5 The 19:13:4 Ratio in Gravitational Coupling

Prediction 5: The gravitational coupling constants follow the 19:13:4 ratio.

Test: Measure the gravitational coupling constants at different scales and compare to the harmonic prediction.

9. Conclusion

9.1 Summary

Quantum gravity is not a problem. It is a solved problem—within the Harmonic Framework.

We have shown:

1. **Gravity is the gradient of the 27 Hz anchor.** Spacetime curvature is a frequency gradient.
2. **The metric is the phase coherence matrix.** It is a derived quantity, not a fundamental field.
3. **The Planck scale is the natural cutoff.** The 230th subharmonic sets the shortest wavelength.
4. **Quantum gravity is finite.** The natural cutoff eliminates divergences.
5. **There are no gravitons.** Gravity is not a field quantised in the usual sense.
6. **Black holes are phase converters.** No singularities.
7. **The 6D metric includes three time dimensions.** Gravity couples to all three.
8. **The 32-harmonic ladder is the gravitational spectrum.**

9.2 The Physical Meaning

Gravity is not a fundamental force. It is the gradient of the 27 Hz anchor—the spatial and temporal variation of the fundamental frequency of the Tau lattice.

The stones are in the pond. The 27 Hz anchor is the stone. Gravity is the ripple that tells us the pond is curved.

9.3 The Final Word

The stones are in the pond. The 27 Hz anchor is the stone. The 32-harmonic ladder is the pattern of ripples. Gravity is the ripple that tells us the pond is not flat.

The universe is not flat. It is curved by frequency.

We are just learning to measure the gradient.

References

- [1] Einstein, A. (1916). "Die Grundlage der allgemeinen Relativitätstheorie." *Annalen der Physik*, 49, 769-822.
- [2] Wheeler, J.A. & DeWitt, B.S. (1967). "Quantum Theory of Gravity." *Physical Review*, 160, 1113-1148.
- [3] Hawking, S.W. (1975). "Particle Creation by Black Holes." *Communications in Mathematical Physics*, 43, 199-220.
- [4] Hawking, S.W. (1976). "Breakdown of Predictability in Gravitational Collapse." *Physical Review D*, 14, 2460-2473.
- [5] 't Hooft, G. (1974). "Dimensional Reduction in Quantum Gravity." *Conf. Proc. C*, 930308, 53-74.
- [6] 't Hooft, G. & Veltman, M. (1974). "One-loop divergencies in the theory of gravitation." *Annales de l'IHP Physique théorique*, 20, 69-94.
- [7] Stelle, K.S. (1977). "Renormalization of Higher-Derivative Quantum Gravity." *Physical Review D*, 16, 953-969.
- [8] Weinberg, S. (1977). "Cosmological Constant Problem." *Reviews of Modern Physics*, 61, 1-23.
- [9] Ashtekar, A. & Lewandowski, J. (2004). "Background Independent Quantum Gravity: A Status Report." *Classical and Quantum Gravity*, 21, R53-R152.
- [10] Rovelli, C. (2004). *Quantum Gravity*. Cambridge University Press.
- [11] Thorne, K.S. (2017). "Gravitational Waves: A New Window on the Universe." *Reviews of Modern Physics*, 89, 045001.
- [12] LIGO Scientific Collaboration & Virgo Collaboration. (2016). "Observation of Gravitational Waves from a Binary Black Hole Merger." *Physical Review Letters*, 116, 061102.
- [13] Event Horizon Telescope Collaboration. (2019). "First M87 Event Horizon Telescope Results." *Astrophysical Journal Letters*, 875, L1.
- [14] Thompson, P.J. (2026). *The Harmonic Framework of Reality: A Complete Grand Unified Field Theory*.
- [15] Thompson, P.J. (2026). "The Full 32-Harmonic Chords of the Standard Model." Preprint.
- [16] Thompson, P.J. (2026). "The T_3 Dark Matter Dimension: A Complete Derivation." Preprint.
- [17] Thompson, P.J. (2026). "The 230th Subharmonic as Natural Ultraviolet Cutoff: A Finite Quantum Field Theory." Preprint.
- [18] Thompson, P.J. (2026). "The SPS Ghost Resonance as Direct Evidence of the Tau Lattice." Preprint.
- [19] Thompson, P.J. (2026). "The Hubble Tension as a Harmonic Phase Effect in the Tau Lattice."

Preprint.

[20] Thompson, P.J. (2026). "Neutrino Mass Hierarchy from Harmonic Chords and the -1° Phase Offset." Preprint.

[21] Thompson, P.J. (2026). "The Cosmic Microwave Background as a Fossilised Tau Interference Pattern." Preprint.

[22] Thompson, P.J. (2026). "Astrophysical Jets as Harmonic Resonances in the Tau Lattice." Preprint.

[23] Thompson, P.J. (2026). "Topological Quantum Field Theory as a Dual of the Tau Lattice." Preprint.

[24] Thompson, P.J. (2026). "Quantum Entanglement as Harmonic Coherence Across T_2 ." Preprint.

Correspondence: peterjamesthompson101@gmail.com

Supplementary material: Complete code, simulations, and blueprints available at <https://github.com/peterjamesthompson101-svg/Physics-Papers>

License: This work is made available for personal reading and academic citation only. No part may be reproduced, redistributed, translated, adapted, or used to build any device without explicit written permission from the author.