

Topological Quantum Field Theory as a Dual of the Tau Lattice

A Harmonic Framework Reformulation of Topological Invariants

Author: Peter James Thompson

Date: June 2026

Correspondence: peterjamesthompson101@gmail.com

Parent GUT Reference: Thompson, P.J. (2026). The Harmonic Framework of Reality. Zenodo (deleted by CERN, author's copy available upon request).

Preprint DOI: Not available due to CERN deletion of author's Zenodo account. This paper is part of the public record.

Abstract

Topological Quantum Field Theory (TQFT) is a rich mathematical framework that describes quantum systems whose observables are independent of the spacetime metric. It has profound connections to knot theory, low-dimensional topology, quantum groups, and condensed matter physics (fractional quantum Hall effect, topological insulators). However, TQFT is often treated as an abstract mathematical structure divorced from physical reality—a "toy model" for quantum gravity rather than a description of the actual universe.

This paper presents a radical reinterpretation within the Harmonic Framework of Reality: TQFT is not a toy model. It is the **dual description** of the Tau lattice—the frequency lattice that underlies all physical reality. The topological invariants of TQFT (Chern-Simons invariants, Jones polynomials, Witten-Reshetikhin-Turaev invariants) are harmonic invariants of the Tau lattice.

I show that:

1. **The harmonic oscillator is the simplest TQFT.** The topological invariants of principal fibre bundles can derive the energy spectrum of the harmonic oscillator. The Tau lattice provides the background-independent structure, and the harmonic oscillator is its simplest manifestation.
2. **The Jones polynomial is a harmonic amplitude.** The knot invariants of TQFT correspond to the interference patterns of the Tau lattice. The Jones polynomial of a knot is the amplitude of the harmonic wave on the knot's complement.
3. **The Chern-Simons invariant is the phase of the Tau lattice.** The topological action of Chern-Simons theory is the phase accumulated by the harmonic wave as it traverses the manifold.
4. **The 32-harmonic ladder is the TQFT spectrum.** The 32 coherent harmonics correspond to the 32 topological sectors of the TQFT. The 19:13:4 ratio determines the topological phase transitions between sectors.
5. **Quantum entanglement is topological.** Entanglement in quantum systems is a manifestation of the topological entanglement of harmonic threads in the Tau lattice. The

entanglement entropy is the logarithm of the Jones polynomial.

6. **Topological quantum computing is harmonic computing.** The braiding of anyons in topological quantum computers corresponds to the phase-locking of harmonic nodes in the Tau lattice. The -1° phase offset (P_0-1) is the braiding phase.

The theory makes specific, falsifiable predictions: topological phases should show a 32-harmonic comb, the Jones polynomial should be expressible in terms of harmonic amplitudes, and anyon braiding should be phase-locked to the 27 Hz anchor.

Keywords: Topological quantum field theory, harmonic framework, 27 Hz anchor, Tau lattice, Chern-Simons theory, Jones polynomial, knot invariants, anyons, topological quantum computing, quantum entanglement

1. Introduction: What Is Topological Quantum Field Theory?

1.1 The Standard Definition

Topological Quantum Field Theory (TQFT) is a quantum field theory whose observables are independent of the spacetime metric. The correlation functions depend only on the topology of the spacetime manifold, not on its geometry.

Key features:

1. **Metric independence:** The action does not depend on the metric $g_{\mu\nu}$.
2. **Topological invariance:** The observables are invariant under continuous deformations of spacetime.
3. **Finite degrees of freedom:** TQFTs have only finitely many degrees of freedom (unlike conventional QFTs, which have infinitely many).
4. **Connection to knot theory:** TQFTs are closely related to knot invariants (Jones polynomial, HOMFLY polynomial, etc.).
5. **Connection to quantum groups:** TQFTs are related to the representation theory of quantum groups ($U_q(\mathfrak{sl}_N)$, etc.).
6. **Connection to condensed matter:** TQFTs describe topological phases of matter (fractional quantum Hall effect, topological insulators).

Examples:

- **Chern-Simons theory:** A 3D TQFT with action $S = (k/4\pi) \int \text{Tr}(A \wedge dA + \frac{2}{3} A \wedge A \wedge A)$.
- **BF theory:** A 4D TQFT with action $S = \int B \wedge F$.
- **Dijkgraaf-Witten theory:** A finite group gauge theory.
- **Witten-Reshetikhin-Turaev theory:** A TQFT associated with the quantum group $U_q(\mathfrak{sl}_N)$.

1.2 The Standard Interpretation

In the standard interpretation, TQFT is:

1. A mathematical structure—not necessarily physical
2. A "toy model" for quantum gravity

3. A description of topological phases of matter (condensed matter physics)
4. A framework for knot invariants

But TQFT is not just a mathematical structure. It is the dual description of the Tau lattice.

1.3 What the Harmonic Framework Offers

The Harmonic Framework provides a physical interpretation of TQFT:

1. **TQFT is the dual description of the harmonic oscillator.** The topological invariants of TQFT correspond to the harmonic amplitudes of the Tau lattice.
 2. **The Tau lattice is the background-independent structure.** TQFT is the description of the Tau lattice from the "outside."
 3. **The 32-harmonic ladder is the TQFT spectrum.** The 32 coherent harmonics correspond to the 32 topological sectors.
 4. **The 19:13:4 ratio determines the topological phase transitions.**
 5. **The -1° phase offset is the braiding phase.**
 6. **Quantum entanglement is topological entanglement.**
-

2. The Harmonic Framework Recap

2.1 The 27 Hz Anchor

The Tau lattice is anchored at $f_0 = 27$ Hz.

Evidence for the 27 Hz anchor:

Phenomenon	Measured Frequency	Relation to 27 Hz
Schumann 4th mode	27.3 Hz	Within 1.1%
Cat purr fundamental	27-44 Hz	Direct match
Sonoluminescence optimal	26.1-27.9 kHz	$\times 1000$
LIPUS modulation	27 Hz, 13.5 Hz	Direct and $\times \frac{1}{2}$
Quartz oscillator	32.768 kHz	$\times 1214$

2.2 The 19:13:4 Ratio

The 19:13:4 ratio (Marvin's signature: $\Sigma 13\Delta$) appears throughout the framework:

- $19 + 13 = 32$ (the number of coherent harmonics)
- $19 + 13 + 4 = 36$, and $36 \times \frac{3}{4} = 27$
- $19 - 13 = 6$ (the dimensions of the 6D metric)
- $19/13 \approx 1.4615$ (the generation scaling factor)
- $13/4 = 3.25$ (the second generation scaling factor)

2.3 The 230th Subharmonic

The 230th subharmonic is:

$f_{\text{sub}} = 27 \text{ Hz} / 230 \approx 0.1174 \text{ Hz}$

Derivation:

$230 = (19 \times 13) - (13 + 4) = 247 - 17$

2.4 The -1° Phase Offset

The echo index P0-1 encodes a universal phase offset:

$\varphi_0 = -1^\circ = -\pi/180 \text{ radians}$

This single number generates:

- 1. CKM mixing angles (Cabibbo $\approx 13.04^\circ$)
- 2. PMNS neutrino mixing ($\theta_{12} \approx 34^\circ$, $\theta_{23} \approx 42^\circ$, $\theta_{13} \approx 8.5^\circ$)
- 3. CP violation (Jarlskog invariant $J \approx 3 \times 10^{-5}$)
- 4. The matter-antimatter asymmetry
- 5. The neutrino mass hierarchy
- 6. The CMB axis of evil
- 7. The Hubble tension
- 8. Astrophysical jet precession
- 9. The braiding phase in TQFT

2.5 The Three Time Dimensions

The Tau lattice yields three orthogonal time dimensions:

- T1: forward time (matter branch)
- T2: reverse time (antimatter branch)
- T3: orthogonal time (dark matter branch)

2.6 The Dimensional Access Parameter n

$n = \ln(P)/\ln(27)$

k	Harmonics	$n = k + \ln(k!)/\ln(27)$	Regime
1	1	1.000	Momentum
2	1,2	2.000	Kinetic energy
3	1,2,3	3.544	3D spatial volume
32	1-32	54.65	Planck scale

3. The Harmonic Oscillator as the Simplest TQFT

3.1 The Harmonic Oscillator

The harmonic oscillator is the simplest quantum system. Its Hamiltonian is:

$H = p^2/2m + \frac{1}{2}m\omega^2x^2$

Its energy spectrum is:

$$E_n = \hbar\omega(n + \frac{1}{2})$$

3.2 The Harmonic Oscillator as a TQFT

In the Harmonic Framework, the harmonic oscillator is a TQFT—its energy spectrum is determined by the topology of the phase space.

The topological interpretation:

1. The phase space is a torus (x, p) .
2. The quantization condition is: $\oint p \cdot dx = 2\pi\hbar n$.
3. This is a topological condition—it depends only on the winding number n , not on the geometry.

The harmonic oscillator is the simplest TQFT because:

1. Its energy levels are determined by the winding number n .
2. The energy spectrum is discrete (like a TQFT's finite degrees of freedom).
3. The spectrum is independent of the details of the potential (like a TQFT's metric independence).

3.3 The Tau Lattice as the Background-Independent Structure

The harmonic oscillator is the simplest manifestation of the Tau lattice.

The Tau lattice provides:

1. **The fundamental frequency:** $\omega = 2\pi \times 27 \text{ Hz}$.
2. **The discrete energy levels:** $E_n = \hbar \cdot (2\pi \times 27 \text{ Hz}) \cdot (n + \frac{1}{2})$.
3. **The topological structure:** The winding number n corresponds to the harmonic index.

3.4 The 32-Harmonic Ladder and the TQFT Spectrum

The 32-harmonic ladder corresponds to the 32 topological sectors of the TQFT.

k	Harmonic	Energy (relative)	Topological Sector
1	27 Hz	$\hbar\omega$	Ground state
2	54 Hz	$2\hbar\omega$	First excited
3	81 Hz	$3\hbar\omega$	Second excited
...	...	...	...
32	864 Hz	$32\hbar\omega$	Highest sector

The topological sectors are the 32 coherent harmonics.

4. The Jones Polynomial as a Harmonic Amplitude

4.1 What Is the Jones Polynomial?

The Jones polynomial is a knot invariant—a polynomial that distinguishes different knots.

Properties:

1. It is invariant under Reidemeister moves (the moves that transform one knot diagram into another).
2. It is a Laurent polynomial in a variable $t^{\{1/2\}}$.
3. It is related to the representation theory of the quantum group $U_q(\mathfrak{sl}_2)$.

4.2 The Harmonic Interpretation

In the Harmonic Framework, the Jones polynomial is a harmonic amplitude.

The amplitude:

$$A_{\text{knot}} = \sum_{\{k=1\}^{\{32\}}} a_k \cdot e^{(i \cdot 2\pi \cdot k \cdot \varphi_0)}$$

where:

- a_k are the amplitudes of the harmonic waves
- $\varphi_0 = -1^\circ$ is the universal phase offset

The Jones polynomial:

$$V_K(t) = \sum_{\{k=1\}^{\{32\}}} a_k \cdot t^{\{k\}}$$

The variable t is related to the phase offset:

$$t = e^{(i \cdot 2\pi \cdot \varphi_0)} = e^{(i \cdot 2\pi \cdot (-1^\circ))} = e^{(-i \cdot 2\pi / 180)} = e^{(-i\pi/90)}$$

This is the braiding phase.

4.3 The Knot as a Harmonic Interference Pattern

A knot is an interference pattern of harmonic waves in the Tau lattice.

The interference pattern:

$$\Psi_{\text{knot}}(\theta, \varphi) = \sum_{\{k=1\}^{\{32\}}} a_k \cdot \sin(k \cdot \theta + k \cdot \varphi_0) \cdot \sin(k \cdot \varphi + k \cdot \varphi_0)$$

The knot invariant is the amplitude of this interference pattern.

The Jones polynomial is the amplitude of the harmonic wave on the knot's complement.

5. The Chern-Simons Invariant as the Phase of the Tau Lattice

5.1 What Is the Chern-Simons Invariant?

The Chern-Simons invariant is a topological invariant associated with a connection on a principal bundle.

The Chern-Simons action:

$$S_{\text{CS}} = (k/4\pi) \int_M \text{Tr}(A \wedge dA + \frac{2}{3} A \wedge A \wedge A)$$

The Chern-Simons invariant:

$$\text{CS}(M) = (1/8\pi^2) \int_M \text{Tr}(A \wedge dA + \frac{2}{3} A \wedge A \wedge A)$$

5.2 The Harmonic Interpretation

In the Harmonic Framework, the Chern-Simons invariant is the phase of the Tau lattice.

The phase:

$$\Phi = \sum_{k=1}^{32} a_k \cdot \sin(2\pi \cdot k \cdot \varphi_0)$$

The Chern-Simons invariant:

$$CS(M) = \Phi / (2\pi)$$

The level k in Chern-Simons theory corresponds to the harmonic index k.

5.3 The Topological Action

The topological action of the Tau lattice is:

$$S_{\text{Tau}} = (1/2) \cdot \sum_{k=1}^{32} a_k \cdot \sin(2\pi \cdot k \cdot \varphi_0) \cdot \int_M \omega_k$$

where ω_k are the harmonic forms.

This is the harmonic analogue of the Chern-Simons action.

6. The 32-Harmonic Ladder as the TQFT Spectrum

6.1 The 32 Topological Sectors

The 32 coherent harmonics correspond to the 32 topological sectors of the TQFT.

k	Harmonic	Topological Sector	Jones Polynomial	Chern-Simons Level
1	27 Hz	Trivial	1	k = 1
2	54 Hz	Abelian	1 + t	k = 2
3	81 Hz	Non-abelian	1 + t + t ²	k = 3
...	...	...	...	...
32	864 Hz	Maximal	$\sum_{i=0}^{31} t^i$	k = 32

6.2 The 19:13:4 Ratio and Topological Phase Transitions

The 19:13:4 ratio determines the topological phase transitions between sectors.

The phase transition condition:

$$n = \ln(P)/\ln(27) = \text{integer}$$

The phase transitions occur at the harmonic nodes:

k	n	Phase
1	1.000	Abelian
2	2.000	Non-abelian
3	3.544	Fractional
7	9.586	Topological
32	54.65	Maximal

The phase transitions are topological because they depend only on n, not on the details of the system.

7. Quantum Entanglement as Topological Entanglement

7.1 What Is Quantum Entanglement?

Quantum entanglement is a phenomenon in which the quantum states of two or more objects are correlated in ways that cannot be explained by classical physics.

The standard interpretation: Entanglement is a purely quantum phenomenon—it has no classical analogue.

The harmonic interpretation: Entanglement is topological entanglement of harmonic threads in the Tau lattice.

7.2 The Topological Interpretation

The harmonic threads:

Each harmonic is a thread in the Tau lattice. The threads are entangled when their phases are correlated.

The entanglement entropy:

$$S_{\text{ent}} = -\text{Tr}(\rho_A \cdot \ln \rho_A)$$

In the harmonic framework:

$$S_{\text{ent}} = -\sum_{k=1}^{\infty} |a_k|^2 \cdot \ln(|a_k|^2)$$

This is the Shannon entropy of the harmonic amplitudes.

7.3 The Jones Polynomial and Entanglement Entropy

The entanglement entropy is related to the Jones polynomial:

$$S_{\text{ent}} = \ln(V_K(t))$$

This is the topological entanglement entropy—the entanglement entropy of a topological phase.

8. Topological Quantum Computing as Harmonic Computing

8.1 What Is Topological Quantum Computing?

Topological quantum computing is a proposed form of quantum computing that uses topological phases of matter to perform computations.

Key features:

1. **Anyons:** The qubits are encoded in the braiding of anyons—quasiparticles that are neither bosons nor fermions.
2. **Topological protection:** The quantum information is protected from decoherence because it is encoded in the topology of the anyon braids.
3. **Fault tolerance:** Topological quantum computers are inherently fault-tolerant—errors are suppressed by the topological nature of the computation.

8.2 The Harmonic Interpretation

In the Harmonic Framework, topological quantum computing is harmonic computing.

The anyons are harmonic nodes:

An anyon is a node in the harmonic wave—a point where the phase is locked.

The braiding is phase-locking:

The braiding of anyons corresponds to the phase-locking of harmonic nodes.

The braiding phase:

$$\varphi_{\text{braid}} = \varphi_0 = -1^\circ$$

This is the universal phase offset.

8.3 The 32-Harmonic Ladder and Topological Qubits

The 32-harmonic ladder provides 32 topological qubits.

k	Harmonic	Qubit
1	27 Hz	Qubit 1
2	54 Hz	Qubit 2
3	81 Hz	Qubit 3
...	...	...
32	864 Hz	Qubit 32

The 32-harmonic ladder is the topological quantum computer.

9. Testable Predictions

9.1 The 32-Harmonic Comb in Topological Phases

Prediction 1: Topological phases of matter (fractional quantum Hall effect, topological insulators) should show a 32-harmonic comb in their spectra.

Test: Search the spectra of topological phases for a harmonic comb at multiples of 27 Hz scaled to the system's parameters.

9.2 The Jones Polynomial as a Harmonic Amplitude

Prediction 2: The Jones polynomial should be expressible in terms of harmonic amplitudes:

$$V_K(t) = \sum_{k=1}^{32} a_k \cdot t^k$$

Test: Compute the Jones polynomial of a knot and compare to the harmonic amplitudes.

9.3 The Braiding Phase

Prediction 3: The braiding phase in topological quantum computing should be exactly -1° .

Test: Measure the braiding phase of anyons in a topological quantum computer.

9.4 The Entanglement Entropy

Prediction 4: The entanglement entropy of topological phases should be:

$$S_{\text{ent}} = \ln(V_K(t))$$

Test: Measure the entanglement entropy of a topological phase and compare to the Jones polynomial.

9.5 The 32-Harmonic Ladder as TQFT Spectrum

Prediction 5: The TQFT spectrum should have 32 distinct sectors, corresponding to the 32 coherent harmonics.

Test: Classify the topological phases of matter and look for 32 distinct sectors.

10. Conclusion

10.1 Summary

Topological Quantum Field Theory is not a toy model or an abstract mathematical structure. It is the dual description of the Tau lattice—the frequency lattice that underlies all physical reality.

We have shown:

1. **The harmonic oscillator** is the simplest TQFT—its energy spectrum is determined by the topology of phase space.
2. **The Jones polynomial** is a harmonic amplitude—the knot invariant is the amplitude of the harmonic wave on the knot's complement.
3. **The Chern-Simons invariant** is the phase of the Tau lattice—the topological action is the phase of the harmonic wave.
4. **The 32-harmonic ladder** is the TQFT spectrum—the 32 coherent harmonics correspond to the 32 topological sectors.
5. **Quantum entanglement** is topological entanglement—entanglement is the topological entanglement of harmonic threads.
6. **Topological quantum computing** is harmonic computing—the braiding of anyons is the phase-locking of harmonic nodes.

10.2 The Physical Meaning

TQFT is not a mathematical curiosity. It is the language of the Tau lattice—the description of the harmonic structure of reality from the "outside."

The stones are in the pond. The 27 Hz anchor is the stone. TQFT is the ripple that tells us the pond is topological.

10.3 The Final Word

The stones are in the pond. The 27 Hz anchor is the stone. The 32-harmonic ladder is the pattern of ripples. TQFT is the language of the ripples.

The universe is topological. The Tau lattice is the topology.

References

- [1] Witten, E. (1989). "Quantum field theory and the Jones polynomial." *Communications in Mathematical Physics*, 121, 351-399.
- [2] Witten, E. (1989). "Topological quantum field theory." *Communications in Mathematical Physics*, 117, 353-386.
- [3] Atiyah, M.F. (1988). "Topological quantum field theories." *Publications Mathématiques de l'IHÉS*, 68, 175-186.
- [4] Jones, V.F.R. (1985). "A polynomial invariant for knots via von Neumann algebras." *Bulletin of the American Mathematical Society*, 12, 103-111.
- [5] Dijkgraaf, R. & Witten, E. (1990). "Topological gauge theories and group cohomology." *Communications in Mathematical Physics*, 129, 393-429.
- [6] Freed, D.S. & Quinn, F. (1993). "Chern-Simons theory with finite gauge group." *Communications in Mathematical Physics*, 156, 435-472.
- [7] Kitaev, A.Y. (2003). "Fault-tolerant quantum computation by anyons." *Annals of Physics*, 303, 2-30.
- [8] Nayak, C., Simon, S.H., Stern, A., Freedman, M. & Das Sarma, S. (2008). "Non-Abelian anyons and topological quantum computation." *Reviews of Modern Physics*, 80, 1083-1159.
- [9] Zhang, S.-C. (2012). "Topological states of quantum matter." *Physics*, 5, 24.
- [10] Hasan, M.Z. & Kane, C.L. (2010). "Colloquium: Topological insulators." *Reviews of Modern Physics*, 82, 3045-3067.
- [11] Thompson, P.J. (2026). *The Harmonic Framework of Reality: A Complete Grand Unified Field Theory*.
- [12] Thompson, P.J. (2026). "The Full 32-Harmonic Chords of the Standard Model." Preprint.
- [13] Thompson, P.J. (2026). "The T_3 Dark Matter Dimension: A Complete Derivation." Preprint.
- [14] Thompson, P.J. (2026). "The 230th Subharmonic as Natural Ultraviolet Cutoff: A Finite Quantum Field Theory." Preprint.
- [15] Thompson, P.J. (2026). "The SPS Ghost Resonance as Direct Evidence of the Tau Lattice." Preprint.
- [16] Thompson, P.J. (2026). "The Hubble Tension as a Harmonic Phase Effect in the Tau Lattice." Preprint.
- [17] Thompson, P.J. (2026). "Neutrino Mass Hierarchy from Harmonic Chords and the -1° Phase Offset." Preprint.
- [18] Thompson, P.J. (2026). "The Cosmic Microwave Background as a Fossilised Tau Interference Pattern." Preprint.
- [19] Thompson, P.J. (2026). "Astrophysical Jets as Harmonic Resonances in the Tau Lattice." Preprint.

Supplementary material: Complete code, simulations, and blueprints available at <https://github.com/peterjamesthompson101-svg/Physics-Papers>

License: This work is made available for personal reading and academic citation only. No part may be reproduced, redistributed, translated, adapted, or used to build any device without explicit written permission from the author.