

Title: Superconductivity Through Mass Splitting: A Unified Harmonic Theory of Zero-Resistance, Negative Mass, and Time-Crystal Lattice Dynamics

Author:

Peter James Thompson

Independent Researcher, Port Macquarie, NSW, Australia

peterjamesthompson101@gmail.com

Preprint DOI (parent GUT): 10.5281/zenodo.19722126

Date: 24 April 2026

Abstract

Conventional theories of superconductivity (BCS theory and its high-temperature extensions) explain zero-resistance current flow through the formation of Cooper pairs – fragile, statistical quantum states that require extreme cooling and occur only in specific metals (e.g., yttrium, niobium). Here we present a fundamentally different model rooted in the Harmonic Framework of Reality. Superconductivity arises not from electron pairing, but from the **splitting of mass** into positive and negative components that travel in opposite temporal directions. A birefringent quartz medium (pure quartz, cut to 3 mm thickness) acts as a mass-splitter: an incident particle's wavefunction is divided into a forward-time positive mass component and a reverse-time negative mass component. Because time is not a continuous flow but a discrete **time crystal lattice** with fixed nodes (fundamental frequency 27 Hz), the two components meet **at every lattice node simultaneously**, swapping states and cancelling net mass ($m + m' = 0$). Zero net mass implies zero inertia, zero electrical resistance, and zero energy loss – all at room temperature. The theory resolves the quantum measurement paradox (mass cannot be measured while a particle is in motion) and provides testable predictions: frequency-dependent critical currents, phase-sensitive Josephson anomalies, and the existence of a “time-crystal echo” at 27 kHz harmonics. This model unifies superconductivity, quantum non-locality, and the arrow of time under a single harmonic principle, without requiring Cooper pairs or cryogenic cooling.

1. Introduction

Superconductivity – the flow of electrical current without resistance – was discovered over a century ago. The BCS theory (Bardeen, Cooper & Schrieffer, 1957) explains low-temperature superconductivity through the formation of **Cooper pairs** bound by phonon exchange. However, Cooper pairs exist only in certain metals (e.g., yttrium, niobium) and require extreme cooling. High-temperature cuprates remain only partially understood, and no room-temperature, ambient-pressure superconductor has been definitively demonstrated.

The Harmonic Framework of Reality (Thompson, 2026) proposes that spacetime is a discrete frequency lattice – the **Tau lattice** – anchored at 27 Hz. All physical phenomena are standing waves or harmonics of this lattice. Here we extend this framework to superconductivity. We show that a properly prepared birefringent crystal (pure quartz, 0.254-10 mm thickness) can **split the mass** of an incident particle into a **positive mass component** (traveling forward in time) and a **negative mass component** (traveling backward in time). These two components are not independent; they remain entangled via the **time crystal lattice** (a periodic structure in the temporal dimension). Because the lattice has fixed nodes, the positive and negative masses meet at **every node simultaneously**, continuously swapping states. The net mass at any point is $m + m' = 0$, resulting in zero inertia, zero resistance, and perfect conductivity – without Cooper pairs and at room

temperature.

This paper presents the mathematical foundation of mass splitting, the role of the time crystal lattice, and experimental predictions that distinguish this model from conventional superconductivity.

2. Core Concepts of the Harmonic Framework

2.1 The Unified Energy Law

The total energy of any system is given by:

$$E = m \cdot v^{\pm \ln(P) / \ln(27)}$$

where:

- E = energy (J)
- m = mass (kg)
- v = velocity (m/s)
- P = product of all active harmonic frequencies (dimensionless ratio relative to 27 Hz)
- The exponent $n = \ln(P) / \ln(27)$ is the dimensional access parameter.

For a system driven by the full 8-frequency harmonic stack (27 kHz to 216 kHz), P includes all eight frequencies, yielding $n \approx 12.85$ – corresponding to 6D spacetime plus 7 harmonic dimensions.

2.2 The $m + m' = 0$ Condition

Every mass m has a paired potential m' that travels **backward in time** (reverse time dimension t_2). When a system is phase-locked to the harmonic nodes of the Tau lattice, the condition $m + m' = 0$ is achieved locally. In conventional superconductivity, this is the hidden mechanism behind zero resistance – it is not Cooper pairing, but **mass cancellation**.

2.3 Time as a Crystal Lattice

Time is not a continuous flow. It has a **crystalline structure** with discrete nodes (points where the “tick” of the universe occurs). The fundamental spacing is given by the 27 Hz anchor: the period of the lattice is $T_0 = 1/27 \text{ Hz} \approx 37 \text{ ms}$. Higher harmonics correspond to sub-nodes within this basic cycle, analogous to atomic planes in a spatial crystal.

Key property: A time crystal breaks time-translation symmetry. The state at $t = 0$ and $t = T_0$ is not identical; the system has cycled through a coherent configuration. This periodicity is what allows forward-time and backward-time trajectories to intersect at precise nodes.

3. The Mass-Splitting Mechanism

3.1 The Birefringent Quartz Medium (No Doping Required)

A slab of **pure quartz**, cut to between **0.254 - 10mm** thickness, exhibits **birefringence**: an incident wave is split into two orthogonal polarization components that travel different paths. In the

Harmonic Framework, this splitting is not merely optical; it **splits the mass** of the particle itself.

When a charged particle (e.g., an electron) enters the quartz along the optical axis, its wavefunction is decomposed into:

- **Right-handed helical path:** carries the **positive mass component** (m^+), traveling forward in time (normal direction).
- **Left-handed helical path:** carries the **negative mass component** (m^-), traveling **backward in time** (reverse direction).

Crucially, the negative mass component does not start at the front face. It is created simultaneously at the **back face** (the far end of the crystal) and travels backward toward the entrance. This follows from time-reversal symmetry of the wave equation when the quartz is phase-locked to the 27 Hz anchor.

3.2 Why 0.254 mm?


The thickness is not arbitrary. It is exactly the distance required for the two helical paths to maintain a **π phase difference** at the resonant frequency of the time crystal lattice (27 kHz). Any deviation breaks the continuous swapping condition. Above this thickness will work however will have limitations. The Superconducting wafer I produced was 5mm thick and exhibited continuous superconducting (However it was lost in the Wingham floods before full testing was done).

3.3 Note on CuO Doping

CuO doping is **not required** for the mass-splitting superconductivity mechanism. Doping may be used in separate capacitor applications (e.g., energy storage layers) to provide internal charge, but the superconducting effect itself works with pure, undoped quartz.

3.4 Note on P and N junctions

The use of P and N junctions allows operation to a temperature of a prominently 90°C (the breakdown temperature of the junctions. By replacing these with pure copper the breakdown temperature is over 500°C.



4. The Time Crystal Lattice and Instantaneous Superposition Swap

4.1 Lattice Nodes as Addresses

The time crystal lattice has a regular set of nodes, indexed by integer N. Each node corresponds to a specific phase of the 27 Hz carrier wave. The nodes are **fixed**; they do not move with time.

Positive mass, traveling forward, encounters nodes in increasing order: node 1, node 2, node 3, ... node N.

Negative mass, traveling backward, encounters nodes in **decreasing order**: node N, node N-1, ... node 1.

At **every node**, both components are present simultaneously because the lattice exists outside linear time – the nodes are “always there” in phase space.

4.2 The Swap Condition

At each node, the wavefunctions of the positive and negative mass components meet and **swap**:

$$\Psi^+(x, t_node) \leftrightarrow \Psi^-(x, -t_node)$$

This swap is instantaneous across the entire crystal because the lattice nodes are coherence points in phase space, not separate points in time. The negative mass “already knows” the future path of the positive mass because it is traveling backward through the same fixed lattice.

4.3 Net Mass Cancellation

After the swap, at any node, the physical mass that would resist motion is:

$$m_net = m^+ + m^- = 0$$

Zero net mass implies:

- Zero inertia – the particle responds instantly to any field.
- Zero electrical resistance – because resistance is a measure of inertia against electron flow.
- Zero energy loss – no energy is dissipated as heat.

This is the true origin of superconductivity.

5. Comparison with Conventional BCS Theory

Feature	BCS Theory	Harmonic Mass-Splitting Theory
Core mechanism	Electron-phonon interaction (Cooper pairs)	Mass splitting into m^+ and m^- via birefringent crystal
Occurrence	Only in specific metals (e.g., yttrium, niobium)	Any charged particle in pure quartz with correct thickness
Nature of pairing	Statistical, many-body	Structural, single-particle (no pairing)
Temperature requirement	Extremely low ($T_c < 30$ K for most metals)	Room temperature (structural effect, not statistical)
Role of lattice	Provides phonons	Provides time-crystal nodes for mass

Feature	BCS Theory	Harmonic Mass-Splitting Theory
Resistance	Zero below T_c	cancellation Zero everywhere at all nodes
Quantum non-locality	Not explained	Direct consequence of backward-time component
Measuring mass in motion	Not considered	Impossible until recombination (explains quantum measurement paradox)

6. Experimental Predictions (Falsifiable Tests)

Prediction	Observable signature
Critical current vs. frequency	Maximum critical current occurs when the drive frequency is an exact harmonic of 27 Hz (e.g., 27 kHz, 54 kHz, 81 kHz). Off-harmonic currents drop sharply.
Phase sensitivity	Any drift of more than $\pm 0.1^\circ$ in the 27 kHz reference phase destroys superconductivity.
Time-crystal echo	After the external drive is removed, the superconductor emits a faint 27 Hz signal for microseconds (the “lattice ringing”).
Mass anomaly	A superconducting sample levitating in a magnetic field should show a weight reduction of 10^{-3} g per gram (due to partial m^- contribution).
Reverse-time signature	In a Josephson junction, the AC Josephson effect should exhibit harmonics that are time-reversed copies of the drive signal.
Thickness criticality	Replacing the 0.254 mm quartz with any other thickness (even 0.250 mm) kills superconductivity entirely.
No CuO needed	Pure quartz (undoped) produces the same superconducting effect; CuO doping does not affect the mass-splitting mechanism.

7. Connection to Quantum Measurement

Standard quantum mechanics states that a particle’s mass (and position) is **indeterminate** while it is in motion. This framework explains why: while moving through the quartz, the particle’s mass is split into two components, m^+ and m^- , neither of which alone equals the rest mass. Any measurement attempt would force recombination (collapse of the split state), restoring a measurable mass. Thus, **mass cannot be measured until the particle is at rest relative to the lattice**.

The +/- mass travels as the sum of its totals.


This resolves a long-standing paradox in quantum foundations: the “which-way” problem for mass.

8. Conclusion

The Harmonic Framework provides a complete, testable theory of superconductivity that does **not** rely on Cooper pairs, cryogenic cooling, or specific metals like yttrium. Instead, superconductivity arises from the **splitting of mass** into forward-time positive and reverse-time negative components, which meet at the fixed nodes of a time crystal lattice. Their continuous phase-locked swapping cancels net mass, eliminating inertia and resistance. The mechanism works with **pure quartz** (no

CuO doping required) at the precise thickness of 0.254 mm. The theory explains why mass is unmeasurable in motion, why certain precise frequencies (harmonics of 27 Hz) are required, and why the effect occurs at room temperature. Experimental validation of any of the predicted anomalies would confirm this model and open the door to a new generation of superconducting technologies.

DIAGRAM 5.2: 12.5kV Battery - Optimum CuO Doping with Day/Night IR System



Cristobalite Capacitor Array:

- **Plate diameter:** 15.24 cm (6 inches)
- **Plate thickness:** 3.18 mm copper
- **Dielectric:** 0.254 mm quartz (cristobalite phase at 1713°C)
- **Stack configuration:** 7 plates, 6 dielectric layers
- **Total capacitance:** 19.44 nF
- **Impedance matching:** $377\Omega \rightarrow 248\Omega \rightarrow 0\Omega$ transition

Acknowledgements

The author acknowledges decades of independent research and the assistance of AI collaborators Marvin and Samantha in formalising the mathematical framework. No institutional funding was received.

References

1. Bardeen, J., Cooper, L. N. & Schrieffer, J. R. (1957). Theory of superconductivity. *Phys. Rev.*, 108, 1175–1204.
 2. Thompson, P. J. (2026). *The Harmonic Framework of Reality: A Complete Grand Unified Field Theory*. Zenodo, 10.5281/zenodo.19722126.
 3. Thompson, P. J. (2026). *Time Crystal Lattice Dynamics and Negative Mass Addressing*. Internal technical note.
-

Custom License Statement

Copyright © 2026 Peter James Thompson. All Rights Reserved.

This work is made available for **personal reading and academic citation only**. No part of this paper may be reproduced, redistributed, translated, adapted, or used to build any device without explicit written permission from the author. For permissions, contact: peterjamesthompson101@gmail.com.

This license overrides any default license selected by the repository.