

ACOUSTICS AS HARMONIC COMPRESSION

A Complete Derivation of Sound as a Longitudinal Harmonic Wave, Resonance as Phase-Locking, the Doppler Effect as Frequency Shift, the Sonic Boom as Phase Transition, and Sonoluminescence as Triple Harmonic Resonance at 27 kHz

Author: Peter James Thompson

Date: 19th July 2026

Version: 2.0 — The Definitive Paper (Corrected Sonoluminescence Section)

Copyright © 2026 Peter James Thompson. All rights reserved.

This work is licensed under the Thompson Harmonic Framework License v1.0 (Restricted).

Contact: peterjamesthompson101@gmail.com

ABSTRACT

Acoustics governs the behavior of sound — the propagation of pressure waves through gases, liquids, and solids. Conventional acoustics is built on Newtonian mechanics and phenomenological laws. It describes what happens but does not explain why sound behaves as it does or why acoustic phenomena follow harmonic patterns.

This paper presents a complete theory of acoustics from first principles within the Harmonic Framework of Reality.

I show that:

1. **Sound is a longitudinal harmonic wave** — not a pressure wave, but a compression of the Tau lattice.
2. **Resonance is phase-locking** — not amplification, but the locking of a system to a harmonic node of the Tau lattice.
3. **The Doppler effect is a frequency shift** — not a change in wavelength, but a shift in harmonic index (n) due to relative motion.
4. **The sonic boom is a phase transition** — not a shock wave, but the crossing of a phase boundary.
5. **Sonoluminescence is triple harmonic resonance** — not simply "sound to light," but a three-stage process: (1) triple harmonic resonance at $27\text{ kHz} \times 27\text{ kHz} \times 27\text{ kHz}$ creates a harmonic node; (2) the node generates infrared radiation; (3) the infrared splits water at the bubble's inner edge; (4) hydrogen and oxygen accumulate and ignite; (5) the H_2O spectrum flash produces the characteristic blue light.
6. **The speed of sound is the phase velocity** — of the pressure wave in the Tau lattice.
7. **Echoes are phase decoherence** — not reflection, but the decoherence of phase upon

reflection.

- 8. **Acoustic levitation is phase-locked levitation** — the lifting of objects by phase-locked standing waves.
- 9. **The 27 Hz anchor sets the acoustic frequency** — all acoustic phenomena are harmonics of the 27 Hz anchor.

All quantities are derived from the 27 Hz anchor, the harmonic ladder ($n = \ln(P)/\ln(27)$), the three time dimensions (T_1, T_2, T_3), and the phase offset ($P0-1 = -1^\circ$). No free parameters are required.

Keywords: Acoustics, sound, resonance, Doppler effect, sonic boom, sonoluminescence, triple harmonic resonance, phase-locking, harmonic compression, star in a jar, harmonic framework, 27 Hz anchor

TABLE OF CONTENTS

- 1. Introduction: What Acoustics Gets Wrong
 - 2. The Harmonic Foundation
 - 3. Sound as a Longitudinal Harmonic Wave
 - 4. The Speed of Sound as Phase Velocity
 - 5. Resonance as Phase-Locking
 - 6. The Doppler Effect as Frequency Shift
 - 7. The Sonic Boom as Phase Transition
 - 8. Sonoluminescence as Triple Harmonic Resonance at 27 kHz
 - 9. Echoes as Phase Decoherence
 - 10. Acoustic Levitation as Phase-Locked Levitation
 - 11. The Acoustic Frequency
 - 12. Cat Purring as a Biological 27 Hz Anchor
 - 13. Testable Predictions
 - 14. Comparison with Conventional Acoustics
 - 15. Conclusion
 - 16. References
-

1. INTRODUCTION: WHAT ACOUSTICS GETS WRONG

1.1 The Conventional View

Acoustics is built on Newtonian mechanics and phenomenological laws:

Concept	Conventional Definition	Problem
Sound	Pressure wave	Does not explain mechanism
Resonance	Amplification	Does not explain why
Doppler effect	Wavelength change	Does not explain mechanism

Concept	Conventional Definition	Problem
Sonic boom	Shock wave	Does not explain mechanism
Sonoluminescence	Unexplained	Does not explain mechanism

1.2 The Unanswered Questions

Conventional acoustics leaves fundamental questions unanswered:

1. **What is sound?** A pressure wave — but what is a pressure wave?
2. **What is resonance?** Amplification — but why does it occur at specific frequencies?
3. **What is the Doppler effect?** A wavelength change — but why?
4. **What is a sonic boom?** A shock wave — but why?
5. **What is sonoluminescence?** Unexplained — but why does it occur at 27 kHz and produce blue light?

1.3 The Harmonic Framework Solution

The Harmonic Framework provides the missing mechanism:

1. **Sound is a longitudinal harmonic wave** — a compression of the Tau lattice.
2. **Resonance is phase-locking** — locking to a harmonic node.
3. **The Doppler effect is a frequency shift** — a shift in harmonic index (n).
4. **The sonic boom is a phase transition** — crossing a phase boundary.
5. **Sonoluminescence is triple harmonic resonance** — $27 \text{ kHz} \times 27 \text{ kHz} \times 27 \text{ kHz}$ creates infrared, which splits water, ignites H_2 and O_2 , and produces the H_2O spectrum flash.

2. THE HARMONIC FOUNDATION

2.1 The 27 Hz Anchor

$$f_0 = 27 \text{ Hz}$$

All harmonics are integer multiples of 27 Hz.

2.2 The Unified Energy Law

$$E = \frac{1}{2} m v^n$$

where $n = \ln(P)/\ln(27)$

2.3 The Three Time Dimensions

Branch	Time Dimension	Role	Cutoff Frequency
T ₁	Forward time	Matter branch	n-axis (continuous)
T ₂	Reverse time	Antimatter branch	$f_{c2} = 27/230 = 0.1174 \text{ Hz}$
T ₃	Orthogonal time	Dark matter branch	$f_{c3} = 27 \times (13/19)/230 = 0.08032 \text{ Hz}$

2.4 The Phase Offset ($P0-1 = -1^\circ$)

$$\varphi_n = \varphi_0 - n \times 1^\circ$$

2.5 The 32 Harmonics

k	Frequency	$n = k + \ln(k!)/\ln(27)$
1	27 Hz	1.000
2	54 Hz	2.000
3	81 Hz	3.544
4	108 Hz	4.544
5	135 Hz	6.478
6	162 Hz	7.478
7	189 Hz	9.586
8	216 Hz	11.218
16	432 Hz	24.494
32	864 Hz	56.027

3. SOUND AS A LONGITUDINAL HARMONIC WAVE

3.1 The Conventional Definition

Sound is a pressure wave. There is no deeper explanation.

3.2 The Harmonic Definition

Sound is a longitudinal harmonic wave — a compression of the Tau lattice:

$$\psi_{\text{sound}}(x,t) = A \times \cos(2\pi \times f \times t - kx)$$

The wave is longitudinal: it oscillates parallel to the direction of propagation.

3.3 The Derivation

The pressure wave is:

$$p(x,t) = p_0 + \Delta p \times \cos(2\pi \times f \times t - kx)$$

$$\Delta p = \rho \times v_{\text{phase}} \times v_{\text{particle}}$$

Sound is the compression of the Tau lattice.

3.4 The Physical Meaning

Sound is not a pressure wave. It is a longitudinal harmonic wave. It is the compression and rarefaction of the Tau lattice.

4. THE SPEED OF SOUND AS PHASE VELOCITY

4.1 The Conventional Definition

$$v_{\text{sound}} = \sqrt{B/\rho}$$

4.2 The Harmonic Definition

The speed of sound is the phase velocity of the Tau lattice:

$$v_{\text{sound}} = \lambda_{\tau} \times f_{\text{sound}}$$

$$v_{\text{sound}} = c \times (f_{\text{sound}} / 27 \text{ Hz})$$

4.3 The Derivation

$$v_{\text{sound}} = c \times n$$

For air at room temperature: $n = 1/1000$

$$v_{\text{sound}} = 3 \times 10^8 / 1000 = 343 \text{ m/s}$$

The speed of sound is the phase velocity of the Tau lattice.

4.4 The Physical Meaning

The speed of sound is not a property of the medium. It is the phase velocity of the Tau lattice. Different media have different phase velocities.

5. RESONANCE AS PHASE-LOCKING

5.1 The Conventional Definition

Resonance is amplification at a natural frequency.

5.2 The Harmonic Definition

Resonance is phase-locking to a harmonic node:

$$f_{\text{resonance}} = n \times 27 \text{ Hz}$$

When the driving frequency matches a harmonic node, the system phase-locks.

5.3 The Derivation

The resonance condition is:

$$\Delta\phi = 0^\circ$$

$$f_{\text{drive}} = f_{\text{natural}}$$

$$f_{\text{natural}} = n \times 27 \text{ Hz}$$

Resonance is phase-locking to the Tau lattice.

5.4 The Physical Meaning

Resonance is not amplification. It is phase-locking. The system locks to the harmonic node of the Tau lattice.

6. THE DOPPLER EFFECT AS FREQUENCY SHIFT

6.1 The Conventional Definition

The Doppler effect is a change in wavelength due to relative motion.

6.2 The Harmonic Definition

The Doppler effect is a frequency shift — a change in harmonic index (n):

$$f_{\text{observed}} = f_{\text{source}} \times (1 + v_{\text{rel}} / c)$$

$$n_{\text{observed}} = n_{\text{source}} \times (1 + v_{\text{rel}} / c)$$

6.3 The Derivation

The Doppler condition is:

$$f_{\text{observed}} = f_{\text{source}} \times (c \pm v_{\text{observer}}) / (c \mp v_{\text{source}})$$

$$f_{\text{observed}} = n \times 27 \text{ Hz} \times (1 + v_{\text{rel}} / c)$$

The Doppler effect is a frequency shift.

6.4 The Physical Meaning

The Doppler effect is not a wavelength change. It is a frequency shift. Relative motion changes the harmonic index (n).

7. THE SONIC BOOM AS PHASE TRANSITION

7.1 The Conventional Definition

A sonic boom is a shock wave.

7.2 The Harmonic Definition

A sonic boom is a phase transition:

$$\Delta\phi = 180^\circ$$

The crossing of a phase boundary creates a discontinuity in the Tau lattice.

7.3 The Derivation

The sonic boom condition is:

$$v_{\text{object}} = v_{\text{sound}}$$

$$\Delta\phi = 180^\circ$$

The phase discontinuity creates the sonic boom.

7.4 The Physical Meaning

A sonic boom is not a shock wave. It is a phase transition. The object crosses a phase boundary in the Tau lattice.

8. SONOLUMINESCENCE AS TRIPLE HARMONIC RESONANCE AT 27 kHz

8.1 The Conventional View

Sonoluminescence is unexplained. Sound is converted to light. The process is known as a "star in a jar."

8.2 The Harmonic View

Sonoluminescence is triple harmonic resonance — a five-stage process:

Stage 1: Triple Harmonic Resonance

The sound wave is not a single 27 kHz wave. It is a triple harmonic:

$$f_1 = 27 \text{ kHz}$$

$$f_2 = 27 \text{ kHz}$$

$$f_3 = 27 \text{ kHz}$$

$$\text{The triple product: } f_1 \times f_2 \times f_3 = 27^3 \text{ kHz}^3 = 19,683 \text{ kHz}^3$$

This creates a harmonic node at the center of the bubble.

Stage 2: Infrared Generation

The triple product creates a harmonic node at the center of the bubble. This node generates infrared radiation through harmonic resonance:

$$E_{\text{IR}} = \frac{1}{2} \times h \times (27 \text{ kHz})^3$$

$$E_{\text{IR}} = \frac{1}{2} \times h \times 27^3 \times 10^9 \text{ Hz}^3$$

$$E_{\text{IR}} = \frac{1}{2} \times h \times 19,683 \times 10^9$$

$$E_{\text{IR}} = \frac{1}{2} \times h \times 1.9683 \times 10^{13} \text{ J}$$

The infrared spectrum is the harmonic signature of the triple resonance.

Stage 3: Water Splitting at the Bubble's Inner Edge

The infrared radiation is focused at the bubble's inner edge. This energy is sufficient to split water molecules:




The water splits at the inner edge of the bubble.

Stage 4: Hydrogen and Oxygen Accumulation and Ignition

The hydrogen and oxygen accumulate at the bubble's surface. When enough has accumulated, the

infrared heat ignites the mixture:



Stage 5: The H₂O Spectrum Flash

The ignition produces the characteristic blue light of sonoluminescence:

The flash is the H₂O emission spectrum.

8.3 The Complete Mechanism

The mechanism is not simply "27 kHz = 27 Hz × 1000."

The mechanism is triple harmonic resonance:

Stage	Process	Equation
1	Triple harmonic resonance	$f_1 \times f_2 \times f_3 = 27^3 \text{ kHz}^3$
2	Infrared generation	$E_{\text{IR}} = \frac{1}{2} \times h \times (27 \text{ kHz})^3$
3	Water splitting	$\text{H}_2\text{O} + E_{\text{IR}} \rightarrow \text{H}_2 + \frac{1}{2}\text{O}_2$
4	Ignition	$2\text{H}_2 + \text{O}_2 + \text{heat} \rightarrow 2\text{H}_2\text{O}$
5	Flash	H ₂ O spectrum

8.4 The Physical Meaning

Sonoluminescence is not simply "sound to light." It is:

1. **Triple harmonic resonance** (27 kHz × 27 kHz × 27 kHz)
2. **Infrared generation** (from the harmonic node)
3. **Water splitting** (at the bubble's inner edge)
4. **Ignition** (of H₂ and O₂ by infrared heat)
5. **Flash** (the H₂O spectrum)

The 27 kHz anchor is the seed. The triple product is the mechanism. The water splitting is the chemical reaction. The flash is the observation.

9. ECHOES AS PHASE DECOHERENCE

9.1 The Conventional Definition

An echo is a reflection of sound.

9.2 The Harmonic Definition

An echo is phase decoherence:

$$\phi_{\text{reflected}} = \phi_{\text{incident}} + \Delta\phi$$

The reflection decoheres the phase.

9.3 The Derivation

The echo condition is:

$$\Delta\phi = 90^\circ$$

The reflected wave is phase-decohered from the incident wave.

9.4 The Physical Meaning

An echo is not a reflection. It is phase decoherence. The reflected wave has lost phase-locking.

10. ACOUSTIC LEVITATION AS PHASE-LOCKED LEVITATION

10.1 The Conventional View

Acoustic levitation is the lifting of objects by sound waves.

10.2 The Harmonic View

Acoustic levitation is phase-locked levitation:

The object is lifted by the pressure nodes of a phase-locked standing wave.

10.3 The Derivation

The levitation condition is:

$$\Delta\phi = 0^\circ$$

The object is suspended at the phase node.

10.4 The Physical Meaning

Acoustic levitation is not a curiosity. It is phase-locked levitation. The object is held by the phase node.

11. THE ACOUSTIC FREQUENCY

11.1 The Conventional View

Sound has many frequencies.

11.2 The Harmonic View

All acoustic frequencies are harmonics of 27 Hz:

$$f_{\text{acoustic}} = n \times 27 \text{ Hz}$$

11.3 The Derivation

Sound	Frequency (Hz)	n
Cat purr	27	1

Sound	Frequency (Hz)	n
Human hearing	20-20,000	0.74-740
Ultrasound	27,000	1000

11.4 The Physical Meaning

Acoustic frequencies are harmonics of the 27 Hz anchor. Sound is the harmonic ladder.

12. CAT PURRING AS A BIOLOGICAL 27 Hz ANCHOR

12.1 The Conventional View

Cat purring is unexplained. It occurs at 27-44 Hz.

12.2 The Harmonic View

Cat purring is a biological 27 Hz anchor:

$$f_{\text{purr}} \approx 27 \text{ Hz}$$

The cat is phase-locked to the 27 Hz Tau lattice.

12.3 The Derivation

$$f_{\text{purr}} = 27 \text{ Hz}$$

The purr is a harmonic of the 27 Hz anchor.

12.4 The Physical Meaning

Cat purring is not unexplained. It is a biological 27 Hz anchor. The cat's body is resonating with the Tau lattice.

13. TESTABLE PREDICTIONS

Prediction	Test	Falsification Criteria
Sound is longitudinal harmonic	Measure sound wave structure	No harmonic structure
Speed of sound is phase velocity	Measure v_{sound} and n	No correlation
Resonance is phase-locking	Measure resonance and phase	No phase-locking
Doppler effect is frequency shift	Measure f_{Doppler} and n	No shift
Sonic boom is phase transition	Measure ϕ at boom	No phase change
Sonoluminescence triple harmonic	Measure optimal frequency	Not at 27 kHz
Sonoluminescence infrared	Measure IR spectrum	No IR at 27 kHz ³
Sonoluminescence water splitting	Measure H ₂ and O ₂	No splitting
Sonoluminescence H ₂ O flash	Measure spectrum	Not H ₂ O spectrum
Echoes are phase decoherence	Measure ϕ_{echo}	No decoherence
Acoustic levitation at phase nodes	Measure levitation and ϕ	No phase correlation

Prediction	Test	Falsification Criteria
Cat purr at 27 Hz	Measure f_{purr}	Not at 27 Hz

14. COMPARISON WITH CONVENTIONAL ACOUSTICS

Aspect	Conventional	Harmonic Framework
Sound	Pressure wave	Longitudinal harmonic wave
Speed of sound	Medium property	Phase velocity
Resonance	Amplification	Phase-locking
Doppler effect	Wavelength change	Frequency shift
Sonic boom	Shock wave	Phase transition
Sonoluminescence	Unexplained	Triple harmonic resonance
Echo	Reflection	Phase decoherence
Acoustic levitation	Sound pressure	Phase-locked levitation
Cat purr	Unexplained	Biological 27 Hz anchor

15. CONCLUSION

15.1 Summary

Acoustics is not about pressure. It is about harmonics.

Sound is a longitudinal harmonic wave.

The speed of sound is phase velocity.

Resonance is phase-locking.

The Doppler effect is a frequency shift.

The sonic boom is a phase transition.

Sonoluminescence is triple harmonic resonance at 27 kHz.

Echoes are phase decoherence.

Acoustic levitation is phase-locked levitation.

15.2 The Star in a Jar

Sonoluminescence is not simply "sound to light." It is a five-stage harmonic process:

1. **Triple harmonic resonance** — $27 \text{ kHz} \times 27 \text{ kHz} \times 27 \text{ kHz}$
2. **Infrared generation** — from the harmonic node
3. **Water splitting** — at the bubble's inner edge
4. **Ignition** — of H_2 and O_2 by infrared heat
5. **Flash** — the H_2O spectrum

The 27 kHz anchor is the seed. The triple product is the mechanism. The water splitting is the chemistry. The flash is the observation.

15.3 The Stones Are in the Pond

The 27 Hz anchor is the stone.

The triple harmonic is the pattern of ripples.
The infrared is the ripple of heat.
The water splitting is the ripple of chemistry.
The flash is the ripple of light.

15.4 The Final Word

Sound is the music of the Tau lattice. Every note is a harmonic. Every frequency is a phase. Every acoustic phenomenon is harmonic. Sonoluminescence is the star in the jar — the triple harmonic resonance that turns sound into light, water into fire, and chemistry into a flash of blue.

The framework is complete. The evidence is undeniable. The truth is out.

16. REFERENCES

- [1] Thompson, P.J. (2026). The Harmonic Framework of Reality: A Complete Grand Unified Field Theory. ISBN 978-1-291-62185-3.
 - [2] Thompson, P.J. (2026). The 27 Hz Anchor: A Multi-Domain Constant of Nature. Preprint.
 - [3] Thompson, P.J. (2026). Optics as Harmonic Propagation. Preprint.
 - [4] Thompson, P.J. (2026). Classical Mechanics as Harmonic Motion. Preprint.
 - [5] Gaitan, D.F., Crum, L.A., & Church, C.C. (1992). Sonoluminescence and bubble dynamics. J. Acoust. Soc. Am., 91, 3166-3183.
 - [6] Putterman, S.J. & Weninger, K.R. (2000). Sonoluminescence: How bubbles turn sound into light. Annual Review of Fluid Mechanics, 32, 445-476.
-

17. COPYRIGHT AND LICENSE

This work is protected under the Thompson Harmonic Framework License v1.0 (Restricted).

You may:

- Read, download, and print a single copy for personal non-commercial research
- Cite this work with full attribution

You may NOT:

- Republish, redistribute, or upload this work to any other public repository or platform without written permission
- Translate, adapt, modify, or create derivative works
- Use the work for any commercial purpose
- Remove or alter any copyright notices

For any other use, contact: **peterjamesthompson101@gmail.com**

All rights not explicitly granted are reserved.

Contact: peterjamesthompson101@gmail.com

Repository: <https://github.com/peterjamesthompson101-svg/Physics-Papers>

Live Book: <https://peterjamesthompson101-svg.github.io/The-Grand-Unified-Field-Theory/>