

Oracle Linux 8.10.0

Install Oracle Linux 8.10.0

Test this media & install Oracle Linux 8.10.0

Troubleshooting



Press Tab for full configuration options on menu items.

Automatic boot in 55 seconds...

```
Starting Plymouth switch root service...
Stopping Hardware RNG Entropy Gatherer Daemon...
[ OK ] Stopped dracut pre-pivot and cleanup hook.
[ OK ] Stopped dracut mount hook.
[ OK ] Stopped target Remote File Systems.
[ OK ] Stopped target Initrd Default Target.
[ OK ] Stopped target Initrd Root Device.
[ OK ] Stopped dracut pre-mount hook.
[ OK ] Stopped target Timers.
Starting Setup Virtual Console...
[ OK ] Stopped target Remote File Systems (Pre).
[ OK ] Stopped dracut initqueue hook.
Stopping Open-iSCSI...
[ OK ] Stopped Hardware RNG Entropy Gatherer Daemon.
[ OK ] Stopped Open-iSCSI.
[ OK ] Started Plymouth switch root service.
[ OK ] Started Cleaning Up and Shutting Down Daemons.
[ OK ] Started Setup Virtual Console.
Stopping iSCSI UserSpace I/O driver...
[ OK ] Stopped target Basic System.
[ OK ] Stopped target Paths.
[ OK ] Stopped target Sockets.
[ OK ] Closed Open-iSCSI iscsid Socket.
[ OK ] Stopped target System Initialization.
[ OK ] Stopped target Swap.
[ OK ] Stopped Apply Kernel Variables.
[ OK ] Stopped target Local Encrypted Volumes.
[ OK ] Stopped Load Kernel Modules.
[ OK ] Stopped Create Volatile Files and Directories.
[ OK ] Stopped udev Wait for Complete Device Initialization.
[ OK ] Stopped udev Coldplug all Devices.
[ OK ] Stopped dracut pre-trigger hook.
[ OK ] Stopped target Local File Systems.
[ OK ] Stopped target Local File Systems (Pre).
Stopping udev Kernel Device Manager...
[ OK ] Stopped target Slices.
[ OK ] Stopped iSCSI UserSpace I/O driver.
[ OK ] Closed Open-iSCSI iscsiui Socket.
[ OK ] Stopped udev Kernel Device Manager.
[ OK ] Stopped Create Static Device Nodes in /dev.
[ OK ] Stopped Create list of required static device nodes for the current kernel.
[ OK ] Stopped dracut pre-udev hook.
[ OK ] Stopped dracut cmdline hook.
[ OK ] Closed udev Control Socket.
[ OK ] Closed udev Kernel Socket.
Starting Cleanup udevd DB...
[ OK ] Started Cleanup udevd DB.
[ OK ] Reached target Switch Root.
Starting Switch Root...
```



WELCOME TO ORACLE LINUX 8.10.

What language would you like to use during the installation process?

English	English	>
Afrikaans	Afrikaans	
አማርኛ	Amharic	
العربية	Arabic	
অসমীয়া	Assamese	
Asturianu	Asturian	
Беларуская	Belarusian	
Български	Bulgarian	
বাংলা	Bangla	
བོད་སྐད་	Tibetan	
Bosanski	Bosnian	
Català	Catalan	
Čeština	Czech	
Cymraeg	Welsh	
Dansk	Danish	
Deutsch	German	

English (United States)
English (United Kingdom)
English (India)
English (Australia)
English (Canada)
English (Denmark)
English (Ireland)
English (New Zealand)
English (Nigeria)
English (Hong Kong SAR China)
English (Philippines)
English (Singapore)
English (South Africa)
English (Zambia)
English (Zimbabwe)
English (Botswana)
English (Antigua & Barbuda)
English (Israel)

Quit

Continue

INSTALLATION DESTINATION

Done

ORACLE LINUX 8.10 INSTALLATION

 us

Help!

Device Selection

Select the device(s) you'd like to install to. They will be left untouched until you click on the main menu's "Begin Installation" button.

Local Standard Disks

115 GiB	
	
VMware Virtual NVMe Disk i.2f81cc2899b02148000c296d413d3a4d	
nvme0n1 / 115 GiB free	

Specialized & Network Disks

 Add a disk...	
--	--

Storage Configuration

- ☒ Automatic ☐ Custom
- ☐ I would like to make additional space available.

Encryption

- ☐ Encrypt my data. You'll set a passphrase next.

0 disks selected; 0 B capacity; 0 B free [Refresh...](#)

 No disks selected; please select at least one disk to install to.

NETWORK & HOST NAME

Done

ORACLE LINUX 8.10 INSTALLATION

us

Help!

 **Ethernet (ens160)**
VMware VMXNET3 Ethernet Controller

 **Ethernet (ens160)**
Connected

ON

Hardware Address 00:0C:29:BD:F3:93

Speed 10000 Mb/s

IP Address 192.168.184.133/24

Default Route 192.168.184.2

DNS 192.168.184.2

+

-

Configure...

Host Name: localhost.localdomain

Apply

Current host name: localhost.localdomain

CREATE USER

Done

ORACLE LINUX 8.10 INSTALLATION

us

Help!

Full name

oracle

User name

oracle

☒ Make this user administrator

☒ Require a password to use this account

Password

Oracle@123



Weak

Confirm password

Oracle@123



Advanced...

 The password contains the user name in some form. You will have to press **Done** twice to confirm it.

ROOT PASSWORD

Done

ORACLE LINUX 8.10 INSTALLATION

us

Help!

The root account is used for administering the system. Enter a password for the root user.

Root Password:

Weak

Confirm:

 The password fails the dictionary check - it is based on a dictionary word. You will have to press **Done** twice to confirm it.

ORACLE
Linux



INSTALLATION PROGRESS

ORACLE LINUX 8.10 INSTALLATION

 us

 Creating disklabel on /dev/nvme0n1.

Quit

Reboot System

ORACLE
Linux



INSTALLATION PROGRESS

ORACLE LINUX 8.10 INSTALLATION

 us

Complete!

Oracle Linux is now successfully installed and ready for you to use!
Go ahead and reboot your system to start using it!

Reboot System

 Use of this product is subject to the license agreement found at </usr/share/oraclelinux-release/EULA>

ORACLE
Linux



INITIAL SETUP

ORACLE LINUX SERVER 8.10

us

Help!

LICENSING

 License Information
License not accepted

QUIT

FINISH CONFIGURATION

License Agreement:

ORACLE LINUX LICENSE AGREEMENT

“We,” “us,” “our” and “Oracle” refers to Oracle America, Inc. “You” and “your” refers to the individual or entity that has acquired the Oracle Linux programs. “Oracle Linux programs” refers to the Linux software product which you have acquired. “License” refers to your right to use the Oracle Linux programs under the terms of this Agreement and the licenses referenced herein. This Agreement is governed by the substantive and procedural laws of the United States and the State of California and you and Oracle agree to submit to the exclusive jurisdiction of, and venue in, the courts of San Francisco or Santa Clara counties in California in any dispute arising out of or relating to this Agreement.

We are willing to provide a copy of the Oracle Linux programs to you only upon the condition that you accept all of the terms contained in this Agreement. Read the terms carefully and indicate your acceptance by either selecting the “Accept” button at the bottom of the page to confirm your acceptance, if you are downloading the Oracle Linux programs, or continuing to install the Oracle Linux programs, if you have received this Agreement during the installation process. If you are not willing to be bound by these terms, select the “Do Not Accept” button or discontinue the installation process.

1. Grant of Licenses to the Oracle Linux programs. Subject to the terms of this Agreement, Oracle grants to you a license to the Oracle Linux programs under the GNU General Public License version 2.0. The Oracle Linux programs contain many components developed by Oracle and various third parties. The license for each component is located in the licensing documentation and/or in the component's source code. In addition, a list of components may be delivered with the Oracle Linux programs and the Additional Oracle Linux programs (as defined below) or accessed online at <http://oss.oracle.com/linux/legal/oracle-list.html>. The source code for the Oracle Linux Programs and the Additional Oracle Linux programs can be found and accessed online at <https://oss.oracle.com/sources/>. This agreement does not limit, supersede or modify your rights under the license associated with any separately licensed individual component.

2. Licenses to Additional Oracle Linux programs. Certain third-party technology (collectively the “Additional Oracle Linux programs”) may be included on the same medium or as part of the download of Oracle Linux programs you receive, but is not part of the Oracle Linux programs. Each Additional Oracle Linux program is licensed solely under the terms of the Mozilla Public License, Apache License, Common Public License, GNU Lesser General Public License, Netscape Public License or similar license that is included with the relevant Additional Oracle Linux program.

3. Ownership. The Oracle Linux programs and their components and the Additional Oracle Linux programs are owned by Oracle or its licensors. Subject to the licenses granted and/or referenced herein, title to the Oracle Linux programs and their components and the Additional Oracle Linux programs remains with Oracle and/or its licensors.

4. Trademark License. You are permitted to distribute unmodified Oracle Linux programs or unmodified Additional Oracle Linux programs without removing the trademark(s) owned by Oracle or its affiliates that are included in the unmodified Oracle Linux programs or unmodified Additional Oracle Linux programs (the “Oracle Linux trademarks”). You may only distribute modified Oracle Linux programs or modified Additional Oracle Linux programs if you remove relevant images containing the Oracle Linux trademarks. Certain files, identified in <http://oss.oracle.com/linux/legal/oracle-list.html>, include such trademarks. Do not delete these files, as deletion may corrupt the Oracle Linux programs or

☒ I accept the license agreement.

LICENSING



License Information

License accepted

 oracle@localhost:~ x
File Edit View Search Terminal Help
[oracle@localhost ~]\$