

توثيق تسطيب Oracle Linux


خطوات تثبيت Oracle Linux 8.10 من الصفر

هذا المستند يوثق بالصور خطوات خطوات تثبيت Oracle Linux 8.10 من الصفر خطوة بخطوة، كجزء من مشروع تدريب عملي ذاتي على إدارة قواعد بيانات Oracle.

عدد الخطوات الموثقة: 13

قائمة إقلاع التثبيت

بدء تثبيت Oracle Linux 8.10 من قائمة الإقلاع الأولى.



رسائل تحميل النظام

رسائل systemd أثناء تجهيز بيئة التثبيت قبل ظهور الواجهة الرسومية.


```

Starting Plymouth switch root service...
Stopping Hardware RNG Entropy Gatherer Daemon...
[ OK ] Stopped dracut pre-pivot and cleanup hook.
[ OK ] Stopped dracut mount hook.
[ OK ] Stopped target Remote File Systems.
[ OK ] Stopped target Initrd Default Target.
[ OK ] Stopped target Initrd Root Device.
[ OK ] Stopped dracut pre-mount hook.
[ OK ] Stopped target Timers.
Starting Setup Virtual Console...
[ OK ] Stopped target Remote File Systems (Pre).
[ OK ] Stopped dracut initqueue hook.
Stopping Open-iSCSI...
[ OK ] Stopped Hardware RNG Entropy Gatherer Daemon.
[ OK ] Stopped Open-iSCSI.
[ OK ] Started Plymouth switch root service.
[ OK ] Started Cleaning Up and Shutting Down Daemons.
[ OK ] Started Setup Virtual Console.
Stopping iSCSI UserSpace L/O driver...
[ OK ] Stopped target Basic System.
[ OK ] Stopped target Paths.
[ OK ] Stopped target Sockets.
[ OK ] Closed Open-iSCSI iscsid Socket.
[ OK ] Stopped target System Initialization.
[ OK ] Stopped target Swap.
[ OK ] Stopped Apply Kernel Variables.
[ OK ] Stopped target Local Encrypted Volumes.
[ OK ] Stopped Load Kernel Modules.
[ OK ] Stopped Create Volatile Files and Directories.
[ OK ] Stopped udev Wait for Complete Device Initialization.
[ OK ] Stopped udev Coldplug all Devices.
[ OK ] Stopped dracut pre-trigger hook.
[ OK ] Stopped target Local File Systems.
[ OK ] Stopped target Local File Systems (Pre).
Stopping udev Kernel Device Manager...
[ OK ] Stopped target Slices.
[ OK ] Stopped iSCSI UserSpace L/O driver.
[ OK ] Closed Open-iSCSI iscsiui Socket.
[ OK ] Stopped udev Kernel Device Manager.
[ OK ] Stopped Create Static Device Nodes in /dev.
[ OK ] Stopped Create list of required static device nodes for the current kernel.
[ OK ] Stopped dracut pre-udev hook.
[ OK ] Stopped dracut cmdline hook.
[ OK ] Closed udev Control Socket.
[ OK ] Closed udev Kernel Socket.
Starting Cleanup udevd DB...
[ OK ] Started Cleanup udevd DB.
[ OK ] Reached target Switch Root.
Starting Switch Root...

```

اختيار لغة التثبيت

تحديد اللغة الإنجليزية (الولايات المتحدة) كلغة لعملية التثبيت.



تحديد وجهة التثبيت

اختيار القرص الافتراضي (VMware NVMe) مع إعداد تخزين تلقائي.

INSTALLATION DESTINATION

Done

ORACLE LINUX 8.10 INSTALLATION

us

Help

Device Selection

Select the device(s) you'd like to install to. They will be left untouched until you click on the main menu's "Begin Installation" button.

Local Standard Disks

115 GiB

VMware Virtual NVMe Disk i.2f81cc2899b02148000c296d413d3a4d

nvme0n1 / 115 GiB free

Specialized & Network Disks

Add a disk...

Storage Configuration

Automatic Custom

I would like to make additional space available.

Encryption


Encrypt my data. You'll set a passphrase next.

0 disks selected; 0 B capacity; 0 B free [Refresh...](#)

No disks selected, please select at least one disk to install to.


إعداد الشبكة واسم الجهاز

التأكد من اتصال الشبكة (Ethernet) وحصول الجهاز على عنوان IP بنجاح.



إنشاء مستخدم النظام

إنشاء المستخدم oracle ومنحه صلاحيات إدارية (كلمة المرور مموهة هنا لأسباب أمنية).



CREATE USER

ORACLE LINUX 8.10 INSTALLATION

Done

us Help

Full name oracle

User name oracle

☒ Make this user administrator

☒ Require a password to use this account

Password Weak


Confirm password

Advanced...

 The password contains the user name in some form. You will have to press Done twice to confirm it.


تحديد كلمة مرور الجذر (root)

تعيين كلمة مرور حساب الجذر المستخدم لإدارة النظام (مموهة كذلك).



بدء عملية التثبيت

انطلاق التثبيت الفعلي وإنشاء جدول الأقراص على القرص المحدد.




اكتمال التثبيت

ظهور رسالة Complete وجاهزية النظام لإعادة التشغيل.



الإعداد الأولي بعد الإقلاع

الشاشة الأولى بعد أول تشغيل للنظام، بانتظار قبول اتفاقية الترخيص.



اتفاقية الترخيص

عرض نص اتفاقية ترخيص Oracle Linux كاملاً.

License Information
Done
ORACLE LINUX SERVER 8.10
US
Help!

License Agreement:

ORACLE LINUX LICENSE AGREEMENT

"We," "us," "our" and "Oracle" refers to Oracle America, Inc. "You" and "your" refers to the individual or entity that has acquired the Oracle Linux programs. "Oracle Linux programs" refers to the Linux software product which you have acquired. "License" refers to your right to use the Oracle Linux programs under the terms of this Agreement and the licenses referenced herein. This Agreement is governed by the substantive and procedural laws of the United States and the State of California and you and Oracle agree to submit to the exclusive jurisdiction of, and venue in, the courts of San Francisco or Santa Clara counties in California in any dispute arising out of or relating to this Agreement.


We are willing to provide a copy of the Oracle Linux programs to you only upon the condition that you accept all of the terms contained in this Agreement. Read the terms carefully and indicate your acceptance by either selecting the "Accept" button at the bottom of the page to confirm your acceptance, if you are downloading the Oracle Linux programs, or continuing to install the Oracle Linux programs, if you have received this Agreement during the installation process. If you are not willing to be bound by these terms, select the "Do Not Accept" button or discontinue the installation process.

1. Grant of Licenses to the Oracle Linux programs. Subject to the terms of this Agreement, Oracle grants to you a license to the Oracle Linux programs under the GNU General Public License version 2.0. The Oracle Linux programs contain many components developed by Oracle and various third parties. The license for each component is located in the licensing documentation and/or in the component's source code. In addition, a list of components may be delivered with the Oracle Linux programs and the Additional Oracle Linux programs (as defined below) or accessed online at <http://oss.oracle.com/linux/legal/oracle-list.html>. The source code for the Oracle Linux Programs and the Additional Oracle Linux programs can be found and accessed online at <https://oss.oracle.com/sources/>. This agreement does not limit, supersede or modify your rights under the license associated with any separately licensed individual component.
2. Licenses to Additional Oracle Linux programs. Certain third-party technology (collectively the "Additional Oracle Linux programs") may be included on the same medium or as part of the download of Oracle Linux programs you receive, but is not part of the Oracle Linux programs. Each Additional Oracle Linux program is licensed solely under the terms of the Mozilla Public License, Apache License, Common Public License, GNU Lesser General Public License, Netscape Public License or similar license that is included with the relevant Additional Oracle Linux program.
3. Ownership. The Oracle Linux programs and their components and the Additional Oracle Linux programs are owned by Oracle or its licensors. Subject to the licenses granted and/or referenced herein, title to the Oracle Linux programs and their components and the Additional Oracle Linux programs remains with Oracle and/or its licensors.
4. Trademark License. You are permitted to distribute unmodified Oracle Linux programs or unmodified Additional Oracle Linux programs without removing the trademark(s) owned by Oracle or its affiliates that are included in the unmodified Oracle Linux programs or unmodified Additional Oracle Linux programs (the "Oracle Linux trademarks"). You may only distribute modified Oracle Linux programs or modified Additional Oracle Linux programs if you remove relevant images containing the Oracle Linux trademarks. Certain files, identified in <http://oss.oracle.com/linux/legal/oracle-list.html>, include such trademarks. Do not delete these files, as deletion may corrupt the Oracle Linux programs or

☒ I accept the license agreement.

قبول الترخيص

تأكيد قبول الاتفاقية وتنفيذ الخيار بنجاح.



أول دخول لسطح المكتب

فتح الطرفية (Terminal) لأول مرة بمستخدم oracle، وهي نقطة البداية لتجهيز النظام لثبيت Oracle Database.

