



Open menu

**Home**

News

Nano Databases

Nano Business

Nano Jobs

Resources

Introduction to Nanotechnology

## Nanotechnology General News

The latest news from academia, regulators, research labs and other things of interest

Search



Posted: Feb 04, 2013

## Self-powered nanodevices that never need new batteries

(*Nanowerk News*) It's relatively simple to build a device capable of detecting wireless signals if you don't mind making one that consumes lots of power. It's not so easy to design energy-efficient devices that function as well as the components they replace, or to do it at the nano scale.

That's what [Peter Kinget](#), a professor of electrical engineering, works on. He and his colleagues at the Engineering School are attempting to build self-powered systems using nanoscale devices that can transmit and receive wireless signals using so little power that their batteries never need replacing.


Rather, they rely on tiny bits of ambient solar energy to recharge themselves. Such energy efficiencies could dramatically cut down on the cost to operate a variety of these devices at once, while eliminating the need for maintenance. These sensors would only need to be installed once, and could remain in place functioning autonomously—practically until they wear out or disintegrate on their own.

Kinget's work is made possible by recent advances in nanotechnology—in general, he explains, the smaller the components of the tiny devices, the less energy is required to allow them to operate.

"We are using and exploiting the fact that power consumption—and the energy you

need to do things—becomes very, very low as you pack more and more functionality into smaller and smaller spaces,” he says.

“The bad news,” he adds, “is that as the transistors become smaller, there are also clear disadvantages—nanoscale transistors are not as reliable, they cannot sustain large signal levels. The only way to deal with them is to come up with new design concepts.”



*An image of a nanoscale chip engineered by Peter Kinget's lab. He is attempting to build self-powered sensors that run on tiny bits of ambient solar energy, using so little power that their batteries never need replacing.*

Kinget’s chips—some of them 100 times more energy efficient than most standard technologies—could be deployed for many different uses in future. Embedded in clothing, they could transmit the location of victims during disasters. They could be affixed to the walls of apartments across New York City and monitor heating or energy consumption patterns, which could then be analyzed to manage the heating systems or the power grid better. They could even collect and transmit data about humidity and temperature to computers designed to recognize and predict weather patterns.

While the tiny size of the components allows them to operate on far less energy, they are so fragile that they can tolerate only low voltages.

One solution is to create a device that is less accurate at detecting individual signals but far better at detecting more of them in parallel or more of them per second —“oversampling” the signals and then averaging them out.

To save power, Kinget’s chips also are designed to network. Instead of passing wireless signals from their origin to destination in one giant leap, the chips use a relay system, passing signaling information from one chip to the next, like a line of citizens in a flood zone “bucket brigade” passing sandbags down a human chain to a river bank. This network relay system means that each chip only has to transmit short

distances, consuming less power than large chips transmitting over a far longer range.

The chips also have a learning phase when they go online, in which they detect the intervals at which the chips in their vicinity are transmitting data and then “self-synchronize.” This allows them to remain idle—consuming no power—when they are unlikely to receive transmissions from neighboring chips and switch on when they are.

“It’s much simpler to build something that listens all the time,” Kinget says. “But nanotechnology allows us to integrate much more sophisticated systems in tiny chips, so we can save energy.”

Kinget grew up and studied in Belgium. After completing his electrical engineering Ph.D. in 1996, he worked at the famed Bell Laboratories in Murray Hill, N.J. He joined the faculty of Columbia’s Department of Electrical Engineering in 2002.

Kinget and his team don’t fabricate chips themselves. After designing their chips, they send their specifications to industrial factories known as silicon foundries, and then install the factory-made chips in their systems when they arrive.

Source: *By Adam Piore, Columbia University*

**Check out these other trending stories on Nanowerk:**



Subscribe to a free copy of one of our daily

**Nanowerk Newsletter Email Digests**

with a compilation of all of the day's news.

## Research News

(click here for Business News)

Nanosized aspirin increases effectiveness

Posted: Aug 31, 2013

Director of University at Buffalo nanotechnology research initiative awarded 2013 Jacob F. Schoellkopf Medal

Posted: Aug 31, 2013

Plastic - the new energy sourceNew insights into hyperthermia cancer therapySingle molecule detection of a cancer biomarker

Posted: Aug 30, 2013

Posted: Aug 30, 2013

Posted: Aug 30, 2013

Nanoparticles, made to order - inside and outNanoparticles enhance RNA interference

Posted: Aug 30, 2013

Posted: Aug 30, 2013

Boron nitride nanotubes - a new chapter in a nanotechnology 'super material' storyNanotechnology and human health

Posted: Aug 30, 2013

Posted: Aug 30, 2013

Shedding new light on the 'electron highways' of organic solar cells

Posted: Aug 30, 2013

Nanomaterials in tissue engineering: Fabrication and applications

Posted: Aug 30, 2013

New Ideas for Industry - Nanofair 2014 will present nanotechnology for industrial applications

Posted: Aug 30, 2013

New technology scales up the production of nanocellulose from forest residues

Posted: Aug 30, 2013

Researchers design robust nanoparticles for crude oil recovery

Posted: Aug 30, 2013

Miniature pump: Polymer gel continuously responds to fleeting stimuli

Posted: Aug 30, 2013

Development of an automated high-throughput screening procedure for nanomaterials genotoxicity assessment

Posted: Aug 30, 2013

Idealer Nanokristall aus Massenkunststoff herstelltNew nanoparticles make solar cells cheaper to manufacture

Posted: Aug 30, 2013

Posted: Aug 29, 2013

Transparent artificial muscle plays Grieg to prove a point

Posted: Aug 29, 2013

A completely new atomic crystal dynamic of the white pigment titanium dioxide discovered

Posted: Aug 29, 2013

Novel topological crystalline insulator shows mass appealResearchers alter molecular properties in a nanotechnology way

Posted: Aug 29, 2013

Posted: Aug 29, 2013

Nanoscientists shed light on twenty-year-old mystery that will affect nanoelectronics

Posted: Aug 29, 2013

Self-powered nanoparticles developed to deliver healing drugs directly to bone cracks

Posted: Aug 29, 2013

Physicists create interface between atoms and superconductorsElectrons jostling in a traffic jam

Posted: Aug 29, 2013

Posted: Aug 29, 2013

New grayscale technique opens a third dimension for nanoscale lithography

Posted: Aug 29, 2013

New oxygen 'sponge' presents path to better catalysts, energy materials

Posted: Aug 29, 2013

Carbon nanotube sensor almost as sensitive as a dog's noseMagnetic charge crystals imaged in artificial spin ice

Posted: Aug 29, 2013

Posted: Aug 28, 2013

---

**...MORE NANOTECHNOLOGY RESEARCH NEWS**



[Privacy statement](#) | [Terms of use](#) | [Contact us](#) | [About us](#) | [Home](#) | [Sitemap](#) | [Advertise with us](#) | [RSS](#)

The contents of this site are copyright ©2013 Nanowerk. All Rights Reserved