TYPEFACES / DESIGN DEVELOPMENT

UNIQUE


A complete typography implementation guide

7 display weights / Latin coverage

Characters, punctuation, accent testing

React / Next.js integration assets

REFERENCE REPORT - 10 NOV 2026



01 / VISUAL GRAMMAR

Built for bold display

Tall & tightly condensed

High-impact, narrow silhouettes use horizontal space efficiently in posters and hero layouts.

Rounded terminals

A softer character than conventional condensed grotesques. The title face stays expressive.

Distinctive counters

Compact openings and lively alternates give the letters their signature editorial rhythm.

Not a body-copy font

Use a neutral sans for paragraphs, controls, form fields and accessibility-critical text.



Designer poster examples / from the user-provided reference

02 / VARIABLE-STYLE FAMILY

Seven distinct weights

LIGHT- 300

LIGHT LIGHT LIGHT LIGHT LIGHT LIGHT LIGHT LIGHT LIGHT LIGHT LIGHT LIGHT

REGULAR- 400

REGULAR REGULAR REGULAR REGULAR REGULAR REGULAR REGULAR

MEDIUM- 500

MEDIUM MEDIUM MEDIUM MEDIUM MEDIUM MEDIUM

THIN	EXTRA LIGHT	LIGHT	REGULAR	MEDIUM	SEMI BOLD	BOLD
100	200	300	400	500	600	700

CSS weights 100-700. Exact binaries and axes are checked after official download.

03 / CHARACTER INVENTORY

A full Latin-oriented display set

CHARACTERS, ACCENTS, PUNCTUATIONS, AND ALTERNATE CHARACTERS

AaBCDEeFGHIiJKLMmNnOPQRSTUuVWXYZ
abcdefghijklmnopqrstuvwxyz

ÁÀÂÄÃÅĀĂĄÆÁáàâäãåāăąæáĆĈČĊÇĎĐÉÈÊËĚĒĔĖĘéě
èêëěēĕėęĐĜĞĢĠĦÍÌÎÏĨĪĬİĮĨĴĶĹĽĻŁŀŃÑŇŅńňñņóŏôöòõōŏőøõŒ
ŐōøõŒæŔŘŖŚŠŞŜŞŦŤŢúŭûüùũūŭůűųůũúŭûüùũūŭůűųůũŴ
ÝŶŸŹŽŻÞ
ýŷÿźžżþ
áàâäãåāăąæáćĉčċçďđéèêëěēĕėęðĝğġģĥħıíìîïĩīĭįĩĵķ
ĸĺľļŀłńňñņóŏôöòõōŏőøõœŕřŗßśšşŝťŧţúŭûüùũūŭůűųůũŵ
ýŷÿźžżþ

.,:;…?!¿¡()\{\}[]/_-–—¦‖«»›‹,„“‘”
&¶†‡§*™®©@ª#<>0123456789$€£¥¢
%‰ºº+−=÷×<>±⁰¹²³¼½¾

367

PUBLISHED CHARACTERS

422

PUBLISHED TOTAL GLYPHS

UPPERCASE / LOWERCASE / NUMBERS

ACCENTS / SYMBOLS / PUNCTUATION

OPEN TYPE ALTERNATES / LIGATURES

Published counts are from the online font charmap, not from an inspected local font.

After download, run: audit_fonts.py

04 / CHARACTER TEST PLAN

Test every character, not just a logo

UPPERCASE

ABCDEFGHIJKLMNOPQRSTUVWXYZ

LOWERCASE

abcdefghijklmnopqrstuvwxyz

FIGURES

0123456789

ASCII PUNCTUATION

! ? . , : ; @ # $ % & * ( ) [ ] { } < > = + - / \

EUROPEAN ACCENTS

Ä Ö Ü ß À É È Ç Ñ Å Ø æ œ Ł ć š ğ ı Ÿ

EDITORIAL & SYMBOLS

“ ” ‘ ’ « » — – … • € £ ¥ © ® ™ ± ÷

THE DISPLAYED TEST-ROW LETTERS ABOVE USE A DOCUMENT FALLBACK FONT, NOT THE UNIQUE BINARY.

05 / ENGINEERING HANDOFF

From genuine font files to a working app

01 **DOWNLOAD**

Get seven original faces or the original variable font
from the creator. Retain the EULA.

02 **INSTALL**

Run scripts/install_fonts.py <source-font-folder>
to copy binaries byte-for-byte and generate font CSS.

03 **AUDIT**

Run scripts/audit_fonts.py <source-font-folder>
to export actual cmap, weights, glyph count and features.

04 **INTEGRATE**

Copy web/public/fonts to your app's public/fonts
and import tokens.css; use Unique for display only.

FAMILY: "Unique Display" / DISPLAY SIZES: clamp(...) / FALLBACK: Impact, sans-serif

No redraws, no glyph alteration, no WOFF conversions without permission.

06 / SHIP CHECKLIST

What your app agent needs

SPECIMEN

Interactive A-Z, accents, punctuation, seven weights
, live text

CATALOG

groups.json / characters.csv / Unicode QA corpus

REACT / CSS

Next.js example component, weight and color tokens

FONT INSTALLER

Original-byte copying and generated CSS @font-face

AUDITOR

Actual cmap, OpenType and glyph-count validation

LICENSE NOTES

Attribution, modification restriction and embedding
check

IMPORTANT LICENSE BOUNDARY

Commercial/personal font use is published; font-file modification is forbidden without permission.
Verify the license for embedding or shipping actual font data with a web/mobile app.