

# 文字记录：20260925\_200343 2026年9月25日

会议主题：20260925\_200343

上传时间：2026年9月25日（周五） 21:07（GMT+08）

智能纪要：[20260925\\_200343 2026年9月25日](#)

说话人 1 00:00:24

我确定今天是谁主讲，但是李兰那边客户他们人已经齐了哈，如果我们这边有要讲的就直接讲就行。

说话人 2 00:00:41

诶，思明可能等一下，可能樊潇还没有进来，等一下。

说话人 1 00:00:46

Okay, hi, Alex. Hey, everyone. See you.

说话人 1 00:01:12

Again, for those just joined, we're just giving folks a couple minutes here and make sure we get critical mass before we start. I think we should be good on the ACM camp side. Alex, let me know if we're still, if like we're still waiting for some people from the manufacturing team. I think we're good here. Okay, then if like to go ahead.

说话人 3 00:01:36

Okay, yeah, so with this, again, appreciate to did not realize till recently this is a holiday there in China, but do appreciate the still the team taking time out today to look at some of these items, some which may be a bit time sensitive.

说话人 3 00:01:50

Of course, again, we do have the dual meetings this morning, one focused on cleaning elements, the other on bla gaps. Now there may be a bit of overlap in those spaces here, but I wanted to try to separate out, if we could, some of the conversation just for focused intent.

说话人 3 00:02:07

That being said, and I know that, of course, we had Mark and Andrew on site along with Peter last week, a number of observations there that have been collected. And I think Mark had shared that list with Asen Kim team on Tuesday. So with that, would we like to start with that list? Or is there something a little bit more targeted from a cleaning standpoint that we'd like to walk through here.

说话人 2 00:02:38

Okay, for the cleaning after your visit to Ethan Kim, internally we had some discussion and proposed some actions how to proceed with the cleaning management in a later. So today we want to present our, you know, the outcome of our, our, of our discussion. And our plan for the later. So after our discussion, we can, if both parties agree with this proposal, we can quickly move forward. Okay, that sound reasonable, Andrew and others? Yeah, I think so. I think that's a good starting spot. And after we review this content, we can see.

说话人 4 00:03:21

Maybe where there's still gaps that we're looking for additional information, but I think that's a good starting point. Sounds good. Okay, we can share this slide from our end.

说话人 2 00:03:39

Okay, can you see the screen? Okay, here. First, I would like to see to introduce our design of the community cleaning. And then I will talk how to design the cleaning sop and how to design the record for the cleaning. So, first, I will talk about the C, the cleaning design strategy for the cleaning. So here in this slide, we can see on top that there, you know, need unit operation over the process.

说话人 2 00:04:14

After that, here you can see how we design the cleaning for. I will say, that's a. Risk based and increasing requirement for the cleaning design. So two dimensions for the equipment cleaning design. First, we have to consider from early step to the last step, last cleaning, that's increasing requirement. And then from low risk to high risk equipment or component. So these are two dimensions for the cleaning design. And then how we design the increasing requirement in the cleaning.

说话人 2 00:04:49

So here I outlined four considerations. First, let's increasing minor and major cleaning frequency. That means the later the process is. The cleaning frequency will be higher. This is the first consideration. The second one, that's increasing grade of water used in a last rains because you

know in a later stage that's more, the risk is higher. So we either use double F I or pure for the water for the final rinses. But in the early step, typically we only use pure for the water.

说话人 2 00:05:32

For the final rinses, this is second consideration. The third consideration, you know, in the last, in the later steps and high risk equipment typically we use, we increase the review testing after cleaning. So last one. In the late step or later stage, the disinfection involved after cleaning in the late steps. So those are the major strategy for the design of cleaning. So for this slide, I will stop here. Previous one for this slide, maybe you have some comment or can I proceed with the next slide and then you can provide a comment together? Yeah, that works personally for me to just go through the content and then kind of save Q&A for the end.

说话人 2 00:06:35

Okay, so here, how specifically how we design the cleaning plan. So here you can see the computer located in CNC area, good the D area and good the C area. So our design, our thinking is we will develop the cleaning SOP for each piece of equipment in each unit operation. Let's include the major equipment and supporting vessel or containers. So for each equipment, let's include the. The body of the equipment and the pipeline, the valve, the pump and the consumables involved in the equipment.

说话人 2 00:07:21

So typically in the early steps, for example, in the CNC area, in the spp's and knife, it, the equipment is classified into at risk equipment. And at high risk equipment and some low risk equipment.

说话人 2 00:07:37

For at risk equipment, pipeline and valve, we will do the minor cleaning after each batch. So the minor cleaning method, they include, you know, the CIP by solvent or water rinse, flush or solvent reflux. And then join it and reject the pitch. And that is the week for the high risk equipment, the pipeline and valve.

说话人 2 00:08:04

We will do the major cleaning after each batch. For example, the synthesizer, less high risk equipment. So that means different risk equipment. We plan different criteria for the cleaning and for the gritty area, the equipment is classified as at risk equipment and minor.

说话人 2 00:08:34

For the other risk equipment, you know, here we not only do the minor cleaning after each batch, we also do the disinfection after each batch. So in a CNC area, you can see we did not plan this disinfection operation, but in the clean room, in the gritty area. We additionally planned the disinfection and for the chromatography purification, we do the major cleaning after each batch. So you can see here that's increasing requirement. And for the equipment in the CNC area, for example. For the TFF participation reactor, the agitated field dryer and the delumping device.

说话人 2 00:09:20

So we planned us for the other risk requirement pipeline and then that with the minor cleaning, and this is. Factor after each batch. Let's include, you know, the TPF machine, the participation reactor, and the minor cleaning that's the same, included the CIP by solvent and water rinse, flush, and the solvent reflects or solvent reflects.

说话人 2 00:09:51

For the, at the high risk equipment, we do the major cleaning and disinfection after each batch. So the high risk equipment that include, you know, the lumping machine and agitator fail to dry for the consumables. So we also divide as at the risk of consumables and low risk consumables. So for the at risk consumer goods, we can replace after each batch. And for the low risk consumer goods, we can replace in each major cleaning.

说话人 2 00:10:26

So from the design, you can see here, we manage the cleaning. And the disinfection according to the increasing GMP requirement from early step to late step. So here I would like to stop here. Do you have any comment here?

说话人 4 00:10:55

Yeah, maybe for me on this side, could you help me understand more the difference between a minor clean and a major clean? Like, like in terms of like the actual execution of that, like how do those differ? Is it different cleaning solutions? Is it different?

说话人 2 00:11:15

Contact times, is it more manual cleaning under a major clean? Is it different inspections and sampling? Okay, so here, the major cleaning, I wanna that to see this way, the major cleaning that's more extensive cleaning, for example, or. For some high risk component, we have to disassemble for extensive cleaning. For the minor cleaning, that's more like, you know, the cleaning in place. Okay, so like if you have.

说话人 4 00:11:55

And maybe we'll get to it later, but one of the topics that we had, oh, and I see Chris as a sand up, but one of the questions we had from the site visit was like how spray coverage testing and the results from that translate into the cleaning method. So. Perhaps during spray coverage testing, you might identify a hard to clean area. Is it safe to say that a minor cleaning wouldn't maybe go and do the manual cleaning to hit that hard to clean area, and you would save that only for the major cleaning that what you're getting at there, okay, that the design philosophy or the strategy will, can be understood in this way.

说话人 2 00:12:43

First, we will identify the high risk component and hard to clean component, and then the cleaning method to each of the component or each of the equipment, they will specifically.

说话人 2 00:13:00

Described in detail in their cleaning SOP for each piece of equipment. So the operator, they can, when they, for example, when the operator at the clean to the cleaning to the reactor, he can refer to the SOP and he will have a clear. Understand of how to clean each component and each, for example, each pipeline and each valve to the reactor, and then how to do the disinfection, how to pull sample, from which location to pull sample. They will all described in their cleaning sop.

说话人 5 00:13:45

Can I just ask a follow up question quick? Okay, so I see several of these say your minor cleaning and disinfect. What is the disinfection process and how is that different from your normal cleaning? The disinfection, they do, they design the disinfection according to their, you know.

说话人 2 00:14:09

To the solution in the reactor or in the tank. They can do the disinfection either by, for example, by sodium hydroxide solution or by the alcohol. They can design the disinfection method according to the. How to say, according to the later of the, according to the function of the reactor or equipment. Okay. Thank you.

说话人 2 00:14:46

So next slide, I outlined the strategy for the cleaning management. So under this cleaning design, there are two actions. First, we will develop the detail user operation based on the

cleaning sop. So in this sop, they will cover each pipeline and each valve. For example, for the cleaning SOP, they were divided into four sections. The first section, they will describe the equipment E, equipment structure, and equipment Pi, P and ID, as well as the E, the component number. On the PMD and then we will talk in detail how to do the pre treatment before the cleaning. After that, the two sections, the first section we talk about how to do the minor cleaning, and then we talk how to do the major cleaning. So for the minor cleaning and the major cleaning, they both include nine sections.

说话人 2 00:15:52

So here you can see on the right in the dark green background, they organized the detailed information on both the minor cleaning and the major cleaning. For example, the major equipment, how to do the major equipment cleaning and how to do the supporting vessel and tank cleaning. Let's both include the each bath. Attach it to the equipment, and then we will talk in detail how to do the cleaning to each collection pipeline between different Rea, different between different equipment. And then we will talk about how to do the cleaning. To each pipeline, each valve in each collection pipeline and then talk about how to do the cleaning to the related consumables, whether we do the cleaning or just replace one, then talk about how to do the sampling, how to do the disinfection and how to do the rinse after cleaning and disinfection. And at last, we will talk about how to do the join of the equipment train. So this will provide a very detailed information to each piece of equipment to provide guidance to the reactor, to the operator when they do the cleaning. And then in light of their cleaning sop, we will develop the batch cleaning records. This record will be a, you know, a dedicated, but cleaning by record to each piece of equipment. This record will be pre designed. And then during the, before the cleaning, we will issue to their operator, then the operator leading to their manual record during the cleaning.

说话人 2 00:17:48

So this is the design of conception and design plan for the cleaning. So next I have an example of the developed detailed unit operation based equipment cleaning SOP. For example, here. This is a cleaning sop. So first that we will talk about, you know, the equipment overview and the least equipment overview. We will provide a very detailed P and ID diagram here. Then we'll talk about, talk in detail over the pre treatment before the cleaning. So go down then that's their, you know, minor cleaning. So here you can see in the minor cleaning.

说话人 2 00:18:45

First, we will talk about how to do the minor cleaning to the major equipment. And then we listed all device on the equipment. And then. Then we'll describe how to do the cleaning to each of the bath. And after that, we will talk about how to do their cleaning of the supporting

vessels or supporting time, receiving times or containers and the web or the pipeline, they were also included here as well. For example, the Section 3,1.3.

说话人 2 00:19:31

We talk about, you know, the cleaning of each collection pipeline in the equipment train. So we will summarize, we will summary or the pipeline here. For example, there is a 10 pipeline or 20 pipeline. The pipeline number, they will be identified here. And we will describe where they collect, for example, they collect which equipment, and then how to do the cleaning for each pipeline.

说话人 2 00:20:06

And then section 3.1, point four, we talk about the cleaning of each valve on the pipelines. So how to do the cleaning to each pipeline. After that, we talk about how to do the cleaning and the replacement. Of the related consumables. So after that, we talk about, you know, the detailed sampling location and sampling method and the disinfection of the community train and how to do the. How to do the rings after the disinfection and cleaning and how to do the join after equipment cleaning and disinfection. So this is minor cleaning. The same story we talk in detail for how to do the major cleaning. So in this way, we will provide a very detailed information for the reactor, for the operator, how to do the cleaning, how to do the sampling, how to do the disinfection and how to do the rinse or swab.

说话人 4 00:21:40

So I don't know I whether I have made it clear to you. So yeah, maybe just for clarifying for me. So like this is just a draft. So the tables are blank. But in its final state, this would all be hard filled in because someone would have evaluated exactly what needs to be cleaned. So it wouldn't be filled out manually, it would be. Hard coded in and then this is just telling what needs to be cleaned and what method needs to be used. But then there's gonna be a separate document like the cleaning ticket. That actually is where they will record that they perform this cleaning. And give the instructions associated with the clean method.

说话人 2 00:22:31

Okay, so what you're talking is reasonable. So here I would like to see this is a draft document. This is designed here for our discussion to evaluate the structure, whether this kind of structure is.

说话人 2 00:22:53

Detail enough to provide in the sop.And after we agreed on the structure, then we will begin to prepare the cleaning sop to each equipment.And then the blank information, we will provide the detail information.In the black form.So you, when the operator lead to the cleaning, when they refer this SOP, so all the information they already entered into the SOP.So they're not in black. Then after this SOP is approved.We will design the cleaner record is similar with this one.The operator, they will record what they, eh, what they did in the cleaning.They will, similarly, the cleaner record will be designed in a robust manner.So the operator, they can follow and they can sign and they can review very easily.So what you look, what we discuss that this is only a.Template for the SOP.

说话人 2 00:24:31

For each equipment, the information, for example, the web number, the Ma, the MOC, the collection location, the cleaning Ma method, they were entered into the SOP to provide guidance to the operator. They were not in blank.

说话人 4 00:25:07

I don't know whether I can make that situation clear.Yeah, I'm trying to just wrap my head around it.So like, for example, let's just say we had a tank, right?And then let's say obviously we need to clean the tank itself.But then let's say there's also a bottom valve on the tank and a sample valve on the tank.So yeah, so in this document that you're showing it now in section three, point two, point one, cleaning of the main equipment, this is only for valves.So we would just see two rows, what like row 1 would say.Tank bottom valve and row 2 would say tank sample valve, and then you would.Maybe the bottom valve gets cleaned in situ, which I'm guessing just means like in a circuit, but then maybe the sample valve you have to disassemble.So those would be specified here in the 1,2,3,4.The fifth column is and then the sixth column, the clean method would tell them what cleaning agent to use is. That's what's going in the clean method column.

说话人 2 00:26:28

Yes.What region they should be used and what, how many time they should clean in and what tools they use to clean the equipment.Okay, so then with that filled out, the operator can pull up this sop and they would know what they need to clean.

说话人 4 00:26:50

And what method they need to use to clean it.But then you're saying there's gonna be a separate document that will actually be where they're recording for each of these components, the actual clean execution.So first, this cleaning SOP, they will be approved and placed.

说话人 2 00:27:13

Decide the reactor. Decide the equipment so the operator, they can know exactly how to do the cleaning. And then we will separately issue an execution record for the cleaning. So this the for the operators record. Okay. They will be designed similarly with this one, but let's move appropriate for the record. Okay.

说话人 2 00:27:51

And here, according to your suggestion, here, we can also identify, for example, the web number. Beside the web number, we can add another column, describe the function of the web. So they will be much easier to understand by the operator.

说话人 5 00:28:16

Yeah, Chris, go ahead. I see your hand up there. Yeah, I, I was just, I was gonna say, I think it'd be helpful to see one of these that you've at least partially filled out, right? For maybe a simple system. It. Doesn't have to have every valve on it, but like maybe you can give us a couple examples you're going through here. Like if you've started one, just to kind of see how this is gonna flow and maybe it's probably easier to visualize too, cuz I'm looking at it as a blank table and it's there's like so much information you can get from that.

说话人 4 00:28:50

Yeah, yeah, I think that be helpful. And then like with that, like also whatever simple example that you put together for this document, the equivalent simple example of the cleaning record that you're alluding to. Cuz I think seeing those two things side by side to understand how they. Compare and contrast we have, because I think where I'm struggling a bit is to understand what value this SOP is gonna give if the cleaning record also is gonna have to list out every item that's getting cleaned for a given reactor and how it's being cleaned and etc.

说话人 4 00:29:31

But Chris, I don't know, like maybe to you, like in internal language, like, would this kind of be the clean flow document and then the clean record is like the clean ticket. You know, we have those CFD's internally that kind of are a higher level. Hey, here's the cleaning agents being used. Here's.

说话人 5 00:29:55

You know, a little bit higher level. And then there's that actual clean ticket. Is that kind of how you see this partnership between the SOP and the clean record? I would say for something that's a pretty manual process like this, you know, I, I don't have an argument for against putting these in one document versus two documents. I personally think it's probably simpler to put it in one document and just sign off, like have the directions there and sign off as you're going through. But I could go either way. I don't think there's necessarily a wrong answer there.

说话人 5 00:30:30

I don't know that this is really to the level of a cleaning flow document, which is more. Kind of gives you more strategy, like critical parameters, eh? You know, a full outline of everything. I guess maybe I could see this being a flow DOC, but it's a little bit different than our flow docs. But we're typically writing those for automated procedures as well. So yeah. Okay. Okay. Yeah, I think the action there would just be if you could take this document, make a super simple example for like.

说话人 4 00:31:01

Just a basic system and then fill this out so we can visualize a bit better what it's gonna look like and pair it with the cleaning record for that same simple system. Cuz I think it'll help us visualize what's gonna be in each.

说话人 2 00:31:21

Okay, understand. So this, as I said, this is only a template reason for our discussion today. So after that, we will take one equal, for example, we will prepare one cleaning sop and make it as easier as possible. Of for the operator, so it can be easier to follow. And then according to the comment, we can use one document serve both for instruction and both for a signature during their execution. So this will be easier for exit class for the new operator.

说话人 4 00:32:09

Perfect. Okay. And then just, sorry, before we move off this, just to clarify like what you're showing here and what you're gonna share with us, this is only for like interbatch cleaning, like within a single product campaign. Totally separate from this, you have your changeover.

说话人 2 00:32:30

Cleaning instructions. Is that fair? Okay, Chan, change over, that's defined as a major cleaning. So for the major cleaning, that's in the next section. So you can go to section. Okay, here.

说话人 4 00:32:50

That's section 2. That's major cleaning. Section 3.1, that's minor cleaning. Okay, okay, that sounds good. So you could use a major cleaning both within a campaign or as a changeover clean. Okay, that sounds good. Correct?

说话人 2 00:33:20

So this is the design philosophy or design strategy for the cleaning. Then we will quickly prepare one example, specific example, and again bring for our discussion. So it now will be much easier for understand after that.

说话人 6 00:33:53

Sophia, do you have any more comment think on this? We're good for now. Yeah, and then obviously we have more comments once we see like a example building. Yeah, I guess maybe my only comment, Andrew, would be, yeah, I in that example, I would love to see like, you know, what kind of data is collected there too, if there's any data being collected or swabs, an example of that would be great.

说话人 4 00:34:24

Yeah, and maybe to build on that a bit, like understanding where, like if there are swabs being taken, rinses being taken, understanding like how the swab locations were picked and even like these cleaning methods, like what data is behind those to show that. That method, whether like whatever solvents being used, contact times, that those are sufficient. So like, are those details supposed to, that's maybe a bit more on the strategy side. Like, is that supposed to live in the SOP or is there even another document that sits above this SOP that talks through more like, yeah, why these cleaning agents were picked. Here's the data to support it, here's why these swab points were picked, here's how the limits were determined, etc. So I don't know. Yeah, is there a third document that's even higher level than the SOP that has that detail? Or should we expect to see some of that detail in that sop?

说话人 2 00:35:31

So, in this sop, we will specifically talk about the detail location of the sampling. And we will reference to this to the 3rd SOP. For example, how this locate is determined according to the risk assessment, we can do the reference in this SOP. Okay.

说话人 2 00:36:25

So maybe for this topic, this is, you know, all information we prepared for tonight for the cleaning topic. Great. Thank you very much. Okay, you're welcome.

说话人 7 00:36:52

Right, I think, or QA team also have another topic. Want to talk about Jingyun. Is that right? Yeah, that's true. Can I might try to share my screen. Give me a second.

说话人 8 00:37:27

계속. You guys see my screen? Yes. Okay. Awesome. So between the cleaning and the BoA, just would like to bring out the topic on the future integrity testing strategy that also being one of the things that mentioned by the visit last week.

说话人 8 00:37:52

So for that, so for pre use, each individual fee filter is tested by the supplier. And the Supplier Certificate of Quality Assurance is refer as a bias for acceptance. So the COA will includes the test method and acceptance criteria for each filter unit.

说话人 8 00:38:15

So we give a screenshot of this in integrity testing session for the COA. Which mention that each filter will pass the integrity testing using the air as the test guest before release. And integrity test standard are as follows. So using the bubble point VESA and require to be large or equal to 0.3 Mega passport. Passcut. So after the filter being use, so like post use integrity testing will be perform by us. And so it will be perform again on each individual filter in accordance with the method that specify in the COA. And this ensures that filter performs re performance remains within the establish acceptance criteria after the filtration process.

说话人 8 00:39:17

So we give an example for the filter integrity testing requirement that defined in the master Operation record. So you can see. At the bottom here is a screenshot of the master operation recall, which specify about the filter and also the lot number of the filter and also having the detailed of integrity test recall number. And also whether that pass the test or not.

说话人 8 00:39:53

And we also showing the testing record template, including like the filter name, filter number, filter lot number, and also the Media Specification and also including the pre treatments and also the test information.

说话人 4 00:40:15

So I don't know if that the, if this information make sense to you guys.Yeah, maybe a couple questions for me.Maybe.So on the pre use testing, just to be clear, it looks like you're planning just to leverage the certification as opposed to running a pre use test yourselves?Yeah, that's true.So because the testing is performed by the supplier already, so we would just refer to the certificate.

说话人 4 00:40:52

Yeah, and I think like, correct me if I'm wrong, like I think that strategy is permissible if it's like a capsule style filter where what you're purchasing.Is both the housing and the element.But I thought you guys had like stainless steel metal housings and you were actually just buying the cartridges.So there will still be the act of like installing the cartridge into the housing. And in those cases, I'm used to seeing.Not just using the cert, but actually running a preuse because you could have like an installation error.Or a faulty O ring or something that then allows, you know, basically you to bypass the filter so that you still run an integrity test basically as a means of showing that after you've installed the cartridge into the housing, the unit as assembled.Passes an integrity test.So you mean like for those that with metal housings?Yeah, like I don't know if you've seen those fill like they make filters that come with like a plastic housing.So it's all one piece from the manufacturer and they integrity test that whole assembly, which includes the element and the housing all in one.And then you literally just clamp that whole housing into your process line and go, I thought you guys were not buying that style of filter.I thought you were buying the style where it's just gonna come as an element that you'll install into a fixed metal housing that you've procured.So the housing will be the same every batch, but you'll just be installing an element. Is that true?

说话人 8 00:42:48

Let me check with my team. Okay.

说话人 8 00:42:58

这边，他在问说，咱们这个滤芯，它是，我们不是一个整，我们买的不是一个整体的，它是一个单独的一个滤芯，我们要把它装到管子上，是吗？

说话人 3 00:43:15

是的。对了。

说话人 4 00:43:19

Yeah, that's true.Okay, so yeah, I think like, may I can go benchmark this, but I think at least like other projects I've been a part of and based on internal practice here, at least if we're not buying

the whole assembly, if we're buying just the cartridge, I'm used to seeing a pre use, even though. The cartridge comes with a cert. We do the pre use because again, we're kind of integrity testing the entire assembly after men or after the filter elements when installed. So I guess I would expect to see a pre use even on these. Let me check with my team about this.

说话人 8 00:44:02

Okay. 他说为这种装上去的他还是希望能够有一个，我们能做一个 preuse 的完整性测试，去确保说不会有一些，比如说金属杂质或者是异物这种。

说话人 2 00:44:19

Some can create my. Okay, okay, Jinyan, we understand the expectation and we will have some discussion internally how to proceed with the pre use test. And then we will revert the plan.

说话人 4 00:44:44

Okay, great. Thank you. And then on the post use test, just like trying to read through this quickly here. So like, oh, it looks like this is a fairly generic form and you might use it for multiple different filter types. So I guess like for this given filter, how does the operator know like what solvent they need to soak the filter in and then what test method to select and what the, like if the result is passing or not. Like, so for example, for like the. The final process filter, which is the only filter that on the purification side that we should be integrity testing.

说话人 4 00:45:32

Like that could be, I don't know if we've selected an element type yet, but that could be either a hydrophobic or a hydrophilic element. Both would work. So it really would depend on like which one you wanna use based on your procurement channels and MOC evaluation, but obviously those have very different methods. If it's a hydrophilic element, you'll water wet it and do a bubble point test against water and that'll have one set of acceptance criteria. If it's a hydrophobic element that you select, you'll have to do like an IPA solution wetting and then it'll have a very different bubble point as the acceptance criteria. So I'm maybe just trying to ask, like, with this very generic form, where does all of the detail live?

说话人 2 00:46:17

To make sure that the operator selects the correct wedding solution, the correct bubble point value, all that good stuff. Is there a separate document? Correct. This one. This is generic form for the record of the integrity test, for the detailed integrity test procedure. Let's targeting another SOP. For example, which software will be used and how to do the integrity test. Let's targeting another SOP, not here.

说话人 4 00:46:53

Okay, great. And that's something, okay, so there's an SOP that gets paired with this that has the actual instructions, correct? Okay. Is that something that when you have it prepared, that you could share so we could review just to make sure that we're in agreement with like the. The wedding solution, the bubble point selected, the temperature control, the cleaning, all that good stuff. Yeah, we can. Okay. Okay. Thanks for sharing this.

说话人 4 00:47:31

Thank you. We will hand this back to Alex. Oh, sorry, one, 1 last question on that one before we move on to the next topics. Is that done? Do you guys do your integrity test in line or offline? So like, will you install the element into the housing, take it to some like integrity Test Station, integrity test it, and then install it? Into the process line? Or do you have everything in the process line and actually like integrate the integrity test directly into the process line?

说话人 4 00:48:13

So according of to our team, like we do that offline. Okay. And then what, what environment from like a BLA perspective, what environment is that integrity test that offline integrity test done in? Is it a grade d room or is it a CNC or UC space?

说话人 7 00:48:42

Cici. Okay, let me check. Okay.

说话人 7 00:49:10

So, we'll do the entire in Fi fit like in the corresponding areas. Okay, so in this case, it would be like in the Grade C space, since that's where this filter will live.

说话人 4 00:49:31

Yeah, okay.

说话人 7 00:49:42

Okay, thank you. Okay, first, and think before me, like we move on. So I just want to thank Lily's team again. So especially to Mark, Andrew, and Peter for your outside visit last week. A lot of good discussions and we Learned a lot. You, I know like you raise a lot of like constructive suggestions and share the action items for ramdation with us and they're really helpful. And currently our team have been working like overtime tool and also assign relevant tasks this

week. To like to different functional group given the wide scope of this work and also you know the Chinese Mid Autumn Festival today and upcoming National Days holidays. So response from some suppliers may be delayed. So we're pushing forward to with the follow up work and preparing.

说话人 7 00:50:49

Corresponding re plans, according to the production schedule. So we will compile all information into the shared Excel sheet and sent back to Lily's team as soon as possible. Some low effort item, some like the RU rupture, disk tag installation and some like drawing preparation, etc. Has already been complete. So that's like some like low efforts items we're doing in parallel while we're waiting for the response from the suppliers, and so I won't use.

说话人 7 00:51:34

This time to discuss one of the big topic we had from last week s basically is the purified water system. And like, thanks again for the clear guidance. We're moving forward with the modification for purified water system. Like we discussed, we're gonna. Have the used zero static valve on our pou point. So we can have like both screen and sample there. So, and I'm gonna share like a Powerpoint and to talk about or clarify water use procedure, like once everything is installed, is that okay?

说话人 4 00:52:20

Yep, that's great. Maybe before we dive into the water topic, though, just to confirm, cuz we'll have an update meeting with our leadership team actually this afternoon. So it's wanna make sure we have the information. So in terms of like.

说话人 4 00:52:35

A formal response to Mark's email that he sent, we could maybe expect that, you said early next week, like maybe Tuesday or so. Let me check with my team. Okay, I think, yeah, and maybe before you check offline, like I think the important thing for us is. Mark and I suggested what, based on our past experience, like what we think is reasonable for a timeline. And I think the big piece for us is just having you confirm, a, that you're aligned with those, but b, that it's possible without schedule impact. Cuz for us, the important piece is anything that would have schedule impact, having those flagged. So that we can understand what interim solutions we can put in place.

说话人 9 00:53:40

Like, yes, w the ear early next week, we definitely can give that information back to Lily's team. And this is Mark, maybe another follow up to that. Just for the purposes of kind of tracking progress, just wondering the best way to collectively. Document kind of progress and track how we're trying to resolve each of those actions. So I don't know if you just, certainly we can use that sheet that we provided or if you have a separate document you prefer to use, but I think it'd be best if we have some kind of collective document we can all work from or.

说话人 9 00:54:21

Review with some regularity. Yep, hopefully. So clear target dates and then we can also kind of have a touch point more regularly as well to track progress. Yep. So yeah, I totally understand. So basically what we're doing is right now we're.

说话人 7 00:54:40

Working based on the Excel sheets you and Andrews sent to us. So basically we add a couple more columns, for example, like Propose Target Completion Date, and also like Existing Approach and also the Action Plan for to min mitigate the gaps. And also we have like another column for questions for in in case like if there's like, like in case we didn't get fully understand of the question, and also we have the lead owner, like who in charge in our own team. And also we have the QA contact and. Also, we have like a category, internal categories in or in a same camp.

说话人 7 00:55:31

So we're building more stuff on the sheets you provided, and the reason why I didn't. Share this to you because like right now, especially for the proposed target completion date is like some of them are confirmed, but some others are still under discussion. And because like we're like s s some like a couple of them, like especially for the bla. Stuff we're need getting back from our suppliers. So that's why we kind of like didn't complete the whole thing, but we're complete majority of the things. So just like to answer your question, Mark, we definitely. Will, using your Excel sheet as the, as a baseline and we add more stuff and we once this is in good shape will share with Liz team and everybody can use that as a tracker to track every action items.

说话人 9 00:56:42

Okay. No, that, that sounds great. Appreciate the update there, Chris. See it. Let's know when that's available maybe for us to review offline and then maybe worthwhile to have another touch point collectively to review kind of your updates and. Particularly if there's any, like Andrew alluded to, any items that might impact timelines or any questions you might have that need kind of clarified or further discuss. So I think that'd be good. Yeah, kind of plan for that next

week when you're finished with that exercise. Get to Mark's point there, kind of a focused continuing subgroup like this here.

说话人 3 00:57:25

Can, starting here on a weekly basis would be valuable, especially as we get some of those initial responses from ACM Kim team and see how that kind of paints the landscape heading into Spbs and purification starts here. Yeah, and also like one point, so I know that we have canceled the m plus 53 impurities investigation meeting today.

说话人 1 00:57:47

But we on the live deck in the Sharepoint, so we have selected some of the action items related with the M53 impurities. And in the light deck, we have updated some of the status of the of those action items. So if you could kindly check that and see if we have reached agreements that we. Nice.

说话人 9 00:58:10

And so that's a good point. I know there are several items in that document we sent that were related to the investigation and potential updates or capers out of that investigation. I don't know if it makes sense to pull those out and track those kind of separately through the investigation work that's kind of ongoing in the sessions that are already scheduled. I want to maybe kind of see what the team's thoughts are on that collectively, if there's a best approach there.

说话人 3 00:58:43

Yeah, Mark, to your point, I would tend to think that any of those actions that are specifically related to the input 53, we keep within the bounds of the input 53 discussions kind of for that targeted team. And anything else outside of input 53, we would manage to this forum. That's just my initial thought. Yeah, I that was kind of my thought as well.

说话人 9 00:59:04

So I tend to agree. Again, we kind of combine those just out of the fact that we consolidated our feedback across all the topics we discussed on site last week. But it may be, yeah, maybe time to split those out to kind of focus our efforts on the BLA follow UPS in this forum. So I don't know, Simon, if you in your team might maybe take those actions and. Transfer those to the whatever tracker or action logs we have from the investigation. Yeah, yeah. Sounds good. Great.

说话人 3 00:59:44

So we do have a separate meeting here. Schedule this morning technically started 8:45 eastern here. But specific to the BL gaps remediation, I know it's a slightly different invitee list, so we can probably transfer over to that at this point, unless there are any remaining outstanding cleaning related follow UPS that we wanted to talk through, that we haven't gotten a chance to yet today. Especially, I'm thinking, those that are, or at least the Lily team has seen as gating here for either there for primarily spp start. If we not touched on any of those, if we have. We can just can roll over that bla gaps remediation subgroup, but just wanna make sure we've touched on all the other ones that are cleaning specific here.

说话人 7 01:00:37

Yep, so for more side will continue work on the to fill those the SOP and also like give an example of the SOP and the cleaning record. And once that's done, we'll share with the ladies team as soon as possible.

说话人 3 01:00:58

Yep, that sounds great. Turn that next step and I'll work with Simon in terms of scheduling this next session here for us. If there's an opportunity, consolidate with something else, but in overall governance, but okay. Any other topics or questions, thoughts with respect to cleaning before we transition over to the BA gaps remediation subgroup?

说话人 3 01:01:28

If not, I'll capture some minutes here for our cleaning subgroup and see many folks on that BA gaps remediation subgroup. But momentarily.

说话人 7 01:01:41

Thank you. Thanks, Ryan. Sorry, are we using the same link? Oh, I think there's a separate one that we're. Yeah, hop over to. Okay. Okay. Sounds good. Thank you. See you in a minute. Yep.