

文字记录：20261006_200201 2026年10月6日

会议主题：20261006_200201

上传时间：2026年10月6日（周二） 21:21（GMT+08）

智能纪要：[20261006_200201 2026年10月6日](#)

说话人 1 00:00:00

We gonna go through, just want to make sure align with Lily's goal. The first one is the glycol use confirmation. That's first one. The second one is the deviation Kappa scope. And the third one is the wild.

说话人 2 00:00:21

Inspection status and timeline, and I just want to make sure that's align with Lily's team. Yeah, I believe those were a good chunk of the proposed topics here for today. And by deviation, you're referring to the activation vessel impeller residue, correct? Yes. Okay, okay. Yep, those sound accurate. Again, open. Any other commentary from Lily team? And I know also today, and this may be separate or after we wanted to talk through alignment on the purpose of the solvent run itself, just to make sure we're aligned there as well as maybe touch on any remaining comments, questions with the MLR. Yes, no problem. The details of the solving round will be introduced by me. So, okay. Okay, that sounds good. Yeah, I think that's consistent with the framework I shared with the shoe and Simon yesterday. And any other comments from Lily team, feel free to inject, but I believe that is consistent.

说话人 1 00:01:28

Okay, sounds good. So I'll just go ahead to start with the topics from manufacturing. Let me share my screen is everybody can see my screen so you can excel sheet. Yes, okay, perfect. Yeah, so basically the first topic I believe is talking about the glycol use confirmation. So, or manufacturing team compile a list of like all the equipments used for the TT 91,7 projects and for all steps. And as you can see, we have all the equipment information here. And also we have list the material used for the OKR and PQ. And from the from here you can see basically we do use the. Ath, athlete, Glyco solutions for most of our PQ process. And oh, oh, we can share that to Lily's team for a detailed look if needed.

说话人 3 00:02:54

Yeah, if you can share this list, I think that'd be really helpful. Maybe the immediate question and just concern, I think we have this. Speak to the team if you're ready to chime in. If I'm to speak here, I think we're just trying to understand how you confirmed if I like call or black call was removed system post qualification. Yes. So I think that's any of you want to understand.

说话人 1 00:03:18

Yeah, I think, yeah, we we also, I think we do have the similar discussion from last meeting. So yeah, Pearl or manufacturing team, we will do the TOC test after the qualification. To make sure there's no, the glycol residue left Mark. I'm not sure if I answer your question or we, we have further questions we can answer.

说话人 3 00:04:03

I don't know other folks, Louise, I don't have any comments. I guess the one question is, where was that documented or is that part of the cleaning into demo runs or is that part of your clean record? Okay, I'll try to understand where that's documented and how you're managing that confirmation. Yeah.

说话人 1 00:04:24

Yep, let me double check with the team pro quick.

说话人 1 00:04:29

在线的生产同事，我们 TUC，做完验证之后的 TUC，测试有在哪里有记录吗？

说话人 4 00:04:47

Yeah, we will record it in the cleaning record.

说话人 4 00:05:00

You provided us with a deg statement that Eastern Glycols related statements a few months ago and then that you confirm that no glycol had been used in cleaning or in the process, which is accurate. But I think maybe it's a good location to confirm your statement there about glycol cut, residual glycol confirmation checks being done as part of cleaning. So I wonder if you could consider putting in a sentence into the statement and updating it. If that makes sense. So which document? I'm sorry. Yeah, we can send it to you afterwards. It's okay. It's the deg statement. So maybe we could put in a line into us to confirm that you've checked and confirmed that like all has been removed as part of your cleaning record. But we'll send you a document afterwards and explain it in an email. But okay. Yeah, which so relates to Mark's points. Anyway, just making

that confirmation check before we start. Okay, sounds good. Yeah, we'll, and I will do my, yeah, we'll share with our dedicated team to get that done.

说话人 3 00:06:19

And just to be clear as well, I guess that, is that a clean record host qualification before you ran demo batch material? Is that where that's documented?

说话人 5 00:06:38

Just try understand where that check would've occurred in relation to manufacturing. Yeah, generally, I think if the demo batch is GMP project, we will perform the testing before demo batch. So, I'm not sure the demo batch is GMP or non GMP. It was GMP. Yeah, we will do it.

说话人 6 00:07:18

And that would have been documented as part of the, any major claim done in advance of the GMP batch, then is the presumption or as part of the post qualification activities. So in the same way, no matter, yeah. Yeah, I think we will perform the testing before demo by and recording cleaning record. Okay, what might be helpful right is if you can provide like a timeline of say when. The equipment was qualified when it was exposed to the ethylene glycol, when the TLC was conducted and then when, if there was cleans prior to the demo GMP batch being manufactured. When they took place, if you understand my meaning. So a timeline of all those events that those could be put together just so we can see it clearly what the order of activities was associated with this equipment train. Yeah, and we will share the timeline after meeting.

说话人 3 00:08:36

Thank you. And then just to be clear, it looks like you did use some glycol on the purification equipment, at least some of the equipment in those steps. So again, the same question maybe applies there as well. Just wanna be clear, what activity was completed prior to starting demo for purification as well? That's in a state where we're confident glycol's been removed.

说话人 3 00:09:13

Yeah, I think so. I think Richard's point maybe applies to all steps at this stage. And I suspect the Lara team probably would like to see a similar timeline to understand. And if Black Call was used on that equipment set as well, I know this is 917 Focus, but that's probably a follow up for your team as well. Just to share that learning across project teams so we can understand holistically where you've used black call for qualification. Yeah, I think we will.

说话人 5 00:09:52

Prepare the all subs timeline for each subs. Thank you. Okay, any more questions on this topic?

说话人 3 00:10:17

Just okay, moving forward, maybe just general comment as well. I strongly recommend you maybe look for alternative solvent to use for qualification in the future for our equipment sets, if possible. I think the glycol does introduce kind of unique concerns. That would be kind of maybe a general comment or feedback. I don't know if your procedures would need to be evaluated or updated, but that's not a common choice for qualification activities because of the concerns with carry over to the process. Okay, sounds good. I'll set another just, yeah, item to feedback and follow up on maybe less critical in the short term here, but just long term, that's something we wanna maybe discuss with your team as well. Okay, yeah, we'll take that as a action item.

说话人 1 00:11:20

Okay, if no questions on this topic, I'll move to the next one. So the next one is the basically the deviation regarding the activation tank in impeller for a matter investigation. So let me share another screen. One second, please.

说话人 1 00:12:01

Is everybody can see my screen? So basically, this one is the deviation itself. It's a word document.

说话人 1 00:12:14

Yeah, we can see it. Okay. Okay. So I know probably there's a couple new comments be uploaded this morning, but this is the previous version we updated by today China time. So. Basically, this deviation is the format or was found on the impeller of the activation tank of the spp's. And so for those who not familiar with, I just give a quick overview of this deviation and then I'll go to the to the capas. And so basically the description of this deviation is the spp's.

说话人 1 00:12:58

1213 S y 12 located in the Workshop 13, building 12 completed in the initial qualification release as a new equipment on April 10th, 2026. With the qualification reports, we're TT 4,3,3,4,0,1, dash zero, 6, two. Dash point zero one. So on August 22nd, 2026, the equipment was cleaned after supplementary qualification and passed acceptance inspection by QA. The inner surface of the equipment were clean with no residue. For reminder. At UH15, UH20 on September 4th, 2026, Lily customer personnel inspected the internal condition of the activation tank, the TJ 4 s UH TWELVE THIRTEENS Y12DASH r 01 paired with the synthesizer and found foreign matter on the

agitated term. In pillar, which result in this deviation. So this is the description. And for the investigation and the root cause analysis, we did the couple aspects from like personnel related, like human errors and equipment machines. And also the method Review and also material review and environment review and others. So through that couple aspects, we did or new cost analysis and for the.

说话人 1 00:14:42

For the conclusion, the investigation identified that the direct cause of this deviation was that the shared 31 six I Stanley still piping on the top cover of the activation tank. This R01 tank was not passivated after welding rust formed at the welds during operation. And the rest deposits were carried into the activation tank.

说话人 1 00:15:09

Result in the AB normally abnormality. The root cause of this deviation was the lack of a clearly defined scope of application within the passivation procedure, GMPDASH090. Constituting a deficiency in the procedure. And for the capas, I believe is like in the last section, for the corrective and preventative actions, we have a couple. Capas here. So for the short term corrective action, the first one is perform wild inspection and passivation treatment on process piping use for the SPS steps of the project GGN 1,7, and followed by equipment cleaning upon completion. And the second is the pickling and passivation qualify qualified pipe ties solid face synthesizer. This SY12 and activation vessel R01 shall be reclaimed and accepted for release.

说话人 1 00:16:26

And there's no short term preventive action for now and for long term action for corrective action for Lily's validation and commercial projects perform wild inspection and acid passivation on piping confirmed to require treatment based on the evaluation results.

说话人 1 00:16:48

And for the long term, preventive action upgrades the internal passivation procedure to refined management requirement for pickling and passivation for planning utilities equipment and process piping. Define passivation trigger conditions, passivation operating procedures accept. Tense criteria, effectiveness verification, and periodic repassivation control requirements. So this is our tapas. Any feedbacks? This is Mark. I got a couple questions. Yeah, I guess first, do you have a picture of the weld?

说话人 3 00:17:31

That you observed the rust?Yes.If you could share that, that be, yes, that be helpful, I think, to kind of gauge the status of that.Yes, let me do that.And then while you're pulling that up, maybe another question.So I think I heard that was a manual weld. Is that correct? Yes, I believe so.And then I think you had shared that all of your manual welds are inspected prior to release.Want to confirm that's accurate.

说话人 3 00:18:12

What should this have been manually inspected? So the question is the all the manual.Well, it's gets inspected before release, that right?I'm trying to understand if that's your current practice.Okay.Yeah, let me thought you shared that was, but I want to understand and then if it was the current or is the current practice just did this get inspected and just get it missed or was it not inspected just trying to understand if that.If your current procedure was followed, basically.

说话人 1 00:18:45

OK, let me double check。

说话人 1 00:18:49

线上同事，我们现有的操作规程里面，对于手焊的这部分是有说需要。检查吗？在那个放行之前，如果有的话就说为什么这次发现这块是有锈迹的，是这个是被忽略掉了吗？还是怎么回事？这个是客户的问题，就是我们现有的 procedure，操作流程是什么样？

说话人 5 00:19:33

我估计咱们得回去看看 SOP。

说话人 1 00:19:39

Okay, hey, Mark, I think we need double check or SOP to get confirmation.

说话人 3 00:19:54

Yeah, I think it's important to talk about that in investigation cuz that may drive to different root cause, right?If the root cause is your procedures aren't adequate and capturing the right level of inspection, that's one thing.If they are and the inspection wasn't sufficient, that might be a different discussion.I think we need to understand what actually occurred.If you have documentation of inspections of this weld.And I guess maybe just visually seeing this, wondering if you think this was something that would have been observed and caught during the release of the welding, or if it maybe the qualities.The degraded over time, right?Maybe you

wouldn't have seen this initially. These were kind of a couple questions, just as I see the picture here.

说话人 1 00:20:50

yeah, OK, let me double check again. 王帆在线上吗？

说话人 7 00:21:01

在，你说。

说话人 1 00:21:03

那个就是说我们那个，首先他刚才问我们，就是关于焊缝的检查问题，对吧？我们就是焊缝完之后会有一个。Procedure 就是说流程说我们要检查才能把设备放行吗？现在有吗？

说话人 7 00:21:26

之前是没有的。

说话人 1 00:21:28

之前没有，还有一个问题，他就说这个，出现的是，比方是有可能你焊完之后，他就可能是这样的，还是可能是时间久了，他可能，对吧？会出现这个修饰的问题，对吧？这个是他刚才说的有一点，我们可以。

说话人 5 00:21:51

对，就是咱们在设备放行的时候，对于自动焊的话是抽查应该是10%到30%，手动焊的话应该是全检，也有可能这个地方因为它目前来看只有这一个地方，我可以是有可能是长时间导致的就是。

说话人 1 00:22:14

我们手动焊是全检，是吗？

说话人 5 00:22:16

对，URS 上是这么写的，就是我们在做设备验证的时候，会在 IQ 的时候确认这件事。所以应该是在放行之前确认这件事的。

说话人 1 00:22:27

OK, 哦, OK。Hi, Mark. So Pearl could discuss here. So Pearl Uris. And so for the IQ, we, after the hand weld more, we will have the inspection for all the all hand weld and for the automatic weld, we have doing the random checks. To like, I think for 30% and do random check. And for this particular rest team, believe it's due to like the overtime.

说话人 1 00:23:17

Sorry, could you repeat that answer? What percentage of manual welds do you inspect? Oh, so for the manual welds, like 100% for all manual welds will do check during the IQ. And for the automatic Weld will do the random checks for like a certain percentage.

说话人 3 00:23:42

Okay. Yeah, I know this isn't hygienic piping necessarily, but it does kind of appear there's some rough finishing or rigging there on the weld. Again, I don't know if you expect that to be entirely smooth. Typically, it's kind of hard to. See maybe how raised that is or isn't, but just that, I don't know what your standard says or what that looks like compared to other welds. If, just a question in general, I think what we're trying to maybe understand is if this is indicative of the quality of welds elsewhere and is there a similar risk to like pitting or corrosion like you see here at other welds? It's an important question. We need to be able to understand and define here very clearly. If this is a localized.

说话人 1 00:24:35

Event. Yeah, or if there's a much broader concern. Yeah, I think that also brings to our like a third topic. So basically, we'll inspect all of or or manual weld and for for the for the GDN Amazon project and. We will have a timeline I can share for real quick if you're good with this picture. Yeah, I think I'm okay with this now. I'm gonna, this maybe raises just some questions again around what's your.

说话人 3 00:25:19

Requirements are for releasing manual welds. There's probably some things here that are, yeah, I'm not necessarily an expert, but I just, my experience would probably be concerning potentially. So that's probably another question. We need to just understand a little bit what the weld release criteria, what your inspection criteria are there, what that looks like. Again, just understand if this is representative of the quality of welds on other lines and if this, there's similar risk or not. Yep. Okay. You know, well, it's helpful seeing the picture for sure. So thanks for sharing that.

说话人 1 00:25:57

Yeah, of course. I will check. I'll check with my team to see if we can get the acceptance criteria for the manual world and share with you if I definitely looks like there's some crevices and pitting like starting to occur and that's where you're seeing that hum at rest, I think on this world, right? So.

说话人 3 00:26:19

Yeah, and again, maybe just be good understand like, is this, does this weld conform to the surface finish of that piping and like whatever spec was applied there. So yeah, just be good, have a more detailed discussion around that. Again, this kind of raises the question of just understanding is the gap here. Your procedure or is the gap here just the maybe lack of following the procedure as it's written or are not clear expectations of what the weld quality should be. So probably need to understand that a little better to get to a true root cause. I think. So what have you? What are you? I didn't really see a clear. Kappa to address, like, is there a clear action to address this particular weld or seam? Are you, how are you gonna clean this up?

说话人 1 00:27:15

那你等会 check。王帆，我们对于这个发现的这一点，我们具体的改进措施是什么？有吗？

说话人 7 00:27:29

这个地点我们会重新焊，打磨抛光，然后再算去钝化。

说话人 1 00:27:34

重新焊，然后打磨抛光，然后再钝化，对吧？对。然后最后再清洁。

说话人 7 00:27:41

对。

说话人 5 00:27:42

预防措施有吗？预防措施。就其他的点。

说话人 7 00:27:48

预防措施咱们会做，最多会做焊缝的检查抽检，这是上次客户提到的。有问题的会处理，后期 BRA 群里不是有一个整改进度的反馈吗？

说话人 1 00:28:04

Okay, Mark, for this particular spot, it will be the wall will be redo and also it will be repolished and also repassivated. And we'll also make sure the equipment gets cleaned and check everything is good.

说话人 3 00:28:26

Okay. Did that wipe off the surface? Yeah.

说话人 1 00:28:30

You're like a rag or is that not, you're not able to remove that residue or that staining? It can be removed. Let me, I think I have one, the picture. I can show what it looks like.

说话人 3 00:28:50

Yeah, that just kind of indicate if it's like a surface iron or like a deeper pitting issue. Yeah, let me see. Because passivation may, if it's. Just on the surface, maybe that passivation could address that or help minimize that risk. But we start to see pitting or cracking is probably a bigger concern. Yeah, I can send you a list of questions, maybe follow UPS based on what I've seen here. Just I think need to be discussed in the deviation, just as far as your procedures and.

说话人 1 00:29:30

How you manage what it's that. Yeah, maybe can send those offline for you to consider. Okay, addressing the deviation, just investigating further. So yeah, I think those are couple attachments, like those pictures are, I think I believe you, we already sent out with the deviation, but. Definitely. This is one of the attachment. You can see this is the spot here. And yeah, I think I've seen this picture before. I haven't seen the actual, well, before. I don't know if that was attached or maybe you've added it since. So this is like, oh, after wipe it out, it can be wiped.

说话人 1 00:30:16

Okay.

说话人 3 00:30:16

And so maybe the next like logical pop is, sounds like you're gonna address this well, do a broader sort of inspection just to confirm there's not similar issues. Maybe the next question, I think it's probably just the timing to complete those activities. Yep, let me like, I do think from our view, we probably recommend. Doing that first before we even run the solvent run, so kind of making sure that there's not a broader issue. Okay. And then potentially, this may segue to the

solvent discussion, but we talked about during the solvent run, is it in our best interest maybe to sample the solvent through that line or any other lines that you see as an issue?

说话人 1 00:30:59

And just check for iron just to make sure we're confident it's been resolved. Yep. So a couple thoughts. Yep, related to this. Yep. So this is the basically the all equipment and for the component and fitting and also the current status, like if we already. Did the check for the wild, the status, and also for the one not completed yet, that's planned completion dates. So this is like basically for all steps and for all equipment. And we definitely can share this with the team. And, and for, and there's another tab for basically this is the detail and rationale for different categorized piping and fitting. And it should, it gives the like. The wild type, like if it's manual wild, it's automatic wild. And also, so for like a same cam is for a same cam like team di inspection approach and also the assessment like why for example, like it, for example, this one is.

说话人 1 00:32:24

Being decided not need to be inspected and this is need to be like all dismantle for while the inspection and also like there's a photos, external service photo and broad scope photo as an example and also the record for like if it's.

说话人 1 00:32:45

Not need to be inspected. Like we provide the record. Like I, it was like, for example, being cleaned before, like it's being inspect before and that shows the record. So we'll have, this is basically the details and rationale, like why we doing what.

说话人 3 00:33:07

So this is for the activity out of this investigation as far as justifying inspections. Okay. So this isn't your standard practice. This is what you're actually executing as part of the Cappa. Is that correct? So you're asking if this is our standard practice or this is like, if you go back to like.

说话人 3 00:33:30

Other table you just shared. Sorry. Yeah, yeah, you just first, the first lines of standard piping, manual welds not inspected. Yeah. Just trying to understand what that means. If you, I thought you said earlier your manual welds were 100% inspected. Was that like post fabrication?

说话人 3 00:34:05

Is this referring to your procedure or this is referring to the Kappa actions?

说话人 1 00:34:13

let me double check。

说话人 1 00:34:15

对于第一项我们标准的这个管路，我们说是手焊的，是不需要再检查了。这个是我们设备放行之前，这些都检查过了，是以我们正常的放行流程，说需要检查这些手焊的地方，还是说。这个是我们针对这次这个开发，我们要必须再做一遍这个。

说话人 7 00:34:58

这标准的件，对于车间标准件来说，我们清洗之后会有 QA 的放行检查，SOP 中是有对于管路的一些内部的锈迹呀，或者说异物啊，清没清洗干净，这些都是有检查内容的。

说话人 1 00:35:13

这个标准管路指的是什么呢？

说话人 7 00:35:15

这个 send，厂房里，标准件，两米一根的，两，小于两米一根的这种标准管路。问管路。

说话人 5 00:35:25

这是两个事，首先是我们对于管路的一个通用的要求，就是。长度啊，包括拐角啊，这是我们通用的要求。但是他的检查是我们清洗之后验收的通用要求。对于焊缝的检查是在设备验证首次验证的时候就做过的。

说话人 1 00:35:53

那这个是针对焊缝的检查，我们是有检查过吗？我有点没太理解。

说话人 5 00:36:01

对于焊缝的检查的话，是在设备验证的时候，对于管路内表面的检查是在每次。清洗，清洗之后。

说话人 1 00:36:10

他问的是焊缝的检查，焊缝的检查，比方这是我们 standard 的，然后这些其他的呢？其他的我们说这个 standard 的是检查过的，其他的都没检查过，是吗？

说话人 5 00:36:22

不是，都是检查的，所有的都要检查的。他说的标准件是说我们管路制作的标准，不是说只有标准件我们才检查，是我们所有的都会检查。

说话人 1 00:36:39

那像这个的话，我们也做过检查，比方就是。但这个就没有这个记录，是吗？

说话人 5 00:36:50

检查记录的话，我想想啊，应该是在每次清洗之后，拆卸我们会，它是拆卸的话，我们会把它这个是否有是否检查是否通过，是否涉及到重新清洗，都会记录在那。如果要是焊缝的话，是会在首次验证放行的时候，设备验证的时候做检查，有可能是因为长时间的。这个使用导致的，它会有这个。有这个锈迹，因为这块的管路，我不太确定它这个是不是每次都拆卸清洗的，如果拆卸清洗的话，是肯定会检查到的。

说话人 8 00:37:37

刘凯是不是这么说？设备一部分是设备设备本身的这些焊接的点，一部分是这些可以说是我们需要临时安装的，设备外需要安装的这些管路或者配件，就是设备外安装的这些，我们是有单独的这种，QU 验收的，包括就是展示的这个记录。那么这个设设备本身的焊接点。他是在像你说的在 IQ 啊，或者说在拆卸清洁的时候，去做检查了，对吧？

说话人 5 00:38:07

对。然后设备就是为项目专用的这些管路，它现在不也是，它是也是拆卸清洁的吧？

说话人 8 00:38:19

对，就是说。

说话人 1 00:38:20

我们要不这样吧，咱们不在这里面讨论了，这时间有点久，我跟客户说一声，我们之后回答他。Xiao.Hey, Mark.So sorry for taking this long.So we'll double check.Can you like email your question or we'll form like a formal response to you?Because like right now it's I know like different people discussion is kind of like understand derail the meeting purpose. Yeah.

说话人 3 00:38:47

It's about to just recommend that. Yeah, I think if you can share this sheet with us, we can provide feedback in our questions just to make sure we understand. And again, I think the ultimate goal here is I think we just want to understand your current procedures and practices for weld inspections, what was actually executed. And then for your Capa, I'd like to understand what your strategy or plan is. You're already kind of executing that, which is great and being proactive. But just want to understand what you're actually, whether you're physically inspecting, boroscoping, are you looking at all welds or you risk assessing certain welds and missing on high risk welds? But that's what I just like to understand. And just a quick look at that sheet. Maybe wasn't clear. Maybe I should take some time to review that, provide some comments if I'm not following that. So yeah, so if you can share that sheet with us, we'll get that back to you as soon as possible. Sounds good. Thank you. I do think this is pretty high priority just because obviously this will probably gate a lot of activities to be able to restart solvent runs and move forward with the rest of the PV readiness. Okay. Yeah, well, let's just to be clear on the dates, it looks like you're suggesting you can get through. Most of these inspections in the next week or so, is that. Yeah, I think the latest October 12. I think this is the latest. Yeah, that's helpful. Just to give us a general sense. But again, I do think it's important. Just want to understand what. What those activities entail, what you're actually inspecting. Okay. That's kind of the basic, I think, message and just trying to understand that. So I'll look at that document if you can share that, provide direct questions if I have any. Okay, thanks, Mark. If I may ask, is this. Yes.

说话人 9 00:40:45

October 12 date, Mark and Ashton complete. Is this October 12 date end of inspection or end of any rust remediation as well? Because we were trying to kind of map how soon we can start the actual solvent run, and we decided last week that we would wait until all the remediation is done and then do the solvent run. So.

说话人 1 00:41:06

Is October 12th that date? Or is it gonna be just the inspection and then followed by remediation?

说话人 1 00:41:18

So, sorry, you're asking, so is the October 12th is the the in the remediation is complete or you mean like, or.

说话人 3 00:41:29

Okay, it's just the inspection start date or the of the southern run, right? I think it was asking if is that just the date you'll complete inspections? Do you have any additional like passivation work

activity requires additional time? Or is this date inclusive of all that activity?

说话人 1 00:41:51

OK, 你要 let me double check。王帆, 这个我们, 这个上面写的是10月12号说把10月12号之前, 我们这些都会检查完事吗? 这个检查完事是说我们只是把你这所有的管路的焊缝检查完事呢? 还是说我们会, 比方检查完了之后, 也会把这些, 比方重新做, 做完重新, 比方不合不达标的地方重新焊, 然后并重新做动画这些。这个日期是包括这些的吗? 因为他比较在乎我们什么时候, 他们因为作为客户来说, 他们必须得这些完事之后才能开始容器试车, 所以他在问这个问题。这个10月12号是什么日期?

说话人 8 00:42:45

包括整改时间。

说话人 1 00:42:47

包括整改时间, 那包括之后动画再处理时间吗? 就说这个都完事, 是的, 就是动画也完事, 就说, 对, 动画也完事, 10月13号那就可以开始容器试车了, 是吗?

说话人 7 00:42:59

嗯, 可以包括, 因为管线的动画我们可以离线进行。

说话人 1 00:43:03

OK。Yeah, hey, so basically the o October 12th will be the, the everything is done like.

说话人 9 00:43:15

Like after October 12, we can do the summer, right? Okay. And that's great to know. Mark, maybe you can get all the details between now and October 12. Yeah, absolutely. I'll try to align all the details here as soon as possible.

说话人 3 00:43:36

Maybe the other question is just on the deviation itself. Obviously, we'll have to close that out, I would imagine. So just make sure that's part of the timeline and work required here. I don't know if that needs to gate solve and run start necessarily, but that'll need to be obviously approved and closed out by the right quality oversight groups. Yep, it's something we just need to make sure we're aligned on what that looks like from both teams.

说话人 1 00:44:13

Yeah, I think Lisa team and also like our QA and manufacturing team is going back and forth, like working on the division itself. And, but I, I'm, I'm like, I'm not sure like what's timeline for now, but w I can double check with or.

说话人 3 00:44:34

Team to see like what's the right amount of timeline for that. Okay, correct me if I'm wrong. From the Loli side, I'm assuming that needs to be approved and closed before we start manufacturing again. That'll be kind of getting those activities at a minimum. Yeah, the deviation should be closed before we start back into manufacture.

说话人 3 00:45:12

Okay. I would assume this, some of these short term cap is already in act. You know, you're already addressing some of these, which is great. There may be some longer term cap. Is that maybe extend beyond that? Probably seems reasonable, but we'll have to just talk about that as well.

说话人 3 00:45:32

The timing of any other cap is that might come out of this?

说话人 3 00:45:48

So are we looking for the timing for the long term t capas as well? Yeah, I think this is to be all flushed out, right? As part of the, yeah, deviation right up and timing, just so we're all aligned on what's gaining start of manufacturing and what maybe longer term capas, if any. And then maybe the other piece, this is Suba and development teams on here, but just if there's any link here. To the m plus 53 investigation. I know there's maybe some data work waiting on her pending around metal.

说话人 9 00:46:25

That'll cause, yeah, the security information. So yes, that's probably another piece we need to discuss as well. Yeah, Mark, I think we have all of those in progress. We're eagerly waiting for updates due to the holiday. I think the updates have been little, little slow, but I've been assured that experiments are in progress. So I do believe we're resuming on 8, so day after tomorrow, right, Steve? Yep, that is the plan. Yeah, so hopefully we can get a lot of update day after tomorrow. So I'm not aware of any new experimental update between over the last, end of last week, since the end of last week. So yeah, some of those experiments in house, even the in house ones, we're still pending results.

说话人 9 00:47:19

Yes, you're right. Some are in house, but we haven't gotten to this stage to report any results yet. I do believe team can correct me, do believe something will. Come by tomorrow. But at this time, that's why we cancel some of our internal meetings as well. We're just waiting on results. It just flagging that, oh, sorry. Good. Sorry. Yes, we'll we in fact, I, I'm going to send. But.

说话人 10 00:47:51

A worksheet of data collected during this week, right after this meeting. Cuz we do have quite a lot data and quite a lot information would like to share with you on day After Tomorrow. So this is for sure. And we finished, almost finish all the experiments and.

说话人 9 00:48:11

So we'll see. Yeah, Vicky, if the data is available, would Asen can team have the bandwidth to have the 7 a.M. Call tomorrow? Or would you prefer to postpone till 8 given your schedule? We're open to having a 7 a.M. On our end. We can at the 7 a. M. Tomorrow.

说话人 10 00:48:33

And review the data. But if you prefer us seeing the pre read of the data and then following up with the call on day after tomorrow, that works too. We'll, I would like to discuss with my team and we will settle down. We'll, you know, decide on a on time of this meeting that people use my.

说话人 10 00:48:55

Okay, thank you. So I would like to share. So Alex, have you finish your topics? Yes, I'm done here. Thank you. Okay, thank you. So I would like to share. Yeah, I see. We can see my screen correctly. So I would like to share the details of the southern wrong because we would like to do southern wrong while we test the levels of error and as Te type height. So they shows us this will not really, you know, promote the formation of the m plus 53 impurity. And we will also do the nitrogen sparging, the flow rate, we have agreed of the sparge, of the sparging during the side chain helping ta. So sorry, side searching, helping ta step was 17 cubing meters per hour with minus or. Plus 2. So we will use 19 cubic meter in the solvent room and to see if the filter will deform in this type of pressure. This is also one aim of our solvent room.

说话人 10 00:50:14

And for the task of the error, and I set other higher level. We designed six points of sampling. The first one was right after the diff smoke test, diff smoke step. It was, it can, I don't know if can see

this is a bit low resolution. So the, so the DMF will go from the back tank. And go through the transfer peptide and go into the SPPS reactor and discharge, and we will test the discharge for the level of error. The second one was the right after the base mock wash.

说话人 10 00:51:00

And what here, so the DMF again come from the back tank and then go through the transfer pipeline and go to the pre cooling reactor with this one. So the DMF will stay here and until it has the correct temperature, and then we'll be transferred into the Spbs reactor. And we will also test the error, Te error level in the discharge.

说话人 10 00:51:26

The third one was right after the coupling, ta coupling step. So the DMF come also from the back tank and then goes go through the transfer pipeline and going to activation tank. It was this one. And then we will add, will it still through the DIC addition pipeline, but we will not use DIC during the solving wrong. We will use DMF to replace it and then go through the DMF runs pipeline and go to transfer pipeline and going to this reactor and it also be tested for the error level.

说话人 10 00:52:04

And the first one was right after the post capping wash. It was here. It's here. So DMF comes from the back tank and go through transfer pipeline and go into the activation tank, then another transfer pipeline into that's PPS reactor. And this is also be tested for the iron level. The fifth one was the post DMT operation.

说话人 10 00:52:30

So, oh, we will also use the towering in the southern wrong. It's a false show. So it's also come from the back tank and go through transfer pipeline at 0,8 and then go to the transfer pipeline and go into the STPs. So it's go through this reactor, and we will also test the discharge solvent for the error level. And the last one will be special, will be sample after the transfer of DAP. So the DNA come from BAC back tank. And go through, transfer a pipeline and go into activation tank, and then we will add dip. This is so this is so we will definitely use dip the solvent wrong will not be replaced by any other solvents for the level of aster height. So we will sample this for the aster height level and also for the iron level. And then it will transfer into this PBS.

说话人 10 00:53:34

So we gathered almost all the possible pipeline and reactor will go during the 7 wrong and test all the sample for the error level. So I think this gathered all the possibility and all the corners of

this.

说话人 10 00:53:52

Manufacturing, what's it? How put it? So do we have any comments? Oh, and this scheme, this is come from the Mor of the song Rong. So if you can't see from here. Very clear. You can see from the document we have already uploaded and you can see it on the Sharepoint. Any comments from this team? No, thanks for this. It's a hopefully a rewrite of sampling across the.

说话人 6 00:54:32

Across the equipment set, I probably will want to review it in detail just to make sure that we have everything. But on the face value of it, it looks robust. Yes. Okay. Ready? Thank you. Question we've been discussing here internally just.

说话人 3 00:54:52

Where will you document these results? These will be in a solve run record or is this a separate document that you'll maintain to have to track these results? I'm sure we have m or for solve run, but I would like to double check with my team.

说话人 10 00:55:12

在线的师兄，我想问一下，我们溶剂试测的结果是会记在MO2里面吗？还是说我们还有另外的文件？记在MO2。就是写结果，MO2里面是吗？

说话人 11 00:55:25

不要记录有那个结果登记。

说话人 10 00:55:29

不好意思，我没听清楚。

说话人 11 00:55:32

O2里就记在O2里边，里边有。

说话人 10 00:55:37

Okay, so the results will be recorded in the Mor.

说话人 3 00:55:50

All right. So you said that be documented in the solvent run more and more. Okay. Yeah, I think the other question, our analytical team and maybe some of the folks jumped off the call already, but I think the question around just the method you might use just to ensure you have a method that's appropriate for testing for iron and. right matrix.

说话人 10 00:56:12

I'll have a check. 我们铁的检测方法是什么？是之前用那个离子色谱吗？

说话人 11 00:56:25

是一个通用方法，现在咱们公司内部检测金属残留的一个方法。

说话人 10 00:56:34

Okay, and we use a method which is adopted within a syncam to test the residue of metal.

说话人 10 00:56:47

那个阿翔师兄，我们这个可以分享给客户吗？这种方法我觉得他们可能不是，可能比较想知道具体的检测方式。

说话人 12 00:56:56

诶，杨博士，检测方法包括乙醛残留的只有。元会再给他确认一下，今天子元没上线。

说话人 10 00:57:05

Then hold on, right. So for the detailed methods of every test, and I said test high test, our colleague of QA will contact you and will send you the detail documents of the methods. So cuz my colleague is not here today. Yeah, that would be great. Yeah, thank you. If you just send the details, we can just confirm with our analytical team. There's no.

说话人 3 00:57:30

Questions or concerns there. If you have a method available, that's great. So this is very helpful. I agree with Richard. I think this helps clarify. We probably need just need to review offline along with the solve and run record, make sure it's clear. But I think we have a path forward, it looks like. So yeah, I'd suggest.

说话人 6 00:57:52

I don't think we need to like approve the solvent run Mor or what I was actually thinking was what might work well for this is a TSP from you guys that would like detail the methods and the results, but like whatever works for Asen Cam, if you guys wanna talk about it internally, we're open the. I just very conscious that it will look like we will probably want to refer to these results and neither the investigation nor in some form or other. So formal documentation of them would probably be a good idea, if you know what I mean. And if you. You guys can do that in the Mor. That's perfect. But considering the details of math. Foods and things like that, that might have, that might want to be included in it. A TSP might work better, but like, I'm happy to for you guys to have the conversation about it. And if an MWR works well, that's absolutely fine by me. Thank you. We'll discuss this with my team about TSP. Brilliant. Thank you.

说话人 10 00:59:04

You, and we would also like to introduce the overarching changes. And this is document which we have almost reached agreement on Mo, most of the specs, but there's only one comment pending. So this is waiting for the final confirmation for this team. And another document, which is very important, is the change of the retest period of amino acid and also the residence because we have problems of the, you know, the long conservation of these materials. So we have asked the supplier of our materials to send us the sure the document. To confirm that we can prolong the period of retest, I will show you this document, this attachment documents. So rongkun, can I can I ask so we've, I've reviewed this change control. Apologies for the delay getting it back to you, but it should be back with you now.

说话人 6 01:00:13

The only comment I had on the change control was just to review the two technical documents that you have referenced in the change control that support the retest period. So I just like to see those. But so. I'm just conscious, like, do your procedure not allow you to like perform a retest and then assign a certain period of time to the shelf life as an additional expiry term, like on a three monthly or six monthly basis or something like that. Because obviously. You guys wanna like, you want to make sure that you they're not expired for the PV and we have obviously supporting data, but I'm just asking, does your procedure not allow you to do like a temporary extension on the basis of test results?

说话人 10 01:01:08

你确定吗？静音。

说话人 6 01:01:10

我试试。

说话人 10 01:01:11

我想问一下，线上师生，我们氨基酸，还有树脂，我们复检是是一件很麻烦的事情，我们其实是不想，3个月就复检一次，我们是希望他能够条件允许的情况下，能够尽量延长复检时间，是不是？就是比较麻烦吗？还是有其他考量？

说话人 11 01:01:32

是的，这个检测时间会很长，复检一次。

说话人 10 01:01:35

啊，那有多长呢？

说话人 11 01:01:37

然后一般现在有，现在有稳定数据，他可以支持他延长，所以说他可以延长。就是。他估计得一个月左右吧。

说话人 12 01:01:47

不是，不是那个，一个氨基酸没有问题，因为这些氨基酸涉及的太多了，所以它时间比较长。对，咱们一个氨基酸放行没问题的。

说话人 3 01:01:58

OK。

说话人 10 01:01:58

How the, well, in fact, the biggest concern is the time it will take to retest all the NRS because we might need something like one month.

说话人 6 01:02:12

To test all the NRC before the manufacturing, so we would not really want to waste this time.No, I understand.I understand.And no one wants like retest things unnecessarily.I just like, I think we're, we but conscious that there's a big difference between, say, 12 months and four years.

说话人 6 01:02:35

For some of these amino acids, if you know what I mean.So like, I would be wary, shall we say? Like, so I haven't seen the technical documents supporting the full shelf life, but I would be wary

that they won't necessarily contain all the supporting data that I would like to see necessarily. That to allow for such a long shelf life, like it's just a big blank check, if you understand my meaning. You know, we wouldn't that that's, that's a long shelf life with a lot of potential variables there.

说话人 6 01:03:12

So that's why I was asking if Asen Cam have like I, I'm, we can like I'm. I think I'm happier. Like if I think there are probably ways we could go about it, but I like, I suppose I'd like to see what options are on the table necessarily within the same camp, like if there is supporting data up for like a shorter period of time, like another year, perhaps that's something we could look at. But like, you know, laterally, like extending the shelf life of some of these amino acids, like to four years. Is probably ever as far too big a step for us, but I, as I say, it depends on the details of that technical document. Like it could well have. All the necessary supporting data that I'd like to see.

说话人 6 01:04:01

But yeah, it's a lot, you know, I so means, sorry, by the tactic documents, you means supplier centers, right? So once, yeah, so if you were sharing there and you were sharing an attachment from the change control there, but in the change control itself, it references. I believe there are 2 TSP documents. I can't recall the number off top my head, but there's 2 TSP's which I have put comments into the change control request thing that you share with me. So if those two documents could be shared, cuz they like, they're the, so they're the technical data supporting the. Extension of the shelf lives effectively, like, so they would be the supporting data that would allow the this that did you guys are biased your shelf lives and attachment one off of if you know what I mean like for 48 months and 36 months, 24 months, whatever they may be, for whatever. I mean, I was there.

说话人 10 01:05:03

Okay, we will do that if possible. It's possible. I don't see any reason against that. I think I still have. Yeah, I will continue sharing this slides. So yeah, I will go very re briefly to the rest of the documents on this list. Like the validation master plans and the pre pbq protocols. This we have already finished and we just need your final confirmation. And for the all the pre pbq documents we have listed here. Yeah. The, this ESA and the we have sent to you and this will sent to you tomorrow and all the rest. We just need the and this will be sent right after the, the, you know, the is in 3 days and all the rest documents. We just need your. Review specially the documents for the, I mean, assets we test and the one of the overtra overarching change VP and pvq protocols. These are quite, yeah, if you. Really appreciate you could give priority to this review of this document cuz they're quite important for the start of the manufacturing. And sorry, wrong. And so we, this document, I think we just need to have some assigned and reviewed and

confirmed before start of step two. So they're not that urgent for now, but we still listed them here. And do we have any more comments on this documents?

说话人 10 01:07:23

If no, I think the only thing can be done is like the wait for your final confirmation of this document. Alright, yeah, no, that's hundred percent. If you can make sure to share these slides.

说话人 3 01:07:44

After the meeting, that would be appreciated. No problem. Maybe a quick follow up questions. So I think we've got a general sense of your thoughts on mediation for the weld rust residue deviation. Once you start this solvent around, do you have a sense of how long it may take to complete? That activity and generate those results that the testing we've outlined, I. I always like rough term, so I'm trying to get a sense of timeline here to complete all these activities. Yeah, this is not included in the document. I will, I.

说话人 10 01:08:26

哦，ask，我们那个溶剂试出多长时间啊？阿强师兄。

说话人 11 01:08:37

两天左右吧。

说话人 10 01:08:39

几天？5天吗？

说话人 11 01:08:42

2天。

说话人 10 01:08:43

2天，那我们这些结果什么时候可以出呢？检测的这乙醛啊，还有铁。

说话人 9 01:08:56

再加一天就可以了。

说话人 11 01:08:58

1天吗？1到2天就差不多了。

说话人 10 01:09:00

OK。Hey, so the server run will take approximately two days and we need one or two extra days to for the data round four days for all that activity. Okay, that's helpful just to kind of gauge general impact on timing. Yeah, thank you. Thank you. So no more questions. I will share the slides on the Sharepoint.

说话人 10 01:09:38

Oh, do you still have any topics? Discuss. It's team.

说话人 6 01:09:50

So I think Steve, I think Steve had to drop off the call, but I have nothing else. Soba, Mark, you guys happy? Anyone else? I'll just.

说话人 9 01:10:00

I guess we'll wait for the supporting document that, Richard, you asked. But for these prolonged storage, at what temperature are you storing? These are SM amino acids.

说话人 10 01:10:14

我们氨基酸储存温度是多少大约？还有数值。

说话人 10 01:10:21

I don't know, but I don't know. It's between 2 to 8 degrees Celsius. Okay, thank you.

说话人 3 01:10:41

I think one other item, I think it's on our list of follow UPS from the visit a few weeks ago, but just wanna kind of just throw this out there as well.

说话人 3 01:10:51

We had asked if it'd be helpful if we could see the cleaning record, what you actually executed on the, I guess, SPPS in particular. For the short term here, but what it was actually executed between demo going into pre PBQ or PB, we just want to understand what that cleaning activity looked like from like the actual documentation. So I think we'd ask if you could share that with us, and I know we've got ongoing long term. Actions to kind of work with face and come team

and improve your cleaning procedures and records. But we did want to understand what has been executed to essentially ensure the status of that equipment going into PV.

说话人 3 01:11:42

I think that's on the Action Tracker already, but I.

说话人 1 01:11:45

Haven't seen that document yet or haven't seen that discussion. That's one, just one thing. Don't lose track of. Yeah, as Alex, I'm still here. Alex. Mark. Yes. Hey, Mark. Yes, we, we, we gonna have a we already had a meeting to go over the list of the tracker and also review the comments from Lily's team. Last week and we gonna have another meeting tomorrow to see like where are those action s like the steps is and like we definitely will sh will.

说话人 3 01:12:32

Put that as a top priority to send to the list team as soon as possible. Yeah, that'd be great. I think that's definitely a key action, kind of gaining if you start here, again, just understanding what was executed cleaning wise on that, on the concept. The other action that I know. Andrew sent follow up and this was maybe a gap on the purified water system related to purification, particular where you're using purified water for the process. But our understanding is there's a similar design gap potentially for water that's used for cleavage and then on cleaning activities for SPP's. So I think it'd be good if you could confirm or clarify that's accurate. And maybe as a follow up, just we'd like to understand where you're using water in the clean activities. And if there's a rationale or justification to talk about the risk and, you know, justify that risk is minimized based on the clean activities and how that's used. Because again, that if that gap is the same as what we observe in purification, there's like a concern with the design. And we will probably have to risk assess or justify why that's acceptable, even for cleaning purposes on the SPS rig.

说话人 1 01:14:05

Yes, Mark, I think we had a meeting this afternoon. Sorry, like China time this afternoon. So, and we all manufacturing team and QA team are working on that. Okay. Yeah, I'll be I'll be great. Be good under understand your view on that. And again, just for help us understand.

说话人 3 01:14:27

The status of that distribution system for SBPs. Obviously, that's kind of the most impactful in the short term here as we try to start that step. And I know Andrew sent a separate note and there's a lot of discussion on strategies or plans on purification, but that probably has a. Bigger

impact on the process side, potentially. I didn't want to lose sight of that. That also is something we need to be able to justify and document before we start. So. That's good. So just let us know when you've kind of compiled your thoughts on that topic and we can have further discussion. Yeah, we'll do. Yeah, thank you. Thanks. I think that covers the major topics I had for the day. If anyone else in the Lily side has any other. Urgent topics to discuss.

说话人 13 01:15:22

Sorry, isn't can't sorry, I joined late. I've sent back the agitation impeller deviation. I'm not sure if it was discussed earlier. It was probably earlier in the call. So sent back that and I've sent back the change control in relation to the retest materials that you were talking about there, the TSP documents. So I've sent them both back there to Zhu Wang there in the last hour.

说话人 4 01:15:48

Thanks.

说话人 3 01:16:03

That's all we have more and so I thank you for the updates day. Really good discussions. I appreciate all the preparation for that and all we have for today. Thanks. Thank you, everyone. Thanks for everybody's time. Yeah. Thank you. Bye bye.