

ILC Dover

CH - 1728 Rossens

T +41 26 492 68 00

F +41 26 492 68 68

www.ilcdover.com

infoswitzerland@ilcdover.com



Date: 22.07.2026
Y/ ref.: Clare CROOK
O/ ref.: Michael Bate

ASYMCHEM

RAMS GATE ROAD
GB - CT139ND SANDWICH

Budget quotation JS26-11384-0

Y/ enquiry: / 14.07.2026

Reactor charging isolator

Pos	Qty	Designation	Unit	Total [GBP]
1	1	Facility Environment		
2	1	Engineering - Concept development	10,370.00	10,370.00
3	1	Flexible isolator	94,700.00	94,700.00
4	1	Documentation	5,060.00	5,060.00
5	1	Services	5,670.00	5,670.00
7	1	ILC Dover terms and conditions		
Total				115,800.00

Options

6	1	Consumables: see price per consumable and per MOQs listed below (not included in total price)	--	---
---	---	--	----	-----

Price: EXW CH-Rossens, Incoterm 2020, without VAT
Delivery time: approx. 20 weeks (except bank holidays) from the approval of the drawing
Payment: 30% with the order, within 10 days from the date of the invoice
20% with the provision of the drawing for approval, within 30 days from the date of the invoice
50% at the FAT, within 30 days from the date of the invoice
Validity of the quote: 30 days

Yours faithfully,

ILC Dover

Junichi Harayama

Pos	Qty	Designation	Unit	Total [GBP]
1	1	Facility Environment Powder - Product name: unknown - Density: unknown - Max. Particle size: unknown - MIE: unknown Containment level: OEB 4, 1-10 µg/m^{3*1)} Electrical connection: NA Metallic materials - Product contact parts: AISI 316L - Other parts: AISI 304 / AISI 304L - Some non-contact components such as cylinders, motors, sensors, etc. are not always available in stainless steel. Seals - Product contact parts: Silicone Roughness - Product contact parts: Ra ≤ 0.8 µm - Other parts: Ra ≤ 1.6 µm Welding All welds cleaned with acid and passivated. - Product contact parts: Polished - Other parts: - Flat welding: Polished - Angle welding: Brushed EEx proof execution - Product contact parts: ATEX II 2G IIB T3 ATEX II 2D IIIB T195°C - Other parts: ATEX II 3G IIB T3 ATEX II 3D IIIB T195°C <i>*1) This value can be achieved through careful handling of powder by adequately trained operators, as demonstrated by containment measurements from similar installations. To determine the containment level in your specific setup, SMEPAC tests should be conducted.</i>		
2	1	Engineering - Concept development Engineering services for the development of the 4 reactors R19, R20, R21 and R22 charging concept Including : - On-site visit - Concept development - Drawing of the concept - Concept presentation through Teams - Firm quote	10,370.00	10,370.00

Pos	Qty	Designation	Unit	Total [GBP]
-----	-----	-------------	------	-------------


Planned staff:

- 1 engineer in 5 working days
- Estimated working time: 50 hours +/- 10%

Note :

If the actual working time is outside the 10% tolerance, the divergent hours will be deducted or invoiced at 155 EUR per hour, as well as any additional accommodation costs.

3	1	Flexible isolator	94,700.00	94,700.00
---	---	-------------------	-----------	-----------




3.1 2 Metallic structure for isolator

Frame with components described below for the support of the flexible isolator, consisting of:

- Stainless steel structure to hold the flexible isolator
- Table
- Support for the BIBO canister 12"

Dimensions:


- Length: approx. 1560 mm
- Width: approx. 870 mm
- Height: approx. 1860 mm



Accessories

Mobile castors, two of which have brakes

- Diameter 125 mm



Pos	Qty	Designation	Unit	Total [GBP]
-----	-----	-------------	------	-------------

3.2 2 BIBO Canister kit 12"


Kit for connection of Bag-in / Bag-out sleeve allowing the contained transfer from/to the flexible enclosure

Specifications:

- Part#: HW10393-01

Included components:

- Canister: 12", 2 x 2 grooves, c/w fixation lugs
- 2 x Band clamp: 12.25"


BIBO sleeve 14"

Sleeve for BIBO operations through the 12" canister

Specifications:

- Part#: DS4032-01
- Sleeve diameter: 14"
- Sleeve length: 48"
- Accessories: Encapsulated and layered O-ring
- Material: ArmorFlex 114


3.3 1 Crimp Separation Kit for 14" sleeve

Kit for the sealing and separation of 14" sleeves without containment breakage.

Part#: HW10065-01

Included components:

- 1 Storage case
- 1 Crimp lock tool: 4 / 14"
- 1 Cutting tool
- 200 Crimps 14", red
- 100 Cable ties


3.4 4 Canister kit 12", 5 liners


Kit for connection to upstream isolator for contained transfer of powder.

The asymmetric canister is foreseen to be pinched between the ball valve and SBV.

Pos	Qty	Designation	Unit	Total [GBP]
-----	-----	-------------	------	-------------

Included components:

- 1 Canister with 5+1 grooves 12"
- 1 Band clamp 12.25"



3.5 4 Flexible enclosure

The flexible isolator is foreseen to protect the operator during product handling.

Flexible enclosure, consisting of:


- 4 ambidextrous gloves in EPDM
- 1 Connection sleeve on the side for the canister 12"
- 1 Connection sleeve on the bottom for the canister 12"
- 3 P100 filter
- Fastening straps with press studs

Internal dimensions:

- Length: approx. 1500 mm
- Depth: approx. 700 mm
- Height: approx. 900 mm

Material:

AarmorFlex 113/114 antistatic



Engineering

Non recurring engineering work for the first isolator.

4	1	Documentation	5,060.00	5,060.00
---	---	----------------------	----------	----------

Operating and maintenance manuals in English, adapted to the purchased installation. It will be available in digital format, and accessible through a download link.

Including :

Safety

- Safety rules

Maintenance

- Maintenance schedule
- General Rules
- Spare parts list
- Consumables list

Pos	Qty	Designation	Unit	Total [GBP]
		General - Generalities - Warranty - Ex zone - Special conditions < X > - ISO 9001 certificate Installation - Installation - Consumables replacement procedures Drawings and Spare Parts - Assembly drawing - Parts list Validation - Design of approval - Protocols (FAT) Specific Documentation - Datasheet - Supplier manual		
		Note : <i>A hard copy can be printed on request.</i>		
4.1	1	Certificates Equipment : - EC Declaration of incorporation Metallic materials : - Statement of compliance with the order type 3.1 according to EN 10204 regulation for parts in contact with the product - Surface roughness inspection certificate Explosive zone : - ATEX Certificate Elastomers : - FDA certificate	2,750.00	2,750.00
5	1	Services	5,670.00	5,670.00
5.1	1	Factory Acceptance Test (FAT) One reception day performed at ILC Dover SA, Route de Montena, 89, 1728 Rossens, Switzerland. The FAT consists to test the equipments (without product) in presence of the Project Manager. It will take place following the protocol previously provided by ILC Dover SA and validated by the customer. The protocol then shall be signed by both of the parties where as small issues shall not lead to a delay of delivery or subsequent actions. This FAT service consists : - Writing of the FAT Protocol - Assembly drawing - Conformity of the specification of the client request - Documentation control	3,270.00	3,270.00

Pos	Qty	Designation	Unit	Total [GBP]
-----	-----	-------------	------	-------------

5.2	1	Packing	2,400.00	2,400.00
-----	---	----------------	----------	----------

Packing of the installation. The transport is not part of this quotation.

6	1	Consumables: see price per consumable and per MOQs listed below (not included in total price)	---	---
---	---	--	-----	-----

The consumables are produced at ILC Dover in Poland, Gliwice and the order must be placed directly to them.

The prices of consumables are here in EUR and are subject to change accordingly to the exchange rate in effect at the time of the order.

Due to the ongoing geopolitical situation in the Middle East, we are experiencing sustained cost increases across multiple areas critical to our operations — including raw materials, energy, shipping, and logistics. Despite our continued efforts to mitigate these impacts through operational efficiencies and close supplier collaboration, these pressures have reached a level that requires an adjustment to ensure continuity of supply and service.

As a result, a temporary surcharge of 5% will be applied to all orders invoiced on or after June 1, 2026. This surcharge will appear as a separate line item on your invoice.

6.1	1	BIBO sleeve 14"		
		Sleeve for BIBO operations through the 12" canister		

Specifications:

- Part#: DS4032-01
- Sleeve diameter: 14"
- Sleeve length: 48"
- Accessories: Encapsulated and layered O-ring
- Material: ArmorFlex 114




EXW price ILC Dover factory in PL-Gliwice

- Unit price: 155 EUR
- MOQ: 5 units

6.2	1	Crimps 14"		
		Part#: HW6084-02		

100 crimps packaged in 5 packs of 20 pieces.



EXW price our factory in PL-Gliwice:

- 1 lot: 300 EUR

Pos	Qty	Designation	Unit	Total [GBP]
-----	-----	-------------	------	-------------

6.3 1 Flexible Enclosure

Additional flexible enclosure according to the description in position 3.5 of this quote.

EXW price ILC Dover factory in PL-Gliwice

- Unit price: 1881 EUR
- MOQ: 1 unit

7 1 ILC Dover terms and conditions

The General Terms and Conditions of Sale apply to the sale of goods and services by ILC Dover; they are available by clicking on the link <https://www.ilcdover.com/terms-conditions/> or via the QR code.



ILC Dover's acceptance of any order is expressly made conditional upon Buyer's acceptance of all terms and conditions contained herein and in ILC Dover's Sales Order Acknowledgment.

Please send purchase orders to ILC Dover CH-Rossens via email to infoswitzerland@ilcdover.com