ISOM Codebook

pm

2015-12-02 13:37:46

IDEP Standing Orders Minority-Majority-Change Dataset (version: 2015-12-02)

The dataset is a compilation of data based on several data-sets: ERD European Represantatives Dataset, Release 3, February 2014, ISOR IDEP Standing Orders Reform Dataset, version 2.08 and ParlGov Parliaments and governments database, 2012 release.

All information are aggregate on cabinet level with one row per cabinet. Cabinet information stems from ERD. Information on Standing Orders reforms was added from ISOR dataset by matching reform dates (date of acceptance of the reform or if not availible earliest date availible) into cabinet time spans (and countries) for inforamtion on reforms. For information on the Standing Order present for a particular cabinet matching was done by overlapping time spans from SO and cabinet. All measures of ideological positions, distances and polarization come from CMP which was merged/joined with ParlGov first (ParlGov includes the CMP party id variable). ParlGov in turn was used as source of volatility measures. Having merged/joined ParlGov and CMP this combined dataset was than joined with ERD by matching cabinet start dates (automatically and by hand due to occasional differing start days).

The data set incorporates aggregated data for 384 cabinets in 14 countries and consists of 1250 variables.

Example:

```
#### R-code: ####

isom  %>%
  select(ctr, cab_pm, cab_in, cab_out, wds_chg_sum, pro_minmaj_qual, idl_pnt_all, volatility) %>%
  mutate(
    idl_pnt_all = round(idl_pnt_all, 1),
    volatility  = round(volatility, 1)
  )
```

```
## Source: local data frame [398 x 8]
##
##       ctr     cab_pm     cab_in    cab_out wds_chg_sum pro_minmaj_qual idl_pnt_all volatility
##     (chr)      (chr)     (date)     (date)       (dbl)           (dbl)       (dbl)      (dbl)
## 1     aut     Figl I 1945-12-20 1947-11-20          NA               0          NA         NA
## 2     aut    Figl II 1947-11-20 1949-10-09         164               1          NA         NA
## 3     aut   Figl III 1949-11-08 1953-02-22          NA               0        10.0         NA
## 4     aut     Raab I 1953-04-02 1956-05-13          NA               0         5.7        7.3
## 5     aut    Raab II 1956-06-29 1959-05-10          NA               0        15.1        9.1
## 6     aut   Raab III 1959-07-16 1961-04-11          NA               0         5.0        5.5
## 7     aut  Gorbach I 1961-04-11 1962-11-18        2825              -1         5.0        5.5
## 8     aut Gorbach II 1963-03-27 1964-04-02          NA               0        -1.9        2.4
## 9     aut    Klaus I 1964-04-02 1965-10-25          NA               0        -1.9        2.4
## 10    aut   Klaus II 1966-04-19 1970-03-01          NA               0        -5.2        4.2
## ..    ...        ...        ...        ...         ...             ...         ...        ...
```

Citing the Data

Publications using this dataset should acknowledge in writing that the information comes from:

Andersson, Staffan; Bergman, Torbjörn; Ersson, Svante (2014). The European Representative Democracy Data Archive, Release 3. Main sponsor: Riksbankens Jubileumsfond (In2007-0149:1-E). [www.erdda.se]

Döring, Holger; Manow, Philip (2015). Parliaments and governments database (ParlGov): Information on parties, elections and cabinets in modern democracies. Version: 2013.

Lehmann, Pola; Matthieß, Theres; Merz, Nicolas; Regel, Sven; Werner, Annika (2015): Manifesto Corpus. Version: 2013-b. Berlin: WZB Berlin Social Science Center.

Sieberer, Ulrich; Meißner, Peter; Keh, Julia; Müller, Wolfgang C. (2015): ISOR - IDEP Standing Orders Reforms Dateset.

Sieberer, Ulrich; Meißner, Peter; Keh, Julia; Müller, Wolfgang C. (2015): ISOM - IDEP Standing Orders Minority-Majority Dateset.

Tsebelis, George (2002): Veto Players. How Political Institutions Work. Princeton UP

References used in the Codebook

ERD:

ERD (2014): European Representative Democracy (ERD) Release 3.0 February 12, 2014 Codebook for ERD - e.

CMP:

CMP (2015): Manifesto Project Dataset Codebook. Website: https://manifesto-project.wzb.eu/ . Version: 2015a

Volatility

Pedersen, Mogens N. (1979): The Dynamics of European Party Systems: Changing Patterns of Electoral Volatility. European Journal of Political Research, 7/1, 1-26. http://janda.org/c24/Readings/Pedersen/Pedersen.htm

Variable Descriptions

Notes

The variables of the ISOR dataset are extensively described in a seperate codebook (`isor_codebook.pdf`) – therefore only some of those variables are presented here.

Since there might be more than one SO reform (ISOR) that took place during the course of a cabinet ISOR data had to be aggregated:

- all ISOR variables preserve their name
- but if values had to be aggregated the variables names get an extra suffix:
    - **fst** for the value of the first reform of a cabinet time span
    - **lst** for the value of the last reform of a cabinet time span
    - **mn** for the mean value
    - **sum** for the sum of all values
- Furthermore, due to the aggregation of ISOR data an addtitional variable is provided: **n_reforms** captures the number of times SO were changed during the course of a cabinet.

ERD - Bargaining environment

cab_dur_100 (ERD v601e)

Relative duration 100 percent – 0=No, 1=Yes (ERD 2014)

```
class    :       integer
unique   :             3
NAs      :             2
not-NA   :           396
not-0-NA :            88
sum      :            88
range    : [ 0 ] ... [ 1 ]
examples : [0], [0], [1], [0], [0], [0], [1], [0], [0], [0] ...
```

cab_dur_rel (ERD v603e)

Relative Cab Duration (ERD 2014)

```
class    :       numeric
unique   :           266
NAs      :             2
not-NA   :           396
not-0-NA :           396
sum      :       239.726
range    : [ 0.005 ] ... [ 1 ]
examples :     [1], [1], [0.25], [1], [0.172], [0.304], [0.232], [0.105], [0.258], [0.466]
...
```

cab_dur_abs1 (ERD v604e)

Absolute Cab Duration (ERD 2014)

```
class    :       integer
unique   :           302
NAs      :            61
not-NA   :           337
not-0-NA :           337
sum      :       241 939
range    : [ 7 ] ... [ 1936 ]
examples : [1369], [561], [1426], [997], [527], [468], [537], [309], [1260], [1315] ...
```

cab_dur_abs2 (ERD v605e)

Absolute Cab Duration (ERD 2014)

```
class    :       integer
unique   :           345
NAs      :             2
not-NA   :           396
not-0-NA :           396
sum      :       298 397
```

```
range    : [ 7 ] ... [ 1935 ]
examples : [1097], [1197], [1092], [509], [213], [1830], [137], [1092], [12], [571] ...
```

ERD - Cabinet Identification

cab_id (ERD v002e)

Cabinet Code – Cabinet code First digits = country code, Second digit = cabinet code (ERD 2014)

```
class     :     numeric
unique    :         398
NAs       :           0
not-NA    :         398
not-0-NA  :         398
sum       :     360 762
range     : [ 101 ] ... [ 1724 ]
examples  : [1007], [1510], [103], [1035], [1612], [1018], [925], [107], [1616], [304] ...
```

cab_pm (ERD v003e)

Cabinet – Occurs at any change of (a) party composition, (b) general election and (c) change of PM. (ERD 2014)

```
class     :    character
unique    :         398
NAs       :           0
not-NA    :         398
not-0-NA  :         398
sum       :           -
range     : [ Adenauer I ] ... [ Zoli ]
examples  : [Moro I], [Costello II], [de Valera VI], [Attlee II], [Schlüter I], [Stoltenberg
...
```

cab_in (ERD v004e)

Date in (ERD 2014)

```
class     :        Date
unique    :         396
NAs       :           0
not-NA    :         398
not-0-NA  :         398
sum       :           -
range     : [ 1944-06-09 ] ... [ 2010-10-14 ]
examples  : [1979-10-26], [2001-11-27], [1957-10-31], [1949-11-08], [1959-06-23], [1993-04-2
...
```

cab_out (ERD v005e)
```

Date out (ERD 2014)

```
class     :          Date
unique    :           392
NAs       :             0
not-NA    :           398
not-0-NA  :           398
sum       :             -
range     : [ 1946-03-20 ] ... [ 2015-06-15 ]
examples  : [1966-02-11], [1965-09-13], [1959-03-12], [2012-09-12], [1957-10-07], [1981-06-2
...
```

cab_comp (ERD v010e)

Cabinet composition – Party acronyms – Party of PM listed first (ERD 2014)

```
class     :      character
unique    :           153
NAs       :             0
not-NA    :           398
not-0-NA  :           398
sum       :             -
range     : [ A ] ... [ ZE,LI,KO ]
examples  :     [DC, PSI, PRI, PSDI, PLI], [CDA, PvdA, CU], [PP], [KRF, H, V], [UDR, FNRI],
[ARP ...
```

ERD - Critical Events

el_volat_cab (ERD v700e)

Total cabinet electoral volatility – For each cabinet party, the vote support (%) received at the relevant parliamentary election is subtracted from the vote support (%) that the same party received at the immediately preceding election; the absolute value of these scores are summarized for all cabinet parties. Coded in-house 2012, re-calculated for all cabinets(ERD 2014)

```
class     :       numeric
unique    :           291
NAs       :            28
not-NA    :           370
not-0-NA  :           369
sum       :     2 523.706
range     : [ 0 ] ... [ 35.8079830507126 ]
examples  : [1.19978920556614], [5.4], [5.48921837220765], [1.64], [1.9], [3.73129387995623]
...
```

el_volat_ave (ERD v701e)

Average cabinet electoral volatility – For each cabinet party, the vote support (%) received at the relevant parliamentary election is subtracted from the vote support (%) that the same party received at the immediately

preceding election; the absolute value of these scores are summarized for all 11 cabinet parties and then divided by the number of cabinet parties. Coded in-house 2012, re-calculated for all cabinet (ERD 2014)

```
class    :        numeric
unique   :           296
NAs      :            28
not-NA   :           370
not-0-NA :           369
sum      :     1 289.856
range    : [ 0 ] ... [ 20.7002061857488 ]
examples :     [2.03772840930948], [1.05469922282367], [0.964627728624478], [1.64], [4.2],
[7.1 ...
```

el_perf_cab (ERD v708e)

Cabinet El Performance – For each cabinet party, the vote support (%) that a political party received at the parliamentary election which preceded its cabinet membership is subtracted from the vote support (%) it received at the next (following) parliamentary election; these scores then are summarized. Coded in-house 2012, re-calculated for all cabinets(ERD 2014)

```
class    :        numeric
unique   :           312
NAs      :             3
not-NA   :           395
not-0-NA :           391
sum      :      -1 286.135
range    : [ -35.1 ] ... [ 20.7002061857488 ]
examples : [0.347519948902239], [2.3], [-5.84541540483622], [1.67246305175724], [-0.3761131
...
```

ERD - derived

country_id (ERD derived)

Simply one distinct number per country.

```
class    :        numeric
unique   :            14
NAs      :             0
not-NA   :           398
not-0-NA :           398
sum      :         3 302
range    : [ 1 ] ... [ 16 ]
examples : [5], [3], [16], [13], [12], [6], [9], [1], [10], [8] ...
```

policy_conf (ERD derived)

$$policy\_conf = -1 * (cab\_pref/parl\_pref)$$

```
class    :      numeric
unique   :          173
NAs      :           18
not-NA   :          380
not-0-NA :          228
sum      :    -119.5032
range    : [ -1.00026619434357 ] ... [ 0 ]
examples :   [-0.359134495258331], [-0.000586996087804437], [-0.27069491147995], [0], [0],
[- ...
```

policy_conf_ch (ERD derived)

$$policy\_conf\_ch = policy\_conf_t - policy\_conf_{t-1}$$

```
class    :      numeric
unique   :          206
NAs      :           36
not-NA   :          362
not-0-NA :          214
sum      :    -1.325758
range    : [ -1.00012898445129 ] ... [ 1.00012898445129 ]
examples : [0], [0], [NA], [-0.368012726306915], [-0.194917589426041], [NA], [0.57314848899
...
```

cab_pref_ch (ERD derived)

$$cab\_pref\_ch = cab\_pref_t - cab\_pref_{t-1}$$

```
class    :      numeric
unique   :          209
NAs      :           36
not-NA   :          362
not-0-NA :          217
sum      :    -114.4921
range    : [ -70.9000015258789 ] ... [ 69.8000030517578 ]
examples :    [-14.9519195556641], [-18.5], [-3.0831298828125], [0], [7.77858018875122],
[0],  ...
```

maj_min (ERD derived)

$$maj\_min = \{ \quad 1 \quad | \quad maj\_cab_{t-1} = 1 \quad \& \quad maj\_cab_t = 0 \qquad maj\_min = \{ \quad 0 \quad | \quad else$$

```
class    :      numeric
unique   :            2
NAs      :            0
not-NA   :          398
not-0-NA :           45
```

```
sum      :              45
range    : [ 0 ] ... [ 1 ]
examples : [1], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

min_maj (ERD derived)

$$min\_maj = \{ \quad 1 \quad | \quad maj\_cab_{t-1} = 0 \quad \& \quad maj\_cab_t = 1 min\_maj = \{ \quad 0 \quad | \quad else$$

```
class    :         numeric
unique   :               2
NAs      :               0
not-NA   :             398
not-0-NA :              45
sum      :              45
range    : [ 0 ] ... [ 1 ]
examples : [0], [0], [0], [0], [1], [0], [0], [1], [0], [0] ...
```

opm_coal (ERD derived)

$$opm\_coal = \{ \quad 1 \quad | \quad single\_maj\_cab_{t-1} = 1 \quad \& \quad gov\_type_t = 2 opm\_coal = \{ \quad 1 \quad | \quad single\_maj\_cab_{t-1} = 1 \quad \& \quad go$$

```
class    :         numeric
unique   :               2
NAs      :               0
not-NA   :             398
not-0-NA :               6
sum      :               6
range    : [ 0 ] ... [ 1 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

coal_opm (ERD derived)

$$coal\_opm = \{ \quad 1 \quad | \quad single\_maj\_cab_t = 1 \quad \& \quad gov\_type\_t = 2 coal\_opm = \{ \quad 1 \quad | \quad single\_maj\_cab_t = 1 \quad \& \quad gov\_$$

```
class    :         numeric
unique   :               2
NAs      :               0
not-NA   :             398
not-0-NA :               8
sum      :               8
range    : [ 0 ] ... [ 1 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

ERD - Institutions

low__leg (ERD v500e)

Lower Chamber Only Decides Legislation – 1 = Yes, 0 = No – 0 = Belgium, Denmark, Finland, Italy, Netherlands, Spain, Sweden (-1970) (ERD 2014)

```
class    :       integer
unique   :             2
NAs      :             0
not-NA   :           398
not-0-NA :           216
sum      :           216
range    : [ 0 ] ... [ 1 ]
examples : [0], [0], [0], [1], [0], [0], [1], [0], [0], [1] ...
```

const__amend__supermaj (ERD v501e)

Supermajority for Const Amend – 1 = Yes, 0 = No – 0 = Denmark, France, Iceland, Ireland, Italy, Spain (-1978), Sweden, UK. Assumed constant after 1999. (ERD 2014)

```
class    :       integer
unique   :             2
NAs      :             0
not-NA   :           398
not-0-NA :           200
sum      :           200
range    : [ 0 ] ... [ 1 ]
examples : [1], [1], [0], [0], [1], [1], [1], [1], [0], [0] ...
```

strong__low (ERD v502e)

Strong Second Chamber – 1 = Yes, 0 = No – 1 = Belgium (-95), Italy (1948-), Sweden (-70). (ERD 2014)

```
class    :       integer
unique   :             2
NAs      :             0
not-NA   :           398
not-0-NA :            96
sum      :            96
range    : [ 0 ] ... [ 1 ]
examples : [0], [0], [1], [0], [0], [0], [0], [1], [0], [0] ...
```

weak__low (ERD v503e)

Weak Second Chamber – 1 = Yes, 0 = No – 1 = Austria, Belgium (95-), France, Germany, Ireland, Netherlands, Spain (-1978), UK. Assumed constant after 1999. (ERD 2014)

```
class    :       integer
unique   :             2
NAs      :             0
not-NA   :           398
```

```
not-0-NA :         182
sum      :         182
range    : [ 0 ] ... [ 1 ]
examples : [1], [0], [1], [0], [1], [0], [0], [0], [0], [0] ...
```

bicamer (ERD v504e)

Bicameralism – 1 = Yes, 0 = No – 1 = Austria, Belgium, Denmark (-70), France, Germany, Ireland, Italy (1948-), Netherlands, Spain (1978-), Sweden (-70), UK (ERD 2014)

```
class    :     integer
unique   :           2
NAs      :           0
not-NA   :         398
not-0-NA :         278
sum      :         278
range    : [ 0 ] ... [ 1 ]
examples : [1], [1], [1], [1], [0], [1], [1], [1], [0], [1] ...
```

pos__parl (ERD v505e)

Positive Parliamentarism – 1 = Yes, 0 = No – 1 = Belgium, Germany, Greece, Ireland (1945-), Italy (1948-), Luxembourg, Spain (1978-), Finland (ERD 2014)

```
class    :     integer
unique   :           2
NAs      :           0
not-NA   :         398
not-0-NA :         174
sum      :         174
range    : [ 0 ] ... [ 1 ]
examples : [1], [0], [0], [1], [0], [0], [1], [1], [0], [1] ...
```

no__confid__absmaj (ERD v507e)

Abs Majority No-confidence – 1 = Yes, 0 = No – 1 = Belgium (95-) France, Germany, Greece, Iceland (1945-), Portugal, Spain (1978-), Sweden (71-). Assumed constant after 1999. (ERD 2014)

```
class    :     integer
unique   :           2
NAs      :           0
not-NA   :         398
not-0-NA :         111
sum      :         111
range    : [ 0 ] ... [ 1 ]
examples : [0], [0], [1], [1], [0], [0], [0], [0], [1], [0] ...
```

no__confid__construct (ERD v508e)

Constructive No-Confidence – 1 = Yes, 0 = No – 1 = Germany, Spain, Belgium (1995-) (ERD 2014)

```
class    :       integer
unique   :             2
NAs      :             0
not-NA   :           398
not-0-NA :            48
sum      :            48
range    : [ 0 ] ... [ 1 ]
examples : [0], [1], [0], [0], [0], [0], [1], [1], [0], [0] ...
```

cab_unanimity (ERD v509e)

Cabinet Rule: Unanimity – 1 = Yes, 0 = No – 1 = Austria, Italy (1948-), Portugal (ERD 2014)

```
class    :       integer
unique   :             2
NAs      :             0
not-NA   :           398
not-0-NA :            96
sum      :            96
range    : [ 0 ] ... [ 1 ]
examples : [0], [1], [0], [0], [0], [1], [0], [0], [0], [0] ...
```

cab_pm_cons (ERD v510e)

Cabinet Rule: PM Consensus – 1 = Yes, 0 = No – 1 = Belgium, Denmark, Spain (1978-), Sweden, UK. Assumed constant after 1999. (ERD 2014)

```
class    :       integer
unique   :             2
NAs      :             0
not-NA   :           398
not-0-NA :           138
sum      :           138
range    : [ 0 ] ... [ 1 ]
examples : [0], [0], [0], [0], [1], [0], [0], [0], [1], [1] ...
```

cab_leg (ERD v511e)

Cabinet Co-decides Leg – 1 = Yes, 0 = No – 1 = Denmark, Netherlands, Sweden (-70) (ERD 2014)

```
class    :       integer
unique   :             2
NAs      :             0
not-NA   :           398
not-0-NA :            75
sum      :            75
range    : [ 0 ] ... [ 1 ]
examples : [0], [0], [0], [1], [0], [1], [0], [1], [0], [0] ...
```

semi_pres (ERD v518e)

Semi-Presidentialism – 1 = Yes, 0 = No – 1 = Finland (-2000), France, Greece (-1985), Portugal (-82) (ERD 2014)

```
class    :      integer
unique   :            2
NAs      :            0
not-NA   :          398
not-0-NA :           38
sum      :           38
range    : [ 0 ] ... [ 1 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

seats_low (ERD v519e)

Size of Lower Chamber (ERD 2014)

```
class    :      integer
unique   :           62
NAs      :            3
not-NA   :          395
not-0-NA :          395
sum      :      128 556
range    : [ 51 ] ... [ 672 ]
examples : [148], [622], [165], [497], [212], [150], [212], [147], [150], [179] ...
```

seats_upp (ERD v520e)

Size of upper chamber (ERD 2014)

```
class    :      integer
unique   :           14
NAs      :          309
not-NA   :           89
not-0-NA :           89
sum      :       20 693
range    : [ 71 ] ... [ 325 ]
examples : [NA], [NA], [325], [NA], [246], [NA], [NA], [NA], [315], [NA] ...
```

ERD - Preferences

parl_pref (ERD v406e)

Parliamentary Preference Range (ERD 2014)

```
class    :      numeric
unique   :          229
NAs      :           12
not-NA   :          386
not-0-NA :          386
```

```
sum      :     19 320.93
range    : [ 6.87 ] ... [ 127.4 ]
examples :      [39.1], [41.56], [71.1], [75], [29.68], [52.9], [35.25], [60.98], [74.8],
[65.8] ...
```

polariz (ERD v407e)

Polarization (BP Weighted) – (manifesto points) – Party manifesto data. Coded in-house 2012, re-calculated for all cabinets: Polarization is based on the equation presented in Bergman et al. (2008), p. 112, v082y where: b is for bargaining power of party i, x is the left-right position of party i, and x bar is the weighted average left-right positions of all parties.* (ERD 2014)

```
class    :      numeric
unique   :          240
NAs      :           12
not-NA   :          386
not-0-NA :          386
sum      :     6 466.408
range    : [ 0.7081614 ] ... [ 48.75 ]
examples : [1.328813], [37.63334], [29.18206], [10.47599], [11.62679], [14.835], [13.23155]
...
```

cab__pref (ERD v410e)

Cabinet Preference Range – (manifesto points) – Party manifesto data. Coded in-house 2012, re-calculated for all cabinets (ERD 2014)

```
class    :      numeric
unique   :          178
NAs      :           18
not-NA   :          380
not-0-NA :          228
sum      :     5 605.399
range    : [ 0 ] ... [ 81.43411 ]
examples : [15.24325], [15.6335], [23], [20.4], [10.37863], [0], [28.8], [35.3], [0], [0]
...
```

connect__cab (ERD v413e)

Connected Cab – 1 = Yes, 0 = No – Single-party cabinets, as well as connected coalitions, are coded as connected. Non-partisan cabinets are coded as Non-applicable (=88888). (ERD 2014)

```
class    :      integer
unique   :            3
NAs      :            4
not-NA   :          394
not-0-NA :          301
sum      :          301
range    : [ 0 ] ... [ 1 ]
examples : [1], [1], [1], [1], [1], [1], [0], [1], [1], [0] ...
```

mwc_connected_cab (ERD v414e)

Minimal Winning Connected Coalition – 1 = Yes, 0 = No (ERD 2014)

```
class    :        integer
unique   :              3
NAs      :              3
not-NA   :            395
not-0-NA :             86
sum      :             86
range    : [ 0 ] ... [ 1 ]
examples : [0], [0], [0], [0], [1], [1], [0], [0], [1], [0] ...
```

ERD - Structural Attributes

new_gov (ERD v300e)

Does the cabinet represent the start of a new government – 0=No, 1=Yes (= A new government is only recorded at a change in party composition or a new election), 3=non-partisan cabinet (ERD 2014)

```
class    :        integer
unique   :              3
NAs      :              0
not-NA   :            398
not-0-NA :            335
sum      :            343
range    : [ 0 ] ... [ 3 ]
examples : [1], [1], [1], [1], [1], [1], [1], [1], [1], [1] ...
```

next_elect (ERD v301e)

Proximity to election, popularly elected /lower chamber – F=Cabinet immediately following an election. E=Cabinet ended by an election. FE=Cabinet immediately following an election and ended by the next election, N=neither immediately following or ended by an election(ERD 2014)

```
class    :      character
unique   :              5
NAs      :             11
not-NA   :            387
not-0-NA :            387
sum      :              -
range    : [ E ] ... [ N ]
examples : [FE], [N], [NA], [E], [E], [FE], [E], [F], [F], [FE] ...
```

max_cab_dur (ERD v305e)

Max Possible Cab Duration – (unit = days) (ERD 2014)

```
class    :        integer
unique   :            275
```

```
NAs       :               0
not-NA    :             398
not-0-NA  :             398
sum       :         504 191
range     : [ 31 ] ... [ 1935 ]
examples  :    [1816], [761], [1599], [1463], [1367], [1825], [520], [1451], [1826], [1161]
...
```

abs_no_party (ERD v306e)

Absolute No. Parl Parties (ERD 2014)

```
class     :       integer
unique    :            13
NAs       :             0
not-NA    :           398
not-0-NA  :           398
sum       :         2 796
range     : [ 3 ] ... [ 16 ]
examples  : [4], [5], [9], [5], [3], [7], [5], [8], [9], [11] ...
```

abs_no_party_seat (ERD v307e)

Absolute No. Parl Parties according to recorded seat distribution (ERD 2014)

```
class     :       integer
unique    :            13
NAs       :             3
not-NA    :           395
not-0-NA  :           395
sum       :         2 581
range     : [ 3 ] ... [ 14 ]
examples  : [7], [6], [7], [5], [6], [9], [11], [3], [8], [10] ...
```

abs_no_party_seat_plus (ERD v308e)

Absolute No. Parl Parties according to recorded seat distribution + 1 if there are others recorded) (ERD 2014)

```
class     :       integer
unique    :            13
NAs       :             3
not-NA    :           395
not-0-NA  :           395
sum       :         2 785
range     : [ 3 ] ... [ 14 ]
examples  : [5], [5], [6], [5], [10], [6], [8], [5], [9], [7] ...
```

eff_no_party (ERD v309e)

Effective No. Parl Parties, lower chamber (ERD 2014)

```
class    :      numeric
unique   :          187
NAs      :            3
not-NA   :          395
not-0-NA :          395
sum      :    1 457.982
range    : [ 1.99 ] ... [ 9.05 ]
examples :    [2.2], [4.04], [2.47], [4.54], [2.38], [5.24], [3.4], [5.24], [4.04], [4.02]
...
```

barg__pow (ERD v310e)

Bargaining power fragmentation (ERD 2014)

```
class    :      numeric
unique   :          106
NAs      :            3
not-NA   :          395
not-0-NA :          395
sum      :    1 239.466
range    : [ 0.7417042 ] ... [ 8.872428 ]
examples :    [1], [2.946012], [3.472361], [2.909091], [2.431298], [5.842944], [2.95326],
[3], ...
```

eff__no__upper (ERD v311e)

Effective number of parliamentary parties, upper chamber (ERD 2014)

```
class    :      numeric
unique   :           33
NAs      :          309
not-NA   :           89
not-0-NA :           89
sum      :        348.2
range    : [ 2 ] ... [ 8.4 ]
examples : [NA], [3.9], [NA], [NA], [NA], [3], [NA], [NA], [2.68], [NA] ...
```

largest__seat (ERD v312e)

Largest Party Seat Share (ERD 2014)

```
class    :      numeric
unique   :          214
NAs      :            3
not-NA   :          395
not-0-NA :          395
sum      :      208.544
range    : [ 0.1533 ] ... [ 42.1739 ]
examples :    [0.4068], [0.4543], [0.487], [0.4637], [0.5495], [0.501], [0.3128], [0.4413],
```

```
[0 ...
```

barg__pow__largest (ERD v313e)

Bargaining Power of Largest Party – (unit = Banzhaf Index) (ERD 2014)

```
class    :      numeric
unique   :          103
NAs      :            3
not-NA   :          395
not-0-NA :          395
sum      :     216.3284
range    : [ 0.1590909 ] ... [ 1 ]
examples :    [0.292], [0.462], [0.302], [0.636], [0.4444444], [0.542], [0.695], [0.216],
[0.5 ...
```

min__sit (ERD v314e)

Minority Situation in Parliament – 1 = Minority Situation – No single party holds 50% plus one seat or more of parliamentary seats (ERD 2014)

```
class    :      integer
unique   :            3
NAs      :            3
not-NA   :          395
not-0-NA :          326
sum      :          326
range    : [ 0 ] ... [ 1 ]
examples : [0], [1], [1], [0], [1], [1], [1], [1], [0], [1] ...
```

non__part__cab (ERD v315e)

Non-partisan cabinet – 1 = Yes, 0 = No (ERD 2014)

```
class    :      integer
unique   :            2
NAs      :            0
not-NA   :          398
not-0-NA :            4
sum      :            4
range    : [ 0 ] ... [ 1 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

coal__cab (ERD v316e)

Coalition Cabinet – 1 = Yes, 0 = No (ERD 2014)

```
class    :      integer
unique   :            3
NAs      :            4
```

```
not-NA   :         394
not-0-NA :         251
sum      :         251
range    : [ 0 ] ... [ 1 ]
examples : [1], [1], [1], [0], [1], [1], [1], [0], [1], [1] ...
```

cab_seats (ERD v317e)

Cabinet strength, lower chamber – Seats (ERD 2014)

```
class    :      integer
unique   :         200
NAs      :           4
not-NA   :         394
not-0-NA :         394
sum      :      69 464
range    : [ 22 ] ... [ 473 ]
examples : [82], [321], [109], [241], [67], [108], [377], [447], [262], [88] ...
```

cab_share (ERD v318e)

Cabinet Seat Share – (unit = % points) (ERD 2014)

```
class    :      numeric
unique   :         286
NAs      :           4
not-NA   :         394
not-0-NA :         394
sum      :    21 575.98
range    : [ 11.17479 ] ... [ 100 ]
examples :    [34.6667], [43.57542], [41.89944], [51.6129], [100], [55.8462], [59.84127],
[56. ...
```

cab_seats_upp (ERD v319e)

Cabinet strength, upper chamber – Seats (ERD 2014)

```
class    :      integer
unique   :          50
NAs      :         310
not-NA   :          88
not-0-NA :          88
sum      :      11 392
range    : [ 39 ] ... [ 191 ]
examples : [NA], [99], [137], [NA], [NA], [149], [NA], [NA], [135], [NA] ...
```

no_cab_parties (ERD v320e)

Number of Cabinet Parties – (unit = parties) (ERD 2014)

```
class    :       integer
unique   :             8
NAs      :             0
not-NA   :           398
not-0-NA :           394
sum      :           885
range    : [ 0 ] ... [ 7 ]
examples : [1], [3], [4], [1], [4], [4], [3], [4], [6], [4] ...
```

change__cab__parties (ERD v321e)

Change in Cabinet Parties – 1 = Inc, 0 = No Ch, -1 = Dec (ERD 2014)

```
class    :       integer
unique   :             4
NAs      :            14
not-NA   :           384
not-0-NA :           168
sum      :            -4
range    : [ -1 ] ... [ 1 ]
examples : [0], [-1], [0], [-1], [1], [0], [0], [1], [0], [0] ...
```

single__maj__cab (ERD v323e)

Single Party Majority Cabinet (ERD 2014)

```
class    :       integer
unique   :             3
NAs      :             4
not-NA   :           394
not-0-NA :            53
sum      :            53
range    : [ 0 ] ... [ 1 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

single__min__cab (ERD v324e)

Single Party Minority Cabinet (ERD 2014)

```
class    :       integer
unique   :             3
NAs      :             4
not-NA   :           394
not-0-NA :            90
sum      :            90
range    : [ 0 ] ... [ 1 ]
examples : [0], [0], [1], [1], [0], [0], [1], [0], [0], [1] ...
```

coal__min__cab (ERD v325e)

19

Minority Coalition (ERD 2014)

```
class    :      integer
unique   :            3
NAs      :            4
not-NA   :          394
not-0-NA :           51
sum      :           51
range    : [ 0 ] ... [ 1 ]
examples : [0], [1], [0], [0], [0], [1], [0], [1], [0], [0] ...
```

maj_cab (ERD v326e)

Majority Cabinet (ERD 2014)

```
class    :      integer
unique   :            3
NAs      :            4
not-NA   :          394
not-0-NA :          253
sum      :          253
range    : [ 0 ] ... [ 1 ]
examples : [1], [1], [1], [0], [0], [1], [1], [1], [0], [1] ...
```

maj_coal (ERD v326e_add)

Majority Coalition (ERD 2014)

```
class    :      integer
unique   :            3
NAs      :            4
not-NA   :          394
not-0-NA :          200
sum      :          200
range    : [ 0 ] ... [ 1 ]
examples : [0], [1], [0], [0], [0], [0], [0], [0], [1], [0] ...
```

mwc_cab (ERD v327e)

Minimal Winning Coalition (ERD 2014)

```
class    :      integer
unique   :            3
NAs      :            4
not-NA   :          394
not-0-NA :          122
sum      :          122
range    : [ 0 ] ... [ 1 ]
examples : [0], [NA], [0], [0], [0], [1], [0], [0], [0], [0] ...
```

smc__cab (ERD v328e)

Surplus Majority Cabinet (ERD 2014)

```
class    :      integer
unique   :            3
NAs      :            4
not-NA   :          394
not-0-NA :           78
sum      :           78
range    : [ 0 ] ... [ 1 ]
examples : [0], [0], [0], [1], [0], [1], [0], [0], [1], [0] ...
```

gov_type (ERD v329e)

Government Type – 1 = Minority, 2 = MWC, 3 = Surplus (ERD 2014)

```
class    :      integer
unique   :            4
NAs      :           57
not-NA   :          341
not-0-NA :          341
sum      :          619
range    : [ 1 ] ... [ 3 ]
examples : [2], [3], [NA], [2], [1], [1], [NA], [1], [1], [1] ...
```

cab_n_members (ERD v330e)

Number of Cabinet Members (ministers) (ERD 2014)

```
class    :      integer
unique   :           31
NAs      :            0
not-NA   :          398
not-0-NA :          398
sum      :        7 264
range    : [ 5 ] ... [ 38 ]
examples : [15], [22], [17], [16], [22], [27], [8], [19], [31], [11] ...
```

cab_n_members_change (ERD v331e)

Change in Number of Cabinet Members (ministers) – 1 = Inc, 0 = No Ch, -1 = Dec (ERD 2014)

```
class    :      integer
unique   :            4
NAs      :           14
not-NA   :          384
not-0-NA :          247
sum      :           31
range    : [ -1 ] ... [ 1 ]
examples : [-1], [0], [-1], [1], [0], [1], [0], [-1], [0], [0] ...
```

ParlGov

cab__id__pg (ParlGov)

ParlGov cabinet ID

```
class    :      integer
unique   :          387
NAs      :            3
not-NA   :          395
not-0-NA :          395
sum      :      171 159
range    : [ 5 ] ... [ 906 ]
examples : [149], [NA], [879], [691], [196], [291], [311], [788], [678], [381] ...
```

cab__id__prev__pg (ParlGov)

ParlGov cabinet ID of previous cabinet

```
class    :      integer
unique   :          382
NAs      :            8
not-NA   :          390
not-0-NA :          390
sum      :      170 208
range    : [ 5 ] ... [ 1035 ]
examples : [694], [796], [404], [689], [56], [810], [270], [192], [521], [389] ...
```

cab__name__pg (ParlGov)

ParlGov cabinet name

```
class    :     character
unique   :          387
NAs      :            3
not-NA   :          395
not-0-NA :          395
sum      :            -
range    : [ Adenauer I ] ... [ Zoli ]
examples :  [Leterme I], [Tambroni], [Thorn], [Raffarin II], [Van Agt III], [Erlander IV],
[ ...
```

cab__start__pg (ParlGov)

ParlGov start date of cabinet

```
class    :     character
unique   :          385
NAs      :            3
not-NA   :          395
not-0-NA :          395
sum      :            -
```

```
range    : [ 1945-07-26 ] ... [ 2010-10-14 ]
examples : [1967-04-06], [1963-08-28], [1970-04-21], [1978-08-29], [1961-11-14], [2000-03-1
...
```

el__date__pg (ParlGov)

ParlGov elections date of cabinet

```
class    :    character
unique   :          236
NAs      :            3
not-NA   :          395
not-0-NA :          395
sum      :            -
range    : [ 1944-09-17 ] ... [ 2010-09-19 ]
examples : [1979-06-03], [1978-12-17], [1955-05-26], [1958-05-25], [1988-05-10], [1987-01-2
...
```

el__first__pg (ParlGov)

Wether or not this is the first election found in ParlGov data.

```
class    :    numeric
unique   :          3
NAs      :          3
not-NA   :        395
not-0-NA :         24
sum      :         24
range    : [ 0 ] ... [ 1 ]
examples : [0], [0], [0], [0], [0], [0], [1], [0], [0], [1] ...
```

sts__tot__pg (ParlGov)

Seats in parliament.

```
class    :     integer
unique   :          63
NAs      :           3
not-NA   :         395
not-0-NA :         395
sum      :     128 075
range    : [ 26 ] ... [ 672 ]
examples : [603], [150], [263], [150], [556], [183], [474], [470], [150], [646] ...
```

ParlGov - derived

el_id_pg (ParlGov)

ParlGov election ID

```
class    :       integer
unique   :           241
NAs      :             3
not-NA   :           395
not-0-NA :           395
sum      :       141 371
range    : [ 2 ] ... [ 687 ]
examples : [65], [179], [517], [252], [657], [437], [262], [64], [125], [678] ...
```

n_parties (ParlGov)

The number of parties in parliament.

```
class    :       integer
unique   :            11
NAs      :             3
not-NA   :           395
not-0-NA :           395
sum      :         2 385
range    : [ 3 ] ... [ 12 ]
examples : [4], [9], [5], [7], [6], [9], [3], [6], [3], [4] ...
```

seats_gov (ParlGov)

Seats of government in parliament.

```
class    :       integer
unique   :           187
NAs      :             5
not-NA   :           393
not-0-NA :           393
sum      :        67 300
range    : [ 22 ] ... [ 472 ]
examples : [87], [52], [71], [295], [NA], [156], [32], [202], [102], [149] ...
```

seats_opp (ParlGov)

Seats of opposition in parliament.

```
class    :       integer
unique   :           180
NAs      :             5
not-NA   :           393
not-0-NA :           393
sum      :        54 875
range    : [ 6 ] ... [ 561 ]
examples : [194], [169], [209], [232], [210], [120], [165], [252], [73], [60] ...
```

volatility (ParlGov)

The sum of absolute percentage changes in election results from $t-1$ to t for all parties.

$$volatility = \sum |(seats\_percent_{i,t} - seats\_percent_{i,t-1})|$$

```
class     :       numeric
unique    :           226
NAs       :            27
not-NA    :           371
not-0-NA  :           370
sum       :     8 501.811
range     : [ 0 ] ... [ 102.857142857143 ]
examples  : [98.9601386481802], [7.25806451612902], [25.9036144578313], [12.8773836156387],
...
```

CMP

idl (CMP)

Right-left position of party as given in Michael Laver/Ian Budge (eds.): Party Policy and Government Coalitions, Houndmills, Basingstoke, Hampshire: The MacMillan Press 1992: (per104 + per201 + per203 + per305 + per401 + per402 + per407 + per414 + per505 + per601 + per603 + per605 + per606) - (per103 + per105 + per106 + per107 + per403 + per404 + per406 + per412 + per413 + per504 + per506 + per701 + per202). – Missing information (eg. if progtype = 99) (CMP 2015)

```
class     :       numeric
unique    :           230
NAs       :             3
not-NA    :           395
not-0-NA  :           395
sum       :    -1 170.255
range     : [ -48.5 ] ... [ 78.4000015258789 ]
examples  : [-19.7346591949463], [28.5714282989502], [5.14285707473755], [19.5], [-36.599998
...
```

CMP - derived

idl_dist_gop (CMP derived)

Sum of weighted absolute deviations of opposition parties' ideological positions from the government position.

$$idl\_dist\_gop = mean(|(idl\_pnt\_gov - idl_{i|cabinet\_party==0})| * seats\_share\_opp_{i|cabinet\_party==0}$$

```
class     :       numeric
unique    :           313
NAs       :             7
not-NA    :           391
not-0-NA  :           391
```

```
sum       :     3 226.876
range     : [ 0.553880768125519 ] ... [ 76.1999988555908 ]
examples  : [31.7293174958998], [9.70783941597402], [14.3111049771309], [3.30977124204283],
...
```

idl_pnt_all (CMP derived)

Weighted mean of all left-right positions of parties in parliament.

$$idl\_pnt\_all = \sum(idl_i * seats\_share_i)$$

```
class     :       numeric
unique    :           251
NAs       :             3
not-NA    :           395
not-0-NA  :           395
sum       :    -1 756.839
range     : [ -37.1753886754696 ] ... [ 36.5565574833604 ]
examples  : [16.5385759567302], [-9.91637116866881], [13.3590276638667], [-9.60021121406152]
...
```

idl_pnt_gov (CMP derived)

Weighted mean of left-right positions of parties in parliament given government.

$$idl\_pnt\_all = \sum(idl_{i|cabinet\_party==1} * seats\_share_{i|cabinet\_party==1})$$

```
class     :       numeric
unique    :           309
NAs       :             5
not-NA    :           393
not-0-NA  :           393
sum       :     -1 896.61
range     : [ -61.4000015258789 ] ... [ 50 ]
examples  : [7.46903044200805], [-18.3150177001953], [3.79133176803589], [29.1217527777199],
...
```

idl_pnt_opp (CMP derived)

Weighted mean of left-right positions of parties in parliament given opposition.

$$idl\_pnt\_all = \sum(idl_{i|cabinet\_party==0} * seats\_share_{i|cabinet\_party==0})$$

```
class     :       numeric
unique    :           314
NAs       :             5
not-NA    :           393
not-0-NA  :           393
sum       :    -1 792.537
```

```
range     : [ -50 ] ... [ 57.0999984741211 ]
examples  : [-32.9412768100171], [11.8347346159128], [-10.3388498755856], [51.7979071299235]
...
```

idl_pol_all (CMP derived)

Sum of weighted absolut deviations of party ideological positions from overall position

$$idl\_pol\_all = \sum(|(idl_i - idl\_pnt\_all)| * seats\_share_i)$$

```
class     :       numeric
unique    :           251
NAs       :             3
not-NA    :           395
not-0-NA  :           395
sum       :     5 355.863
range     : [ 1.47640770941162 ] ... [ 38.6651351787814 ]
examples  : [23.9599952077019], [23.750348134833], [8.30708291130416], [30.3602576855676],
[ ...
```

idl_pol_gov (CMP derived)

Sum of weighted absolut deviations of party ideological positions from overall position

$$idl\_pol\_gov = \sum(|(idl_{i|cabinet\_party==1} - idl\_pnt\_gov)| * seats\_share_{i|cabinet\_party==1})$$

```
class     :       numeric
unique    :           196
NAs       :             5
not-NA    :           393
not-0-NA  :           238
sum       :     1 884.886
range     : [ 0 ] ... [ 31.5706836485094 ]
examples  : [2.14127547293152], [13.7306769549758], [12.6018188758692], [14.885322563503],
[ ...
```

idl_pol_opp (CMP derived)

Sum of weighted absolut deviations of party ideological positions from overall position

$$idl\_pol\_opp = \sum(|(idl_{i|cabinet\_party==0} - idl\_pnt\_opp)| * seats\_share_{i|cabinet\_party==0})$$

```
class     :       numeric
unique    :           289
NAs       :             5
not-NA    :           393
not-0-NA  :           354
sum       :     3 546.979
range     : [ 0 ] ... [ 41.8653466446059 ]
```

```
examples : [10.2847063502367], [17.3858677655607], [7.1775], [2.96296286877291], [9.6998016
...
```

idl_rng_all (CMP derived)

Range of left-right positions

$$idl\_rng\_all = max(idl_i) - min(idl_i)$$

```
class    :       numeric
unique   :           242
NAs      :             3
not-NA   :           395
not-0-NA :           395
sum      :     19 684.38
range    : [ 6.8659473657608 ] ... [ 127.399997711182 ]
examples : [55.2828063964843], [16.7244457163103], [46], [43.6000003814697], [55.6423988342
...
```

idl_rng_gov (CMP derived)

Range of left-right positions given the parties belong to governemnt

$$idl\_rng\_gov = max(idl_{i|cabinet\_party==1}) - min(idl_{i|cabinet\_party==1})$$

```
class    :       numeric
unique   :           181
NAs      :             3
not-NA   :           395
not-0-NA :           238
sum      :      5 868.445
range    : [ 0 ] ... [ 81.4341087341309 ]
examples : [0], [8.0587520599365], [0], [45.7275361344218], [20.0825908184052], [11.7607059
...
```

idl_rng_opp (CMP derived)

Range of left-right positions given the parties belong to Opposition

$$idl\_rng\_opp = max(idl_{i|cabinet\_party==0}) - min(idl_{i|cabinet\_party==0})$$

```
class    :       numeric
unique   :           253
NAs      :             3
not-NA   :           395
not-0-NA :           354
sum      :      14 601.12
range    : [ 0 ] ... [ 127.399997711182 ]
examples : [22.3331954479218], [67.3999977111816], [1.1000003814697], [0], [21.777918338775
...
```

Tsebelis

tsb_agc (Tsebelis)

Tsebelis original 2002, page 182 governenment control of the legislative agenda measure. See ext_tsb_agc1 for further description.

```
class    :      numeric
unique   :            7
NAs      :          379
not-NA   :           19
not-0-NA :           19
sum      :        2.035
range    : [ -0.126 ] ... [ 0.333 ]
examples : [NA], [NA], [NA], [NA], [NA], [NA], [NA], [NA], [NA], [NA] ...
```

Tsebelis derived

ext_tsb_agc1 (Tsebelis)

This variable is based on *George Tsebelis (2002): Veto Players: How Political Institutions Work, Princeton* table 7.3 at page 182 and measures governenment control of the legislative agenda.

The cross section values found in the table were assigned to those SO versions that were enacted in 1985 (when the agenda control measure was gathered). To extrapolate the measure over time it was: 1) multiplied by the number of words for those 1985 versions, 2) the change in majority prone and minority prone words was added (majority words as positives, minority words as negatives) 3) these text lengths were again divided by the lengths of the 1985 versions.

Because it is unclear which numeric relation the agenda control measure and the change of pro majority / pro minority words might hold (one would need a second time point to determine that) the varaible exists in three variations: ext_tsb_agc1, ext_tsb_agc2 and ext_tsb_agc4. The numbers indicate by which factor the change in majority/minority friendly words was multiplied to give it an higher impact (1, 2, 4) thus increasing the variance of the agenda control extrapolation.

```
## ERROR: Variable not found in dataset!
```

ext_tsb_agc2 (Tsebelis)

See ext_tsb_agc1.

```
## ERROR: Variable not found in dataset!
```

ext_tsb_agc4 (Tsebelis)

See ext_tsb_agc1.

```
## ERROR: Variable not found in dataset!
```

IDEP

maj_req (IDEP)

Majority requirements to change standing orders: 1 simple majority, 2 absolute majority, 3 qualified majority

```
class    :       integer
unique   :             3
NAs      :             0
not-NA   :           398
not-0-NA :           398
sum      :           514
range    : [ 1 ] ... [ 3 ]
examples : [1], [2], [2], [1], [1], [1], [2], [1], [1], [1] ...
```

veto_pts (IDEP)

Veto points, Ganghof

```
class    :       numeric
unique   :             5
NAs      :             0
not-NA   :           398
not-0-NA :           215
sum      :         218.5
range    : [ 0 ] ... [ 2 ]
examples : [0], [0], [0.5], [0.5], [0], [0], [0.5], [0.5], [2], [0] ...
```

db_isom_lastupdate (IDEP)

Veto points, Ganghof

```
class    :     character
unique   :             1
NAs      :             0
not-NA   :           398
not-0-NA :           398
sum      :             -
range    : [ 2015-12-02 ] ... [ 2015-12-02 ]
examples : [2015-12-02], [2015-12-02], [2015-12-02], [2015-12-02], [2015-12-02], [2015-12-0
...
```

ERD - ParlGov

erd_pg_mp_matcher (ERD/ParlGov)

Variable used to merge/join records/observations from ERD with that of ParlGov/CMP dataset after matching them via the date the cabinet went into office.

```
class    :     character
unique   :           389
```

```
NAs       :              0
not-NA    :            398
not-0-NA  :            398
sum       :              -
range     : [ aut_1945_12_20 ] ... [ swe_2010_09_19 ]
examples  :          [lux_1954_06_29], [fra_1981_05_21], [aut_1971_11_04], [ita_1951_07_26],
[ita_197 ...
```

erd_cab_id (ERD/ISOR)

Variable used to merge/join records/observations from ERD and ISOR dataset after matching them via reform date and whether or not that falls within the time span of a cabinet.

If however - as was some 20 times the case a Standing Orders reform was made while no cabinet was formally in charge of the government, we looked into the cases and decided upon the situation found and tahn assigning the reform either to the previous or the following cabinet.

```
class     :        integer
unique    :            398
NAs       :              0
not-NA    :            398
not-0-NA  :            398
sum       :        360 762
range     : [ 101 ] ... [ 1724 ]
examples  : [911], [909], [1027], [325], [924], [326], [1402], [1048], [316], [904] ...
```

ISOR

pro_minmaj_qual_all (ISOR textlines, linelinkage, manual coding)

List of all refomrms within cabinet duration. See pro_minmaj_qual for more details.

```
class     :        character
unique    :             84
NAs       :            168
not-NA    :            230
not-0-NA  :            185
sum       :              -
range     : [ -1 ] ... [ NA,0,0,0 ]
examples  : [NA], [NA], [NA], [0], [0,0], [-1,0], [NA], [0,0], [0,0,1], [NA] ...
```

pro_minmaj_qual (ISOR textlines, linelinkage, manual coding)

Whether or not the reforms amde by the cabinet were in general was pro majority (1), pro minority (-1) or neither (0), the decission was made by comparing the number of sub-paragraphs/lines changed in each direction. If there was no change in favor of majority but changes in favor of minority it was considered minority friendly and vice versa. If changes in both directions took place the differences in the SO texts were cosidered.

Below are listed those cabinets that had to be

ctr	cab_id	cab_pm	cab_in	cab_out	...maj	...min	pro_minmaj_qual
bel	228	Martens V	1981-12-17	1985-10-13	9	6	1
fra	527	de Villepin	2005-05-31	2007-05-15	1	2	0
deu	613	Kiesinger	1966-12-01	1969-09-28	2	27	-1
irl	925	Cowen I	2008-05-07	2011-01-23	4	1	1
ita	1005	De Gasperi VI	1950-01-21	1951-07-16	4	1	1
ita	1036	Spadolini	1981-06-28	1982-08-07	6	8	1
ita	1038	Craxi	1983-08-04	1986-07-27	25	8	1
ita	1042	Andreotti V	1989-07-23	1991-03-29	5	5	-1
nld	1214	Den Uyl	1973-05-11	1977-03-22	1	2	0
nld	1221	Kok I	1994-08-22	1998-05-05	1	1	0
nld	1224	Balkenende II	2003-05-27	2006-06-29	7	5	0
nor	1328	Bondevik II	2001-10-19	2005-09-12	2	7	-1
nor	1329	Stoltenberg II	2005-10-17	2009-09-14	3	7	-1
prt	1410	Soares III	1983-06-09	1985-07-12	10	8	-1
swe	1622	Carlsson II	1988-09-18	1991-09-15	8	1	1
swe	1624	Carlsson III	1994-10-06	1996-03-18	19	20	0
gbr	1710	Wilson II	1966-04-18	1970-06-18	2	1	1
gbr	1718	Major I	1990-11-28	1992-03-16	1	2	0
gbr	1719	Major II	1992-04-27	1997-05-01	2	2	-1
gbr	1720	Blair I	1997-05-02	2001-06-07	1	15	-1
gbr	1723	Brown	2007-06-27	2010-05-06	2	1	0

Correlations:

	pro_minmaj_qual	pro_minmaj_auto1	pro_minmaj_auto2
pro_minmaj_qual	1.00	0.84	0.78
pro_minmaj_auto1	0.84	1.00	0.85
pro_minmaj_auto2	0.78	0.85	1.00

```
class    :     numeric
unique   :           4
NAs      :          15
not-NA   :         383
not-0-NA :         136
sum      :          -4
range    : [ -1 ] ... [ 1 ]
examples : [0], [0], [NA], [-1], [0], [0], [1], [0], [-1], [1] ...
```

pro_minmaj_auto1 (ISOR textlines, linelinkage, manual coding)

Whether or not the reform in general was pro majority (1), pro minority (-1) or neither (0), the decission was made autoamitcally by comparing the number of words changed in each direction.

```
class    :     numeric
unique   :           4
NAs      :          15
not-NA   :         383
not-0-NA :         141
sum      :           5
```

```
range    : [ -1 ] ... [ 1 ]
examples : [0], [0], [0], [0], [0], [-1], [1], [-1], [0], [-1] ...
```

pro_minmaj_auto2 (ISOR textlines, linelinkage, manual coding)

Whether or not the reform in general was pro majority (1), pro minority (-1) or neither (0), the decission was made autoamitcally by comparing the number of lines changed in each direction.

```
class    :    numeric
unique   :         4
NAs      :        15
not-NA   :       383
not-0-NA :       150
sum      :         2
range    : [ -1 ] ... [ 1 ]
examples : [1], [0], [1], [0], [0], [-1], [0], [0], [0], [1] ...
```

country (texts)

Name of the country.

```
class    :    character
unique   :        14
NAs      :         0
not-NA   :       398
not-0-NA :       398
sum      :         -
range    : [ Austria ] ... [ United Kingdom ]
examples :    [Italy], [Denmark], [Italy], [Ireland], [Luxembourg], [Denmark], [Germany],
[Nor ...
```

ctr (texts)

Country shorthand adhering to ISO 3166-1 alpha-3 https://en.wikipedia.org/wiki/ISO_3166-1_alpha-3

```
class    :    character
unique   :        14
NAs      :         0
not-NA   :       398
not-0-NA :       398
sum      :         -
range    : [ aut ] ... [ swe ]
examples : [nor], [aut], [bel], [dnk], [gbr], [aut], [aut], [dnk], [fra], [bel] ...
```

ref_id_fst (texts)

Unique identifier of reform by including country shorthand, date, and version counter.

```
class    :    character
unique   :       231
```

```
NAs       :              168
not-NA    :              230
not-0-NA  :              230
sum       :                -
range     : [ AUT_1948-06-04.0 ] ... [ UK_2007-07-04.0 ]
examples  :            [NA], [NOR_1950-01-19.0], [POR_1993-03-02.0], [NA], [FRA_1995-11-11.0],
[NOR_200 ...
```

ref_id_lst (texts)

Unique identifier of reform by including country shorthand, date, and version counter.

```
class     :      character
unique    :              231
NAs       :              168
not-NA    :              230
not-0-NA  :              230
sum       :                -
range     : [ AUT_1948-06-04.0 ] ... [ UK_2009-06-25.0 ]
examples  : [AUT_1998-10-23.0], [SWE_1977-01-01.1], [DEN_1973-10-02.0], [NED_2002-07-04.0],
...
```

ref_id_all (texts)

identifier of reform by including country shorthand, date, and version counter.

```
class     :      character
unique    :              231
NAs       :              168
not-NA    :              230
not-0-NA  :              230
sum       :                -
range     :  [ AUT_1948-06-04.0 ] ... [ UK_2007-07-04.0, UK_2007-07-25.0, UK_2007-11-19.0,
UK_2008-03-17.1, UK_2008-03-17.2, UK_2008-07-17.0, UK_2008-11-25.0, UK_2009-01-01.1,
UK_2009-01-01.2, UK_2009-01-22.0, UK_2009-02-09.0, UK_2009-03-03.0, UK_2009-04-30.0,
UK_2009-06-03.0, UK_2009-06-25.0 ]
examples  : [SWE_1980-01-01.0, SWE_1981-07-01.0], [NA], [IRE_1974-10-23.0], [NA], [ITA_1971-
...
```

ref_n (texts)

Number of SO reforms within cabinet duration. Equals NA/missing if no information was available.

```
class     :        numeric
unique    :               19
NAs       :               15
not-NA    :              383
not-0-NA  :              230
sum       :              710
range     : [ 0 ] ... [ 20 ]
examples  : [6], [0], [1], [6], [6], [3], [0], [0], [0], [3] ...
```

ref__dplus__fst (texts)

Version counter that is zero under normal circumstances but might be higher if more than one version got enacted on the same date.

```
class    :        integer
unique   :              4
NAs      :            168
not-NA   :            230
not-0-NA :              9
sum      :             11
range    : [ 0 ] ... [ 2 ]
examples : [NA], [0], [NA], [NA], [0], [NA], [NA], [NA], [0], [0] ...
```

ref__date__fst (texts)

Date of the reform of SO - equals to (according to availibility) enactment, promulgation, acceptance.

```
class    :           Date
unique   :            228
NAs      :            168
not-NA   :            230
not-0-NA :            230
sum      :              -
range    : [ 1945-11-22 ] ... [ 2011-01-01 ]
examples :       [1989-10-24], [1977-10-27], [1979-04-01], [NA], [1974-05-31], [NA], [NA],
[1949- ...
```

ref__daccept__fst (texts)

```
class    :           Date
unique   :            207
NAs      :            192
not-NA   :            206
not-0-NA :            206
sum      :              -
range    : [ 1945-11-22 ] ... [ 2011-04-07 ]
examples : [1990-06-08], [1983-06-14], [2000-06-20], [1947-07-08], [1989-05-12], [2005-03-2
...
```

ref__dpromul__fst (texts)

```
class    :           Date
unique   :             80
NAs      :            319
not-NA   :             79
not-0-NA :             79
sum      :              -
range    : [ 1948-06-04 ] ... [ 2011-04-19 ]
```

examples : [NA], [NA], [NA], [NA], [NA], [NA], [1992-03-17], [NA], [1994-12-16], [NA] ...

ref_denact_fst (texts)

```
class    :          Date
unique   :           100
NAs      :           298
not-NA   :           100
not-0-NA :           100
sum      :             -
range    : [ 1948-06-04 ] ... [ 2011-01-01 ]
examples :   [NA], [1969-02-19], [1980-05-06], [NA], [NA], [NA], [NA], [NA], [1969-12-16],
[N ...
```

ref_date_lst (texts)

```
class    :          Date
unique   :           231
NAs      :           168
not-NA   :           230
not-0-NA :           230
sum      :             -
range    : [ 1945-12-29 ] ... [ 2011-07-01 ]
examples :    [1983-03-30], [1987-07-25], [1957-04-10], [1997-05-07], [NA], [1996-11-13],
[NA] ...
```

ref_dplus_lst (texts)

```
class    :       integer
unique   :             5
NAs      :           168
not-NA   :           230
not-0-NA :             8
sum      :            15
range    : [ 0 ] ... [ 3 ]
examples : [0], [0], [0], [0], [NA], [0], [NA], [NA], [0], [0] ...
```

ref_daccept_lst (texts)

```
class    :          Date
unique   :           207
NAs      :           191
not-NA   :           207
not-0-NA :           207
sum      :             -
range    : [ 1946-05-28 ] ... [ 2011-04-28 ]
examples : [2011-03-10], [1982-03-30], [1959-04-29], [1999-11-11], [1959-06-11], [1965-07-1
...
```

ref__dpromul__lst (texts)

```
class     :          Date
unique    :            90
NAs       :           309
not-NA    :            89
not-0-NA  :            89
sum       :             -
range     : [ 1948-06-04 ] ... [ 2011-03-22 ]
examples  :         [NA], [1965-12-03], [1986-12-18], [NA], [NA], [NA], [NA], [1981-12-15],
[1976-03 ...
```

ref__denact__lst (texts)

```
class     :          Date
unique    :           106
NAs       :           293
not-NA    :           105
not-0-NA  :           105
sum       :             -
range     : [ 1947-10-07 ] ... [ 2011-07-01 ]
examples  :   [NA], [NA], [NA], [1999-05-04], [1996-10-01], [NA], [2009-09-07], [NA], [NA],
[N ...
```

so__id__fst (texts)

```
class     :     character
unique    :           233
NAs       :            15
not-NA    :           383
not-0-NA  :           383
sum       :             -
range     : [ AUT_1928-02-01.0 ] ... [ UK_2009-06-25.0 ]
examples  : [NED_1986-06-24.0], [BEL_1979-12-19.0], [GER_1982-03-17.0], [SWE_1988-09-01.0],
...
```

so__id__lst (texts)

```
class     :     character
unique    :           235
NAs       :            15
not-NA    :           383
not-0-NA  :           383
sum       :             -
range     : [ AUT_1928-02-01.0 ] ... [ UK_2009-06-25.0 ]
examples  : [NOR_1951-07-05.0], [POR_1976-07-31.0], [ITA_1978-08-04.0], [NA], [AUT_1961-09-0
...
```

so_id_all (texts)

```
class     :    character
unique    :          307
NAs       :           15
not-NA    :          383
not-0-NA  :          383
sum       :            -
range     : [ AUT_1928-02-01.0 ] ... [ UK_2009-06-25.0 ]
examples  :     [POR_1991-04-15.0, POR_1993-03-02.0], [NOR_1956-11-29.0, NOR_1958-01-25.0,
NOR_1 ...
```

so_n (texts)

```
class     :      integer
unique    :           19
NAs       :           15
not-NA    :          383
not-0-NA  :          383
sum       :        1 053
range     : [ 1 ] ... [ 21 ]
examples  : [4], [2], [NA], [6], [1], [1], [1], [1], [1], [4] ...
```

so_start_fst (texts)

```
class     :         Date
unique    :          232
NAs       :           15
not-NA    :          383
not-0-NA  :          383
sum       :            -
range     : [ 1928-02-01 ] ... [ 2010-08-01 ]
examples  : [1971-04-30], [2010-07-01], [1958-07-31], [1982-12-01], [2001-10-01], [1978-01-3
...
```

so_end_fst (texts)

```
class     :         Date
unique    :          227
NAs       :           15
not-NA    :          383
not-0-NA  :          383
sum       :            -
range     : [ 1946-05-28 ] ... [ 2015-12-02 ]
examples  : [1994-12-16], [1987-10-29], [1977-11-03], [1972-03-15], [1983-07-08], [1983-11-2
...
```

so__dplus__fst (texts)

```
class    :       integer
unique   :             4
NAs      :            15
not-NA   :           383
not-0-NA :             8
sum      :            17
range    : [ 0 ] ... [ 3 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

so__daccept__fst (texts)

```
class    :          Date
unique   :           207
NAs      :            67
not-NA   :           331
not-0-NA :           331
sum      :             -
range    : [ 1928-02-01 ] ... [ 2010-07-01 ]
examples : [1999-09-30], [1966-03-31], [1961-07-06], [2007-12-14], [1984-11-29], [1949-11-1
...
```

so__dpromul__fst (texts)

```
class    :          Date
unique   :            82
NAs      :           265
not-NA   :           133
not-0-NA :           133
sum      :             -
range    : [ 1948-06-04 ] ... [ 2010-07-06 ]
examples : [NA], [NA], [NA], [1962-01-02], [NA], [NA], [NA], [NA], [1956-10-30], [1993-08-1
...
```

so__denact__fst (texts)

```
class    :          Date
unique   :           100
NAs      :           222
not-NA   :           176
not-0-NA :           176
sum      :             -
range    : [ 1947-10-07 ] ... [ 2010-08-01 ]
examples : [NA], [NA], [NA], [1961-09-01], [NA], [NA], [NA], [NA], [1948-06-04], [2007-06-2
...
```

so__start__lst (texts)

```
class    :          Date
unique   :           234
NAs      :            15
not-NA   :           383
not-0-NA :           383
sum      :             -
range    : [ 1928-02-01 ] ... [ 2011-07-01 ]
examples : [1972-10-19], [1994-04-22], [1994-03-12], [1949-02-01], [2010-08-01], [1999-11-2
...
```

so__end__lst (texts)

```
class    :          Date
unique   :           220
NAs      :            15
not-NA   :           383
not-0-NA :           383
sum      :             -
range    : [ 1948-06-04 ] ... [ 2015-12-02 ]
examples : [1961-03-01], [1969-11-30], [1988-07-13], [1996-10-15], [1962-01-02], [1982-10-2
...
```

so__dplus__lst (texts)

```
class    :       integer
unique   :             4
NAs      :            15
not-NA   :           383
not-0-NA :             8
sum      :            17
range    : [ 0 ] ... [ 3 ]
examples : [NA], [0], [0], [0], [0], [NA], [0], [0], [0], [0] ...
```

so__daccept__lst (texts)

```
class    :          Date
unique   :           211
NAs      :            63
not-NA   :           335
not-0-NA :           335
sum      :             -
range    : [ 1928-02-01 ] ... [ 2011-04-28 ]
examples : [1956-05-03], [1982-02-24], [1991-11-21], [1980-06-27], [1981-06-01], [1969-12-1
...
```

so__dpromul__lst (texts)

```
class    :          Date
unique   :            87
```

```
NAs      :        259
not-NA   :        139
not-0-NA :        139
sum      :          -
range    : [ 1948-06-04 ] ... [ 2010-07-06 ]
examples :       [1981-12-15], [1961-07-18], [NA], [NA], [1985-06-20], [1962-01-02], [NA],
[NA],  ...
```

so__denact__lst (texts)

```
class    :       Date
unique   :        103
NAs      :        220
not-NA   :        178
not-0-NA :        178
sum      :          -
range    : [ 1947-10-07 ] ... [ 2011-07-01 ]
examples :   [1957-05-28], [NA], [1950-01-10], [NA], [NA], [NA], [NA], [NA], [1999-09-28],
[1 ...
```

db__version (ISOR, db)

Version of the database which was used to create the data set. On every change the version number goes up
by 0.01 - there is no distinction between major and minor version.

```
class    :   character
unique   :          1
NAs      :          0
not-NA   :        398
not-0-NA :        398
sum      :          -
range    : [ 2.08 ] ... [ 2.08 ]
examples : [2.08], [2.08], [2.08], [2.08], [2.08], [2.08], [2.08], [2.08], [2.08], [2.08]
...
```

db__lastupdate (ISOR, db)

Date at which the database was last updated.

```
class    :   character
unique   :          1
NAs      :          0
not-NA   :        398
not-0-NA :        398
sum      :          -
range    : [ 2015-09-14 15:02:29 ] ... [ 2015-09-14 15:02:29 ]
examples : [2015-09-14 15:02:29], [2015-09-14 15:02:29], [2015-09-14 15:02:29], [2015-09-14
...
```

lns__chg__sum (ISOR, textlines, linelinkage)

Number of lines that were changed from the old SO to the current - i.e. the sum of insertions, deletions and modifikations. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :           127
NAs      :           168
not-NA   :           230
not-0-NA :           224
sum      :        22 612
range    : [ 0 ] ... [ 1049 ]
examples : [NA], [294], [35], [57], [NA], [386], [92], [NA], [NA], [34] ...
```

lns__mdf__sum (ISOR, textlines)

Number of lines that were mofified - i.e. changed but not deleted or inserted. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            96
NAs      :           168
not-NA   :           230
not-0-NA :           218
sum      :        12 148
range    : [ 0 ] ... [ 583 ]
examples : [16], [25], [NA], [NA], [NA], [NA], [NA], [3], [NA], [34] ...
```

lns__ins__sum (ISOR, textlines, linelinkage)

Number of lines that were inserted into SO. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            77
NAs      :           168
not-NA   :           230
not-0-NA :           202
sum      :         7 468
range    : [ 0 ] ... [ 321 ]
examples : [2], [6], [0], [NA], [NA], [173], [NA], [15], [NA], [NA] ...
```

lns__del__sum (ISOR, textlines, linelinkage)

Number of lines that were deleted from old SO. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            53
NAs      :           168
not-NA   :           230
not-0-NA :           158
sum      :         2 996
range    : [ 0 ] ... [ 229 ]
```

```
examples : [NA], [NA], [5], [NA], [1], [NA], [NA], [4], [NA], [0] ...
```

pro_maj_sum (ISOR, linelinkage)

Number of lines coded as majority friendly. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           22
NAs      :          168
not-NA   :          230
not-0-NA :          116
sum      :          697
range    : [ 0 ] ... [ 44 ]
examples : [3], [NA], [0], [3], [NA], [3], [NA], [NA], [NA], [0] ...
```

pro_min_sum (ISOR, linelinkage)

Number of lines coded as minority friendly. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           23
NAs      :          168
not-NA   :          230
not-0-NA :          120
sum      :          674
range    : [ 0 ] ... [ 42 ]
examples : [NA], [0], [1], [1], [NA], [NA], [NA], [NA], [8], [8] ...
```

pro_non_sum (ISOR, linelinkage)

Number of lines coded as neither majority nor minority friendly. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          125
NAs      :          168
not-NA   :          230
not-0-NA :          223
sum      :       21 241
range    : [ 0 ] ... [ 1049 ]
examples : [102], [NA], [68], [381], [2], [NA], [NA], [18], [NA], [NA] ...
```

pro_maj_mdf_sum (ISOR, textlines, linelinkage)

Number of lines modified that were coded as majority friendly. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           16
NAs      :          168
not-NA   :          230
not-0-NA :           89
```

```
sum      :         335
range    : [ 0 ] ... [ 24 ]
examples : [0], [2], [NA], [0], [NA], [NA], [NA], [0], [1], [8] ...
```

pro_min_mdf_sum (ISOR, textlines, linelinkage)

Number of lines modified that were coded as minority friendly. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          20
NAs      :         168
not-NA   :         230
not-0-NA :          94
sum      :         384
range    : [ 0 ] ... [ 25 ]
examples : [NA], [NA], [NA], [25], [NA], [NA], [NA], [NA], [NA], [0] ...
```

pro_non_mdf_sum (ISOR, textlines, linelinkage)

Number of lines modified that were coded as neither majority nor minority friendly. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          93
NAs      :         168
not-NA   :         230
not-0-NA :         218
sum      :      11 429
range    : [ 0 ] ... [ 583 ]
examples : [43], [26], [33], [2], [41], [NA], [51], [NA], [73], [245] ...
```

pro_maj_ins_sum (ISOR, textlines, linelinkage)

Number of lines inserted that were coded as majority friendly. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          17
NAs      :         168
not-NA   :         230
not-0-NA :          71
sum      :         300
range    : [ 0 ] ... [ 38 ]
examples : [NA], [0], [NA], [0], [NA], [0], [NA], [1], [NA], [0] ...
```

pro_min_ins_sum (ISOR, textlines, linelinkage)

Number of lines inserted that were coded as minority friendly. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          14
```

```
NAs      :          168
not-NA   :          230
not-0-NA :           73
sum      :          249
range    : [ 0 ] ... [ 19 ]
examples : [0], [6], [0], [7], [NA], [0], [0], [NA], [0], [0] ...
```

pro_non_ins_sum (ISOR, textlines, linelinkage)

Number of lines inserted that were coded as neither majority nor minority friendly. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           76
NAs      :          168
not-NA   :          230
not-0-NA :          200
sum      :        6 919
range    : [ 0 ] ... [ 318 ]
examples : [0], [NA], [5], [4], [NA], [123], [3], [NA], [0], [1] ...
```

pro_maj_del_sum (ISOR, textlines, linelinkage)

Number of lines deleted that were coded as majority friendly. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            7
NAs      :          168
not-NA   :          230
not-0-NA :           23
sum      :           62
range    : [ 0 ] ... [ 25 ]
examples : [0], [NA], [0], [0], [0], [NA], [0], [0], [NA], [0] ...
```

pro_min_del_sum (ISOR, textlines, linelinkage)

Number of lines deleted that were coded as minority friendly. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            7
NAs      :          168
not-NA   :          230
not-0-NA :           25
sum      :           41
range    : [ 0 ] ... [ 7 ]
examples : [NA], [0], [0], [0], [0], [0], [NA], [0], [0], [NA] ...
```

pro_non_del_sum (ISOR, textlines, linelinkage)

Number of lines deleted that were coded as neither majority nor minority friendly. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            51
NAs      :           168
not-NA   :           230
not-0-NA :           156
sum      :         2 893
range    : [ 0 ] ... [ 229 ]
examples : [17], [0], [NA], [NA], [NA], [NA], [3], [57], [16], [0] ...
```

wds__chg__sum (ISOR, textlines, linelinkage)

Number of words that were changed from the old SO to the current - i.e. the sum of insertions, deletions and modifikations. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :           214
NAs      :           168
not-NA   :           230
not-0-NA :           223
sum      :       599 603
range    : [ 0 ] ... [ 28785 ]
examples : [NA], [96], [NA], [79], [NA], [17], [40], [NA], [380], [485] ...
```

wds__mdf__sum (ISOR, textlines)

Number of words modified - i.e. changed but not deleted or inserted. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :           203
NAs      :           168
not-NA   :           230
not-0-NA :           216
sum      :       264 599
range    : [ 0 ] ... [ 12273 ]
examples : [NA], [423], [949], [1631], [4012], [297], [187], [121], [394], [5507] ...
```

wds__ins__sum (ISOR, textlines, linelinkage)

Number of words that were inserted into SO. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :           183
NAs      :           168
not-NA   :           230
not-0-NA :           202
sum      :       239 678
range    : [ 0 ] ... [ 11320 ]
```

```
examples : [NA], [0], [38], [705], [NA], [2457], [NA], [8], [1061], [45] ...
```

wds_del_sum (ISOR, textlines, linelinkage)

Number of words that were deleted from old SO. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :         144
NAs      :         168
not-NA   :         230
not-0-NA :         158
sum      :      95 326
range    : [ 0 ] ... [ 6059 ]
examples : [NA], [NA], [NA], [2446], [15], [0], [NA], [NA], [650], [NA] ...
```

wds_pro_maj_sum (ISOR, textlines, linelinkage)

Number of words coded as majority friendly. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :         102
NAs      :         168
not-NA   :         230
not-0-NA :         116
sum      :      25 866
range    : [ 0 ] ... [ 2936 ]
examples : [39], [NA], [0], [NA], [NA], [77], [0], [0], [0], [NA] ...
```

wds_pro_min_sum (ISOR, textlines, linelinkage)

Number of words coded as minority friendly. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :         101
NAs      :         168
not-NA   :         230
not-0-NA :         120
sum      :      26 009
range    : [ 0 ] ... [ 1810 ]
examples : [400], [0], [NA], [NA], [31], [NA], [NA], [NA], [NA], [NA] ...
```

wds_pro_non_sum (ISOR, textlines, linelinkage)

Number of words coded as neither majority nor minority friendly. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :         211
NAs      :         168
not-NA   :         230
not-0-NA :         222
```

```
sum      :      547 728
range    : [ 0 ] ... [ 28262 ]
examples : [NA], [9220], [2161], [NA], [NA], [400], [NA], [NA], [319], [NA] ...
```

wds__pro__maj__mdf__sum (ISOR, textlines, linelinkage)

Number of words modified that were coded as majority friendly. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          76
NAs      :         168
not-NA   :         230
not-0-NA :          89
sum      :      12 191
range    : [ 0 ] ... [ 2424 ]
examples : [146], [104], [0], [NA], [91], [NA], [NA], [11], [0], [0] ...
```

wds__pro__min__mdf__sum (ISOR, textlines, linelinkage)

Number of words modified that were coded as minority friendly. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          78
NAs      :         168
not-NA   :         230
not-0-NA :          94
sum      :      12 897
range    : [ 0 ] ... [ 1162 ]
examples : [NA], [NA], [70], [NA], [0], [33], [NA], [NA], [0], [2] ...
```

wds__pro__non__mdf__sum (ISOR, textlines, linelinkage)

Number of words modified that were coded as neither majority nor minority friendly. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :         201
NAs      :         168
not-NA   :         230
not-0-NA :         216
sum      :      239 511
range    : [ 0 ] ... [ 11883 ]
examples : [2116], [265], [2], [399], [602], [NA], [1758], [NA], [30], [NA] ...
```

wds__pro__maj__ins__sum (ISOR, textlines, linelinkage)

Number of words inserted that were coded as majority friendly. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          67
```

```
NAs      :          168
not-NA   :          230
not-0-NA :           71
sum      :       10 939
range    : [ 0 ] ... [ 1439 ]
examples : [0], [553], [0], [NA], [137], [0], [NA], [0], [NA], [0] ...
```

wds_pro_min_ins_sum (ISOR, textlines, linelinkage)

Number of words inserted that were coded as minority friendly. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           65
NAs      :          168
not-NA   :          230
not-0-NA :           73
sum      :       11 759
range    : [ 0 ] ... [ 661 ]
examples : [NA], [NA], [NA], [0], [0], [182], [NA], [0], [0], [NA] ...
```

wds_pro_non_ins_sum (ISOR, textlines, linelinkage)

Number of words inserted that were coded as neither majority nor minority friendly. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          179
NAs      :          168
not-NA   :          230
not-0-NA :          200
sum      :      216 980
range    : [ 0 ] ... [ 11182 ]
examples : [NA], [NA], [1972], [373], [NA], [1029], [167], [NA], [276], [NA] ...
```

wds_pro_maj_del_sum (ISOR, textlines, linelinkage)

Number of words deleted that were coded as majority friendly. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           24
NAs      :          168
not-NA   :          230
not-0-NA :           23
sum      :        2 736
range    : [ 0 ] ... [ 980 ]
examples : [NA], [0], [0], [29], [0], [NA], [0], [0], [0], [NA] ...
```

wds_pro_min_del_sum (ISOR, textlines, linelinkage)

Number of words deleted that were coded as minority friendly. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           26
NAs      :          168
not-NA   :          230
not-0-NA :           25
sum      :        1 353
range    : [ 0 ] ... [ 192 ]
examples : [0], [NA], [NA], [NA], [0], [NA], [0], [0], [NA], [0] ...
```

wds__pro__non__del__sum (ISOR, textlines, linelinkage)

Number of words deleted that were coded as neither majority nor minority friendly. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          143
NAs      :          168
not-NA   :          230
not-0-NA :          156
sum      :       91 237
range    : [ 0 ] ... [ 5992 ]
examples : [NA], [778], [NA], [681], [0], [NA], [NA], [NA], [NA], [NA] ...
```

wds__corp__del__10__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 10 which have changed from last version to this - see lns_corp_10 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           27
NAs      :          168
not-NA   :          230
not-0-NA :           27
sum      :        2 565
range    : [ 0 ] ... [ 413 ]
examples : [0], [0], [NA], [0], [0], [0], [NA], [0], [0], [NA] ...
```

wds__corp__del__111__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 111 which have changed from last version to this - see lns_corp_111 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           10
NAs      :          168
not-NA   :          230
not-0-NA :            8
sum      :          444
range    : [ 0 ] ... [ 260 ]
examples : [NA], [0], [NA], [NA], [0], [NA], [0], [0], [0], [NA] ...
```

wds_corp_del_112_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 112 which have changed from last version to this - see lns_corp_112 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :          11
NAs      :         168
not-NA   :         230
not-0-NA :          12
sum      :         333
range    : [ 0 ] ... [ 74 ]
examples : [NA], [0], [NA], [NA], [0], [NA], [0], [0], [NA], [NA] ...
```

wds_corp_del_113_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 113 which have changed from last version to this - see lns_corp_113 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :          14
NAs      :         168
not-NA   :         230
not-0-NA :          13
sum      :         939
range    : [ 0 ] ... [ 127 ]
examples : [18], [NA], [NA], [NA], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_del_114_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 114 which have changed from last version to this - see lns_corp_114 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           3
NAs      :         168
not-NA   :         230
not-0-NA :           1
sum      :          61
range    : [ 0 ] ... [ 61 ]
examples : [0], [0], [0], [0], [0], [NA], [NA], [NA], [0], [0] ...
```

wds_corp_del_121_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 121 which have changed from last version to this - see lns_corp_121 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :          24
NAs      :         168
not-NA   :         230
```

```
not-0-NA :            23
sum      :         2 456
range    : [ 0 ] ... [ 545 ]
examples : [0], [NA], [0], [NA], [NA], [0], [0], [NA], [NA], [0] ...
```

wds_corp_del_122_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 122 which have changed from last version to this - see lns_corp_122 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           21
NAs      :          168
not-NA   :          230
not-0-NA :           19
sum      :         1 827
range    : [ 0 ] ... [ 377 ]
examples : [0], [0], [0], [NA], [0], [NA], [0], [NA], [0], [NA] ...
```

wds_corp_del_123_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 123 which have changed from last version to this - see lns_corp_123 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           33
NAs      :          168
not-NA   :          230
not-0-NA :           32
sum      :         3 210
range    : [ 0 ] ... [ 300 ]
examples : [0], [0], [NA], [NA], [NA], [0], [0], [NA], [0], [NA] ...
```

wds_corp_del_124_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 124 which have changed from last version to this - see lns_corp_124 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            4
NAs      :          168
not-NA   :          230
not-0-NA :            2
sum      :          506
range    : [ 0 ] ... [ 409 ]
examples : [NA], [0], [NA], [NA], [0], [0], [0], [0], [0], [NA] ...
```

wds_corp_del_125_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 125 which have changed from last version to this - see lns_corp__125 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :       numeric
unique    :            15
NAs       :           168
not-NA    :           230
not-0-NA  :            14
sum       :         1 062
range     : [ 0 ] ... [ 198 ]
examples  : [NA], [NA], [NA], [0], [NA], [NA], [NA], [0], [0], [NA] ...
```

wds__corp__del__131__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 131 which have changed from last version to this - see lns_corp_131 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :       numeric
unique    :             8
NAs       :           168
not-NA    :           230
not-0-NA  :             6
sum       :           834
range     : [ 0 ] ... [ 385 ]
examples  : [NA], [0], [NA], [NA], [0], [NA], [NA], [0], [NA], [NA] ...
```

wds__corp__del__132__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 132 which have changed from last version to this - see lns_corp_132 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :       numeric
unique    :            11
NAs       :           168
not-NA    :           230
not-0-NA  :             9
sum       :           624
range     : [ 0 ] ... [ 170 ]
examples  : [NA], [0], [0], [NA], [NA], [NA], [0], [37], [0], [0] ...
```

wds__corp__del__133__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 133 which have changed from last version to this - see lns_corp_133 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :       numeric
unique    :             9
NAs       :           168
not-NA    :           230
not-0-NA  :             7
sum       :           454
range     : [ 0 ] ... [ 229 ]
```

```
examples : [0], [0], [0], [NA], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_del_134_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 134 which have changed from last version to this - see lns_corp_134 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           23
NAs      :          168
not-NA   :          230
not-0-NA :           22
sum      :        2 196
range    : [ 0 ] ... [ 511 ]
examples : [0], [NA], [0], [NA], [NA], [0], [NA], [0], [0], [511] ...
```

wds_corp_del_141_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 141 which have changed from last version to this - see lns_corp_141 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            3
NAs      :          168
not-NA   :          230
not-0-NA :            1
sum      :           30
range    : [ 0 ] ... [ 30 ]
examples : [NA], [0], [0], [0], [NA], [NA], [0], [0], [30], [0] ...
```

wds_corp_del_142_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 142 which have changed from last version to this - see lns_corp_142 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           11
NAs      :          168
not-NA   :          230
not-0-NA :            9
sum      :        1 028
range    : [ 0 ] ... [ 410 ]
examples : [NA], [0], [0], [0], [0], [0], [NA], [NA], [0], [NA] ...
```

wds_corp_del_143_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 143 which have changed from last version to this - see lns_corp_143 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
```

```
NAs      :          168
not-NA   :          230
not-0-NA :            3
sum      :          126
range    : [ 0 ] ... [ 44 ]
examples : [NA], [0], [NA], [0], [0], [0], [0], [NA], [0], [0] ...
```

wds_corp_del_144_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 144 which have changed from last version to this - see lns_corp_144 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            3
NAs      :          168
not-NA   :          230
not-0-NA :            1
sum      :           22
range    : [ 0 ] ... [ 22 ]
examples : [0], [NA], [0], [NA], [NA], [0], [0], [NA], [0], [0] ...
```

wds_corp_del_145_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 145 which have changed from last version to this - see lns_corp_145 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            2
NAs      :          168
not-NA   :          230
not-0-NA :            0
sum      :            0
range    : [ 0 ] ... [ 0 ]
examples : [NA], [NA], [NA], [NA], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_del_21_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 21 which have changed from last version to this - see lns_corp_21 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            8
NAs      :          168
not-NA   :          230
not-0-NA :            8
sum      :        1 321
range    : [ 0 ] ... [ 879 ]
examples : [0], [0], [0], [0], [0], [0], [NA], [0], [NA], [0] ...
```

wds_corp__del__22__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 22 which have changed from last version to this - see lns_corp_22 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           39
NAs      :          168
not-NA   :          230
not-0-NA :           37
sum      :        7 534
range    : [ 0 ] ... [ 1032 ]
examples : [NA], [198], [NA], [NA], [0], [0], [25], [0], [NA], [NA] ...
```

wds_corp__del__23__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 23 which have changed from last version to this - see lns_corp_23 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :          168
not-NA   :          230
not-0-NA :            7
sum      :          347
range    : [ 0 ] ... [ 150 ]
examples : [0], [0], [NA], [NA], [0], [0], [0], [0], [0], [0] ...
```

wds_corp__del__241__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 241 which have changed from last version to this - see lns_corp_241 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            7
NAs      :          168
not-NA   :          230
not-0-NA :            5
sum      :          868
range    : [ 0 ] ... [ 561 ]
examples : [NA], [0], [NA], [NA], [0], [0], [0], [NA], [NA], [NA] ...
```

wds_corp__del__242__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 242 which have changed from last version to this - see lns_corp_242 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           10
NAs      :          168
not-NA   :          230
not-0-NA :            9
```

```
sum      :         731
range    : [ 0 ] ... [ 422 ]
examples : [13], [0], [NA], [0], [0], [NA], [NA], [NA], [0], [0] ...
```

wds__corp__del__243__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 243 which have changed from last version to this - see lns_corp_243 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           3
NAs      :         168
not-NA   :         230
not-0-NA :           1
sum      :          43
range    : [ 0 ] ... [ 43 ]
examples : [0], [0], [NA], [0], [NA], [NA], [0], [NA], [0], [0] ...
```

wds__corp__del__244__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 244 which have changed from last version to this - see lns_corp_244 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           4
NAs      :         168
not-NA   :         230
not-0-NA :           2
sum      :          76
range    : [ 0 ] ... [ 57 ]
examples : [NA], [NA], [NA], [NA], [0], [NA], [0], [NA], [0], [NA] ...
```

wds__corp__del__25__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 25 which have changed from last version to this - see lns_corp_25 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :          15
NAs      :         168
not-NA   :         230
not-0-NA :          15
sum      :       1 430
range    : [ 0 ] ... [ 681 ]
examples : [NA], [NA], [0], [0], [NA], [0], [0], [0], [NA], [0] ...
```

wds__corp__del__26__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 26 which have changed from last version to this - see lns_corp_26 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           15
NAs      :          168
not-NA   :          230
not-0-NA :           13
sum      :        1 693
range    : [ 0 ] ... [ 327 ]
examples : [0], [0], [NA], [NA], [0], [NA], [0], [0], [NA], [0] ...
```

wds_corp_del_27_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 27 which have changed from last version to this - see lns_corp_27 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            3
NAs      :          168
not-NA   :          230
not-0-NA :            1
sum      :           17
range    : [ 0 ] ... [ 17 ]
examples : [0], [NA], [0], [NA], [NA], [0], [0], [0], [0], [0] ...
```

wds_corp_del_28_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 28 which have changed from last version to this - see lns_corp_28 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :            3
sum      :          186
range    : [ 0 ] ... [ 99 ]
examples : [0], [NA], [NA], [NA], [0], [NA], [NA], [NA], [NA], [0] ...
```

wds_corp_del_29_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 29 which have changed from last version to this - see lns_corp_29 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           14
NAs      :          168
not-NA   :          230
not-0-NA :           12
sum      :        2 609
range    : [ 0 ] ... [ 1091 ]
examples : [0], [0], [0], [NA], [0], [NA], [0], [NA], [NA], [0] ...
```

wds_corp_del_31_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 31 which have changed from last version to this - see lns_corp_31 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :            3
sum      :          132
range    : [ 0 ] ... [ 64 ]
examples : [NA], [0], [NA], [NA], [NA], [0], [NA], [NA], [NA], [NA] ...
```

wds_corp_del_32_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 32 which have changed from last version to this - see lns_corp_32 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :            3
sum      :           77
range    : [ 0 ] ... [ 40 ]
examples : [0], [0], [0], [0], [NA], [NA], [0], [0], [NA], [NA] ...
```

wds_corp_del_33_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 33 which have changed from last version to this - see lns_corp_33 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            4
NAs      :          168
not-NA   :          230
not-0-NA :            2
sum      :          143
range    : [ 0 ] ... [ 119 ]
examples : [NA], [0], [0], [0], [0], [NA], [NA], [0], [0], [0] ...
```

wds_corp_del_34_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 34 which have changed from last version to this - see lns_corp_34 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           12
NAs      :          168
not-NA   :          230
```

```
not-0-NA :           11
sum      :          502
range    : [ 0 ] ... [ 148 ]
examples : [0], [NA], [NA], [NA], [NA], [0], [0], [0], [0], [0] ...
```

wds_corp_del_411_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 411 which have changed from last version to this - see lns_corp_411 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :          168
not-NA   :          230
not-0-NA :            7
sum      :          210
range    : [ 0 ] ... [ 66 ]
examples : [NA], [NA], [0], [NA], [0], [0], [0], [0], [NA], [0] ...
```

wds_corp_del_412_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 412 which have changed from last version to this - see lns_corp_412 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            6
NAs      :          168
not-NA   :          230
not-0-NA :            4
sum      :          113
range    : [ 0 ] ... [ 38 ]
examples : [0], [0], [0], [0], [NA], [NA], [0], [NA], [NA], [NA] ...
```

wds_corp_del_421_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 421 which have changed from last version to this - see lns_corp_421 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            6
NAs      :          168
not-NA   :          230
not-0-NA :            4
sum      :          393
range    : [ 0 ] ... [ 187 ]
examples : [0], [0], [0], [NA], [NA], [NA], [0], [NA], [0], [0] ...
```

wds_corp_del_422_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 422 which have changed from last version to this - see lns_corp_422 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            4
NAs      :          168
not-NA   :          230
not-0-NA :            2
sum      :           58
range    : [ 0 ] ... [ 35 ]
examples : [NA], [O], [NA], [NA], [NA], [O], [O], [O], [O], [NA] ...
```

wds_corp_del_43_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 43 which have changed from last version to this - see lns_corp_43 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            4
NAs      :          168
not-NA   :          230
not-0-NA :            2
sum      :           40
range    : [ 0 ] ... [ 22 ]
examples : [NA], [O], [NA], [NA], [O], [NA], [O], [NA], [O], [O] ...
```

wds_corp_del_441_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 441 which have changed from last version to this - see lns_corp_441 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            4
NAs      :          168
not-NA   :          230
not-0-NA :            2
sum      :          150
range    : [ 0 ] ... [ 100 ]
examples : [O], [O], [O], [NA], [NA], [O], [NA], [O], [NA], [O] ...
```

wds_corp_del_442_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 442 which have changed from last version to this - see lns_corp_442 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            2
NAs      :          168
not-NA   :          230
not-0-NA :            0
sum      :            0
range    : [ 0 ] ... [ 0 ]
```

```
examples : [0], [0], [0], [NA], [0], [0], [NA], [0], [0], [0] ...
```

wds__corp__del__45__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 45 which have changed from last version to this - see lns_corp_45 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            4
NAs      :          168
not-NA   :          230
not-0-NA :            2
sum      :          227
range    : [ 0 ] ... [ 203 ]
examples : [NA], [0], [0], [NA], [0], [0], [0], [0], [NA], [NA] ...
```

wds__corp__del__51__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 51 which have changed from last version to this - see lns_corp_51 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           41
NAs      :          168
not-NA   :          230
not-0-NA :           44
sum      :        3 147
range    : [ 0 ] ... [ 294 ]
examples : [0], [0], [2], [0], [NA], [NA], [0], [NA], [NA], [NA] ...
```

wds__corp__del__52__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 52 which have changed from last version to this - see lns_corp_52 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           14
NAs      :          168
not-NA   :          230
not-0-NA :           12
sum      :        1 143
range    : [ 0 ] ... [ 267 ]
examples : [NA], [NA], [NA], [NA], [0], [NA], [0], [NA], [NA], [0] ...
```

wds__corp__del__53__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 53 which have changed from last version to this - see lns_corp_53 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           41
```

```
NAs      :          168
not-NA   :          230
not-0-NA :           50
sum      :        5 892
range    : [ 0 ] ... [ 918 ]
examples : [26], [NA], [0], [NA], [0], [NA], [382], [NA], [NA], [NA] ...
```

wds__corp__del__54__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 54 which have changed from last version to this - see lns_corp_54 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           19
NAs      :          168
not-NA   :          230
not-0-NA :           17
sum      :        2 900
range    : [ 0 ] ... [ 670 ]
examples : [0], [0], [NA], [NA], [NA], [NA], [NA], [0], [NA], [0] ...
```

wds__corp__del__55__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 55 which have changed from last version to this - see lns_corp_55 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           20
NAs      :          168
not-NA   :          230
not-0-NA :           20
sum      :        2 198
range    : [ 0 ] ... [ 485 ]
examples : [0], [54], [NA], [0], [NA], [NA], [NA], [0], [NA], [0] ...
```

wds__corp__del__56__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 56 which have changed from last version to this - see lns_corp_56 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           30
NAs      :          168
not-NA   :          230
not-0-NA :           30
sum      :        3 473
range    : [ 0 ] ... [ 997 ]
examples : [0], [NA], [NA], [NA], [0], [23], [0], [0], [0], [0] ...
```

wds_corp_del_611_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 611 which have changed from last version to this - see lns_corp_611 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          34
NAs      :         168
not-NA   :         230
not-0-NA :          35
sum      :       6 170
range    : [ 0 ] ... [ 1199 ]
examples : [0], [0], [NA], [NA], [76], [0], [NA], [0], [0], [NA] ...
```

wds_corp_del_612_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 612 which have changed from last version to this - see lns_corp_612 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          16
NAs      :         168
not-NA   :         230
not-0-NA :          15
sum      :         843
range    : [ 0 ] ... [ 130 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [NA], [80] ...
```

wds_corp_del_613_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 613 which have changed from last version to this - see lns_corp_613 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          17
NAs      :         168
not-NA   :         230
not-0-NA :          16
sum      :       1 425
range    : [ 0 ] ... [ 314 ]
examples : [46], [0], [NA], [NA], [NA], [0], [0], [0], [0], [NA] ...
```

wds_corp_del_6211_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 6211 which have changed from last version to this - see lns_corp_6211 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          15
NAs      :         168
not-NA   :         230
not-0-NA :          13
```

```
sum       :          672
range     : [ 0 ] ... [ 178 ]
examples  : [0], [0], [NA], [NA], [60], [0], [NA], [NA], [0], [NA] ...
```

wds__corp__del__6212__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 6212 which have changed from last version to this - see lns_corp_6212 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :      numeric
unique    :           15
NAs       :          168
not-NA    :          230
not-0-NA  :           13
sum       :          715
range     : [ 0 ] ... [ 175 ]
examples  : [0], [0], [0], [NA], [NA], [0], [NA], [NA], [NA], [0] ...
```

wds__corp__del__6221__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 6221 which have changed from last version to this - see lns_corp_6221 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :      numeric
unique    :            5
NAs       :          168
not-NA    :          230
not-0-NA  :            3
sum       :          156
range     : [ 0 ] ... [ 101 ]
examples  : [NA], [NA], [0], [NA], [NA], [0], [0], [NA], [0], [0] ...
```

wds__corp__del__6222__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 6222 which have changed from last version to this - see lns_corp_6222 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :      numeric
unique    :            7
NAs       :          168
not-NA    :          230
not-0-NA  :            5
sum       :          508
range     : [ 0 ] ... [ 358 ]
examples  : [0], [NA], [NA], [NA], [NA], [0], [0], [0], [0], [NA] ...
```

wds__corp__del__631__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 631 which have changed from last version to this - see lns_corp_631 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           11
NAs      :          168
not-NA   :          230
not-0-NA :           10
sum      :          788
range    : [ 0 ] ... [ 276 ]
examples : [NA], [46], [0], [0], [NA], [0], [0], [NA], [NA], [0] ...
```

wds_corp_del_632_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 632 which have changed from last version to this - see lns_corp_632 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           49
NAs      :          168
not-NA   :          230
not-0-NA :           58
sum      :        4 702
range    : [ 0 ] ... [ 590 ]
examples : [NA], [23], [0], [0], [NA], [NA], [0], [0], [0], [0] ...
```

wds_corp_del_633_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 633 which have changed from last version to this - see lns_corp_633 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           17
NAs      :          168
not-NA   :          230
not-0-NA :           17
sum      :        1 355
range    : [ 0 ] ... [ 647 ]
examples : [0], [NA], [NA], [NA], [0], [NA], [NA], [0], [0], [NA] ...
```

wds_corp_del_634_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 634 which have changed from last version to this - see lns_corp_634 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           17
NAs      :          168
not-NA   :          230
not-0-NA :           21
sum      :        1 834
range    : [ 0 ] ... [ 622 ]
examples : [260], [NA], [NA], [0], [0], [NA], [NA], [NA], [0], [0] ...
```

66

wds_corp_del_6351_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 6351 which have changed from last version to this - see lns_corp_6351 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :            3
sum      :          138
range    : [ 0 ] ... [ 79 ]
examples : [0], [NA], [0], [0], [0], [0], [0], [45], [NA], [NA] ...
```

wds_corp_del_6352_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 6352 which have changed from last version to this - see lns_corp_6352 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            4
NAs      :          168
not-NA   :          230
not-0-NA :            2
sum      :           57
range    : [ 0 ] ... [ 45 ]
examples : [NA], [NA], [0], [NA], [NA], [0], [NA], [NA], [NA], [0] ...
```

wds_corp_del_636_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 636 which have changed from last version to this - see lns_corp_636 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           10
NAs      :          168
not-NA   :          230
not-0-NA :            9
sum      :          728
range    : [ 0 ] ... [ 247 ]
examples : [0], [0], [0], [0], [0], [NA], [NA], [NA], [NA], [0] ...
```

wds_corp_del_637_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 637 which have changed from last version to this - see lns_corp_637 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           13
NAs      :          168
not-NA   :          230
```

```
not-0-NA :           11
sum      :        1 451
range    : [ 0 ] ... [ 587 ]
examples : [0], [NA], [0], [NA], [0], [0], [0], [NA], [NA], [0] ...
```

wds_corp_del_638_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 638 which have changed from last version to this - see lns_corp_638 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :            3
sum      :          292
range    : [ 0 ] ... [ 134 ]
examples : [0], [0], [NA], [NA], [NA], [0], [0], [0], [0], [0] ...
```

wds_corp_del_639_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 639 which have changed from last version to this - see lns_corp_639 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           26
NAs      :          168
not-NA   :          230
not-0-NA :           25
sum      :        4 913
range    : [ 0 ] ... [ 732 ]
examples : [0], [0], [0], [NA], [NA], [0], [0], [0], [NA], [NA] ...
```

wds_corp_del_641_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 641 which have changed from last version to this - see lns_corp_641 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :            3
sum      :          256
range    : [ 0 ] ... [ 145 ]
examples : [NA], [0], [0], [0], [0], [NA], [20], [0], [NA], [0] ...
```

wds_corp_del_642_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 642 which have changed from last version to this - see lns_corp_642 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           11
NAs      :          168
not-NA   :          230
not-0-NA :            9
sum      :          555
range    : [ 0 ] ... [ 131 ]
examples : [0], [0], [0], [0], [0], [0], [0], [NA], [NA], [NA] ...
```

wds_corp_del_643_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 643 which have changed from last version to this - see lns_corp_643 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            3
NAs      :          168
not-NA   :          230
not-0-NA :            1
sum      :            9
range    : [ 0 ] ... [ 9 ]
examples : [0], [0], [NA], [0], [0], [0], [0], [0], [NA], [NA] ...
```

wds_corp_del_651_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 651 which have changed from last version to this - see lns_corp_651 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           17
NAs      :          168
not-NA   :          230
not-0-NA :           16
sum      :        4 090
range    : [ 0 ] ... [ 1457 ]
examples : [NA], [NA], [NA], [0], [NA], [0], [0], [7], [NA], [NA] ...
```

wds_corp_del_652_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 652 which have changed from last version to this - see lns_corp_652 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           22
NAs      :          168
not-NA   :          230
not-0-NA :           22
sum      :        1 681
range    : [ 0 ] ... [ 674 ]
```

```
examples : [0], [0], [0], [0], [0], [0], [0], [77], [0], [NA] ...
```

wds_corp_del_653_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 653 which have changed from last version to this - see lns_corp_653 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            4
NAs      :          168
not-NA   :          230
not-0-NA :            2
sum      :          102
range    : [ 0 ] ... [ 76 ]
examples : [NA], [0], [0], [0], [0], [NA], [0], [NA], [NA], [0] ...
```

wds_corp_del_66_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 66 which have changed from last version to this - see lns_corp_66 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            2
NAs      :          168
not-NA   :          230
not-0-NA :            0
sum      :            0
range    : [ 0 ] ... [ 0 ]
examples : [0], [NA], [NA], [NA], [NA], [NA], [0], [NA], [0], [NA] ...
```

wds_corp_del_67_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 67 which have changed from last version to this - see lns_corp_67 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            2
NAs      :          168
not-NA   :          230
not-0-NA :            0
sum      :            0
range    : [ 0 ] ... [ 0 ]
examples : [0], [0], [NA], [0], [0], [0], [0], [NA], [0], [NA] ...
```

wds_corp_del_68_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 68 which have changed from last version to this - see lns_corp_68 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           24
```

```
NAs       :         168
not-NA    :         230
not-0-NA  :          22
sum       :       1 579
range     : [ 0 ] ... [ 232 ]
examples  : [29], [0], [0], [0], [NA], [0], [0], [0], [0], [0] ...
```

wds_corp_del_71_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 71 which have changed from last version to this - see lns_corp_71 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :     numeric
unique    :           8
NAs       :         168
not-NA    :         230
not-0-NA  :           6
sum       :         766
range     : [ 0 ] ... [ 481 ]
examples  : [NA], [NA], [0], [0], [0], [0], [NA], [NA], [0], [0] ...
```

wds_corp_del_72_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 72 which have changed from last version to this - see lns_corp_72 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :     numeric
unique    :           4
NAs       :         168
not-NA    :         230
not-0-NA  :           2
sum       :          73
range     : [ 0 ] ... [ 58 ]
examples  : [0], [NA], [0], [0], [0], [NA], [0], [NA], [NA], [0] ...
```

wds_corp_del_73_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 73 which have changed from last version to this - see lns_corp_73 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :     numeric
unique    :           5
NAs       :         168
not-NA    :         230
not-0-NA  :           3
sum       :         324
range     : [ 0 ] ... [ 207 ]
examples  : [NA], [NA], [NA], [NA], [0], [NA], [NA], [0], [0], [NA] ...
```

wds__corp__del__8__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 8 which have changed from last version to this - see lns_corp_8 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            18
NAs      :           168
not-NA   :           230
not-0-NA :            16
sum      :         1 270
range    : [ 0 ] ... [ 462 ]
examples : [0], [0], [NA], [0], [NA], [0], [NA], [40], [0], [0] ...
```

wds__corp__del__999__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 999 which have changed from last version to this - see lns_corp_999 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :             4
NAs      :           168
not-NA   :           230
not-0-NA :             2
sum      :             4
range    : [ 0 ] ... [ 3 ]
examples : [NA], [0], [NA], [NA], [NA], [0], [0], [0], [NA], [NA] ...
```

wds__corp__del__9__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 9 which have changed from last version to this - see lns_corp_9 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            15
NAs      :           168
not-NA   :           230
not-0-NA :            14
sum      :         1 492
range    : [ 0 ] ... [ 573 ]
examples : [0], [0], [0], [NA], [NA], [0], [0], [56], [0], [NA] ...
```

wds__corp__ins__10__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 10 which have changed from last version to this - see lns_corp_10 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            47
NAs      :           168
not-NA   :           230
not-0-NA :            49
```

```
sum      :      10 285
range    : [ 0 ] ... [ 2442 ]
examples : [NA], [NA], [NA], [0], [0], [NA], [0], [NA], [0], [0] ...
```

wds_corp_ins_111_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 111 which have changed from last version to this - see lns_corp_111 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           22
NAs      :          168
not-NA   :          230
not-0-NA :           21
sum      :        1 400
range    : [ 0 ] ... [ 319 ]
examples : [NA], [0], [0], [0], [0], [0], [NA], [NA], [0], [NA] ...
```

wds_corp_ins_112_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 112 which have changed from last version to this - see lns_corp_112 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           23
NAs      :          168
not-NA   :          230
not-0-NA :           21
sum      :        1 575
range    : [ 0 ] ... [ 207 ]
examples : [NA], [NA], [0], [0], [NA], [NA], [0], [0], [0], [NA] ...
```

wds_corp_ins_113_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 113 which have changed from last version to this - see lns_corp_113 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           26
NAs      :          168
not-NA   :          230
not-0-NA :           26
sum      :        2 758
range    : [ 0 ] ... [ 422 ]
examples : [NA], [0], [0], [0], [NA], [NA], [0], [0], [NA], [0] ...
```

wds_corp_ins_114_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 114 which have changed from last version to this - see lns_corp_114 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :          168
not-NA   :          230
not-0-NA :            7
sum      :          482
range    : [ 0 ] ... [ 173 ]
examples : [NA], [0], [0], [0], [0], [NA], [0], [NA], [0], [0] ...
```

wds_corp_ins_121_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 121 which have changed from last version to this - see lns_corp_121 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           35
NAs      :          168
not-NA   :          230
not-0-NA :           36
sum      :        3 787
range    : [ 0 ] ... [ 618 ]
examples : [144], [NA], [NA], [0], [NA], [29], [NA], [NA], [NA], [0] ...
```

wds_corp_ins_122_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 122 which have changed from last version to this - see lns_corp_122 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           30
NAs      :          168
not-NA   :          230
not-0-NA :           29
sum      :        3 048
range    : [ 0 ] ... [ 693 ]
examples : [0], [0], [NA], [0], [NA], [0], [NA], [0], [NA], [0] ...
```

wds_corp_ins_123_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 123 which have changed from last version to this - see lns_corp_123 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           59
NAs      :          168
not-NA   :          230
not-0-NA :           62
sum      :        7 927
range    : [ 0 ] ... [ 697 ]
examples : [0], [0], [0], [0], [0], [0], [0], [NA], [0], [NA] ...
```

wds_corp_ins_124_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 124 which have changed from last version to this - see lns_corp_124 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :            3
sum      :          381
range    : [ 0 ] ... [ 231 ]
examples : [NA], [NA], [NA], [0], [0], [0], [0], [NA], [NA], [0] ...
```

wds_corp_ins_125_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 125 which have changed from last version to this - see lns_corp_125 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           31
NAs      :          168
not-NA   :          230
not-0-NA :           32
sum      :        2 554
range    : [ 0 ] ... [ 352 ]
examples : [0], [0], [0], [0], [NA], [NA], [0], [0], [0], [NA] ...
```

wds_corp_ins_131_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 131 which have changed from last version to this - see lns_corp_131 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           20
NAs      :          168
not-NA   :          230
not-0-NA :           20
sum      :        1 480
range    : [ 0 ] ... [ 271 ]
examples : [0], [NA], [0], [0], [0], [NA], [0], [NA], [NA], [0] ...
```

wds_corp_ins_132_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 132 which have changed from last version to this - see lns_corp_132 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           17
NAs      :          168
not-NA   :          230
```

```
not-0-NA :              16
sum      :           1 089
range    : [ 0 ] ... [ 262 ]
examples : [NA], [0], [0], [0], [0], [NA], [NA], [0], [113], [0] ...
```

wds_corp_ins_133_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 133 which have changed from last version to this - see lns_corp_133 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :         numeric
unique   :              16
NAs      :             168
not-NA   :             230
not-0-NA :              16
sum      :           1 531
range    : [ 0 ] ... [ 371 ]
examples : [0], [0], [NA], [NA], [371], [0], [NA], [0], [0], [0] ...
```

wds_corp_ins_134_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 134 which have changed from last version to this - see lns_corp_134 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :         numeric
unique   :              41
NAs      :             168
not-NA   :             230
not-0-NA :              43
sum      :           3 705
range    : [ 0 ] ... [ 316 ]
examples : [NA], [NA], [NA], [98], [207], [53], [NA], [121], [NA], [0] ...
```

wds_corp_ins_141_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 141 which have changed from last version to this - see lns_corp_141 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :         numeric
unique   :               5
NAs      :             168
not-NA   :             230
not-0-NA :               3
sum      :             227
range    : [ 0 ] ... [ 107 ]
examples : [NA], [0], [0], [0], [0], [NA], [0], [0], [NA], [NA] ...
```

wds_corp_ins_142_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 142 which have changed from last version to this - see lns_corp_142 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :      numeric
unique    :           13
NAs       :          168
not-NA    :          230
not-0-NA  :           12
sum       :        1 135
range     : [ 0 ] ... [ 229 ]
examples  : [NA], [0], [0], [0], [0], [NA], [0], [NA], [NA], [0] ...
```

wds_corp_ins_143_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 143 which have changed from last version to this - see lns_corp_143 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :      numeric
unique    :            4
NAs       :          168
not-NA    :          230
not-0-NA  :            2
sum       :          186
range     : [ 0 ] ... [ 137 ]
examples  : [NA], [0], [0], [0], [NA], [0], [0], [0], [NA], [0] ...
```

wds_corp_ins_144_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 144 which have changed from last version to this - see lns_corp_144 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :      numeric
unique    :            3
NAs       :          168
not-NA    :          230
not-0-NA  :            1
sum       :           73
range     : [ 0 ] ... [ 73 ]
examples  : [NA], [0], [0], [0], [0], [0], [NA], [NA], [NA], [0] ...
```

wds_corp_ins_145_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 145 which have changed from last version to this - see lns_corp_145 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :      numeric
unique    :            5
NAs       :          168
not-NA    :          230
not-0-NA  :            3
sum       :          913
range     : [ 0 ] ... [ 629 ]
```

```
examples : [NA], [O], [O], [O], [NA], [O], [O], [NA], [NA], [O] ...
```

wds_corp_ins_21_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 21 which have changed from last version to this - see lns_corp_21 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           16
NAs      :          168
not-NA   :          230
not-0-NA :           14
sum      :        1 499
range    : [ 0 ] ... [ 336 ]
examples : [O], [O], [NA], [O], [NA], [NA], [O], [NA], [NA], [O] ...
```

wds_corp_ins_22_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 22 which have changed from last version to this - see lns_corp_22 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           59
NAs      :          168
not-NA   :          230
not-0-NA :           62
sum      :       13 965
range    : [ 0 ] ... [ 1922 ]
examples : [NA], [O], [NA], [NA], [1922], [O], [168], [O], [NA], [O] ...
```

wds_corp_ins_23_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 23 which have changed from last version to this - see lns_corp_23 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           15
NAs      :          168
not-NA   :          230
not-0-NA :           13
sum      :        1 840
range    : [ 0 ] ... [ 547 ]
examples : [O], [O], [O], [NA], [NA], [NA], [O], [O], [O], [NA] ...
```

wds_corp_ins_241_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 241 which have changed from last version to this - see lns_corp_241 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           21
```

```
NAs      :         168
not-NA   :         230
not-0-NA :          20
sum      :       5 010
range    : [ 0 ] ... [ 1077 ]
examples : [0], [0], [NA], [NA], [188], [NA], [0], [0], [NA], [0] ...
```

wds_corp_ins_242_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 242 which have changed from last version to this - see lns_corp_242 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :          20
NAs      :         168
not-NA   :         230
not-0-NA :          18
sum      :       3 598
range    : [ 0 ] ... [ 679 ]
examples : [0], [0], [0], [NA], [0], [0], [0], [NA], [NA], [NA] ...
```

wds_corp_ins_243_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 243 which have changed from last version to this - see lns_corp_243 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :           6
NAs      :         168
not-NA   :         230
not-0-NA :           4
sum      :         160
range    : [ 0 ] ... [ 70 ]
examples : [0], [0], [NA], [0], [0], [0], [0], [NA], [0], [70] ...
```

wds_corp_ins_244_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 244 which have changed from last version to this - see lns_corp_244 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :          19
NAs      :         168
not-NA   :         230
not-0-NA :          18
sum      :       3 921
range    : [ 0 ] ... [ 868 ]
examples : [NA], [NA], [NA], [0], [NA], [0], [0], [0], [NA], [NA] ...
```

wds__corp__ins__25__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 25 which have changed from last version to this - see lns_corp_25 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           25
NAs      :          168
not-NA   :          230
not-0-NA :           23
sum      :        3 759
range    : [ 0 ] ... [ 905 ]
examples : [0], [0], [0], [0], [NA], [NA], [NA], [0], [NA], [0] ...
```

wds__corp__ins__26__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 26 which have changed from last version to this - see lns_corp_26 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           26
NAs      :          168
not-NA   :          230
not-0-NA :           26
sum      :        5 430
range    : [ 0 ] ... [ 911 ]
examples : [NA], [0], [0], [0], [NA], [NA], [0], [0], [NA], [NA] ...
```

wds__corp__ins__27__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 27 which have changed from last version to this - see lns_corp_27 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :            3
sum      :          529
range    : [ 0 ] ... [ 484 ]
examples : [0], [NA], [0], [NA], [0], [0], [0], [0], [NA], [NA] ...
```

wds__corp__ins__28__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 28 which have changed from last version to this - see lns_corp_28 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :            3
```

```
sum      :         864
range    : [ 0 ] ... [ 441 ]
examples : [0], [0], [0], [NA], [NA], [0], [NA], [0], [0], [0] ...
```

wds_corp_ins_29_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 29 which have changed from last version to this - see lns_corp_29 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          23
NAs      :         168
not-NA   :         230
not-0-NA :          21
sum      :      13 289
range    : [ 0 ] ... [ 5898 ]
examples : [0], [NA], [0], [0], [NA], [0], [NA], [0], [0], [NA] ...
```

wds_corp_ins_31_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 31 which have changed from last version to this - see lns_corp_31 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           7
NAs      :         168
not-NA   :         230
not-0-NA :           5
sum      :         622
range    : [ 0 ] ... [ 387 ]
examples : [NA], [0], [0], [0], [NA], [NA], [NA], [NA], [0], [0] ...
```

wds_corp_ins_32_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 32 which have changed from last version to this - see lns_corp_32 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          10
NAs      :         168
not-NA   :         230
not-0-NA :           8
sum      :       1 685
range    : [ 0 ] ... [ 779 ]
examples : [NA], [NA], [0], [NA], [0], [0], [NA], [0], [0], [0] ...
```

wds_corp_ins_33_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 33 which have changed from last version to this - see lns_corp_33 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            6
NAs      :          168
not-NA   :          230
not-0-NA :            4
sum      :          482
range    : [ 0 ] ... [ 244 ]
examples : [NA], [0], [0], [NA], [0], [NA], [NA], [0], [NA], [0] ...
```

wds_corp_ins_34_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 34 which have changed from last version to this - see lns_corp_34 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           33
NAs      :          168
not-NA   :          230
not-0-NA :           35
sum      :        2 717
range    : [ 0 ] ... [ 243 ]
examples : [NA], [0], [NA], [0], [0], [NA], [NA], [0], [NA], [0] ...
```

wds_corp_ins_411_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 411 which have changed from last version to this - see lns_corp_411 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            8
NAs      :          168
not-NA   :          230
not-0-NA :            6
sum      :        1 358
range    : [ 0 ] ... [ 801 ]
examples : [0], [0], [NA], [NA], [NA], [0], [NA], [NA], [0], [0] ...
```

wds_corp_ins_412_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 412 which have changed from last version to this - see lns_corp_412 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           20
NAs      :          168
not-NA   :          230
not-0-NA :           18
sum      :        2 072
range    : [ 0 ] ... [ 371 ]
examples : [0], [0], [0], [NA], [0], [NA], [NA], [0], [NA], [32] ...
```

wds_corp_ins_421_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 421 which have changed from last version to this - see lns_corp_421 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            4
NAs      :          168
not-NA   :          230
not-0-NA :            2
sum      :           55
range    : [ 0 ] ... [ 34 ]
examples : [NA], [NA], [0], [NA], [0], [NA], [NA], [0], [NA], [0] ...
```

wds_corp_ins_422_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 422 which have changed from last version to this - see lns_corp_422 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            4
NAs      :          168
not-NA   :          230
not-0-NA :            2
sum      :           64
range    : [ 0 ] ... [ 34 ]
examples : [NA], [NA], [NA], [0], [0], [0], [0], [0], [NA], [0] ...
```

wds_corp_ins_43_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 43 which have changed from last version to this - see lns_corp_43 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            7
NAs      :          168
not-NA   :          230
not-0-NA :            5
sum      :          177
range    : [ 0 ] ... [ 74 ]
examples : [0], [0], [NA], [0], [0], [NA], [0], [0], [0], [0] ...
```

wds_corp_ins_441_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 441 which have changed from last version to this - see lns_corp_441 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            4
NAs      :          168
not-NA   :          230
```

```
not-0-NA :              2
sum      :            156
range    : [ 0 ] ... [ 100 ]
examples : [0], [0], [NA], [0], [NA], [100], [0], [0], [0], [0] ...
```

wds__corp__ins__442__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 442 which have changed from last version to this - see lns_corp_442 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :        numeric
unique   :              4
NAs      :            168
not-NA   :            230
not-0-NA :              2
sum      :            199
range    : [ 0 ] ... [ 146 ]
examples : [NA], [0], [NA], [0], [0], [NA], [0], [NA], [0], [NA] ...
```

wds__corp__ins__45__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 45 which have changed from last version to this - see lns_corp_45 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :        numeric
unique   :              5
NAs      :            168
not-NA   :            230
not-0-NA :              3
sum      :          1 165
range    : [ 0 ] ... [ 554 ]
examples : [0], [NA], [NA], [0], [NA], [0], [NA], [0], [0], [0] ...
```

wds__corp__ins__51__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 51 which have changed from last version to this - see lns_corp_51 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :        numeric
unique   :             56
NAs      :            168
not-NA   :            230
not-0-NA :             62
sum      :          7 967
range    : [ 0 ] ... [ 493 ]
examples : [0], [0], [0], [NA], [0], [0], [NA], [0], [NA], [119] ...
```

wds__corp__ins__52__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 52 which have changed from last version to this - see lns_corp_52 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           20
NAs      :          168
not-NA   :          230
not-0-NA :           19
sum      :       4 041
range    : [ 0 ] ... [ 586 ]
examples : [0], [0], [0], [0], [NA], [NA], [0], [0], [NA], [0] ...
```

wds_corp_ins_53_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 53 which have changed from last version to this - see lns_corp_53 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           71
NAs      :          168
not-NA   :          230
not-0-NA :           75
sum      :      14 641
range    : [ 0 ] ... [ 674 ]
examples : [NA], [NA], [0], [NA], [60], [0], [244], [54], [NA], [NA] ...
```

wds_corp_ins_54_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 54 which have changed from last version to this - see lns_corp_54 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           21
NAs      :          168
not-NA   :          230
not-0-NA :           19
sum      :       4 122
range    : [ 0 ] ... [ 890 ]
examples : [0], [NA], [NA], [0], [NA], [NA], [NA], [0], [0], [NA] ...
```

wds_corp_ins_55_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 55 which have changed from last version to this - see lns_corp_55 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           46
NAs      :          168
not-NA   :          230
not-0-NA :           46
sum      :       6 039
range    : [ 0 ] ... [ 1260 ]
```

```
examples : [169], [0], [0], [0], [0], [NA], [0], [366], [NA], [NA] ...
```

wds_corp_ins_56_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 56 which have changed from last version to this - see lns_corp_56 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            40
NAs      :           168
not-NA   :           230
not-0-NA :            47
sum      :         5 771
range    : [ 0 ] ... [ 545 ]
examples : [0], [NA], [NA], [0], [0], [0], [NA], [NA], [NA], [0] ...
```

wds_corp_ins_611_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 611 which have changed from last version to this - see lns_corp_611 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            46
NAs      :           168
not-NA   :           230
not-0-NA :            54
sum      :        12 081
range    : [ 0 ] ... [ 2937 ]
examples : [NA], [0], [0], [0], [0], [NA], [0], [NA], [8], [0] ...
```

wds_corp_ins_612_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 612 which have changed from last version to this - see lns_corp_612 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            23
NAs      :           168
not-NA   :           230
not-0-NA :            21
sum      :         2 960
range    : [ 0 ] ... [ 1708 ]
examples : [NA], [25], [0], [0], [0], [0], [0], [NA], [NA], [0] ...
```

wds_corp_ins_613_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 613 which have changed from last version to this - see lns_corp_613 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            27
```

```
NAs      :          168
not-NA   :          230
not-0-NA :           27
sum      :        2 357
range    : [ 0 ] ... [ 239 ]
examples : [0], [NA], [NA], [NA], [NA], [0], [NA], [0], [NA], [NA] ...
```

wds_corp_ins_6211_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 6211 which have changed from last version to this - see lns_corp_6211 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           24
NAs      :          168
not-NA   :          230
not-0-NA :           23
sum      :        2 940
range    : [ 0 ] ... [ 975 ]
examples : [0], [NA], [NA], [0], [0], [NA], [NA], [0], [0], [0] ...
```

wds_corp_ins_6212_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 6212 which have changed from last version to this - see lns_corp_6212 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           29
NAs      :          168
not-NA   :          230
not-0-NA :           28
sum      :        1 856
range    : [ 0 ] ... [ 263 ]
examples : [0], [0], [NA], [0], [0], [NA], [0], [32], [NA], [13] ...
```

wds_corp_ins_6221_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 6221 which have changed from last version to this - see lns_corp_6221 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           19
NAs      :          168
not-NA   :          230
not-0-NA :           18
sum      :          840
range    : [ 0 ] ... [ 95 ]
examples : [NA], [0], [NA], [NA], [0], [0], [0], [0], [NA], [75] ...
```

wds_corp_ins_6222_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 6222 which have changed from last version to this - see lns_corp_6222 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            19
NAs      :           168
not-NA   :           230
not-0-NA :            19
sum      :         1 324
range    : [ 0 ] ... [ 304 ]
examples : [0], [0], [NA], [NA], [0], [NA], [NA], [NA], [NA], [0] ...
```

wds_corp_ins_631_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 631 which have changed from last version to this - see lns_corp_631 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            13
NAs      :           168
not-NA   :           230
not-0-NA :            11
sum      :         1 254
range    : [ 0 ] ... [ 516 ]
examples : [0], [0], [NA], [NA], [0], [0], [NA], [0], [NA], [NA] ...
```

wds_corp_ins_632_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 632 which have changed from last version to this - see lns_corp_632 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            62
NAs      :           168
not-NA   :           230
not-0-NA :            75
sum      :         6 637
range    : [ 0 ] ... [ 524 ]
examples : [NA], [0], [0], [NA], [NA], [0], [5], [NA], [524], [0] ...
```

wds_corp_ins_633_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 633 which have changed from last version to this - see lns_corp_633 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            25
NAs      :           168
not-NA   :           230
not-0-NA :            26
```

```
sum      :        1 838
range    : [ 0 ] ... [ 196 ]
examples : [NA], [0], [NA], [0], [NA], [0], [NA], [0], [NA], [0] ...
```

wds_corp_ins_634_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 634 which have changed from last version to this - see lns_corp_634 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          44
NAs      :         168
not-NA   :         230
not-0-NA :          48
sum      :       4 346
range    : [ 0 ] ... [ 506 ]
examples : [0], [32], [52], [NA], [NA], [NA], [0], [NA], [0], [NA] ...
```

wds_corp_ins_6351_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 6351 which have changed from last version to this - see lns_corp_6351 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           5
NAs      :         168
not-NA   :         230
not-0-NA :           4
sum      :         235
range    : [ 0 ] ... [ 116 ]
examples : [0], [0], [0], [0], [NA], [NA], [0], [0], [NA], [NA] ...
```

wds_corp_ins_6352_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 6352 which have changed from last version to this - see lns_corp_6352 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          12
NAs      :         168
not-NA   :         230
not-0-NA :          10
sum      :         785
range    : [ 0 ] ... [ 202 ]
examples : [0], [NA], [NA], [0], [NA], [0], [NA], [0], [NA], [0] ...
```

wds_corp_ins_636_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 636 which have changed from last version to this - see lns_corp_636 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           27
NAs      :          168
not-NA   :          230
not-0-NA :           30
sum      :       2 902
range    : [ 0 ] ... [ 388 ]
examples : [0], [0], [0], [0], [0], [0], [NA], [39], [28], [NA] ...
```

wds_corp_ins_637_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 637 which have changed from last version to this - see lns_corp_637 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           19
NAs      :          168
not-NA   :          230
not-0-NA :           19
sum      :       5 494
range    : [ 0 ] ... [ 2303 ]
examples : [NA], [NA], [0], [NA], [NA], [0], [NA], [NA], [NA], [0] ...
```

wds_corp_ins_638_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 638 which have changed from last version to this - see lns_corp_638 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :          168
not-NA   :          230
not-0-NA :            7
sum      :          460
range    : [ 0 ] ... [ 173 ]
examples : [0], [NA], [0], [0], [0], [0], [NA], [NA], [0], [0] ...
```

wds_corp_ins_639_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 639 which have changed from last version to this - see lns_corp_639 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           50
NAs      :          168
not-NA   :          230
not-0-NA :           51
sum      :      14 803
range    : [ 0 ] ... [ 1447 ]
examples : [NA], [0], [NA], [0], [NA], [NA], [0], [0], [0], [0] ...
```

wds_corp_ins_641_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 641 which have changed from last version to this - see lns_corp_641 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :          16
NAs      :         168
not-NA   :         230
not-0-NA :          15
sum      :       1 852
range    : [ 0 ] ... [ 332 ]
examples : [0], [NA], [NA], [0], [0], [0], [NA], [0], [0], [0] ...
```

wds_corp_ins_642_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 642 which have changed from last version to this - see lns_corp_642 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :          17
NAs      :         168
not-NA   :         230
not-0-NA :          17
sum      :       1 628
range    : [ 0 ] ... [ 330 ]
examples : [NA], [0], [0], [NA], [NA], [0], [0], [NA], [NA], [NA] ...
```

wds_corp_ins_643_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 643 which have changed from last version to this - see lns_corp_643 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           8
NAs      :         168
not-NA   :         230
not-0-NA :           6
sum      :         438
range    : [ 0 ] ... [ 137 ]
examples : [NA], [0], [NA], [0], [0], [NA], [0], [0], [NA], [0] ...
```

wds_corp_ins_651_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 651 which have changed from last version to this - see lns_corp_651 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :          38
NAs      :         168
not-NA   :         230
```

```
not-0-NA :             38
sum      :          8 067
range    : [ 0 ] ... [ 2061 ]
examples : [0], [0], [NA], [NA], [NA], [25], [NA], [NA], [0], [NA] ...
```

wds_corp_ins_652_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 652 which have changed from last version to this - see lns_corp_652 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          37
NAs      :         168
not-NA   :         230
not-0-NA :          37
sum      :        3 639
range    : [ 0 ] ... [ 470 ]
examples : [73], [NA], [0], [82], [41], [NA], [0], [0], [NA], [0] ...
```

wds_corp_ins_653_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 653 which have changed from last version to this - see lns_corp_653 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           4
NAs      :         168
not-NA   :         230
not-0-NA :           2
sum      :          71
range    : [ 0 ] ... [ 41 ]
examples : [0], [0], [0], [0], [0], [0], [0], [NA], [NA], [NA] ...
```

wds_corp_ins_66_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 66 which have changed from last version to this - see lns_corp_66 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           3
NAs      :         168
not-NA   :         230
not-0-NA :           2
sum      :          82
range    : [ 0 ] ... [ 41 ]
examples : [0], [0], [NA], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_ins_67_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 67 which have changed from last version to this - see lns_corp_67 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :             4
NAs      :           168
not-NA   :           230
not-0-NA :             2
sum      :           184
range    : [ 0 ] ... [ 107 ]
examples : [0], [NA], [0], [0], [NA], [0], [NA], [NA], [0], [0] ...
```

wds_corp_ins_68_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 68 which have changed from last version to this - see lns_corp_68 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            20
NAs      :           168
not-NA   :           230
not-0-NA :            23
sum      :         2 850
range    : [ 0 ] ... [ 545 ]
examples : [0], [0], [0], [0], [18], [NA], [NA], [NA], [0], [0] ...
```

wds_corp_ins_71_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 71 which have changed from last version to this - see lns_corp_71 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            12
NAs      :           168
not-NA   :           230
not-0-NA :            10
sum      :         1 078
range    : [ 0 ] ... [ 469 ]
examples : [0], [NA], [40], [0], [NA], [0], [0], [0], [0], [0] ...
```

wds_corp_ins_72_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 72 which have changed from last version to this - see lns_corp_72 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :             7
NAs      :           168
not-NA   :           230
not-0-NA :             6
sum      :           194
range    : [ 0 ] ... [ 58 ]
```

```
examples : [NA], [0], [0], [0], [NA], [NA], [NA], [0], [0], [0] ...
```

wds__corp__ins__73__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 73 which have changed from last version to this - see lns_corp_73 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            6
NAs      :          168
not-NA   :          230
not-0-NA :            4
sum      :          549
range    : [ 0 ] ... [ 442 ]
examples : [0], [NA], [NA], [0], [4], [NA], [0], [NA], [0], [0] ...
```

wds__corp__ins__8__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 8 which have changed from last version to this - see lns_corp_8 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           21
NAs      :          168
not-NA   :          230
not-0-NA :           20
sum      :        2 110
range    : [ 0 ] ... [ 708 ]
examples : [0], [NA], [NA], [0], [0], [NA], [NA], [NA], [0], [0] ...
```

wds__corp__ins__999__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 999 which have changed from last version to this - see lns_corp_999 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            2
NAs      :          168
not-NA   :          230
not-0-NA :            0
sum      :            0
range    : [ 0 ] ... [ 0 ]
examples : [NA], [0], [0], [0], [0], [NA], [NA], [NA], [NA], [0] ...
```

wds__corp__ins__9__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 9 which have changed from last version to this - see lns_corp_9 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           22
```

```
NAs      :         168
not-NA   :         230
not-0-NA :          23
sum      :       2 091
range    : [ 0 ] ... [ 633 ]
examples : [29], [NA], [0], [NA], [NA], [0], [NA], [0], [NA], [NA] ...
```

wds_corp_mdf_10_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 10 which have changed from last version to this - see lns_corp_10 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          60
NAs      :         168
not-NA   :         230
not-0-NA :          75
sum      :       5 404
range    : [ 0 ] ... [ 470 ]
examples : [0], [NA], [0], [NA], [NA], [0], [NA], [9], [329], [2] ...
```

wds_corp_mdf_111_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 111 which have changed from last version to this - see lns_corp_111 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          30
NAs      :         168
not-NA   :         230
not-0-NA :          36
sum      :       1 327
range    : [ 0 ] ... [ 192 ]
examples : [0], [0], [0], [NA], [NA], [0], [0], [NA], [0], [NA] ...
```

wds_corp_mdf_112_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 112 which have changed from last version to this - see lns_corp_112 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          36
NAs      :         168
not-NA   :         230
not-0-NA :          45
sum      :       1 884
range    : [ 0 ] ... [ 450 ]
examples : [0], [NA], [0], [NA], [NA], [2], [NA], [0], [0], [119] ...
```

wds__corp__mdf__113__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 113 which have changed from last version to this - see lns_corp_113 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          43
NAs      :         168
not-NA   :         230
not-0-NA :          62
sum      :       5 131
range    : [ 0 ] ... [ 597 ]
examples : [0], [0], [8], [0], [0], [0], [0], [169], [NA], [0] ...
```

wds__corp__mdf__114__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 114 which have changed from last version to this - see lns_corp_114 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          11
NAs      :         168
not-NA   :         230
not-0-NA :          10
sum      :       1 126
range    : [ 0 ] ... [ 524 ]
examples : [0], [0], [9], [0], [NA], [0], [0], [NA], [NA], [NA] ...
```

wds__corp__mdf__121__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 121 which have changed from last version to this - see lns_corp_121 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          43
NAs      :         168
not-NA   :         230
not-0-NA :          49
sum      :       4 197
range    : [ 0 ] ... [ 357 ]
examples : [42], [4], [NA], [0], [0], [NA], [0], [0], [138], [NA] ...
```

wds__corp__mdf__122__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 122 which have changed from last version to this - see lns_corp_122 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          44
NAs      :         168
not-NA   :         230
not-0-NA :          48
```

```
sum       :       3 402
range     : [ 0 ] ... [ 290 ]
examples  : [0], [0], [0], [0], [NA], [0], [NA], [0], [NA], [NA] ...
```

wds_corp_mdf_123_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 123 which have changed from last version to this - see lns_corp_123 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :       numeric
unique    :            79
NAs       :           168
not-NA    :           230
not-0-NA  :            98
sum       :        13 220
range     : [ 0 ] ... [ 1177 ]
examples  : [NA], [NA], [NA], [0], [0], [154], [NA], [1], [6], [51] ...
```

wds_corp_mdf_124_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 124 which have changed from last version to this - see lns_corp_124 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :       numeric
unique    :            14
NAs       :           168
not-NA    :           230
not-0-NA  :            16
sum       :           358
range     : [ 0 ] ... [ 176 ]
examples  : [2], [NA], [0], [NA], [NA], [NA], [0], [NA], [NA], [0] ...
```

wds_corp_mdf_125_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 125 which have changed from last version to this - see lns_corp_125 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :       numeric
unique    :            51
NAs       :           168
not-NA    :           230
not-0-NA  :            62
sum       :         4 343
range     : [ 0 ] ... [ 355 ]
examples  : [NA], [20], [0], [NA], [NA], [0], [NA], [NA], [NA], [NA] ...
```

wds_corp_mdf_131_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 131 which have changed from last version to this - see lns_corp_131 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            31
NAs      :           168
not-NA   :           230
not-0-NA :            35
sum      :        1 999
range    : [ 0 ] ... [ 311 ]
examples : [0], [NA], [0], [NA], [NA], [NA], [NA], [NA], [0], [0] ...
```

wds_corp_mdf_132_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 132 which have changed from last version to this - see lns_corp_132 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            20
NAs      :           168
not-NA   :           230
not-0-NA :            21
sum      :           730
range    : [ 0 ] ... [ 143 ]
examples : [0], [0], [0], [143], [NA], [0], [NA], [NA], [0], [NA] ...
```

wds_corp_mdf_133_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 133 which have changed from last version to this - see lns_corp_133 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            27
NAs      :           168
not-NA   :           230
not-0-NA :            36
sum      :        1 093
range    : [ 0 ] ... [ 148 ]
examples : [0], [0], [0], [0], [0], [NA], [NA], [NA], [0], [NA] ...
```

wds_corp_mdf_134_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 134 which have changed from last version to this - see lns_corp_134 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            60
NAs      :           168
not-NA   :           230
not-0-NA :            80
sum      :        5 362
range    : [ 0 ] ... [ 269 ]
examples : [29], [87], [20], [NA], [0], [0], [47], [0], [NA], [NA] ...
```

wds_corp_mdf_141_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 141 which have changed from last version to this - see lns_corp_141 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           8
NAs      :         168
not-NA   :         230
not-0-NA :           7
sum      :         189
range    : [ 0 ] ... [ 69 ]
examples : [0], [NA], [NA], [69], [0], [NA], [NA], [0], [0], [NA] ...
```

wds_corp_mdf_142_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 142 which have changed from last version to this - see lns_corp_142 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :          22
NAs      :         168
not-NA   :         230
not-0-NA :          23
sum      :         843
range    : [ 0 ] ... [ 185 ]
examples : [0], [0], [4], [0], [NA], [NA], [0], [0], [NA], [0] ...
```

wds_corp_mdf_143_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 143 which have changed from last version to this - see lns_corp_143 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :          10
NAs      :         168
not-NA   :         230
not-0-NA :          12
sum      :         390
range    : [ 0 ] ... [ 153 ]
examples : [0], [0], [0], [0], [0], [0], [4], [0], [0], [0] ...
```

wds_corp_mdf_144_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 144 which have changed from last version to this - see lns_corp_144 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           7
NAs      :         168
not-NA   :         230
```

```
not-0-NA :             5
sum      :            76
range    : [ 0 ] ... [ 52 ]
examples : [NA], [0], [0], [0], [NA], [0], [NA], [0], [0], [0] ...
```

wds_corp_mdf_145_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 145 which have changed from last version to this - see lns_corp_145 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :             6
NAs      :           168
not-NA   :           230
not-0-NA :             4
sum      :           113
range    : [ 0 ] ... [ 45 ]
examples : [NA], [0], [0], [0], [0], [NA], [0], [NA], [0], [0] ...
```

wds_corp_mdf_21_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 21 which have changed from last version to this - see lns_corp_21 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            24
NAs      :           168
not-NA   :           230
not-0-NA :            26
sum      :         2 024
range    : [ 0 ] ... [ 283 ]
examples : [NA], [0], [0], [NA], [0], [0], [101], [0], [NA], [0] ...
```

wds_corp_mdf_22_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 22 which have changed from last version to this - see lns_corp_22 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            69
NAs      :           168
not-NA   :           230
not-0-NA :            80
sum      :        19 909
range    : [ 0 ] ... [ 4545 ]
examples : [NA], [38], [NA], [0], [NA], [0], [NA], [20], [NA], [30] ...
```

wds_corp_mdf_23_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 23 which have changed from last version to this - see lns_corp_23 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           24
NAs      :          168
not-NA   :          230
not-0-NA :           22
sum      :        1 472
range    : [ 0 ] ... [ 276 ]
examples : [0], [0], [0], [0], [0], [NA], [NA], [NA], [NA], [0] ...
```

wds_corp_mdf_241_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 241 which have changed from last version to this - see lns_corp_241 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           22
NAs      :          168
not-NA   :          230
not-0-NA :           20
sum      :        1 339
range    : [ 0 ] ... [ 289 ]
examples : [0], [0], [0], [0], [NA], [0], [11], [0], [NA], [0] ...
```

wds_corp_mdf_242_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 242 which have changed from last version to this - see lns_corp_242 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           20
NAs      :          168
not-NA   :          230
not-0-NA :           18
sum      :        2 539
range    : [ 0 ] ... [ 1096 ]
examples : [0], [NA], [0], [0], [NA], [NA], [0], [NA], [NA], [0] ...
```

wds_corp_mdf_243_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 243 which have changed from last version to this - see lns_corp_243 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            3
NAs      :          168
not-NA   :          230
not-0-NA :            1
sum      :          115
range    : [ 0 ] ... [ 115 ]
```

```
examples : [NA], [NA], [NA], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_mdf_244_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 244 which have changed from last version to this - see lns_corp_244 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :          168
not-NA   :          230
not-0-NA :            7
sum      :          318
range    : [ 0 ] ... [ 101 ]
examples : [NA], [0], [0], [0], [0], [0], [NA], [NA], [0], [0] ...
```

wds_corp_mdf_25_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 25 which have changed from last version to this - see lns_corp_25 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           44
NAs      :          168
not-NA   :          230
not-0-NA :           49
sum      :        6 155
range    : [ 0 ] ... [ 1868 ]
examples : [0], [NA], [NA], [NA], [0], [0], [0], [45], [NA], [NA] ...
```

wds_corp_mdf_26_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 26 which have changed from last version to this - see lns_corp_26 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           41
NAs      :          168
not-NA   :          230
not-0-NA :           50
sum      :        5 041
range    : [ 0 ] ... [ 1081 ]
examples : [NA], [64], [NA], [80], [NA], [0], [0], [9], [NA], [NA] ...
```

wds_corp_mdf_27_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 27 which have changed from last version to this - see lns_corp_27 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           10
```

```
NAs      :          168
not-NA   :          230
not-0-NA :            8
sum      :          284
range    : [ 0 ] ... [ 105 ]
examples : [NA], [0], [NA], [0], [0], [NA], [0], [NA], [NA], [0] ...
```

wds_corp_mdf_28_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 28 which have changed from last version to this - see lns_corp_28 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            7
NAs      :          168
not-NA   :          230
not-0-NA :            5
sum      :          350
range    : [ 0 ] ... [ 205 ]
examples : [0], [0], [0], [NA], [0], [0], [NA], [0], [0], [0] ...
```

wds_corp_mdf_29_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 29 which have changed from last version to this - see lns_corp_29 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :           26
NAs      :          168
not-NA   :          230
not-0-NA :           26
sum      :        3 650
range    : [ 0 ] ... [ 1104 ]
examples : [0], [0], [NA], [NA], [0], [0], [NA], [397], [0], [199] ...
```

wds_corp_mdf_31_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 31 which have changed from last version to this - see lns_corp_31 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :           11
NAs      :          168
not-NA   :          230
not-0-NA :            9
sum      :          373
range    : [ 0 ] ... [ 186 ]
examples : [NA], [0], [0], [NA], [0], [0], [NA], [0], [NA], [0] ...
```

wds__corp__mdf__32__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 32 which have changed from last version to this - see lns_corp_32 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            18
NAs      :           168
not-NA   :           230
not-0-NA :            20
sum      :         1 533
range    : [ 0 ] ... [ 691 ]
examples : [0], [0], [0], [NA], [NA], [NA], [0], [NA], [NA], [NA] ...
```

wds__corp__mdf__33__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 33 which have changed from last version to this - see lns_corp_33 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            13
NAs      :           168
not-NA   :           230
not-0-NA :            12
sum      :           621
range    : [ 0 ] ... [ 284 ]
examples : [NA], [0], [0], [0], [0], [0], [NA], [0], [0], [0] ...
```

wds__corp__mdf__34__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 34 which have changed from last version to this - see lns_corp_34 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            35
NAs      :           168
not-NA   :           230
not-0-NA :            49
sum      :         2 373
range    : [ 0 ] ... [ 298 ]
examples : [NA], [0], [0], [0], [0], [NA], [0], [0], [NA], [0] ...
```

wds__corp__mdf__411__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 411 which have changed from last version to this - see lns_corp_411 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            16
NAs      :           168
not-NA   :           230
not-0-NA :            14
```

```
sum       :        1 997
range     : [ 0 ] ... [ 707 ]
examples  : [O], [NA], [NA], [NA], [O], [O], [NA], [O], [NA], [NA] ...
```

wds_corp_mdf_412_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 412 which have changed from last version to this - see lns_corp_412 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :        numeric
unique    :             26
NAs       :            168
not-NA    :            230
not-0-NA  :             30
sum       :        1 299
range     : [ 0 ] ... [ 133 ]
examples  : [NA], [O], [NA], [NA], [NA], [O], [O], [O], [O], [NA] ...
```

wds_corp_mdf_421_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 421 which have changed from last version to this - see lns_corp_421 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :        numeric
unique    :             10
NAs       :            168
not-NA    :            230
not-0-NA  :              9
sum       :            290
range     : [ 0 ] ... [ 136 ]
examples  : [O], [O], [O], [O], [O], [O], [O], [NA], [O], [O] ...
```

wds_corp_mdf_422_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 422 which have changed from last version to this - see lns_corp_422 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :        numeric
unique    :              9
NAs       :            168
not-NA    :            230
not-0-NA  :              7
sum       :            210
range     : [ 0 ] ... [ 72 ]
examples  : [NA], [O], [O], [NA], [NA], [NA], [O], [O], [NA], [NA] ...
```

wds_corp_mdf_43_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 43 which have changed from last version to this - see lns_corp_43 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            6
NAs      :          168
not-NA   :          230
not-0-NA :            4
sum      :          119
range    : [ 0 ] ... [ 87 ]
examples : [O], [NA], [NA], [NA], [O], [NA], [O], [O], [NA], [NA] ...
```

wds_corp_mdf_441_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 441 which have changed from last version to this - see lns_corp_441 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            2
NAs      :          168
not-NA   :          230
not-0-NA :            0
sum      :            0
range    : [ 0 ] ... [ 0 ]
examples : [O], [O], [NA], [NA], [NA], [O], [O], [O], [O], [O] ...
```

wds_corp_mdf_442_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 442 which have changed from last version to this - see lns_corp_442 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            7
NAs      :          168
not-NA   :          230
not-0-NA :            5
sum      :           65
range    : [ 0 ] ... [ 23 ]
examples : [O], [O], [O], [O], [O], [O], [O], [NA], [NA], [NA] ...
```

wds_corp_mdf_45_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 45 which have changed from last version to this - see lns_corp_45 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            8
NAs      :          168
not-NA   :          230
not-0-NA :            6
sum      :          341
range    : [ 0 ] ... [ 150 ]
examples : [NA], [NA], [NA], [NA], [O], [NA], [NA], [O], [NA], [O] ...
```

wds__corp__mdf__51__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 51 which have changed from last version to this - see lns_corp_51 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            82
NAs      :           168
not-NA   :           230
not-0-NA :           101
sum      :        16 869
range    : [ 0 ] ... [ 2615 ]
examples : [44], [NA], [52], [222], [NA], [NA], [NA], [NA], [21], [125] ...
```

wds__corp__mdf__52__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 52 which have changed from last version to this - see lns_corp_52 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            23
NAs      :           168
not-NA   :           230
not-0-NA :            22
sum      :         2 081
range    : [ 0 ] ... [ 322 ]
examples : [NA], [0], [0], [71], [NA], [NA], [45], [130], [0], [NA] ...
```

wds__corp__mdf__53__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 53 which have changed from last version to this - see lns_corp_53 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            94
NAs      :           168
not-NA   :           230
not-0-NA :           107
sum      :        21 660
range    : [ 0 ] ... [ 1153 ]
examples : [32], [NA], [0], [78], [0], [NA], [0], [77], [0], [955] ...
```

wds__corp__mdf__54__sum (ISOR, textlines, linelinkage)

Number of words with corpus code 54 which have changed from last version to this - see lns_corp_54 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            38
NAs      :           168
not-NA   :           230
```

```
not-0-NA :            45
sum      :         3 986
range    : [ 0 ] ... [ 602 ]
examples : [0], [0], [NA], [NA], [0], [NA], [0], [0], [NA], [0] ...
```

wds_corp_mdf_55_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 55 which have changed from last version to this - see lns_corp_55 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            55
NAs      :           168
not-NA   :           230
not-0-NA :            70
sum      :         5 380
range    : [ 0 ] ... [ 586 ]
examples : [0], [22], [0], [0], [NA], [0], [NA], [NA], [NA], [0] ...
```

wds_corp_mdf_56_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 56 which have changed from last version to this - see lns_corp_56 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            63
NAs      :           168
not-NA   :           230
not-0-NA :            75
sum      :         6 367
range    : [ 0 ] ... [ 469 ]
examples : [NA], [NA], [0], [NA], [0], [22], [NA], [4], [NA], [42] ...
```

wds_corp_mdf_611_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 611 which have changed from last version to this - see lns_corp_611 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            78
NAs      :           168
not-NA   :           230
not-0-NA :            91
sum      :        12 014
range    : [ 0 ] ... [ 1222 ]
examples : [NA], [NA], [0], [NA], [0], [NA], [NA], [NA], [0], [130] ...
```

wds_corp_mdf_612_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 612 which have changed from last version to this - see lns_corp_612 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           42
NAs      :          168
not-NA   :          230
not-0-NA :           54
sum      :        5 373
range    : [ 0 ] ... [ 789 ]
examples : [NA], [NA], [0], [0], [0], [NA], [0], [NA], [0], [0] ...
```

wds_corp_mdf_613_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 613 which have changed from last version to this - see lns_corp_613 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           49
NAs      :          168
not-NA   :          230
not-0-NA :           58
sum      :        4 526
range    : [ 0 ] ... [ 327 ]
examples : [NA], [0], [NA], [0], [2], [0], [NA], [NA], [NA], [NA] ...
```

wds_corp_mdf_6211_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 6211 which have changed from last version to this - see lns_corp_6211 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           48
NAs      :          168
not-NA   :          230
not-0-NA :           56
sum      :        3 974
range    : [ 0 ] ... [ 477 ]
examples : [0], [159], [0], [0], [NA], [0], [0], [0], [NA], [0] ...
```

wds_corp_mdf_6212_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 6212 which have changed from last version to this - see lns_corp_6212 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           44
NAs      :          168
not-NA   :          230
not-0-NA :           47
sum      :        4 992
range    : [ 0 ] ... [ 1069 ]
```

```
examples : [NA], [NA], [0], [0], [NA], [NA], [49], [0], [NA], [NA] ...
```

wds_corp_mdf_6221_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 6221 which have changed from last version to this - see lns_corp_6221 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           33
NAs      :          168
not-NA   :          230
not-0-NA :           38
sum      :        1 434
range    : [ 0 ] ... [ 261 ]
examples : [0], [NA], [NA], [0], [NA], [0], [0], [NA], [NA], [0] ...
```

wds_corp_mdf_6222_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 6222 which have changed from last version to this - see lns_corp_6222 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           27
NAs      :          168
not-NA   :          230
not-0-NA :           33
sum      :        1 253
range    : [ 0 ] ... [ 237 ]
examples : [NA], [NA], [7], [6], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_mdf_631_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 631 which have changed from last version to this - see lns_corp_631 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           23
NAs      :          168
not-NA   :          230
not-0-NA :           28
sum      :        1 305
range    : [ 0 ] ... [ 233 ]
examples : [0], [NA], [NA], [0], [NA], [NA], [0], [0], [0], [0] ...
```

wds_corp_mdf_632_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 632 which have changed from last version to this - see lns_corp_632 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           91
```

```
NAs      :        168
not-NA   :        230
not-0-NA :        127
sum      :     22 700
range    : [ 0 ] ... [ 4945 ]
examples : [NA], [NA], [0], [NA], [54], [NA], [40], [0], [0], [NA] ...
```

wds_corp_mdf_633_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 633 which have changed from last version to this - see lns_corp_633 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :         44
NAs      :        168
not-NA   :        230
not-0-NA :         67
sum      :      2 971
range    : [ 0 ] ... [ 184 ]
examples : [NA], [2], [0], [NA], [0], [55], [0], [NA], [0], [NA] ...
```

wds_corp_mdf_634_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 634 which have changed from last version to this - see lns_corp_634 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :         54
NAs      :        168
not-NA   :        230
not-0-NA :         70
sum      :      4 402
range    : [ 0 ] ... [ 337 ]
examples : [NA], [NA], [0], [NA], [0], [111], [NA], [NA], [0], [0] ...
```

wds_corp_mdf_6351_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 6351 which have changed from last version to this - see lns_corp_6351 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :         10
NAs      :        168
not-NA   :        230
not-0-NA :         11
sum      :        233
range    : [ 0 ] ... [ 101 ]
examples : [NA], [NA], [NA], [0], [NA], [0], [0], [0], [0], [NA] ...
```

wds_corp_mdf_6352_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 6352 which have changed from last version to this - see lns_corp_6352 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           17
NAs      :          168
not-NA   :          230
not-0-NA :           19
sum      :          579
range    : [ 0 ] ... [ 124 ]
examples : [0], [0], [0], [NA], [0], [0], [NA], [15], [0], [0] ...
```

wds_corp_mdf_636_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 636 which have changed from last version to this - see lns_corp_636 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           31
NAs      :          168
not-NA   :          230
not-0-NA :           33
sum      :        1 914
range    : [ 0 ] ... [ 217 ]
examples : [0], [NA], [NA], [25], [NA], [0], [0], [NA], [0], [0] ...
```

wds_corp_mdf_637_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 637 which have changed from last version to this - see lns_corp_637 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           26
NAs      :          168
not-NA   :          230
not-0-NA :           27
sum      :        2 030
range    : [ 0 ] ... [ 796 ]
examples : [NA], [0], [0], [NA], [NA], [0], [NA], [NA], [NA], [0] ...
```

wds_corp_mdf_638_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 638 which have changed from last version to this - see lns_corp_638 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :            3
```

```
sum      :        410
range    : [ 0 ] ... [ 358 ]
examples : [NA], [0], [0], [0], [0], [0], [NA], [0], [NA], [NA] ...
```

wds_corp_mdf_639_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 639 which have changed from last version to this - see lns_corp_639 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :         64
NAs      :        168
not-NA   :        230
not-0-NA :         76
sum      :      9 865
range    : [ 0 ] ... [ 1063 ]
examples : [NA], [0], [0], [9], [NA], [0], [962], [NA], [0], [150] ...
```

wds_corp_mdf_641_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 641 which have changed from last version to this - see lns_corp_641 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :         22
NAs      :        168
not-NA   :        230
not-0-NA :         24
sum      :      1 023
range    : [ 0 ] ... [ 267 ]
examples : [93], [0], [NA], [NA], [0], [NA], [NA], [2], [69], [0] ...
```

wds_corp_mdf_642_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 642 which have changed from last version to this - see lns_corp_642 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :         19
NAs      :        168
not-NA   :        230
not-0-NA :         18
sum      :        965
range    : [ 0 ] ... [ 183 ]
examples : [0], [0], [NA], [0], [0], [NA], [NA], [0], [NA], [NA] ...
```

wds_corp_mdf_643_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 643 which have changed from last version to this - see lns_corp_643 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :             9
NAs      :           168
not-NA   :           230
not-0-NA :             9
sum      :           430
range    : [ 0 ] ... [ 154 ]
examples : [NA], [0], [0], [NA], [NA], [NA], [NA], [0], [0], [0] ...
```

wds_corp_mdf_651_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 651 which have changed from last version to this - see lns_corp_651 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            57
NAs      :           168
not-NA   :           230
not-0-NA :            71
sum      :         6 310
range    : [ 0 ] ... [ 598 ]
examples : [NA], [0], [NA], [0], [0], [69], [NA], [NA], [NA], [NA] ...
```

wds_corp_mdf_652_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 652 which have changed from last version to this - see lns_corp_652 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            51
NAs      :           168
not-NA   :           230
not-0-NA :            59
sum      :         6 115
range    : [ 0 ] ... [ 971 ]
examples : [0], [NA], [NA], [NA], [0], [NA], [NA], [0], [NA], [NA] ...
```

wds_corp_mdf_653_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 653 which have changed from last version to this - see lns_corp_653 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            10
NAs      :           168
not-NA   :           230
not-0-NA :             8
sum      :           575
range    : [ 0 ] ... [ 231 ]
examples : [0], [NA], [0], [0], [0], [NA], [NA], [NA], [0], [NA] ...
```

wds_corp_mdf_66_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 66 which have changed from last version to this - see lns_corp_66 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            2
NAs      :          168
not-NA   :          230
not-0-NA :            0
sum      :            0
range    : [ 0 ] ... [ 0 ]
examples : [0], [NA], [0], [NA], [0], [0], [0], [0], [NA], [0] ...
```

wds_corp_mdf_67_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 67 which have changed from last version to this - see lns_corp_67 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            7
NAs      :          168
not-NA   :          230
not-0-NA :            5
sum      :          274
range    : [ 0 ] ... [ 140 ]
examples : [0], [0], [0], [0], [0], [NA], [0], [0], [NA], [NA] ...
```

wds_corp_mdf_68_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 68 which have changed from last version to this - see lns_corp_68 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           31
NAs      :          168
not-NA   :          230
not-0-NA :           43
sum      :        2 310
range    : [ 0 ] ... [ 346 ]
examples : [0], [0], [NA], [0], [0], [0], [0], [NA], [NA], [0] ...
```

wds_corp_mdf_71_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 71 which have changed from last version to this - see lns_corp_71 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           26
NAs      :          168
not-NA   :          230
```

```
not-0-NA :            26
sum      :      1 522
range    : [ 0 ] ... [ 568 ]
examples : [0], [0], [0], [0], [0], [44], [NA], [0], [NA], [0] ...
```

wds_corp_mdf_72_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 72 which have changed from last version to this - see lns_corp_72 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           15
NAs      :          168
not-NA   :          230
not-0-NA :           15
sum      :          492
range    : [ 0 ] ... [ 158 ]
examples : [0], [NA], [0], [0], [0], [NA], [NA], [0], [NA], [0] ...
```

wds_corp_mdf_73_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 73 which have changed from last version to this - see lns_corp_73 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           13
NAs      :          168
not-NA   :          230
not-0-NA :           11
sum      :          595
range    : [ 0 ] ... [ 282 ]
examples : [NA], [NA], [0], [NA], [NA], [0], [0], [0], [0], [0] ...
```

wds_corp_mdf_8_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 8 which have changed from last version to this - see lns_corp_8 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           43
NAs      :          168
not-NA   :          230
not-0-NA :           54
sum      :      3 921
range    : [ 0 ] ... [ 544 ]
examples : [NA], [0], [46], [NA], [NA], [NA], [0], [NA], [NA], [NA] ...
```

wds_corp_mdf_999_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 999 which have changed from last version to this - see lns_corp_999 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            2
NAs      :          168
not-NA   :          230
not-0-NA :            0
sum      :            0
range    : [ 0 ] ... [ 0 ]
examples : [NA], [NA], [NA], [NA], [NA], [O], [O], [O], [O], [NA] ...
```

wds_corp_mdf_9_sum (ISOR, textlines, linelinkage)

Number of words with corpus code 9 which have changed from last version to this - see lns_corp_9 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            6
NAs      :          168
not-NA   :          230
not-0-NA :            5
sum      :          145
range    : [ 0 ] ... [ 112 ]
examples : [O], [O], [O], [NA], [O], [O], [NA], [O], [O], [O] ...
```

lns_corp_del_10_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 10 which have changed from last version to this - see lns_corp_10 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           10
NAs      :          168
not-NA   :          230
not-0-NA :           27
sum      :           92
range    : [ 0 ] ... [ 18 ]
examples : [NA], [NA], [O], [NA], [O], [O], [NA], [NA], [NA], [O] ...
```

lns_corp_del_111_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 111 which have changed from last version to this - see lns_corp_111 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :            8
sum      :           11
range    : [ 0 ] ... [ 3 ]
```

```
examples : [NA], [NA], [0], [NA], [NA], [0], [NA], [0], [NA], [0] ...
```

lns__corp__del__112__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 112 which have changed from last version to this - see lns_corp_112 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :           12
sum      :           17
range    : [ 0 ] ... [ 3 ]
examples : [0], [NA], [NA], [0], [NA], [NA], [NA], [0], [0], [NA] ...
```

lns__corp__del__113__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 113 which have changed from last version to this - see lns_corp_113 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            7
NAs      :          168
not-NA   :          230
not-0-NA :           13
sum      :           28
range    : [ 0 ] ... [ 5 ]
examples : [0], [NA], [0], [NA], [NA], [0], [NA], [NA], [0], [NA] ...
```

lns__corp__del__114__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 114 which have changed from last version to this - see lns_corp_114 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            3
NAs      :          168
not-NA   :          230
not-0-NA :            1
sum      :            3
range    : [ 0 ] ... [ 3 ]
examples : [NA], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns__corp__del__121__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 121 which have changed from last version to this - see lns_corp_121 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            9
```

```
NAs      :          168
not-NA   :          230
not-0-NA :           23
sum      :           69
range    : [ 0 ] ... [ 17 ]
examples : [0], [NA], [0], [0], [1], [5], [NA], [0], [0], [NA] ...
```

lns_corp_del_122_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 122 which have changed from last version to this - see lns_corp_122 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            8
NAs      :          168
not-NA   :          230
not-0-NA :           19
sum      :           53
range    : [ 0 ] ... [ 11 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [NA], [NA] ...
```

lns_corp_del_123_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 123 which have changed from last version to this - see lns_corp_123 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           10
NAs      :          168
not-NA   :          230
not-0-NA :           32
sum      :           94
range    : [ 0 ] ... [ 8 ]
examples : [0], [NA], [0], [1], [0], [0], [0], [0], [0], [4] ...
```

lns_corp_del_124_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 124 which have changed from last version to this - see lns_corp_124 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            4
NAs      :          168
not-NA   :          230
not-0-NA :            2
sum      :           11
range    : [ 0 ] ... [ 9 ]
examples : [NA], [0], [NA], [NA], [NA], [NA], [NA], [0], [0], [NA] ...
```

lns__corp__del__125__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 125 which have changed from last version to this - see lns_corp_125 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :           14
sum      :           19
range    : [ 0 ] ... [ 3 ]
examples : [NA], [NA], [NA], [NA], [0], [NA], [NA], [NA], [0], [0] ...
```

lns__corp__del__131__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 131 which have changed from last version to this - see lns_corp_131 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            7
NAs      :          168
not-NA   :          230
not-0-NA :            6
sum      :           21
range    : [ 0 ] ... [ 8 ]
examples : [NA], [NA], [NA], [0], [0], [0], [0], [NA], [0], [0] ...
```

lns__corp__del__132__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 132 which have changed from last version to this - see lns_corp_132 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :            9
sum      :           15
range    : [ 0 ] ... [ 3 ]
examples : [0], [NA], [NA], [NA], [0], [0], [0], [0], [NA], [0] ...
```

lns__corp__del__133__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 133 which have changed from last version to this - see lns_corp_133 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :            7
```

```
sum      :           13
range    : [ 0 ] ... [ 6 ]
examples : [NA], [0], [0], [0], [0], [0], [0], [NA], [0], [0] ...
```

lns_corp_del_134_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 134 which have changed from last version to this - see lns_corp_134 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            7
NAs      :          168
not-NA   :          230
not-0-NA :           22
sum      :           51
range    : [ 0 ] ... [ 12 ]
examples : [0], [NA], [NA], [0], [1], [0], [0], [0], [0], [0] ...
```

lns_corp_del_141_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 141 which have changed from last version to this - see lns_corp_141 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            3
NAs      :          168
not-NA   :          230
not-0-NA :            1
sum      :            1
range    : [ 0 ] ... [ 1 ]
examples : [NA], [NA], [NA], [NA], [0], [0], [0], [0], [NA], [0] ...
```

lns_corp_del_142_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 142 which have changed from last version to this - see lns_corp_142 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            6
NAs      :          168
not-NA   :          230
not-0-NA :            9
sum      :           20
range    : [ 0 ] ... [ 6 ]
examples : [0], [NA], [NA], [0], [NA], [NA], [NA], [NA], [NA], [NA] ...
```

lns_corp_del_143_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 143 which have changed from last version to this - see lns_corp_143 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :             3
NAs      :           168
not-NA   :           230
not-0-NA :             3
sum      :             3
range    : [ 0 ] ... [ 1 ]
examples : [0], [0], [NA], [NA], [0], [NA], [0], [0], [0], [NA] ...
```

lns__corp__del__144__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 144 which have changed from last version to this - see lns_corp_144 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :             3
NAs      :           168
not-NA   :           230
not-0-NA :             1
sum      :             1
range    : [ 0 ] ... [ 1 ]
examples : [0], [0], [0], [NA], [0], [NA], [0], [0], [NA], [0] ...
```

lns__corp__del__145__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 145 which have changed from last version to this - see lns_corp_145 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :             2
NAs      :           168
not-NA   :           230
not-0-NA :             0
sum      :             0
range    : [ 0 ] ... [ 0 ]
examples : [0], [0], [0], [0], [NA], [NA], [0], [NA], [NA], [0] ...
```

lns__corp__del__21__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 21 which have changed from last version to this - see lns_corp_21 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :             7
NAs      :           168
not-NA   :           230
not-0-NA :             8
sum      :            44
range    : [ 0 ] ... [ 21 ]
examples : [0], [0], [NA], [NA], [NA], [0], [0], [NA], [NA], [NA] ...
```

lns__corp__del__22__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 22 which have changed from last version to this - see lns_corp_22 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :          13
NAs      :         168
not-NA   :         230
not-0-NA :          37
sum      :         212
range    : [ 0 ] ... [ 28 ]
examples : [0], [0], [NA], [NA], [0], [NA], [0], [NA], [NA], [NA] ...
```

lns__corp__del__23__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 23 which have changed from last version to this - see lns_corp_23 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           5
NAs      :         168
not-NA   :         230
not-0-NA :           7
sum      :          13
range    : [ 0 ] ... [ 5 ]
examples : [NA], [NA], [0], [0], [NA], [NA], [0], [NA], [0], [0] ...
```

lns__corp__del__241__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 241 which have changed from last version to this - see lns_corp_241 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           5
NAs      :         168
not-NA   :         230
not-0-NA :           5
sum      :          17
range    : [ 0 ] ... [ 10 ]
examples : [0], [0], [0], [0], [0], [NA], [NA], [0], [0], [NA] ...
```

lns__corp__del__242__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 242 which have changed from last version to this - see lns_corp_242 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           6
NAs      :         168
not-NA   :         230
```

```
not-0-NA :               9
sum      :              30
range    : [ 0 ] ... [ 17 ]
examples : [0], [0], [NA], [0], [NA], [0], [0], [0], [0], [NA] ...
```

lns_corp_del_243_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 243 which have changed from last version to this - see lns_corp_243 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :             3
NAs      :           168
not-NA   :           230
not-0-NA :             1
sum      :             1
range    : [ 0 ] ... [ 1 ]
examples : [0], [NA], [0], [0], [NA], [0], [NA], [NA], [NA], [0] ...
```

lns_corp_del_244_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 244 which have changed from last version to this - see lns_corp_244 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :             3
NAs      :           168
not-NA   :           230
not-0-NA :             2
sum      :             2
range    : [ 0 ] ... [ 1 ]
examples : [0], [NA], [0], [NA], [NA], [0], [NA], [0], [0], [0] ...
```

lns_corp_del_25_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 25 which have changed from last version to this - see lns_corp_25 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :             7
NAs      :           168
not-NA   :           230
not-0-NA :            15
sum      :            40
range    : [ 0 ] ... [ 14 ]
examples : [1], [0], [0], [NA], [0], [0], [0], [0], [NA], [1] ...
```

lns_corp_del_26_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 26 which have changed from last version to this - see lns_corp_26 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            8
NAs      :          168
not-NA   :          230
not-0-NA :           13
sum      :           48
range    : [ 0 ] ... [ 12 ]
examples : [0], [0], [NA], [0], [0], [0], [0], [0], [NA], [0] ...
```

lns_corp_del_27_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 27 which have changed from last version to this - see lns_corp_27 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            3
NAs      :          168
not-NA   :          230
not-0-NA :            1
sum      :            1
range    : [ 0 ] ... [ 1 ]
examples : [NA], [0], [0], [0], [0], [0], [0], [NA], [NA], [NA] ...
```

lns_corp_del_28_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 28 which have changed from last version to this - see lns_corp_28 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            4
NAs      :          168
not-NA   :          230
not-0-NA :            3
sum      :            7
range    : [ 0 ] ... [ 3 ]
examples : [0], [0], [NA], [0], [0], [0], [0], [0], [NA], [0] ...
```

lns_corp_del_29_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 29 which have changed from last version to this - see lns_corp_29 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :           10
NAs      :          168
not-NA   :          230
not-0-NA :           12
sum      :           64
range    : [ 0 ] ... [ 20 ]
```

```
examples : [NA], [0], [0], [NA], [0], [0], [0], [0], [NA], [0] ...
```

lns_corp_del_31_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 31 which have changed from last version to this - see lns_corp_31 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            4
NAs      :          168
not-NA   :          230
not-0-NA :            3
sum      :            5
range    : [ 0 ] ... [ 2 ]
examples : [0], [0], [0], [NA], [NA], [0], [0], [NA], [NA], [NA] ...
```

lns_corp_del_32_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 32 which have changed from last version to this - see lns_corp_32 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            3
NAs      :          168
not-NA   :          230
not-0-NA :            3
sum      :            3
range    : [ 0 ] ... [ 1 ]
examples : [NA], [0], [0], [NA], [NA], [0], [0], [NA], [NA], [NA] ...
```

lns_corp_del_33_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 33 which have changed from last version to this - see lns_corp_33 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            4
NAs      :          168
not-NA   :          230
not-0-NA :            2
sum      :            6
range    : [ 0 ] ... [ 5 ]
examples : [0], [0], [NA], [0], [0], [0], [NA], [NA], [NA], [0] ...
```

lns_corp_del_34_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 34 which have changed from last version to this - see lns_corp_34 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
```

```
NAs      :        168
not-NA   :        230
not-0-NA :         11
sum      :         17
range    : [ 0 ] ... [ 5 ]
examples : [NA], [NA], [0], [0], [NA], [0], [0], [NA], [NA], [0] ...
```

lns_corp_del_411_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 411 which have changed from last version to this - see lns_corp_411 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          3
NAs      :        168
not-NA   :        230
not-0-NA :          7
sum      :          7
range    : [ 0 ] ... [ 1 ]
examples : [NA], [NA], [0], [NA], [0], [NA], [0], [0], [NA], [0] ...
```

lns_corp_del_412_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 412 which have changed from last version to this - see lns_corp_412 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          4
NAs      :        168
not-NA   :        230
not-0-NA :          4
sum      :          5
range    : [ 0 ] ... [ 2 ]
examples : [0], [0], [0], [0], [NA], [0], [0], [0], [0], [0] ...
```

lns_corp_del_421_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 421 which have changed from last version to this - see lns_corp_421 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          5
NAs      :        168
not-NA   :        230
not-0-NA :          4
sum      :          8
range    : [ 0 ] ... [ 4 ]
examples : [0], [0], [0], [0], [NA], [NA], [0], [0], [NA], [0] ...
```

lns__corp__del__422__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 422 which have changed from last version to this - see lns_corp_422 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :             3
NAs      :           168
not-NA   :           230
not-0-NA :             2
sum      :             2
range    : [ 0 ] ... [ 1 ]
examples : [0], [0], [NA], [0], [NA], [NA], [0], [0], [0], [NA] ...
```

lns__corp__del__43__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 43 which have changed from last version to this - see lns_corp_43 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :             3
NAs      :           168
not-NA   :           230
not-0-NA :             3
sum      :             3
range    : [ 0 ] ... [ 1 ]
examples : [0], [NA], [NA], [NA], [0], [0], [0], [NA], [0], [0] ...
```

lns__corp__del__441__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 441 which have changed from last version to this - see lns_corp_441 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :             4
NAs      :           168
not-NA   :           230
not-0-NA :             2
sum      :             6
range    : [ 0 ] ... [ 4 ]
examples : [NA], [0], [NA], [NA], [NA], [0], [0], [0], [0], [0] ...
```

lns__corp__del__442__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 442 which have changed from last version to this - see lns_corp_442 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :             2
NAs      :           168
not-NA   :           230
not-0-NA :             0
```

```
sum     :            0
range   : [ 0 ] ... [ 0 ]
examples : [NA], [O], [O], [NA], [O], [O], [O], [NA], [NA], [O] ...
```

lns_corp_del_45_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 45 which have changed from last version to this - see lns_corp_45 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            4
NAs      :          168
not-NA   :          230
not-0-NA :            2
sum      :            5
range    : [ 0 ] ... [ 4 ]
examples : [O], [NA], [NA], [O], [O], [O], [NA], [NA], [NA], [NA] ...
```

lns_corp_del_51_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 51 which have changed from last version to this - see lns_corp_51 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           11
NAs      :          168
not-NA   :          230
not-0-NA :           44
sum      :          133
range    : [ 0 ] ... [ 17 ]
examples : [NA], [O], [O], [O], [NA], [O], [NA], [O], [NA], [O] ...
```

lns_corp_del_52_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 52 which have changed from last version to this - see lns_corp_52 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            6
NAs      :          168
not-NA   :          230
not-0-NA :           12
sum      :           34
range    : [ 0 ] ... [ 14 ]
examples : [NA], [O], [O], [O], [O], [NA], [O], [NA], [O], [NA] ...
```

lns_corp_del_53_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 53 which have changed from last version to this - see lns_corp_53 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           15
NAs      :          168
not-NA   :          230
not-0-NA :           50
sum      :          198
range    : [ 0 ] ... [ 24 ]
examples : [0], [NA], [0], [0], [0], [0], [0], [NA], [0], [19] ...
```

lns_corp_del_54_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 54 which have changed from last version to this - see lns_corp_54 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           10
NAs      :          168
not-NA   :          230
not-0-NA :           17
sum      :           99
range    : [ 0 ] ... [ 29 ]
examples : [0], [NA], [NA], [NA], [NA], [0], [NA], [0], [0], [0] ...
```

lns_corp_del_55_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 55 which have changed from last version to this - see lns_corp_55 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :          168
not-NA   :          230
not-0-NA :           20
sum      :           67
range    : [ 0 ] ... [ 15 ]
examples : [0], [0], [0], [0], [0], [0], [NA], [0], [0], [0] ...
```

lns_corp_del_56_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 56 which have changed from last version to this - see lns_corp_56 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           10
NAs      :          168
not-NA   :          230
not-0-NA :           30
sum      :          121
range    : [ 0 ] ... [ 45 ]
examples : [NA], [14], [0], [0], [NA], [0], [NA], [0], [NA], [NA] ...
```

lns__corp__del__611__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 611 which have changed from last version to this - see lns_corp_611 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           13
NAs      :          168
not-NA   :          230
not-0-NA :           35
sum      :          164
range    : [ 0 ] ... [ 30 ]
examples : [NA], [NA], [NA], [NA], [0], [0], [0], [0], [0], [0] ...
```

lns__corp__del__612__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 612 which have changed from last version to this - see lns_corp_612 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            6
NAs      :          168
not-NA   :          230
not-0-NA :           15
sum      :           28
range    : [ 0 ] ... [ 5 ]
examples : [NA], [0], [0], [0], [NA], [0], [0], [0], [0], [NA] ...
```

lns__corp__del__613__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 613 which have changed from last version to this - see lns_corp_613 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            8
NAs      :          168
not-NA   :          230
not-0-NA :           16
sum      :           42
range    : [ 0 ] ... [ 8 ]
examples : [0], [NA], [0], [0], [NA], [NA], [NA], [0], [0], [0] ...
```

lns__corp__del__6211__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 6211 which have changed from last version to this - see lns_corp_6211 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
```

```
not-0-NA :            13
sum      :            18
range    : [ 0 ] ... [ 3 ]
examples : [0], [NA], [1], [0], [NA], [NA], [NA], [NA], [0], [NA] ...
```

lns__corp__del__6212__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 6212 which have changed from last version to this - see lns_corp_6212 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            6
NAs      :          168
not-NA   :          230
not-0-NA :           13
sum      :           25
range    : [ 0 ] ... [ 4 ]
examples : [0], [0], [0], [NA], [NA], [0], [NA], [0], [0], [NA] ...
```

lns__corp__del__6221__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 6221 which have changed from last version to this - see lns_corp_6221 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :            3
sum      :            7
range    : [ 0 ] ... [ 4 ]
examples : [NA], [0], [NA], [0], [0], [0], [0], [NA], [NA], [0] ...
```

lns__corp__del__6222__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 6222 which have changed from last version to this - see lns_corp_6222 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :            5
sum      :           13
range    : [ 0 ] ... [ 7 ]
examples : [0], [NA], [NA], [0], [0], [NA], [NA], [2], [NA], [0] ...
```

lns__corp__del__631__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 631 which have changed from last version to this - see lns_corp_631 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            7
NAs      :          168
not-NA   :          230
not-0-NA :           10
sum      :           26
range    : [ 0 ] ... [ 8 ]
examples : [NA], [NA], [NA], [NA], [0], [NA], [0], [NA], [0], [0] ...
```

lns_corp_del_632_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 632 which have changed from last version to this - see lns_corp_632 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :           14
NAs      :          168
not-NA   :          230
not-0-NA :           58
sum      :          189
range    : [ 0 ] ... [ 18 ]
examples : [NA], [0], [NA], [NA], [0], [NA], [NA], [0], [NA], [NA] ...
```

lns_corp_del_633_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 633 which have changed from last version to this - see lns_corp_633 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            6
NAs      :          168
not-NA   :          230
not-0-NA :           17
sum      :           43
range    : [ 0 ] ... [ 20 ]
examples : [NA], [NA], [0], [NA], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_del_634_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 634 which have changed from last version to this - see lns_corp_634 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            9
NAs      :          168
not-NA   :          230
not-0-NA :           21
sum      :           55
range    : [ 0 ] ... [ 12 ]
```

```
examples : [0], [0], [NA], [0], [0], [0], [NA], [1], [0], [0] ...
```

lns__corp__del__6351__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 6351 which have changed from last version to this - see lns_corp_6351 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            4
NAs      :          168
not-NA   :          230
not-0-NA :            3
sum      :            4
range    : [ 0 ] ... [ 2 ]
examples : [0], [NA], [NA], [NA], [NA], [NA], [NA], [NA], [NA], [0] ...
```

lns__corp__del__6352__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 6352 which have changed from last version to this - see lns_corp_6352 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            3
NAs      :          168
not-NA   :          230
not-0-NA :            2
sum      :            2
range    : [ 0 ] ... [ 1 ]
examples : [0], [0], [NA], [NA], [0], [NA], [NA], [0], [0], [0] ...
```

lns__corp__del__636__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 636 which have changed from last version to this - see lns_corp_636 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :            9
sum      :           18
range    : [ 0 ] ... [ 4 ]
examples : [NA], [NA], [NA], [0], [0], [0], [0], [0], [0], [NA] ...
```

lns__corp__del__637__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 637 which have changed from last version to this - see lns_corp_637 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            8
```

```
NAs       :         168
not-NA    :         230
not-0-NA  :          11
sum       :          50
range     : [ 0 ] ... [ 15 ]
examples  : [0], [0], [0], [3], [0], [NA], [0], [0], [NA], [NA] ...
```

lns_corp_del_638_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 638 which have changed from last version to this - see lns_corp_638 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :      numeric
unique    :           5
NAs       :         168
not-NA    :         230
not-0-NA  :           3
sum       :          10
range     : [ 0 ] ... [ 5 ]
examples  : [NA], [0], [0], [0], [NA], [0], [0], [0], [0], [0] ...
```

lns_corp_del_639_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 639 which have changed from last version to this - see lns_corp_639 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :      numeric
unique    :          16
NAs       :         168
not-NA    :         230
not-0-NA  :          27
sum       :         177
range     : [ 0 ] ... [ 24 ]
examples  : [0], [NA], [0], [NA], [0], [NA], [NA], [0], [0], [0] ...
```

lns_corp_del_641_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 641 which have changed from last version to this - see lns_corp_641 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :      numeric
unique    :           5
NAs       :         168
not-NA    :         230
not-0-NA  :           3
sum       :           7
range     : [ 0 ] ... [ 4 ]
examples  : [NA], [0], [0], [NA], [NA], [0], [NA], [NA], [0], [NA] ...
```

lns__corp__del__642__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 642 which have changed from last version to this - see lns_corp_642 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            6
NAs      :          168
not-NA   :          230
not-0-NA :            9
sum      :           24
range    : [ 0 ] ... [ 12 ]
examples : [0], [0], [NA], [NA], [NA], [0], [NA], [0], [0], [NA] ...
```

lns__corp__del__643__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 643 which have changed from last version to this - see lns_corp_643 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            3
NAs      :          168
not-NA   :          230
not-0-NA :            1
sum      :            1
range    : [ 0 ] ... [ 1 ]
examples : [NA], [0], [0], [0], [0], [NA], [NA], [0], [0], [0] ...
```

lns__corp__del__651__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 651 which have changed from last version to this - see lns_corp_651 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :          168
not-NA   :          230
not-0-NA :           16
sum      :          111
range    : [ 0 ] ... [ 33 ]
examples : [NA], [NA], [0], [NA], [0], [NA], [0], [0], [NA], [0] ...
```

lns__corp__del__652__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 652 which have changed from last version to this - see lns_corp_652 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            8
NAs      :          168
not-NA   :          230
not-0-NA :           22
```

```
sum      :            74
range    : [ 0 ] ... [ 37 ]
examples : [0], [NA], [0], [NA], [1], [0], [0], [NA], [NA], [0] ...
```

lns__corp__del__653__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 653 which have changed from last version to this - see lns__corp__653 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :             4
NAs      :           168
not-NA   :           230
not-0-NA :             2
sum      :             3
range    : [ 0 ] ... [ 2 ]
examples : [0], [0], [NA], [0], [0], [0], [0], [0], [0], [0] ...
```

lns__corp__del__66__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 66 which have changed from last version to this - see lns__corp__66 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :             2
NAs      :           168
not-NA   :           230
not-0-NA :             0
sum      :             0
range    : [ 0 ] ... [ 0 ]
examples : [0], [0], [0], [0], [NA], [0], [NA], [0], [NA], [NA] ...
```

lns__corp__del__67__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 67 which have changed from last version to this - see lns__corp__67 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :             2
NAs      :           168
not-NA   :           230
not-0-NA :             0
sum      :             0
range    : [ 0 ] ... [ 0 ]
examples : [NA], [0], [0], [0], [0], [0], [0], [NA], [NA], [0] ...
```

lns__corp__del__68__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 68 which have changed from last version to this - see lns__corp__68 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :          168
not-NA   :          230
not-0-NA :           22
sum      :           56
range    : [ 0 ] ... [ 13 ]
examples : [0], [0], [1], [0], [0], [0], [0], [0], [NA], [3] ...
```

lns_corp_del_71_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 71 which have changed from last version to this - see lns_corp_71 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :           6
sum      :           26
range    : [ 0 ] ... [ 18 ]
examples : [0], [NA], [NA], [NA], [0], [0], [NA], [0], [0], [0] ...
```

lns_corp_del_72_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 72 which have changed from last version to this - see lns_corp_72 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            3
NAs      :          168
not-NA   :          230
not-0-NA :           2
sum      :           2
range    : [ 0 ] ... [ 1 ]
examples : [0], [NA], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_del_73_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 73 which have changed from last version to this - see lns_corp_73 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :           3
sum      :           20
range    : [ 0 ] ... [ 15 ]
examples : [0], [0], [0], [0], [NA], [0], [0], [0], [NA], [0] ...
```

lns__corp__del__8__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 8 which have changed from last version to this - see lns_corp_8 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           6
NAs      :         168
not-NA   :         230
not-0-NA :          16
sum      :          37
range    : [ 0 ] ... [ 14 ]
examples : [0], [NA], [NA], [NA], [0], [NA], [0], [0], [0], [0] ...
```

lns__corp__del__999__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 999 which have changed from last version to this - see lns_corp_999 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           3
NAs      :         168
not-NA   :         230
not-0-NA :           2
sum      :           2
range    : [ 0 ] ... [ 1 ]
examples : [NA], [0], [0], [0], [NA], [NA], [NA], [NA], [0], [NA] ...
```

lns__corp__del__9__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 9 which have changed from last version to this - see lns_corp_9 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           7
NAs      :         168
not-NA   :         230
not-0-NA :          14
sum      :          39
range    : [ 0 ] ... [ 11 ]
examples : [NA], [3], [NA], [NA], [NA], [NA], [0], [NA], [0], [0] ...
```

lns__corp__ins__10__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 10 which have changed from last version to this - see lns_corp_10 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :          17
NAs      :         168
not-NA   :         230
```

```
not-0-NA :            49
sum      :           374
range    : [ 0 ] ... [ 122 ]
examples : [0], [22], [0], [0], [NA], [NA], [0], [0], [2], [NA] ...
```

lns_corp_ins_111_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 111 which have changed from last version to this - see lns_corp_111 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :             9
NAs      :           168
not-NA   :           230
not-0-NA :            21
sum      :            73
range    : [ 0 ] ... [ 20 ]
examples : [0], [NA], [0], [1], [1], [NA], [0], [NA], [0], [NA] ...
```

lns_corp_ins_112_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 112 which have changed from last version to this - see lns_corp_112 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :             8
NAs      :           168
not-NA   :           230
not-0-NA :            21
sum      :            48
range    : [ 0 ] ... [ 8 ]
examples : [0], [0], [0], [1], [NA], [0], [NA], [0], [NA], [2] ...
```

lns_corp_ins_113_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 113 which have changed from last version to this - see lns_corp_113 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            10
NAs      :           168
not-NA   :           230
not-0-NA :            26
sum      :            88
range    : [ 0 ] ... [ 17 ]
examples : [0], [NA], [0], [NA], [0], [0], [NA], [NA], [0], [NA] ...
```

lns_corp_ins_114_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 114 which have changed from last version to this - see lns_corp_114 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            4
NAs      :          168
not-NA   :          230
not-0-NA :            7
sum      :           11
range    : [ 0 ] ... [ 3 ]
examples : [0], [0], [0], [0], [NA], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_121_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 121 which have changed from last version to this - see lns_corp_121 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           12
NAs      :          168
not-NA   :          230
not-0-NA :           36
sum      :          103
range    : [ 0 ] ... [ 11 ]
examples : [NA], [0], [NA], [NA], [1], [0], [NA], [0], [NA], [0] ...
```

lns_corp_ins_122_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 122 which have changed from last version to this - see lns_corp_122 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           10
NAs      :          168
not-NA   :          230
not-0-NA :           29
sum      :           78
range    : [ 0 ] ... [ 13 ]
examples : [NA], [0], [NA], [1], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_123_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 123 which have changed from last version to this - see lns_corp_123 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           15
NAs      :          168
not-NA   :          230
not-0-NA :           62
sum      :          227
range    : [ 0 ] ... [ 20 ]
```

```
examples : [NA], [0], [NA], [NA], [NA], [0], [0], [0], [NA], [NA] ...
```

lns_corp_ins_124_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 124 which have changed from last version to this - see lns_corp_124 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :            3
sum      :            9
range    : [ 0 ] ... [ 6 ]
examples : [NA], [0], [0], [NA], [NA], [0], [0], [0], [0], [NA] ...
```

lns_corp_ins_125_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 125 which have changed from last version to this - see lns_corp_125 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            6
NAs      :          168
not-NA   :          230
not-0-NA :           32
sum      :           59
range    : [ 0 ] ... [ 9 ]
examples : [NA], [NA], [1], [0], [0], [0], [0], [NA], [NA], [0] ...
```

lns_corp_ins_131_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 131 which have changed from last version to this - see lns_corp_131 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            7
NAs      :          168
not-NA   :          230
not-0-NA :           20
sum      :           39
range    : [ 0 ] ... [ 5 ]
examples : [NA], [0], [NA], [0], [NA], [0], [NA], [0], [0], [0] ...
```

lns_corp_ins_132_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 132 which have changed from last version to this - see lns_corp_132 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
```

```
NAs       :           168
not-NA    :           230
not-0-NA  :            16
sum       :            25
range     : [ 0 ] ... [ 3 ]
examples  : [0], [NA], [0], [NA], [0], [0], [NA], [1], [0], [NA] ...
```

lns_corp_ins_133_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 133 which have changed from last version to this - see lns_corp_133 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :       numeric
unique    :             6
NAs       :           168
not-NA    :           230
not-0-NA  :            16
sum       :            35
range     : [ 0 ] ... [ 9 ]
examples  : [NA], [0], [NA], [0], [0], [NA], [NA], [0], [NA], [NA] ...
```

lns_corp_ins_134_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 134 which have changed from last version to this - see lns_corp_134 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :       numeric
unique    :             9
NAs       :           168
not-NA    :           230
not-0-NA  :            43
sum       :           102
range     : [ 0 ] ... [ 16 ]
examples  : [NA], [0], [0], [0], [0], [0], [0], [0], [NA], [NA] ...
```

lns_corp_ins_141_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 141 which have changed from last version to this - see lns_corp_141 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :       numeric
unique    :             5
NAs       :           168
not-NA    :           230
not-0-NA  :             3
sum       :             6
range     : [ 0 ] ... [ 3 ]
examples  : [NA], [0], [NA], [0], [NA], [0], [0], [0], [NA], [0] ...
```

lns__corp__ins__142__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 142 which have changed from last version to this - see lns_corp_142 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            7
NAs      :          168
not-NA   :          230
not-0-NA :           12
sum      :           30
range    : [ 0 ] ... [ 6 ]
examples : [NA], [0], [NA], [0], [0], [NA], [NA], [NA], [1], [0] ...
```

lns__corp__ins__143__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 143 which have changed from last version to this - see lns_corp_143 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            4
NAs      :          168
not-NA   :          230
not-0-NA :            2
sum      :            5
range    : [ 0 ] ... [ 4 ]
examples : [NA], [NA], [0], [NA], [0], [NA], [NA], [0], [NA], [NA] ...
```

lns__corp__ins__144__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 144 which have changed from last version to this - see lns_corp_144 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            3
NAs      :          168
not-NA   :          230
not-0-NA :            1
sum      :            3
range    : [ 0 ] ... [ 3 ]
examples : [NA], [0], [0], [0], [NA], [NA], [0], [NA], [0], [0] ...
```

lns__corp__ins__145__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 145 which have changed from last version to this - see lns_corp_145 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            4
NAs      :          168
not-NA   :          230
not-0-NA :            3
```

```
sum       :            17
range     : [ 0 ] ... [ 13 ]
examples  : [NA], [NA], [NA], [0], [NA], [0], [0], [0], [0], [0] ...
```

lns__corp__ins__21__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 21 which have changed from last version to this - see lns__corp__21 also wds__mdf for more information. (sum of all values within cabinet duration)

```
class     :      numeric
unique    :            10
NAs       :           168
not-NA    :           230
not-0-NA  :            14
sum       :            57
range     : [ 0 ] ... [ 13 ]
examples  : [NA], [0], [NA], [0], [NA], [0], [NA], [NA], [0], [NA] ...
```

lns__corp__ins__22__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 22 which have changed from last version to this - see lns__corp__22 also wds__mdf for more information. (sum of all values within cabinet duration)

```
class     :      numeric
unique    :            18
NAs       :           168
not-NA    :           230
not-0-NA  :            62
sum       :           343
range     : [ 0 ] ... [ 46 ]
examples  : [2], [0], [0], [0], [0], [9], [0], [NA], [NA], [0] ...
```

lns__corp__ins__23__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 23 which have changed from last version to this - see lns__corp__23 also wds__mdf for more information. (sum of all values within cabinet duration)

```
class     :      numeric
unique    :             8
NAs       :           168
not-NA    :           230
not-0-NA  :            13
sum       :            51
range     : [ 0 ] ... [ 18 ]
examples  : [0], [0], [NA], [0], [NA], [1], [NA], [0], [0], [0] ...
```

lns__corp__ins__241__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 241 which have changed from last version to this - see lns__corp__241 also wds__mdf for more information. (sum of all values within cabinet duration)

145
```

```
class    :      numeric
unique   :          12
NAs      :         168
not-NA   :         230
not-0-NA :          20
sum      :         118
range    : [ 0 ] ... [ 24 ]
examples : [0], [0], [NA], [0], [NA], [0], [0], [0], [NA], [NA] ...
```

lns_corp_ins_242_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 242 which have changed from last version to this - see lns_corp_242 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          11
NAs      :         168
not-NA   :         230
not-0-NA :          18
sum      :         105
range    : [ 0 ] ... [ 21 ]
examples : [0], [0], [NA], [0], [NA], [NA], [0], [0], [NA], [0] ...
```

lns_corp_ins_243_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 243 which have changed from last version to this - see lns_corp_243 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           3
NAs      :         168
not-NA   :         230
not-0-NA :           4
sum      :           4
range    : [ 0 ] ... [ 1 ]
examples : [1], [0], [NA], [0], [NA], [0], [0], [0], [0], [NA] ...
```

lns_corp_ins_244_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 244 which have changed from last version to this - see lns_corp_244 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          10
NAs      :         168
not-NA   :         230
not-0-NA :          18
sum      :          98
range    : [ 0 ] ... [ 24 ]
examples : [NA], [NA], [0], [NA], [0], [0], [NA], [0], [NA], [NA] ...
```

lns__corp__ins__25__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 25 which have changed from last version to this - see lns_corp_25 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          13
NAs      :         168
not-NA   :         230
not-0-NA :          23
sum      :         121
range    : [ 0 ] ... [ 28 ]
examples : [0], [NA], [0], [0], [NA], [0], [0], [1], [0], [0] ...
```

lns__corp__ins__26__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 26 which have changed from last version to this - see lns_corp_26 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          12
NAs      :         168
not-NA   :         230
not-0-NA :          26
sum      :         126
range    : [ 0 ] ... [ 24 ]
examples : [NA], [0], [0], [0], [0], [0], [NA], [NA], [1], [NA] ...
```

lns__corp__ins__27__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 27 which have changed from last version to this - see lns_corp_27 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           4
NAs      :         168
not-NA   :         230
not-0-NA :           3
sum      :          11
range    : [ 0 ] ... [ 9 ]
examples : [NA], [1], [0], [0], [NA], [NA], [0], [0], [0], [NA] ...
```

lns__corp__ins__28__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 28 which have changed from last version to this - see lns_corp_28 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           5
NAs      :         168
not-NA   :         230
```

```
not-0-NA :             3
sum      :            27
range    : [ 0 ] ... [ 14 ]
examples : [NA], [0], [NA], [0], [NA], [0], [NA], [0], [NA], [NA] ...
```

lns_corp_ins_29_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 29 which have changed from last version to this - see lns_corp_29 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            15
NAs      :           168
not-NA   :           230
not-0-NA :            21
sum      :           359
range    : [ 0 ] ... [ 159 ]
examples : [0], [0], [0], [NA], [NA], [NA], [0], [4], [NA], [NA] ...
```

lns_corp_ins_31_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 31 which have changed from last version to this - see lns_corp_31 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :             6
NAs      :           168
not-NA   :           230
not-0-NA :             5
sum      :            20
range    : [ 0 ] ... [ 10 ]
examples : [NA], [NA], [0], [0], [0], [0], [NA], [NA], [0], [0] ...
```

lns_corp_ins_32_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 32 which have changed from last version to this - see lns_corp_32 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :             8
NAs      :           168
not-NA   :           230
not-0-NA :             8
sum      :            48
range    : [ 0 ] ... [ 25 ]
examples : [NA], [0], [NA], [0], [0], [NA], [NA], [0], [0], [NA] ...
```

lns_corp_ins_33_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 33 which have changed from last version to this - see lns_corp_33 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            6
NAs      :          168
not-NA   :          230
not-0-NA :            4
sum      :           14
range    : [ 0 ] ... [ 7 ]
examples : [0], [0], [0], [0], [NA], [NA], [NA], [NA], [NA], [0] ...
```

lns_corp_ins_34_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 34 which have changed from last version to this - see lns_corp_34 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            8
NAs      :          168
not-NA   :          230
not-0-NA :           35
sum      :           72
range    : [ 0 ] ... [ 6 ]
examples : [2], [NA], [0], [NA], [0], [0], [1], [0], [NA], [NA] ...
```

lns_corp_ins_411_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 411 which have changed from last version to this - see lns_corp_411 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            7
NAs      :          168
not-NA   :          230
not-0-NA :            6
sum      :           52
range    : [ 0 ] ... [ 28 ]
examples : [0], [NA], [NA], [0], [0], [0], [0], [NA], [NA], [0] ...
```

lns_corp_ins_412_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 412 which have changed from last version to this - see lns_corp_412 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           10
NAs      :          168
not-NA   :          230
not-0-NA :           18
sum      :           69
range    : [ 0 ] ... [ 13 ]
```

```
examples : [NA], [0], [NA], [NA], [NA], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_421_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 421 which have changed from last version to this - see lns_corp_421 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           3
NAs      :         168
not-NA   :         230
not-0-NA :           2
sum      :           2
range    : [ 0 ] ... [ 1 ]
examples : [NA], [NA], [0], [0], [0], [0], [0], [0], [NA], [0] ...
```

lns_corp_ins_422_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 422 which have changed from last version to this - see lns_corp_422 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           3
NAs      :         168
not-NA   :         230
not-0-NA :           2
sum      :           2
range    : [ 0 ] ... [ 1 ]
examples : [NA], [NA], [0], [0], [NA], [0], [NA], [0], [NA], [NA] ...
```

lns_corp_ins_43_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 43 which have changed from last version to this - see lns_corp_43 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           3
NAs      :         168
not-NA   :         230
not-0-NA :           6
sum      :           6
range    : [ 0 ] ... [ 1 ]
examples : [NA], [0], [0], [0], [NA], [NA], [0], [NA], [NA], [0] ...
```

lns_corp_ins_441_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 441 which have changed from last version to this - see lns_corp_441 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           4
```

```
NAs      :         168
not-NA   :         230
not-0-NA :           2
sum      :           6
range    : [ 0 ] ... [ 4 ]
examples : [NA], [NA], [O], [O], [NA], [O], [O], [O], [NA], [NA] ...
```

lns_corp_ins_442_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 442 which have changed from last version to this - see lns_corp_442 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           4
NAs      :         168
not-NA   :         230
not-0-NA :           2
sum      :           6
range    : [ 0 ] ... [ 5 ]
examples : [O], [O], [NA], [O], [O], [O], [NA], [NA], [NA], [O] ...
```

lns_corp_ins_45_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 45 which have changed from last version to this - see lns_corp_45 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           5
NAs      :         168
not-NA   :         230
not-0-NA :           3
sum      :          38
range    : [ 0 ] ... [ 19 ]
examples : [O], [NA], [O], [NA], [O], [O], [O], [NA], [O], [O] ...
```

lns_corp_ins_51_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 51 which have changed from last version to this - see lns_corp_51 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :          21
NAs      :         168
not-NA   :         230
not-0-NA :          63
sum      :         361
range    : [ 0 ] ... [ 62 ]
examples : [O], [O], [O], [O], [NA], [NA], [O], [NA], [O], [O] ...
```

lns__corp__ins__52__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 52 which have changed from last version to this - see lns_corp_52 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            12
NAs      :           168
not-NA   :           230
not-0-NA :            19
sum      :           135
range    : [ 0 ] ... [ 17 ]
examples : [0], [0], [0], [NA], [NA], [0], [0], [NA], [NA], [NA] ...
```

lns__corp__ins__53__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 53 which have changed from last version to this - see lns_corp_53 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            20
NAs      :           168
not-NA   :           230
not-0-NA :            75
sum      :           467
range    : [ 0 ] ... [ 23 ]
examples : [0], [NA], [NA], [NA], [NA], [2], [1], [0], [NA], [0] ...
```

lns__corp__ins__54__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 54 which have changed from last version to this - see lns_corp_54 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            13
NAs      :           168
not-NA   :           230
not-0-NA :            19
sum      :           148
range    : [ 0 ] ... [ 37 ]
examples : [0], [1], [NA], [NA], [0], [0], [0], [23], [NA], [0] ...
```

lns__corp__ins__55__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 55 which have changed from last version to this - see lns_corp_55 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            14
NAs      :           168
not-NA   :           230
not-0-NA :            46
```

```
sum      :          206
range    : [ 0 ] ... [ 45 ]
examples : [NA], [45], [O], [NA], [O], [NA], [O], [O], [O], [NA] ...
```

lns_corp_ins_56_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 56 which have changed from last version to this - see lns_corp_56 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           13
NAs      :          168
not-NA   :          230
not-0-NA :           47
sum      :          167
range    : [ 0 ] ... [ 13 ]
examples : [NA], [NA], [NA], [NA], [O], [O], [3], [O], [O], [NA] ...
```

lns_corp_ins_611_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 611 which have changed from last version to this - see lns_corp_611 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           17
NAs      :          168
not-NA   :          230
not-0-NA :           54
sum      :          383
range    : [ 0 ] ... [ 124 ]
examples : [NA], [O], [O], [NA], [2], [23], [NA], [NA], [O], [NA] ...
```

lns_corp_ins_612_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 612 which have changed from last version to this - see lns_corp_612 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            8
NAs      :          168
not-NA   :          230
not-0-NA :           21
sum      :          101
range    : [ 0 ] ... [ 52 ]
examples : [O], [NA], [O], [NA], [NA], [O], [NA], [O], [O], [NA] ...
```

lns_corp_ins_613_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 613 which have changed from last version to this - see lns_corp_613 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           10
NAs      :          168
not-NA   :          230
not-0-NA :           27
sum      :           73
range    : [ 0 ] ... [ 8 ]
examples : [0], [NA], [NA], [0], [0], [5], [NA], [NA], [0], [NA] ...
```

lns_corp_ins_6211_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 6211 which have changed from last version to this - see lns_corp_6211 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            7
NAs      :          168
not-NA   :          230
not-0-NA :           23
sum      :           78
range    : [ 0 ] ... [ 30 ]
examples : [0], [0], [NA], [0], [NA], [NA], [NA], [NA], [NA], [NA] ...
```

lns_corp_ins_6212_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 6212 which have changed from last version to this - see lns_corp_6212 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           10
NAs      :          168
not-NA   :          230
not-0-NA :           28
sum      :           67
range    : [ 0 ] ... [ 9 ]
examples : [0], [0], [NA], [0], [0], [NA], [0], [0], [0], [1] ...
```

lns_corp_ins_6221_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 6221 which have changed from last version to this - see lns_corp_6221 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :           18
sum      :           26
range    : [ 0 ] ... [ 3 ]
examples : [NA], [2], [NA], [0], [NA], [2], [NA], [0], [NA], [0] ...
```

lns__corp__ins__6222__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 6222 which have changed from last version to this - see lns_corp_6222 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           8
NAs      :         168
not-NA   :         230
not-0-NA :          19
sum      :          44
range    : [ 0 ] ... [ 8 ]
examples : [NA], [0], [0], [0], [NA], [0], [0], [NA], [0], [0] ...
```

lns__corp__ins__631__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 631 which have changed from last version to this - see lns_corp_631 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           8
NAs      :         168
not-NA   :         230
not-0-NA :          11
sum      :          36
range    : [ 0 ] ... [ 10 ]
examples : [0], [0], [0], [0], [NA], [0], [NA], [0], [0], [NA] ...
```

lns__corp__ins__632__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 632 which have changed from last version to this - see lns_corp_632 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :          15
NAs      :         168
not-NA   :         230
not-0-NA :          75
sum      :         312
range    : [ 0 ] ... [ 32 ]
examples : [NA], [0], [0], [0], [0], [0], [5], [NA], [NA], [0] ...
```

lns__corp__ins__633__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 633 which have changed from last version to this - see lns_corp_633 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           8
NAs      :         168
not-NA   :         230
```

```
not-0-NA :          26
sum      :          55
range    : [ 0 ] ... [ 10 ]
examples : [NA], [O], [O], [NA], [NA], [NA], [NA], [NA], [O], [NA] ...
```

lns_corp_ins_634_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 634 which have changed from last version to this - see lns_corp_634 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :          13
NAs      :         168
not-NA   :         230
not-0-NA :          48
sum      :         158
range    : [ 0 ] ... [ 21 ]
examples : [NA], [NA], [O], [O], [1], [NA], [NA], [O], [NA], [NA] ...
```

lns_corp_ins_6351_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 6351 which have changed from last version to this - see lns_corp_6351 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           4
NAs      :         168
not-NA   :         230
not-0-NA :           4
sum      :           7
range    : [ 0 ] ... [ 4 ]
examples : [NA], [O], [O], [O], [O], [NA], [NA], [O], [NA], [O] ...
```

lns_corp_ins_6352_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 6352 which have changed from last version to this - see lns_corp_6352 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           6
NAs      :         168
not-NA   :         230
not-0-NA :          10
sum      :          22
range    : [ 0 ] ... [ 6 ]
examples : [O], [1], [NA], [O], [NA], [NA], [O], [NA], [NA], [O] ...
```

lns_corp_ins_636_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 636 which have changed from last version to this - see lns_corp_636 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          10
NAs      :         168
not-NA   :         230
not-0-NA :          30
sum      :          77
range    : [ 0 ] ... [ 10 ]
examples : [0], [0], [NA], [NA], [NA], [NA], [0], [NA], [0], [NA] ...
```

lns__corp__ins__637__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 637 which have changed from last version to this - see lns_corp_637 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          10
NAs      :         168
not-NA   :         230
not-0-NA :          19
sum      :         163
range    : [ 0 ] ... [ 75 ]
examples : [NA], [0], [0], [NA], [NA], [0], [0], [0], [NA], [NA] ...
```

lns__corp__ins__638__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 638 which have changed from last version to this - see lns_corp_638 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           6
NAs      :         168
not-NA   :         230
not-0-NA :           7
sum      :          16
range    : [ 0 ] ... [ 5 ]
examples : [1], [0], [NA], [NA], [0], [0], [NA], [NA], [0], [NA] ...
```

lns__corp__ins__639__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 639 which have changed from last version to this - see lns_corp_639 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          25
NAs      :         168
not-NA   :         230
not-0-NA :          52
sum      :         508
range    : [ 0 ] ... [ 56 ]
```

```
examples : [0], [0], [NA], [NA], [NA], [NA], [17], [NA], [NA], [NA] ...
```

lns_corp_ins_641_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 641 which have changed from last version to this - see lns_corp_641 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            8
NAs      :          168
not-NA   :          230
not-0-NA :           15
sum      :           42
range    : [ 0 ] ... [ 8 ]
examples : [0], [0], [NA], [0], [0], [0], [0], [0], [NA], [NA] ...
```

lns_corp_ins_642_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 642 which have changed from last version to this - see lns_corp_642 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           10
NAs      :          168
not-NA   :          230
not-0-NA :           17
sum      :           95
range    : [ 0 ] ... [ 32 ]
examples : [NA], [0], [NA], [NA], [0], [0], [0], [0], [NA], [NA] ...
```

lns_corp_ins_643_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 643 which have changed from last version to this - see lns_corp_643 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :            6
sum      :           13
range    : [ 0 ] ... [ 6 ]
examples : [NA], [NA], [NA], [0], [NA], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_651_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 651 which have changed from last version to this - see lns_corp_651 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           14
```

```
NAs      :         168
not-NA   :         230
not-0-NA :          38
sum      :         203
range    : [ 0 ] ... [ 47 ]
examples : [0], [0], [0], [NA], [0], [0], [NA], [0], [0], [NA] ...
```

lns_corp_ins_652_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 652 which have changed from last version to this - see lns_corp_652 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          12
NAs      :         168
not-NA   :         230
not-0-NA :          37
sum      :         114
range    : [ 0 ] ... [ 15 ]
examples : [0], [NA], [2], [0], [0], [0], [NA], [NA], [2], [0] ...
```

lns_corp_ins_653_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 653 which have changed from last version to this - see lns_corp_653 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           4
NAs      :         168
not-NA   :         230
not-0-NA :           2
sum      :           3
range    : [ 0 ] ... [ 2 ]
examples : [0], [NA], [0], [0], [NA], [0], [0], [0], [NA], [NA] ...
```

lns_corp_ins_66_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 66 which have changed from last version to this - see lns_corp_66 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           3
NAs      :         168
not-NA   :         230
not-0-NA :           2
sum      :           2
range    : [ 0 ] ... [ 1 ]
examples : [0], [0], [NA], [0], [0], [NA], [0], [NA], [0], [NA] ...
```

lns__corp__ins__67__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 67 which have changed from last version to this - see lns_corp_67 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            4
NAs      :          168
not-NA   :          230
not-0-NA :            2
sum      :            7
range    : [ 0 ] ... [ 4 ]
examples : [0], [0], [NA], [0], [0], [0], [NA], [0], [0], [0] ...
```

lns__corp__ins__68__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 68 which have changed from last version to this - see lns_corp_68 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           11
NAs      :          168
not-NA   :          230
not-0-NA :           23
sum      :          101
range    : [ 0 ] ... [ 20 ]
examples : [NA], [0], [NA], [NA], [NA], [NA], [NA], [NA], [NA], [NA] ...
```

lns__corp__ins__71__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 71 which have changed from last version to this - see lns_corp_71 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            6
NAs      :          168
not-NA   :          230
not-0-NA :           10
sum      :           31
range    : [ 0 ] ... [ 17 ]
examples : [0], [NA], [NA], [NA], [0], [0], [NA], [0], [0], [0] ...
```

lns__corp__ins__72__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 72 which have changed from last version to this - see lns_corp_72 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            4
NAs      :          168
not-NA   :          230
not-0-NA :            6
```

```
sum       :            7
range     : [ 0 ] ... [ 2 ]
examples : [0], [0], [0], [NA], [0], [0], [NA], [NA], [NA], [NA] ...
```

lns_corp_ins_73_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 73 which have changed from last version to this - see lns_corp_73 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :      numeric
unique    :            5
NAs       :          168
not-NA    :          230
not-0-NA  :            4
sum       :           32
range     : [ 0 ] ... [ 28 ]
examples : [0], [NA], [0], [0], [0], [NA], [0], [NA], [0], [NA] ...
```

lns_corp_ins_8_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 8 which have changed from last version to this - see lns_corp_8 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :      numeric
unique    :            9
NAs       :          168
not-NA    :          230
not-0-NA  :           20
sum       :           63
range     : [ 0 ] ... [ 22 ]
examples : [0], [NA], [0], [0], [0], [NA], [0], [NA], [0], [NA] ...
```

lns_corp_ins_999_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 999 which have changed from last version to this - see lns_corp_999 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :      numeric
unique    :            2
NAs       :          168
not-NA    :          230
not-0-NA  :            0
sum       :            0
range     : [ 0 ] ... [ 0 ]
examples : [0], [NA], [0], [NA], [0], [0], [0], [0], [NA], [NA] ...
```

lns_corp_ins_9_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 9 which have changed from last version to this - see lns_corp_9 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            8
NAs      :          168
not-NA   :          230
not-0-NA :           23
sum      :           58
range    : [ 0 ] ... [ 12 ]
examples : [NA], [0], [NA], [0], [NA], [NA], [0], [0], [0], [NA] ...
```

lns__corp__mdf__10__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 10 which have changed from last version to this - see lns_corp_10 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           16
NAs      :          168
not-NA   :          230
not-0-NA :           76
sum      :          324
range    : [ 0 ] ... [ 24 ]
examples : [1], [0], [13], [NA], [0], [0], [NA], [0], [1], [NA] ...
```

lns__corp__mdf__111__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 111 which have changed from last version to this - see lns_corp_111 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            6
NAs      :          168
not-NA   :          230
not-0-NA :           37
sum      :           68
range    : [ 0 ] ... [ 4 ]
examples : [0], [1], [0], [2], [4], [NA], [NA], [NA], [NA], [1] ...
```

lns__corp__mdf__112__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 112 which have changed from last version to this - see lns_corp_112 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :          168
not-NA   :          230
not-0-NA :           45
sum      :           97
range    : [ 0 ] ... [ 8 ]
examples : [0], [NA], [NA], [7], [NA], [0], [NA], [0], [1], [NA] ...
```

lns__corp__mdf__113__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 113 which have changed from last version to this - see lns_corp_113 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          12
NAs      :         168
not-NA   :         230
not-0-NA :          62
sum      :         204
range    : [ 0 ] ... [ 16 ]
examples : [0], [NA], [NA], [0], [0], [0], [0], [NA], [NA], [0] ...
```

lns__corp__mdf__114__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 114 which have changed from last version to this - see lns_corp_114 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           6
NAs      :         168
not-NA   :         230
not-0-NA :          10
sum      :          24
range    : [ 0 ] ... [ 6 ]
examples : [0], [0], [NA], [NA], [NA], [NA], [0], [0], [0], [0] ...
```

lns__corp__mdf__121__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 121 which have changed from last version to this - see lns_corp_121 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          13
NAs      :         168
not-NA   :         230
not-0-NA :          49
sum      :         176
range    : [ 0 ] ... [ 14 ]
examples : [2], [NA], [2], [1], [0], [0], [3], [NA], [1], [0] ...
```

lns__corp__mdf__122__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 122 which have changed from last version to this - see lns_corp_122 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           9
NAs      :         168
not-NA   :         230
```

```
not-0-NA :          50
sum      :         134
range    : [ 0 ] ... [ 9 ]
examples : [0], [NA], [2], [0], [0], [NA], [0], [NA], [NA], [NA] ...
```

lns_corp_mdf_123_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 123 which have changed from last version to this - see lns_corp_123 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :          24
NAs      :         168
not-NA   :         230
not-0-NA :          99
sum      :         579
range    : [ 0 ] ... [ 29 ]
examples : [0], [NA], [8], [NA], [16], [0], [NA], [0], [NA], [NA] ...
```

lns_corp_mdf_124_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 124 which have changed from last version to this - see lns_corp_124 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           6
NAs      :         168
not-NA   :         230
not-0-NA :          17
sum      :          29
range    : [ 0 ] ... [ 4 ]
examples : [NA], [0], [NA], [0], [0], [NA], [NA], [0], [NA], [NA] ...
```

lns_corp_mdf_125_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 125 which have changed from last version to this - see lns_corp_125 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :          11
NAs      :         168
not-NA   :         230
not-0-NA :          65
sum      :         206
range    : [ 0 ] ... [ 9 ]
examples : [4], [NA], [NA], [NA], [NA], [5], [NA], [0], [0], [0] ...
```

lns_corp_mdf_131_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 131 which have changed from last version to this - see lns_corp_131 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            8
NAs      :          168
not-NA   :          230
not-0-NA :           35
sum      :           80
range    : [ 0 ] ... [ 6 ]
examples : [0], [0], [NA], [0], [NA], [0], [0], [0], [NA], [0] ...
```

lns_corp_mdf_132_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 132 which have changed from last version to this - see lns_corp_132 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            6
NAs      :          168
not-NA   :          230
not-0-NA :           22
sum      :           34
range    : [ 0 ] ... [ 5 ]
examples : [0], [NA], [0], [0], [0], [NA], [0], [0], [0], [0] ...
```

lns_corp_mdf_133_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 133 which have changed from last version to this - see lns_corp_133 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            6
NAs      :          168
not-NA   :          230
not-0-NA :           36
sum      :           53
range    : [ 0 ] ... [ 5 ]
examples : [1], [0], [NA], [NA], [NA], [NA], [2], [0], [0], [NA] ...
```

lns_corp_mdf_134_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 134 which have changed from last version to this - see lns_corp_134 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           12
NAs      :          168
not-NA   :          230
not-0-NA :           83
sum      :          220
range    : [ 0 ] ... [ 13 ]
```

```
examples : [NA], [NA], [O], [NA], [O], [4], [3], [6], [NA], [NA] ...
```

lns_corp_mdf_141_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 141 which have changed from last version to this - see lns_corp_141 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            7
NAs      :          168
not-NA   :          230
not-0-NA :            7
sum      :           20
range    : [ 0 ] ... [ 6 ]
examples : [NA], [NA], [O], [O], [NA], [O], [O], [NA], [NA], [O] ...
```

lns_corp_mdf_142_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 142 which have changed from last version to this - see lns_corp_142 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            7
NAs      :          168
not-NA   :          230
not-0-NA :           23
sum      :           41
range    : [ 0 ] ... [ 6 ]
examples : [O], [NA], [O], [NA], [NA], [1], [NA], [NA], [NA], [O] ...
```

lns_corp_mdf_143_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 143 which have changed from last version to this - see lns_corp_143 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :           12
sum      :           20
range    : [ 0 ] ... [ 8 ]
examples : [O], [O], [O], [O], [O], [NA], [NA], [O], [O], [O] ...
```

lns_corp_mdf_144_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 144 which have changed from last version to this - see lns_corp_144 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
```

```
NAs      :          168
not-NA   :          230
not-0-NA :            5
sum      :            8
range    : [ 0 ] ... [ 3 ]
examples : [NA], [0], [0], [NA], [0], [0], [NA], [NA], [0], [NA] ...
```

lns__corp__mdf__145__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 145 which have changed from last version to this - see lns_corp_145 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :            4
sum      :           12
range    : [ 0 ] ... [ 7 ]
examples : [0], [NA], [NA], [NA], [0], [0], [0], [NA], [0], [NA] ...
```

lns__corp__mdf__21__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 21 which have changed from last version to this - see lns_corp_21 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           10
NAs      :          168
not-NA   :          230
not-0-NA :           26
sum      :           72
range    : [ 0 ] ... [ 11 ]
examples : [0], [NA], [0], [NA], [0], [0], [NA], [0], [0], [0] ...
```

lns__corp__mdf__22__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 22 which have changed from last version to this - see lns_corp_22 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           26
NAs      :          168
not-NA   :          230
not-0-NA :           80
sum      :          663
range    : [ 0 ] ... [ 50 ]
examples : [23], [0], [0], [NA], [0], [NA], [7], [15], [0], [3] ...
```

lns_corp_mdf_23_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 23 which have changed from last version to this - see lns_corp_23 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           13
NAs      :          168
not-NA   :          230
not-0-NA :           22
sum      :          119
range    : [ 0 ] ... [ 19 ]
examples : [1], [0], [0], [0], [0], [0], [0], [NA], [0], [0] ...
```

lns_corp_mdf_241_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 241 which have changed from last version to this - see lns_corp_241 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :          168
not-NA   :          230
not-0-NA :           21
sum      :           65
range    : [ 0 ] ... [ 8 ]
examples : [0], [0], [0], [NA], [0], [NA], [NA], [0], [0], [NA] ...
```

lns_corp_mdf_242_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 242 which have changed from last version to this - see lns_corp_242 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           12
NAs      :          168
not-NA   :          230
not-0-NA :           18
sum      :           95
range    : [ 0 ] ... [ 16 ]
examples : [NA], [0], [0], [NA], [0], [0], [0], [NA], [0], [NA] ...
```

lns_corp_mdf_243_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 243 which have changed from last version to this - see lns_corp_243 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            3
NAs      :          168
not-NA   :          230
not-0-NA :            1
```

```
sum       :            3
range     : [ 0 ] ... [ 3 ]
examples  : [0], [NA], [0], [0], [0], [NA], [0], [NA], [NA], [0] ...
```

lns_corp_mdf_244_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 244 which have changed from last version to this - see lns_corp_244 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :      numeric
unique    :            5
NAs       :          168
not-NA    :          230
not-0-NA  :            7
sum       :           14
range     : [ 0 ] ... [ 5 ]
examples  : [0], [0], [NA], [0], [0], [0], [0], [NA], [NA], [0] ...
```

lns_corp_mdf_25_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 25 which have changed from last version to this - see lns_corp_25 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :      numeric
unique    :           14
NAs       :          168
not-NA    :          230
not-0-NA  :           49
sum       :          221
range     : [ 0 ] ... [ 54 ]
examples  : [NA], [NA], [NA], [18], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_mdf_26_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 26 which have changed from last version to this - see lns_corp_26 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :      numeric
unique    :           14
NAs       :          168
not-NA    :          230
not-0-NA  :           53
sum       :          229
range     : [ 0 ] ... [ 26 ]
examples  : [NA], [NA], [0], [1], [0], [0], [0], [NA], [NA], [0] ...
```

lns_corp_mdf_27_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 27 which have changed from last version to this - see lns_corp_27 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :            8
sum      :           17
range    : [ 0 ] ... [ 7 ]
examples : [0], [0], [NA], [NA], [0], [0], [NA], [0], [NA], [NA] ...
```

lns_corp_mdf_28_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 28 which have changed from last version to this - see lns_corp_28 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            6
NAs      :          168
not-NA   :          230
not-0-NA :            5
sum      :           80
range    : [ 0 ] ... [ 20 ]
examples : [NA], [0], [0], [0], [0], [0], [NA], [NA], [0], [0] ...
```

lns_corp_mdf_29_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 29 which have changed from last version to this - see lns_corp_29 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           16
NAs      :          168
not-NA   :          230
not-0-NA :           26
sum      :          270
range    : [ 0 ] ... [ 51 ]
examples : [NA], [NA], [1], [0], [NA], [0], [NA], [0], [0], [NA] ...
```

lns_corp_mdf_31_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 31 which have changed from last version to this - see lns_corp_31 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            8
NAs      :          168
not-NA   :          230
not-0-NA :            9
sum      :           52
range    : [ 0 ] ... [ 16 ]
examples : [NA], [0], [NA], [NA], [0], [0], [NA], [0], [0], [NA] ...
```

lns__corp__mdf__32__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 32 which have changed from last version to this - see lns_corp_32 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          10
NAs      :         168
not-NA   :         230
not-0-NA :          20
sum      :          71
range    : [ 0 ] ... [ 12 ]
examples : [NA], [0], [0], [NA], [NA], [NA], [0], [NA], [NA], [0] ...
```

lns__corp__mdf__33__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 33 which have changed from last version to this - see lns_corp_33 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :          10
NAs      :         168
not-NA   :         230
not-0-NA :          12
sum      :          48
range    : [ 0 ] ... [ 11 ]
examples : [NA], [0], [0], [0], [0], [0], [NA], [0], [NA], [0] ...
```

lns__corp__mdf__34__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 34 which have changed from last version to this - see lns_corp_34 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           9
NAs      :         168
not-NA   :         230
not-0-NA :          49
sum      :         111
range    : [ 0 ] ... [ 8 ]
examples : [0], [0], [3], [NA], [0], [0], [0], [0], [0], [NA] ...
```

lns__corp__mdf__411__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 411 which have changed from last version to this - see lns_corp_411 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           8
NAs      :         168
not-NA   :         230
```

171

```
not-0-NA :            14
sum      :            68
range    : [ 0 ] ... [ 11 ]
examples : [0], [NA], [NA], [0], [NA], [0], [0], [NA], [0], [0] ...
```

lns_corp_mdf_412_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 412 which have changed from last version to this - see lns_corp_412 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            10
NAs      :           168
not-NA   :           230
not-0-NA :            30
sum      :            84
range    : [ 0 ] ... [ 10 ]
examples : [NA], [0], [0], [0], [0], [NA], [0], [NA], [NA], [0] ...
```

lns_corp_mdf_421_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 421 which have changed from last version to this - see lns_corp_421 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :             7
NAs      :           168
not-NA   :           230
not-0-NA :             9
sum      :            36
range    : [ 0 ] ... [ 11 ]
examples : [NA], [NA], [NA], [0], [1], [0], [0], [0], [0], [0] ...
```

lns_corp_mdf_422_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 422 which have changed from last version to this - see lns_corp_422 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :             6
NAs      :           168
not-NA   :           230
not-0-NA :             7
sum      :            25
range    : [ 0 ] ... [ 6 ]
examples : [0], [0], [0], [0], [NA], [0], [0], [NA], [0], [NA] ...
```

lns_corp_mdf_43_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 43 which have changed from last version to this - see lns_corp_43 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            3
NAs      :          168
not-NA   :          230
not-0-NA :            5
sum      :            5
range    : [ 0 ] ... [ 1 ]
examples : [0], [0], [0], [0], [0], [NA], [0], [0], [0], [0] ...
```

lns_corp_mdf_441_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 441 which have changed from last version to this - see lns_corp_441 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            2
NAs      :          168
not-NA   :          230
not-0-NA :            0
sum      :            0
range    : [ 0 ] ... [ 0 ]
examples : [0], [0], [0], [0], [NA], [0], [0], [0], [0], [NA] ...
```

lns_corp_mdf_442_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 442 which have changed from last version to this - see lns_corp_442 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            4
NAs      :          168
not-NA   :          230
not-0-NA :            5
sum      :            7
range    : [ 0 ] ... [ 2 ]
examples : [NA], [NA], [0], [NA], [NA], [NA], [NA], [0], [0], [NA] ...
```

lns_corp_mdf_45_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 45 which have changed from last version to this - see lns_corp_45 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            6
NAs      :          168
not-NA   :          230
not-0-NA :            6
sum      :           16
range    : [ 0 ] ... [ 8 ]
```

```
examples : [0], [NA], [NA], [0], [NA], [NA], [NA], [0], [NA], [0] ...
```

lns_corp_mdf_51_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 51 which have changed from last version to this - see lns_corp_51 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :      numeric
unique    :           25
NAs       :          168
not-NA    :          230
not-0-NA  :          106
sum       :          703
range     : [ 0 ] ... [ 28 ]
examples  : [12], [0], [NA], [0], [0], [0], [0], [NA], [0], [NA] ...
```

lns_corp_mdf_52_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 52 which have changed from last version to this - see lns_corp_52 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :      numeric
unique    :           10
NAs       :          168
not-NA    :          230
not-0-NA  :           22
sum       :           89
range     : [ 0 ] ... [ 10 ]
examples  : [0], [0], [NA], [NA], [0], [0], [NA], [NA], [0], [0] ...
```

lns_corp_mdf_53_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 53 which have changed from last version to this - see lns_corp_53 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :      numeric
unique    :           21
NAs       :          168
not-NA    :          230
not-0-NA  :          108
sum       :          748
range     : [ 0 ] ... [ 35 ]
examples  : [NA], [0], [NA], [NA], [2], [0], [NA], [NA], [0], [NA] ...
```

lns_corp_mdf_54_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 54 which have changed from last version to this - see lns_corp_54 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :      numeric
unique    :           12
```

```
NAs       :          168
not-NA    :          230
not-0-NA :            45
sum       :          154
range     : [ 0 ] ... [ 17 ]
examples : [NA], [0], [0], [NA], [0], [NA], [0], [NA], [0], [1] ...
```

lns__corp__mdf__55__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 55 which have changed from last version to this - see lns_corp_55 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :       numeric
unique    :           11
NAs       :          168
not-NA    :          230
not-0-NA :            71
sum       :          213
range     : [ 0 ] ... [ 15 ]
examples : [NA], [NA], [11], [2], [0], [0], [NA], [2], [NA], [0] ...
```

lns__corp__mdf__56__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 56 which have changed from last version to this - see lns_corp_56 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :       numeric
unique    :           18
NAs       :          168
not-NA    :          230
not-0-NA :            77
sum       :          372
range     : [ 0 ] ... [ 29 ]
examples : [0], [0], [NA], [0], [0], [0], [NA], [NA], [NA], [NA] ...
```

lns__corp__mdf__611__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 611 which have changed from last version to this - see lns_corp_611 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class     :       numeric
unique    :           26
NAs       :          168
not-NA    :          230
not-0-NA :            92
sum       :          726
range     : [ 0 ] ... [ 57 ]
examples : [NA], [NA], [NA], [NA], [0], [NA], [NA], [0], [NA], [NA] ...
```

lns_corp_mdf_612_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 612 which have changed from last version to this - see lns_corp_612 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           14
NAs      :          168
not-NA   :          230
not-0-NA :           56
sum      :          261
range    : [ 0 ] ... [ 52 ]
examples : [NA], [NA], [0], [1], [NA], [0], [NA], [NA], [0], [NA] ...
```

lns_corp_mdf_613_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 613 which have changed from last version to this - see lns_corp_613 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           16
NAs      :          168
not-NA   :          230
not-0-NA :           58
sum      :          231
range    : [ 0 ] ... [ 21 ]
examples : [0], [NA], [6], [NA], [NA], [15], [0], [0], [0], [0] ...
```

lns_corp_mdf_6211_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 6211 which have changed from last version to this - see lns_corp_6211 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           14
NAs      :          168
not-NA   :          230
not-0-NA :           60
sum      :          230
range    : [ 0 ] ... [ 22 ]
examples : [0], [NA], [0], [NA], [NA], [0], [0], [NA], [0], [NA] ...
```

lns_corp_mdf_6212_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 6212 which have changed from last version to this - see lns_corp_6212 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           16
NAs      :          168
not-NA   :          230
not-0-NA :           47
```

```
sum      :         255
range    : [ 0 ] ... [ 40 ]
examples : [NA], [0], [NA], [0], [0], [NA], [NA], [1], [0], [NA] ...
```

lns__corp__mdf__6221__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 6221 which have changed from last version to this - see lns_corp_6221 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :          7
NAs      :        168
not-NA   :        230
not-0-NA :         38
sum      :         71
range    : [ 0 ] ... [ 9 ]
examples : [0], [NA], [0], [0], [NA], [2], [NA], [NA], [0], [2] ...
```

lns__corp__mdf__6222__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 6222 which have changed from last version to this - see lns_corp_6222 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :          8
NAs      :        168
not-NA   :        230
not-0-NA :         33
sum      :         57
range    : [ 0 ] ... [ 7 ]
examples : [0], [1], [NA], [2], [0], [0], [0], [0], [0], [0] ...
```

lns__corp__mdf__631__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 631 which have changed from last version to this - see lns_corp_631 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :          7
NAs      :        168
not-NA   :        230
not-0-NA :         28
sum      :         52
range    : [ 0 ] ... [ 6 ]
examples : [0], [0], [NA], [NA], [1], [NA], [0], [2], [0], [NA] ...
```

lns__corp__mdf__632__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 632 which have changed from last version to this - see lns_corp_632 also wds_mdf for more information. (sum of all values within cabinet duration)

177
```

```
class    :       numeric
unique   :            28
NAs      :           168
not-NA   :           230
not-0-NA :           127
sum      :        1 074
range    : [ 0 ] ... [ 162 ]
examples : [NA], [0], [NA], [0], [NA], [NA], [NA], [8], [0], [NA] ...
```

lns__corp__mdf__633__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 633 which have changed from last version to this - see lns_corp_633 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            11
NAs      :           168
not-NA   :           230
not-0-NA :            67
sum      :           156
range    : [ 0 ] ... [ 13 ]
examples : [0], [NA], [0], [0], [0], [0], [1], [NA], [3], [NA] ...
```

lns__corp__mdf__634__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 634 which have changed from last version to this - see lns_corp_634 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            14
NAs      :           168
not-NA   :           230
not-0-NA :            70
sum      :           241
range    : [ 0 ] ... [ 17 ]
examples : [0], [NA], [1], [NA], [0], [0], [NA], [NA], [0], [0] ...
```

lns__corp__mdf__6351__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 6351 which have changed from last version to this - see lns_corp_6351 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :             5
NAs      :           168
not-NA   :           230
not-0-NA :            11
sum      :            18
range    : [ 0 ] ... [ 7 ]
examples : [NA], [0], [0], [0], [NA], [0], [0], [NA], [0], [NA] ...
```

lns__corp__mdf__6352__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 6352 which have changed from last version to this - see lns__corp__6352 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :           19
sum      :           24
range    : [ 0 ] ... [ 3 ]
examples : [0], [2], [0], [0], [0], [0], [NA], [0], [0], [0] ...
```

lns__corp__mdf__636__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 636 which have changed from last version to this - see lns__corp__636 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :          168
not-NA   :          230
not-0-NA :           35
sum      :          108
range    : [ 0 ] ... [ 9 ]
examples : [NA], [1], [0], [NA], [NA], [0], [1], [0], [NA], [NA] ...
```

lns__corp__mdf__637__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 637 which have changed from last version to this - see lns__corp__637 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :           13
NAs      :          168
not-NA   :          230
not-0-NA :           27
sum      :          106
range    : [ 0 ] ... [ 14 ]
examples : [0], [0], [0], [NA], [0], [0], [0], [0], [0], [NA] ...
```

lns__corp__mdf__638__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 638 which have changed from last version to this - see lns__corp__638 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
```

```
not-0-NA :              3
sum      :             19
range    : [ 0 ] ... [ 16 ]
examples : [NA], [NA], [0], [NA], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_mdf_639_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 639 which have changed from last version to this - see lns_corp_639 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :            21
NAs      :           168
not-NA   :           230
not-0-NA :            77
sum      :           484
range    : [ 0 ] ... [ 64 ]
examples : [5], [0], [NA], [0], [24], [NA], [NA], [0], [0], [2] ...
```

lns_corp_mdf_641_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 641 which have changed from last version to this - see lns_corp_641 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :             9
NAs      :           168
not-NA   :           230
not-0-NA :            26
sum      :            61
range    : [ 0 ] ... [ 9 ]
examples : [NA], [0], [0], [0], [NA], [0], [0], [NA], [NA], [0] ...
```

lns_corp_mdf_642_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 642 which have changed from last version to this - see lns_corp_642 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :       numeric
unique   :             8
NAs      :           168
not-NA   :           230
not-0-NA :            20
sum      :            65
range    : [ 0 ] ... [ 16 ]
examples : [0], [2], [0], [NA], [0], [0], [0], [NA], [NA], [0] ...
```

lns_corp_mdf_643_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 643 which have changed from last version to this - see lns_corp_643 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           5
NAs      :         168
not-NA   :         230
not-0-NA :           9
sum      :          12
range    : [ 0 ] ... [ 3 ]
examples : [0], [0], [NA], [0], [NA], [0], [NA], [0], [0], [0] ...
```

lns__corp__mdf__651__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 651 which have changed from last version to this - see lns_corp_651 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :          14
NAs      :         168
not-NA   :         230
not-0-NA :          71
sum      :         254
range    : [ 0 ] ... [ 22 ]
examples : [NA], [5], [NA], [4], [NA], [0], [0], [NA], [0], [NA] ...
```

lns__corp__mdf__652__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 652 which have changed from last version to this - see lns_corp_652 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :          15
NAs      :         168
not-NA   :         230
not-0-NA :          59
sum      :         249
range    : [ 0 ] ... [ 21 ]
examples : [0], [NA], [NA], [0], [NA], [0], [0], [NA], [7], [NA] ...
```

lns__corp__mdf__653__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 653 which have changed from last version to this - see lns_corp_653 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           6
NAs      :         168
not-NA   :         230
not-0-NA :           8
sum      :          15
range    : [ 0 ] ... [ 5 ]
```

```
examples : [0], [0], [0], [NA], [0], [NA], [NA], [0], [0], [0] ...
```

lns_corp_mdf_66_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 66 which have changed from last version to this - see lns_corp_66 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            2
NAs      :          168
not-NA   :          230
not-0-NA :            0
sum      :            0
range    : [ 0 ] ... [ 0 ]
examples : [0], [0], [0], [NA], [0], [NA], [NA], [0], [NA], [NA] ...
```

lns_corp_mdf_67_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 67 which have changed from last version to this - see lns_corp_67 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :            5
sum      :           12
range    : [ 0 ] ... [ 6 ]
examples : [NA], [0], [0], [0], [NA], [0], [0], [0], [NA], [0] ...
```

lns_corp_mdf_68_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 68 which have changed from last version to this - see lns_corp_68 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :          168
not-NA   :          230
not-0-NA :           45
sum      :          109
range    : [ 0 ] ... [ 10 ]
examples : [2], [NA], [0], [0], [NA], [0], [NA], [NA], [0], [0] ...
```

lns_corp_mdf_71_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 71 which have changed from last version to this - see lns_corp_71 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            9
```

```
NAs      :         168
not-NA   :         230
not-0-NA :          26
sum      :          66
range    : [ 0 ] ... [ 7 ]
examples : [NA], [0], [0], [0], [NA], [NA], [0], [0], [0], [0] ...
```

lns_corp_mdf_72_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 72 which have changed from last version to this - see lns_corp_72 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           5
NAs      :         168
not-NA   :         230
not-0-NA :          15
sum      :          21
range    : [ 0 ] ... [ 3 ]
examples : [NA], [NA], [0], [NA], [NA], [NA], [0], [0], [0], [NA] ...
```

lns_corp_mdf_73_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 73 which have changed from last version to this - see lns_corp_73 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :           9
NAs      :         168
not-NA   :         230
not-0-NA :          11
sum      :          42
range    : [ 0 ] ... [ 14 ]
examples : [0], [NA], [NA], [NA], [NA], [0], [0], [NA], [0], [NA] ...
```

lns_corp_mdf_8_sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 8 which have changed from last version to this - see lns_corp_8 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :     numeric
unique   :          10
NAs      :         168
not-NA   :         230
not-0-NA :          55
sum      :         142
range    : [ 0 ] ... [ 9 ]
examples : [NA], [NA], [0], [0], [NA], [0], [0], [0], [0], [NA] ...
```

lns__corp__mdf__999__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 999 which have changed from last version to this - see lns_corp_999 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            2
NAs      :          168
not-NA   :          230
not-0-NA :            0
sum      :            0
range    : [ 0 ] ... [ 0 ]
examples : [0], [0], [0], [0], [0], [0], [0], [NA], [NA], [NA] ...
```

lns__corp__mdf__9__sum (ISOR, textlines, linelinkage)

Number of lines with corpus code 9 which have changed from last version to this - see lns_corp_9 also wds_mdf for more information. (sum of all values within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :          168
not-NA   :          230
not-0-NA :            5
sum      :            8
range    : [ 0 ] ... [ 3 ]
examples : [0], [NA], [0], [0], [NA], [0], [0], [NA], [0], [NA] ...
```

lang (ISOR, own research / EU documents)

Language in which SO are written down.

```
class    :      character
unique   :           11
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :            -
range    : [ Danish ] ... [ Swedish ]
examples :        [Italien], [Portuguese], [English], [French], [Norwegian], [Norwegian],
[French] ...
```

wdns (ISOR, own research / EU documents)

The wordiness of a language. Different languages have different wordiness meaning that they need different amounts of words to express the same concept, sentence, regulation, ... The variable gives the factor of wordiness compared to English based on the translations of EU documents. These are availible in English but also in all other EU languages. LAnguages that need more words than English have values above 1, languages that need less have values below 1.

```
class    :      numeric
unique   :            8
```

```
NAs      :          15
not-NA   :         383
not-0-NA :         383
sum      :      369.44
range    : [ 0.86 ] ... [ 1.05 ]
examples : [1.05], [1], [NA], [0.98], [1.01], [1], [1.05], [1.01], [1.05], [0.9] ...
```

wdns_corr (ISOR, own research / EU documents)

Wordiness correction factor which can be used to transform word counts into English equivalent word counts by multiplying the word count with the value of this variable.

```
class    :      numeric
unique   :           8
NAs      :          15
not-NA   :         383
not-0-NA :         383
sum      :    398.7665
range    : [ 0.952380952380952 ] ... [ 1.16279069767442 ]
examples : [1.11111111111111], [1], [1.16279069767442], [1.05263157894737], [1], [1.1111111
...
```

wds_clean_rel_wdns_corr_fst (ISOR, own research / EU documents)

The variable `wds_clean_rel` corrected by its wordiness to English equivalent word counts. See `wds_clean_rel` and `wdns_corr`. (first value within cabinet duration)

```
class    :      numeric
unique   :         230
NAs      :          15
not-NA   :         383
not-0-NA :         383
sum      :   5 521 638
range    : [ 4878.09523809524 ] ... [ 41476 ]
examples :  [10776.8421052632], [20241.0526315789], [10987.2093023256], [8815.2380952381],
[ ...
```

wds_clean_rel_wdns_corr_lst (ISOR, own research / EU documents)

The variable `wds_clean_rel` corrected by its wordiness to English equivalent word counts. See `wds_clean_rel` and `wdns_corr`. (last value within cabinet duration)

```
class    :      numeric
unique   :         232
NAs      :          15
not-NA   :         383
not-0-NA :         383
sum      :   5 693 127
range    : [ 5215.23809523809 ] ... [ 41476 ]
examples : [5215.23809523809], [21544.4444444444], [8293.02325581395], [19016.3265306122],
...
```

wds__clean__rel__wdns__corr__mn (ISOR, own research / EU documents)

The variable `wds_clean_rel` corrected by its wordiness to English equivalent word counts. See `wds_clean_rel` and `wdns_corr`. (mean of all values within cabinet duration)

```
class     :      numeric
unique    :          306
NAs       :           15
not-NA    :          383
not-0-NA  :          383
sum       :    5 607 011
range     : [ 5046.66666666667 ] ... [ 41476 ]
examples  : [11121.9047619048], [12193], [9852.38095238095], [21892.0792079208], [17921.9444
...
```

ext__tsb__agc1__fst (ISOR, Tsebelis)

This variable is based on *George Tsebelis (2002): Veto Players: How Political Institutions Work, Princeton* table 7.3 at page 182 and measures governement control of the legislative agenda.

The cross section values found in the table were assigned to those SO versions that were enacted in 1985 (when the agenda control measure was gathered). To extrapolate the measure over time it was: 1) multiplied by the number of words for those 1985 versions, 2) the change in majority prone and minority prone words was added (majority words as positives, minority words as negatives) 3) these text lengths were again divided by the lengths of the 1985 versions.

Because it is unclear which numeric relation the agenda control measure and the change of pro majority / pro minority words might hold (one would need a second time point to determine that) the varaible exists in three variations: ext_tsb_agc1, ext_tsb_agc2 and ext_tsb_agc4. The numbers indicate by which factor the change in majority/minority friendly words was multiplied to give it an higher impact (1, 2, 4) thus increasing the variance of the agenda control extrapolation. (first value within cabinet duration)

```
class     :      numeric
unique    :           53
NAs       :           15
not-NA    :          383
not-0-NA  :          383
sum       :        -11.01
range     : [ -0.57 ] ... [ 0.7 ]
examples  : [0.37], [-0.14], [-0.06], [-0.21], [-0.08], [-0.07], [-0.22], [-0.21], [-0.23],
...
```

ext__tsb__agc2__fst (ISOR, Tsebelis)

See ext__tsb__agc1. (first value within cabinet duration)

```
class     :      numeric
unique    :           71
NAs       :           15
not-NA    :          383
not-0-NA  :          376
sum       :         -9.18
range     : [ -0.62 ] ... [ 0.7 ]
```

```
examples :          [-0.01], [-0.23], [-0.01], [-0.14], [-0.25], [-0.52], [-0.18], [-0.42],
[-0.23], ...
```

ext_tsb_agc4_fst (ISOR, Tsebelis)

See ext_tsb_agc1. (first value within cabinet duration)

```
class     :      numeric
unique    :           87
NAs       :           15
not-NA    :          383
not-0-NA  :          381
sum       :        -5.12
range     : [ -0.71 ] ... [ 1.19 ]
examples  :       [-0.07], [0.33], [NA], [0.33], [-0.16], [-0.18], [NA], [-0.18], [-0.07],
[-0.36] ...
```

ext_tsb_agc1_lst (ISOR, Tsebelis)

This variable is based on *George Tsebelis (2002): Veto Players: How Political Institutions Work, Princeton* table 7.3 at page 182 and measures governenment control of the legislative agenda.

The cross section values found in the table were assigned to those SO versions that were enacted in 1985 (when the agenda control measure was gathered). To extrapolate the measure over time it was: 1) multiplied by the number of words for those 1985 versions, 2) the change in majority prone and minority prone words was added (majority words as positives, minority words as negatives) 3) these text lengths were again divided by the lengths of the 1985 versions.

Because it is unclear which numeric relation the agenda control measure and the change of pro majority / pro minority words might hold (one would need a second time point to determine that) the varaible exists in three variations: ext_tsb_agc1, ext_tsb_agc2 and ext_tsb_agc4. The numbers indicate by which factor the change in majority/minority friendly words was multiplied to give it an higher impact (1, 2, 4) thus increasing the variance of the agenda control extrapolation. (last value within cabinet duration)

```
class     :      numeric
unique    :           57
NAs       :           15
not-NA    :          383
not-0-NA  :          383
sum       :        -10.9
range     : [ -0.57 ] ... [ 0.7 ]
examples  :    [0.52], [0.37], [-0.27], [NA], [-0.39], [-0.16], [-0.43], [-0.16], [-0.11],
[-0. ...
```

ext_tsb_agc2_lst (ISOR, Tsebelis)

See ext_tsb_agc1. (last value within cabinet duration)

```
class     :      numeric
unique    :           72
NAs       :           15
not-NA    :          383
```

```
not-0-NA :          376
sum      :        -8.89
range    : [ -0.62 ] ... [ 0.7 ]
examples :          [0.69], [NA], [-0.05], [-0.15], [-0.23], [-0.42], [NA], [-0.23], [-0.2],
[-0.23] ...
```

ext_tsb_agc4_lst (ISOR, Tsebelis)

See ext_tsb_agc1. (last value within cabinet duration)

```
class    :       numeric
unique   :           86
NAs      :           15
not-NA   :          383
not-0-NA :          381
sum      :        -4.59
range    : [ -0.71 ] ... [ 1.25 ]
examples :    [-0.1], [-0.12], [-0.07], [0.13], [-0.31], [-0.18], [0.16], [0.49], [-0.18],
[0. ...
```

ext_tsb_agc1_mn (ISOR, Tsebelis)

This variable is based on *George Tsebelis (2002): Veto Players: How Political Institutions Work, Princeton* table 7.3 at page 182 and measures governement control of the legislative agenda.

The cross section values found in the table were assigned to those SO versions that were enacted in 1985 (when the agenda control measure was gathered). To extrapolate the measure over time it was: 1) multiplied by the number of words for those 1985 versions, 2) the change in majority prone and minority prone words was added (majority words as positives, minority words as negatives) 3) these text lengths were again divided by the lengths of the 1985 versions.

Because it is unclear which numeric relation the agenda control measure and the change of pro majority / pro minority words might hold (one would need a second time point to determine that) the varaible exists in three variations: ext_tsb_agc1, ext_tsb_agc2 and ext_tsb_agc4. The numbers indicate by which factor the change in majority/minority friendly words was multiplied to give it an higher impact (1, 2, 4) thus increasing the variance of the agenda control extrapolation. (mean of all values within cabinet duration)

```
class    :       numeric
unique   :          115
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :    -10.90602
range    : [ -0.57 ] ... [ 0.695 ]
examples : [-0.21], [-0.035], [-0.0633333333333333], [-0.11], [0.69], [-0.407777777777778],
...
```

ext_tsb_agc2_mn (ISOR, Tsebelis)

See ext_tsb_agc1. (mean of all values within cabinet duration)

```
class    :       numeric
unique   :          146
```

```
NAs      :          15
not-NA   :          383
not-0-NA :          376
sum      :     -8.909694
range    : [ -0.62 ] ... [ 0.7 ]
examples :   [0.13], [-0.12], [0.37], [-0.09], [-0.11], [-0.05], [-0.24], [-0.08], [0.69],
[- ...
```

ext__tsb__agc4__mn (ISOR, Tsebelis)

See ext_tsb_agc1. (mean of all values within cabinet duration)

```
class    :       numeric
unique   :          172
NAs      :           15
not-NA   :          383
not-0-NA :          380
sum      :     -4.627685
range    : [ -0.71 ] ... [ 1.21 ]
examples : [-0.04], [-0.13], [-0.4], [-0.106666666666667], [NA], [0.69], [-0.23333333333333
...
```

lns__all__mn (ISOR, textlines)

Number of lines - also known as sub paragraphs - within a particular SO. (mean of all values within cabinet duration)

```
class    :       numeric
unique   :          276
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :       243 002
range    : [ 213.5 ] ... [ 1835 ]
examples :   [562.25], [386], [941.666666666667], [270.4], [386.666666666667], [1496.75],
[NA ...
```

wds__raw__all__mn (ISOR, textlines)

Number of words within a particular SO. (mean of all values within cabinet duration)

```
class    :       numeric
unique   :          302
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :     5 832 301
range    : [ 5529.5 ] ... [ 45321 ]
examples : [16011.6666666667], [12832.4285714286], [18379.3333333333], [13188.5], [33617.25
...
```

wds_clean_all_mn (ISOR, textlines)

Number of words within a particular SO after having striped away enumerations like, a), b), . . . , 1., 2., . . . I, II, . . . and so forth. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          306
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :    5 603 752
range    : [ 5366 ] ... [ 43698 ]
examples : [13853.7142857143], [8585.5], [17215], [26673.0666666667], [12592.5], [16882.75]
...
```

lns_rel_mn (ISOR, textlines)

Number of lines that contain relevant content - e.g. no blank lines, no headlines, no appendices. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          265
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :      163 058.1
range    : [ 135.5 ] ... [ 1239 ]
examples :  [628], [627], [240.5], [206], [267.666666666667], [545], [569], [356], [427],
[5 ...
```

wds_raw_rel_mn (ISOR, textlines)

Number of words that are not from irrelevant lines - e.g. no blank lines, no headlines, no appendices. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          306
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :    5 589 173
range    : [ 5392.5 ] ... [ 43031 ]
examples : [11183], [11742.75], [8337], [12059.5], [8721], [19725.6666666667], [12518.28571
...
```

wds_clean_rel_mn (ISOR, textlines)

Number of words that are not from irrelevant lines - e.g. no blank lines, no headlines, no appendices - after having striped away enumerations like, a), b), . . . , 1., 2., . . . I, II, . . . and so forth. (mean of all values within cabinet duration)

```
class     :      numeric
unique    :          306
NAs       :           15
not-NA    :          383
not-0-NA :          383
sum       :    5 426 467
range     : [ 5299 ] ... [ 41476 ]
examples :   [21176], [11507.5], [12212], [19465.3333333333], [10046], [10046], [39676.6],
[1 ...
```

lns__all__fst (ISOR, textlines)

Number of lines - also known as sub paragraphs - within a particular SO. (first value within cabinet duration)

```
class     :      integer
unique    :          186
NAs       :           15
not-NA    :          383
not-0-NA :          383
sum       :      239 022
range     : [ 180 ] ... [ 1835 ]
examples : [288], [645], [557], [857], [389], [645], [537], [386], [284], [854] ...
```

wds__raw__all__fst (ISOR, textlines)

Number of words within a particular SO. (first value within cabinet duration)

```
class     :      integer
unique    :          230
NAs       :           15
not-NA    :          383
not-0-NA :          383
sum       :    5 736 187
range     : [ 5327 ] ... [ 45321 ]
examples :       [10933], [NA], [5732], [24809], [10578], [12190], [8310], [19403], [9591],
[8405 ...
```

wds__clean__all__fst (ISOR, textlines)

Number of words within a particular SO after having striped away enumerations like, a), b), ..., 1., 2., ... I, II, ... and so forth. (first value within cabinet duration)

```
class     :      integer
unique    :          229
NAs       :           15
not-NA    :          383
not-0-NA :          383
sum       :    5 511 453
range     : [ 5184 ] ... [ 43698 ]
examples :     [9206], [24956], [9487], [10199], [9927], [10674], [8975], [12269], [10403],
[11 ...
```

lns__rel__fst (ISOR, textlines)

Number of lines that contain relevant content - e.g. no blank lines, no headlines, no appendices. (first value within cabinet duration)

```
class    :      integer
unique   :         175
NAs      :          15
not-NA   :         383
not-0-NA :         383
sum      :     160 528
range    : [ 105 ] ... [ 1239 ]
examples : [681], [344], [366], [334], [268], [340], [417], [1003], [402], [278] ...
```

wds__raw__rel__fst (ISOR, textlines)

Number of words that are not from irrelevant lines - e.g. no blank lines, no headlines, no appendices. (first value within cabinet duration)

```
class    :      integer
unique   :         227
NAs      :          15
not-NA   :         383
not-0-NA :         383
sum      :   5 503 662
range    : [ 5051 ] ... [ 43031 ]
examples :     [14622], [26965], [23381], [8559], [16335], [7652], [NA], [5589], [10221],
[2463 ...
```

wds__clean__rel__fst (ISOR, textlines)

Number of words that are not from irrelevant lines - e.g. no blank lines, no headlines, no appendices - after having striped away enumerations like, a), b), ..., 1., 2., ... I, II, ... and so forth. (first value within cabinet duration)

```
class    :      integer
unique   :         229
NAs      :          15
not-NA   :         383
not-0-NA :         383
sum      :   5 343 565
range    : [ 5041 ] ... [ 41476 ]
examples :   [11916], [39913], [12513], [8852], [7858], [7497], [23343], [8612], [28024],
[11 ...
```

lns__all__lst (ISOR, textlines)

Number of lines - also known as sub paragraphs - within a particular SO. (last value within cabinet duration)

```
class    :      integer
unique   :         188
```

```
NAs       :           15
not-NA    :          383
not-0-NA  :          383
sum       :      246 168
range     : [ 241 ] ... [ 1835 ]
examples  : [367], [1101], [556], [305], [386], [470], [444], [392], [NA], [244] ...
```

wds_raw_all_lst (ISOR, textlines)

Number of words within a particular SO. (last value within cabinet duration)

```
class     :       integer
unique    :           232
NAs       :            15
not-NA    :           383
not-0-NA  :           383
sum       :     5 915 263
range     : [ 5732 ] ... [ 45321 ]
examples  :    [24109], [NA], [14997], [22234], [8382], [9969], [22957], [10583], [15741],
[167 ...
```

wds_clean_all_lst (ISOR, textlines)

Number of words within a particular SO after having striped away enumerations like, a), b), ..., 1., 2., ... I, II, ... and so forth. (last value within cabinet duration)

```
class     :       integer
unique    :           231
NAs       :            15
not-NA    :           383
not-0-NA  :           383
sum       :     5 682 863
range     : [ 5548 ] ... [ 43698 ]
examples  :  [16260], [16754], [23522], [8651], [15996], [8260], [10221], [12454], [9493],
[1 ...
```

lns_rel_lst (ISOR, textlines)

Number of lines that contain relevant content - e.g. no blank lines, no headlines, no appendices. (last value within cabinet duration)

```
class     :       integer
unique    :           174
NAs       :            15
not-NA    :           383
not-0-NA  :           383
sum       :       165 558
range     : [ 117 ] ... [ 1239 ]
examples  : [471], [338], [232], [949], [787], [449], [216], [317], [166], [336] ...
```

wds__raw__rel__lst (ISOR, textlines)

Number of words that are not from irrelevant lines - e.g. no blank lines, no headlines, no appendices. (last value within cabinet duration)

```
class     :       integer
unique    :           229
NAs       :            15
not-NA    :           383
not-0-NA  :           383
sum       :     5 675 832
range     : [ 5589 ] ... [ 43031 ]
examples  :   [7652], [10793], [9258], [10424], [18518], [7595], [22883], [15898], [18438],
[6 ...
```

wds__clean__rel__lst (ISOR, textlines)

Number of words that are not from irrelevant lines - e.g. no blank lines, no headlines, no appendices - after having striped away enumerations like, a), b), ..., 1., 2., ... I, II, ... and so forth. (last value within cabinet duration)

```
class     :       integer
unique    :           231
NAs       :            15
not-NA    :           383
not-0-NA  :           383
sum       :     5 510 436
range     : [ 5476 ] ... [ 41476 ]
examples  :   [14709], [14063], [NA], [15431], [9392], [14966], [11034], [11027], [10197],
[11 ...
```

lns__corp__8__fst (ISOR, textlines)

Number of lines with corpus code 8

8 General Rules Regarding Formation and Legislative Session; Discontinuity (first value within cabinet duration)

```
class     :       numeric
unique    :            16
NAs       :            15
not-NA    :           383
not-0-NA  :           337
sum       :         2 066
range     : [ 0 ] ... [ 22 ]
examples  : [7], [0], [3], [7], [5], [NA], [8], [7], [3], [7] ...
```

lns__corp__9__fst (ISOR, textlines)

Number of lines with corpus code 9

9 Final Provisions (first value within cabinet duration)

```
class    :      numeric
unique   :         12
NAs      :         15
not-NA   :        383
not-0-NA :        103
sum      :        311
range    : [ 0 ] ... [ 12 ]
examples : [0], [6], [0], [0], [5], [0], [0], [12], [0], [3] ...
```

lns__corp__10__fst (ISOR, textlines)

Number of lines with corpus code 10

10 Miscellaneous (cannot be coded otherwise) (first value within cabinet duration)

```
class    :      numeric
unique   :         44
NAs      :         15
not-NA   :        383
not-0-NA :        367
sum      :      4 754
range    : [ 0 ] ... [ 162 ]
examples : [33], [15], [2], [5], [9], [5], [11], [8], [23], [5] ...
```

lns__corp__21__fst (ISOR, textlines)

Number of lines with corpus code 21

2 Special Decision Procedures other than Regular Law-Making

21 constitutional change and amendment (first value within cabinet duration)

```
class    :      numeric
unique   :         16
NAs      :         15
not-NA   :        383
not-0-NA :        241
sum      :      1 542
range    : [ 0 ] ... [ 22 ]
examples : [0], [3], [7], [0], [11], [3], [11], [9], [4], [0] ...
```

lns__corp__22__fst (ISOR, textlines)

Number of lines with corpus code 22

2 Special Decision Procedures other than Regular Law-Making

22 financial laws (money bills) and budgeting (first value within cabinet duration)

```
class    :      numeric
unique   :         44
NAs      :         15
not-NA   :        383
not-0-NA :        328
```

```
sum      :        6 594
range    : [ 0 ] ... [ 65 ]
examples : [16], [16], [1], [9], [NA], [4], [13], [16], [38], [29] ...
```

lns_corp_23_fst (ISOR, textlines)

Number of lines with corpus code 23

2 Special Decision Procedures other than Regular Law-Making

23 foreign policy (first value within cabinet duration)

```
class    :      numeric
unique   :           14
NAs      :           15
not-NA   :          383
not-0-NA :          150
sum      :        1 117
range    : [ 0 ] ... [ 29 ]
examples : [0], [0], [0], [0], [0], [1], [1], [0], [0], [1] ...
```

lns_corp_25_fst (ISOR, textlines)

Number of lines with corpus code 25

2 Special Decision Procedures other than Regular Law-Making

25 general rules on elections in parliament (if not coded as election of government (31), or election of specific officials (411; 421; 441; 6211; 6221; 632)) (first value within cabinet duration)

```
class    :      numeric
unique   :           30
NAs      :           15
not-NA   :          383
not-0-NA :          302
sum      :        2 986
range    : [ 0 ] ... [ 77 ]
examples : [4], [3], [16], [3], [3], [10], [7], [5], [2], [9] ...
```

lns_corp_26_fst (ISOR, textlines)

Number of lines with corpus code 26

2 Special Decision Procedures other than Regular Law-Making

26 further special decision procedures (leading to a decision, e.g. resolution, or leading to a decree/act/bylaw (not mere debate or question time) but cannot be coded as regular law-making nor special decision procedures (21 - 24)) (first value within cabinet duration)

```
class    :      numeric
unique   :           29
NAs      :           15
not-NA   :          383
not-0-NA :          276
```

```
sum      :        3 726
range    : [ 0 ] ... [ 44 ]
examples : [10], [5], [NA], [0], [44], [0], [NA], [3], [NA], [10] ...
```

lns_corp_27_fst (ISOR, textlines)

Number of lines with corpus code 27

2 Special Decision Procedures other than Regular Law-Making

27 procedures concerning laws that are hierarchically situated between regular laws and constitutional laws (above regular laws; e.g. organic laws in Spain) (first value within cabinet duration)

```
class    :      numeric
unique   :            7
NAs      :           15
not-NA   :          383
not-0-NA :           61
sum      :          342
range    : [ 0 ] ... [ 9 ]
examples : [0], [0], [NA], [0], [0], [0], [0], [0], [0], [5] ...
```

lns_corp_28_fst (ISOR, textlines)

Number of lines with corpus code 28

2 Special Decision Procedures other than Regular Law-Making

28 emergency legislation (first value within cabinet duration)

```
class    :      numeric
unique   :            7
NAs      :           15
not-NA   :          383
not-0-NA :           27
sum      :          502
range    : [ 0 ] ... [ 32 ]
examples : [0], [0], [12], [28], [0], [12], [0], [0], [0], [0] ...
```

lns_corp_29_fst (ISOR, textlines)

Number of lines with corpus code 29

2 Special Decision Procedures other than Regular Law-Making

29 relationship to sub-national level (law-making, rights of participation of sub-national level) (first value within cabinet duration)

```
class    :      numeric
unique   :           24
NAs      :           15
not-NA   :          383
not-0-NA :           92
sum      :        3 024
```

```
range    : [ 0 ] ... [ 245 ]
examples : [14], [0], [0], [0], [0], [222], [0], [0], [0], [14] ...
```

lns_corp__31__fst (ISOR, textlines)

Number of lines with corpus code 31

3 Relationship to Government

31 election of government / mandatory investiture vote; entry into office (first value within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :           15
not-NA   :          383
not-0-NA :           76
sum      :          515
range    : [ 0 ] ... [ 18 ]
examples : [1], [0], [0], [0], [0], [0], [18], [0], [0], [0] ...
```

lns_corp__32__fst (ISOR, textlines)

Number of lines with corpus code 32

3 Relationship to Government

32 vote of no confidence / government resignation (first value within cabinet duration)

```
class    :      numeric
unique   :           15
NAs      :           15
not-NA   :          383
not-0-NA :          205
sum      :        1 371
range    : [ 0 ] ... [ 27 ]
examples : [5], [3], [2], [15], [2], [1], [0], [0], [0], [NA] ...
```

lns_corp__33__fst (ISOR, textlines)

Number of lines with corpus code 33

3 Relationship to Government

33 vote of confidence (first value within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :           15
not-NA   :          383
not-0-NA :          126
sum      :          622
range    : [ 0 ] ... [ 9 ]
examples : [0], [0], [0], [4], [5], [0], [9], [7], [0], [0] ...
```

lns_corp_34_fst (ISOR, textlines)

Number of lines with corpus code 34

3 Relationship to Government

34 instructions to government, involvement of members of government in parliamentary activities (rights to compel witnesses [usually right of parliament against members of government], right to speak [usually members of government's right], request of information about state of execution of decisions of parliament) (first value within cabinet duration)

```
class    :     numeric
unique   :          15
NAs      :          15
not-NA   :         383
not-0-NA :         329
sum      :       1 651
range    : [ 0 ] ... [ 13 ]
examples : [7], [1], [7], [0], [0], [3], [12], [1], [0], [2] ...
```

lns_corp_43_fst (ISOR, textlines)

Number of lines with corpus code 43

4 Relationship to External Offices/Institutions apart from the Government

43 second chamber (if not coded as law-making (142)) (first value within cabinet duration)

```
class    :     numeric
unique   :           6
NAs      :          15
not-NA   :         383
not-0-NA :         123
sum      :         283
range    : [ 0 ] ... [ 4 ]
examples : [2], [0], [NA], [0], [0], [0], [0], [0], [3], [0] ...
```

lns_corp_45_fst (ISOR, textlines)

Number of lines with corpus code 45

4 Relationship to External Offices/Institutions apart from the Government

45 constitutional courts (first value within cabinet duration)

```
class    :     numeric
unique   :           8
NAs      :          15
not-NA   :         383
not-0-NA :          56
sum      :         353
range    : [ 0 ] ... [ 34 ]
examples : [0], [0], [21], [0], [5], [0], [0], [0], [0], [0] ...
```

lns_corp_51_fst (ISOR, textlines)

Number of lines with corpus code 51

5 Generating Publicity

51 general rules regarding debate (e.g. time allotted for speaking, proportional representation of parties during debate, closure of debate) (first value within cabinet duration)

```
class    :       numeric
unique   :            55
NAs      :            15
not-NA   :           383
not-0-NA :           383
sum      :         9 805
range    : [ 2 ] ... [ 108 ]
examples : [108], [72], [14], [19], [NA], [61], [15], [19], [19], [15] ...
```

lns_corp_52_fst (ISOR, textlines)

Number of lines with corpus code 52

5 Generating Publicity

52 debates outside of law-making (e.g. topical hours . . .) (first value within cabinet duration)

```
class    :       numeric
unique   :            19
NAs      :            15
not-NA   :           383
not-0-NA :           103
sum      :           884
range    : [ 0 ] ... [ 32 ]
examples : [22], [2], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_53_fst (ISOR, textlines)

Number of lines with corpus code 53

5 Generating Publicity

53 question rights (first value within cabinet duration)

```
class    :       numeric
unique   :            45
NAs      :            15
not-NA   :           383
not-0-NA :           380
sum      :         8 947
range    : [ 0 ] ... [ 89 ]
examples : [15], [19], [NA], [13], [58], [11], [11], [41], [44], [13] ...
```

lns_corp_54_fst (ISOR, textlines)

Number of lines with corpus code 54

5 Generating Publicity

54 petitions and petition committee (first value within cabinet duration)

```
class    :      numeric
unique   :           23
NAs      :           15
not-NA   :          383
not-0-NA :          296
sum      :        3 096
range    : [ 0 ] ... [ 49 ]
examples : [5], [13], [7], [13], [1], [4], [5], [1], [7], [0] ...
```

lns_corp_55_fst (ISOR, textlines)

Number of lines with corpus code 55

5 Generating Publicity

55 relationship to media and citizens (e.g. parliamentary TV, accreditation of journalists, publicity of meetings, admissibility of visitors); regulation of matters of confidentiality (first value within cabinet duration)

```
class    :      numeric
unique   :           29
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :        3 453
range    : [ 1 ] ... [ 67 ]
examples : [3], [8], [3], [7], [8], [4], [9], [2], [13], [7] ...
```

lns_corp_56_fst (ISOR, textlines)

Number of lines with corpus code 56

5 Generating Publicity

56 protocols and parliamentary documents; forwarding of documents and decisions to other bodies (first value within cabinet duration)

```
class    :      numeric
unique   :           32
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :        4 871
range    : [ 2 ] ... [ 61 ]
examples : [5], [9], [14], [16], [8], [10], [9], [9], [12], [29] ...
```

lns_corp_66_fst (ISOR, textlines)

Number of lines with corpus code 66

6 Internal Organization of Parliament

66 opposition (first value within cabinet duration)

```
class    :      numeric
unique   :            3
NAs      :           15
not-NA   :          383
not-0-NA :            8
sum      :            8
range    : [ 0 ] ... [ 1 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_67_fst (ISOR, textlines)

Number of lines with corpus code 67

6 Internal Organization of Parliament

67 special bodies for emergency situations (first value within cabinet duration)

```
class    :      numeric
unique   :            6
NAs      :           15
not-NA   :          383
not-0-NA :           19
sum      :          102
range    : [ 0 ] ... [ 7 ]
examples : [0], [0], [NA], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_68_fst (ISOR, textlines)

Number of lines with corpus code 68

6 Internal Organization of Parliament

68 parliamentary administration (first value within cabinet duration)

```
class    :      numeric
unique   :           23
NAs      :           15
not-NA   :          383
not-0-NA :          270
sum      :        1 581
range    : [ 0 ] ... [ 47 ]
examples : [0], [1], [15], [1], [7], [6], [4], [0], [0], [1] ...
```

lns_corp_71_fst (ISOR, textlines)

Number of lines with corpus code 71

7 Change and Interpretation of the Standing Orders

71 rules regarding changing the standing orders (first value within cabinet duration)

```
class    :       numeric
unique   :            11
NAs      :            15
not-NA   :           383
not-0-NA :           179
sum      :           684
range    : [ 0 ] ... [ 11 ]
examples : [8], [0], [0], [3], [0], [NA], [0], [6], [1], [3] ...
```

lns_corp_72_fst (ISOR, textlines)

Number of lines with corpus code 72

7 Change and Interpretation of the Standing Orders

72 rules regarding interpretation of and deviation from standing orders (first value within cabinet duration)

```
class    :       numeric
unique   :             7
NAs      :            15
not-NA   :           383
not-0-NA :           182
sum      :           430
range    : [ 0 ] ... [ 6 ]
examples : [0], [0], [0], [0], [0], [3], [0], [0], [1], [0] ...
```

lns_corp_73_fst (ISOR, textlines)

Number of lines with corpus code 73

7 Change and Interpretation of the Standing Orders

73 debate about standing orders and motions regarding the standing orders (first value within cabinet duration)

```
class    :       numeric
unique   :             8
NAs      :            15
not-NA   :           383
not-0-NA :           111
sum      :           490
range    : [ 0 ] ... [ 17 ]
examples : [2], [0], [0], [0], [0], [NA], [3], [0], [0], [0] ...
```

lns_corp_111_fst (ISOR, textlines)

Number of lines with corpus code 111

1 Law-Making

11 Bills and motions

111 types of bills and motions; printing and distribution of bills and motions to MPs (first value within cabinet duration)

```
class    :      numeric
unique   :          21
NAs      :          15
not-NA   :         383
not-0-NA :         294
sum      :       1 615
range    : [ 0 ] ... [ 32 ]
examples : [4], [2], [31], [NA], [5], [2], [5], [2], [5], [5] ...
```

lns__corp__112__fst (ISOR, textlines)

Number of lines with corpus code 112

1 Law-Making

11 Bills and motions

112 right to initiate bills and motions (first value within cabinet duration)

```
class    :      numeric
unique   :          15
NAs      :          15
not-NA   :         383
not-0-NA :         314
sum      :       1 296
range    : [ 0 ] ... [ 15 ]
examples : [1], [7], [1], [5], [6], [15], [NA], [0], [3], [2] ...
```

lns__corp__113__fst (ISOR, textlines)

Number of lines with corpus code 113

1 Law-Making

11 Bills and motions

113 restrictions and deadlines (if not assignable to more specific category, e.g. code 121; 32; 134) (first value within cabinet duration)

```
class    :      numeric
unique   :          25
NAs      :          15
not-NA   :         383
not-0-NA :         368
sum      :       2 524
range    : [ 0 ] ... [ 31 ]
examples : [24], [6], [1], [6], [6], [7], [2], [21], [5], [6] ...
```

lns__corp__114__fst (ISOR, textlines)

Number of lines with corpus code 114

1 Law-Making

11 Bills and motions

114 legislative planning (concerns the whole term- general schedule) (first value within cabinet duration)

```
class    :       numeric
unique   :             7
NAs      :            15
not-NA   :           383
not-0-NA :            96
sum      :           354
range    : [ 0 ] ... [ 11 ]
examples : [0], [0], [1], [0], [0], [5], [0], [0], [1], [9] ...
```

lns_corp_121_fst (ISOR, textlines)

Number of lines with corpus code 121

1 Law-Making

12 Treatment of Bills and motions in the plenary

121 debate in the plenary (first value within cabinet duration)

```
class    :       numeric
unique   :            26
NAs      :            15
not-NA   :           383
not-0-NA :           319
sum      :         3 122
range    : [ 0 ] ... [ 30 ]
examples : [19], [0], [24], [21], [20], [20], [8], [12], [13], [17] ...
```

lns_corp_122_fst (ISOR, textlines)

Number of lines with corpus code 122

1 Law-Making

12 Treatment of Bills and motions in the plenary

122 right of amendment in the plenary (first value within cabinet duration)

```
class    :       numeric
unique   :            26
NAs      :            15
not-NA   :           383
not-0-NA :           321
sum      :         2 938
range    : [ 0 ] ... [ 26 ]
examples : [0], [4], [7], [11], [5], [4], [4], [6], [6], [16] ...
```

lns_corp_123_fst (ISOR, textlines)

Number of lines with corpus code 123

1 Law-Making

12 Treatment of Bills and motions in the plenary

123 subject of vote, rules of vote (including quorum), voting technology in the plenary (first value within cabinet duration)

```
class    :      integer
unique   :           45
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :       10 903
range    : [ 2 ] ... [ 67 ]
examples : [56], [56], [17], [25], [23], [32], [46], [29], [50], [33] ...
```

lns_corp_124_fst (ISOR, textlines)

Number of lines with corpus code 124

1 Law-Making

12 Treatment of Bills and motions in the plenary

124 the plenary as Committee of the Whole House (first value within cabinet duration)

```
class    :      numeric
unique   :            6
NAs      :           15
not-NA   :          383
not-0-NA :           47
sum      :          248
range    : [ 0 ] ... [ 8 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_125_fst (ISOR, textlines)

Number of lines with corpus code 125

1 Law-Making

12 Treatment of Bills and motions in the plenary

125 referral to committee, withdrawal from committee (first value within cabinet duration)

```
class    :      numeric
unique   :           18
NAs      :           15
not-NA   :          383
not-0-NA :          368
sum      :        2 220
range    : [ 0 ] ... [ 22 ]
examples : [10], [NA], [8], [3], [10], [6], [6], [4], [6], [6] ...
```

lns_corp_131_fst (ISOR, textlines)

Number of lines with corpus code 131

1 Law-Making

13 Treatment of bills and motions in committee

131 debate in committee (including hearing) (first value within cabinet duration)

```
class    :      numeric
unique   :           14
NAs      :           15
not-NA   :          383
not-0-NA :          234
sum      :          869
range    : [ 0 ] ... [ 13 ]
examples : [1], [2], [5], [3], [9], [0], [3], [0], [0], [0] ...
```

lns_corp_132_fst (ISOR, textlines)

Number of lines with corpus code 132

1 Law-Making

13 Treatment of bills and motions in committee

132 amendment rights in committee (first value within cabinet duration)

```
class    :      numeric
unique   :           10
NAs      :           15
not-NA   :          383
not-0-NA :          250
sum      :          628
range    : [ 0 ] ... [ 10 ]
examples : [4], [1], [4], [0], [1], [4], [0], [1], [0], [0] ...
```

lns_corp_133_fst (ISOR, textlines)

Number of lines with corpus code 133

1 Law-Making

13 Treatment of bills and motions in committee

133 subject of vote, rules of vote (including quorum), voting technology in committee (first value within cabinet duration)

```
class    :      numeric
unique   :           10
NAs      :           15
not-NA   :          383
not-0-NA :          294
sum      :          839
range    : [ 0 ] ... [ 9 ]
examples : [1], [0], [0], [NA], [4], [2], [1], [0], [2], [1] ...
```

lns_corp_134_fst (ISOR, textlines)

Number of lines with corpus code 134

1 Law-Making

13 Treatment of bills and motions in committee

134 report to the plenary (first value within cabinet duration)

```
class     :      numeric
unique    :          20
NAs       :          15
not-NA    :         383
not-0-NA  :         383
sum       :       2 502
range     : [ 1 ] ... [ 22 ]
examples  : [10], [4], [3], [5], [4], [4], [5], [4], [6], [10] ...
```

lns__corp__141__fst (ISOR, textlines)

Number of lines with corpus code 141

1 Law-Making

14 Post-parliamentary stage

141 veto right of government actors and head of state (any case when government actors can oppose themselves to the decisions of parliament) (first value within cabinet duration)

```
class     :      numeric
unique    :           7
NAs       :          15
not-NA    :         383
not-0-NA  :          95
sum       :         330
range     : [ 0 ] ... [ 6 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns__corp__142__fst (ISOR, textlines)

Number of lines with corpus code 142

1 Law-Making

14 Post-parliamentary stage

142 referral to second chamber, conciliation committee, and renewed decision after intervention (first value within cabinet duration)

```
class     :      numeric
unique    :          13
NAs       :          15
not-NA    :         383
not-0-NA  :         266
sum       :       1 565
range     : [ 0 ] ... [ 27 ]
examples  : [5], [0], [6], [6], [5], [4], [0], [0], [5], [0] ...
```

lns_corp__143__fst (ISOR, textlines)

Number of lines with corpus code 143

1 Law-Making

14 Post-parliamentary stage

143 direct democratic procedures following the legislative stage (first value within cabinet duration)

```
class    :      numeric
unique   :            6
NAs      :           15
not-NA   :          383
not-0-NA :           99
sum      :          547
range    : [ 0 ] ... [ 13 ]
examples : [0], [0], [0], [0], [13], [0], [1], [0], [0], [0] ...
```

lns_corp__144__fst (ISOR, textlines)

Number of lines with corpus code 144

1 Law-Making

14 Post-parliamentary stage

144 promulgation and enactment (first value within cabinet duration)

```
class    :      numeric
unique   :            6
NAs      :           15
not-NA   :          383
not-0-NA :           55
sum      :          119
range    : [ 0 ] ... [ 6 ]
examples : [1], [0], [1], [1], [0], [0], [0], [0], [0], [0] ...
```

lns_corp__145__fst (ISOR, textlines)

Number of lines with corpus code 145

1 Law-Making

14 Post-parliamentary stage

145 referral to the constitutional court/supreme court (first value within cabinet duration)

```
class    :      numeric
unique   :            6
NAs      :           15
not-NA   :          383
not-0-NA :           20
sum      :          124
range    : [ 0 ] ... [ 15 ]
examples : [0], [0], [0], [0], [0], [0], [NA], [0], [0], [0] ...
```

lns_corp__241__fst (ISOR, textlines)

Number of lines with corpus code 241

2 Special Decision Procedures other than Regular Law-Making

24 EU

241 treatment of EU-bills and motions (first value within cabinet duration)

```
class    :      numeric
unique   :          14
NAs      :          15
not-NA   :         383
not-0-NA :          99
sum      :         681
range    : [ 0 ] ... [ 24 ]
examples : [0], [0], [0], [0], [0], [3], [0], [3], [0], [0] ...
```

lns_corp__242__fst (ISOR, textlines)

Number of lines with corpus code 242

2 Special Decision Procedures other than Regular Law-Making

24 EU

242 EU-committee: election and resignation (first value within cabinet duration)

```
class    :      numeric
unique   :          20
NAs      :          15
not-NA   :         383
not-0-NA :          83
sum      :         751
range    : [ 0 ] ... [ 48 ]
examples : [39], [0], [0], [7], [0], [0], [0], [0], [12], [0] ...
```

lns_corp__243__fst (ISOR, textlines)

Number of lines with corpus code 243

2 Special Decision Procedures other than Regular Law-Making

24 EU

243 instructions to the government concerning EU decisions (first value within cabinet duration)

```
class    :      numeric
unique   :           4
NAs      :          15
not-NA   :         383
not-0-NA :          10
sum      :          12
range    : [ 0 ] ... [ 3 ]
examples : [0], [0], [NA], [0], [0], [0], [1], [0], [0], [NA] ...
```

lns__corp__244__fst (ISOR, textlines)

Number of lines with corpus code 244

2 Special Decision Procedures other than Regular Law-Making

24 EU

244 further rights of participation in EU matters (e.g. debates about EU topics not based on EU bills and motions, reaction to violations of subsidiary principle) (first value within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :           15
not-NA   :          383
not-0-NA :           73
sum      :          156
range    : [ 0 ] ... [ 28 ]
examples : [0], [0], [NA], [0], [1], [0], [0], [0], [0], [0] ...
```

lns__corp__411__fst (ISOR, textlines)

Number of lines with corpus code 411

4 Relationship to External Offices/Institutions apart from the Government

41 parliamentary support bodies (e.g. general accounting office, ombudsman, ...)

411 election and resignation (first value within cabinet duration)

```
class    :      numeric
unique   :           12
NAs      :           15
not-NA   :          383
not-0-NA :           66
sum      :          359
range    : [ 0 ] ... [ 46 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [1], [0] ...
```

lns__corp__412__fst (ISOR, textlines)

Number of lines with corpus code 412

4 Relationship to External Offices/Institutions apart from the Government

41 parliamentary support bodies (e.g. general accounting office, ombudsman, ...)

412 competences and resources of external offices/institutions; relations to parliament (e.g. reports, questions, ...) (first value within cabinet duration)

```
class    :      numeric
unique   :           12
NAs      :           15
not-NA   :          383
not-0-NA :          197
sum      :          987
```

```
range    : [ 0 ] ... [ 17 ]
examples : [0], [7], [7], [0], [0], [1], [0], [7], [0], [7] ...
```

lns_corp__421__fst (ISOR, textlines)

Number of lines with corpus code 421

4 Relationship to External Offices/Institutions apart from the Government

42 head of state

421 election and resignation (first value within cabinet duration)

```
class    :      numeric
unique   :            7
NAs      :           15
not-NA   :          383
not-0-NA :           48
sum      :          301
range    : [ 0 ] ... [ 15 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp__422__fst (ISOR, textlines)

Number of lines with corpus code 422

4 Relationship to External Offices/Institutions apart from the Government

42 head of state

422 relation to parliament (if not coded as law-making (141, 144)) (first value within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :           15
not-NA   :          383
not-0-NA :           42
sum      :          163
range    : [ 0 ] ... [ 6 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp__441__fst (ISOR, textlines)

Number of lines with corpus code 441

4 Relationship to External Offices/Institutions apart from the Government

44 constitutional courts

441 election and resignation (first value within cabinet duration)

```
class    :      numeric
unique   :            4
NAs      :           15
not-NA   :          383
not-0-NA :           27
```

```
sum      :          76
range    : [ 0 ] ... [ 4 ]
examples : [0], [0], [2], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp__442__fst (ISOR, textlines)

Number of lines with corpus code 442

4 Relationship to External Offices/Institutions apart from the Government

44 constitutional courts

442 relation to parliament (if not coded as law-making (145)) (first value within cabinet duration)

```
class    :      numeric
unique   :           5
NAs      :          15
not-NA   :         383
not-0-NA :          61
sum      :         191
range    : [ 0 ] ... [ 5 ]
examples : [0], [0], [0], [5], [5], [0], [0], [0], [0], [0] ...
```

lns_corp__611__fst (ISOR, textlines)

Number of lines with corpus code 611

6 Internal Organization of Parliament

61 plenary

611 agenda setting and removal of items from the agenda (general rules which are not specifically regulated under 114) (first value within cabinet duration)

```
class    :      numeric
unique   :          52
NAs      :          15
not-NA   :         383
not-0-NA :         360
sum      :       7 308
range    : [ 0 ] ... [ 200 ]
examples : [11], [9], [7], [15], [24], [2], [38], [25], [20], [17] ...
```

lns_corp__612__fst (ISOR, textlines)

Number of lines with corpus code 612

6 Internal Organization of Parliament

61 plenary

612 chairing of meetings and measures to uphold order (first value within cabinet duration)

```
class    :      numeric
unique   :          27
NAs      :          15
```

```
not-NA   :        383
not-0-NA :        383
sum      :      5 883
range    : [ 2 ] ... [ 58 ]
examples : [15], [14], [24], [5], [10], [58], [10], [6], [41], [7] ...
```

lns_corp_613_fst (ISOR, textlines)

Number of lines with corpus code 613

6 Internal Organization of Parliament

61 plenary

613 sitting times (first value within cabinet duration)

```
class    :      numeric
unique   :         20
NAs      :         15
not-NA   :        383
not-0-NA :        323
sum      :      2 006
range    : [ 0 ] ... [ 32 ]
examples : [21], [9], [4], [2], [1], [1], [NA], [6], [9], [17] ...
```

lns_corp_631_fst (ISOR, textlines)

Number of lines with corpus code 631

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

631 general regulations regarding types of committees (first value within cabinet duration)

```
class    :      numeric
unique   :         14
NAs      :         15
not-NA   :        383
not-0-NA :        309
sum      :      1 061
range    : [ 0 ] ... [ 13 ]
examples : [0], [2], [2], [1], [7], [7], [6], [1], [1], [1] ...
```

lns_corp_632_fst (ISOR, textlines)

Number of lines with corpus code 632

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

632 membership and committee jurisdiction (area of influence-control .g. finance, economy, agriculture. . .)
(first value within cabinet duration)

```
class    :      numeric
unique   :           47
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :       8 127
range    : [ 1 ] ... [ 160 ]
examples : [28], [25], [3], [16], [6], [23], [26], [4], [56], [32] ...
```

lns_corp_633_fst (ISOR, textlines)

Number of lines with corpus code 633

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

633 formal organizational units of committee (e.g. chair of committee, sub-committees, staff) (first value within cabinet duration)

```
class    :      numeric
unique   :           17
NAs      :           15
not-NA   :          383
not-0-NA :          377
sum      :       1 693
range    : [ 0 ] ... [ 24 ]
examples : [3], [2], [2], [1], [7], [7], [3], [7], [2], [NA] ...
```

lns_corp_634_fst (ISOR, textlines)

Number of lines with corpus code 634

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

634 agenda and procedures (details on how decisions are taken) within committees (if not coded as law-making (13)) (first value within cabinet duration)

```
class    :      numeric
unique   :           28
NAs      :           15
not-NA   :          383
not-0-NA :          373
sum      :       3 106
range    : [ 0 ] ... [ 39 ]
examples : [7], [7], [3], [23], [8], [5], [8], [13], [5], [2] ...
```

lns_corp_636_fst (ISOR, textlines)

Number of lines with corpus code 636

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

636 investigative competencies of regular committees (NOT committees of inquiry (637)) (first value within cabinet duration)

```
class    :     numeric
unique   :          16
NAs      :          15
not-NA   :         383
not-0-NA :         283
sum      :       1 284
range    : [ 0 ] ... [ 17 ]
examples : [1], [1], [0], [7], [1], [7], [13], [0], [2], [1] ...
```

lns_corp__637__fst (ISOR, textlines)

Number of lines with corpus code 637

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

637 committee of inquiry (first value within cabinet duration)

```
class    :     numeric
unique   :          19
NAs      :          15
not-NA   :         383
not-0-NA :         179
sum      :       1 862
range    : [ 0 ] ... [ 78 ]
examples : [6], [6], [0], [1], [5], [3], [0], [0], [78], [6] ...
```

lns_corp__638__fst (ISOR, textlines)

Number of lines with corpus code 638

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 55; 72))

638 enquete commission (first value within cabinet duration)

```
class    :     numeric
unique   :          11
NAs      :          15
not-NA   :         383
not-0-NA :          78
sum      :         515
range    : [ 0 ] ... [ 20 ]
examples : [0], [0], [0], [0], [9], [0], [1], [0], [17], [0] ...
```

lns_corp__639__fst (ISOR, textlines)

Number of lines with corpus code 639

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

639 other special committees which are not explicitly referenced in this coding manual (e.g. oversight committees in Switzerland) (first value within cabinet duration)

```
class    :      numeric
unique   :           38
NAs      :           15
not-NA   :          383
not-0-NA :          294
sum      :        4 869
range    : [ 0 ] ... [ 211 ]
examples : [5], [5], [1], [13], [0], [26], [0], [45], [5], [0] ...
```

lns__corp__641__fst (ISOR, textlines)

Number of lines with corpus code 641

6 Internal Organization of Parliament

64 parliamentary party groups

641 formation of parliamentary party groups (first value within cabinet duration)

```
class    :      numeric
unique   :           12
NAs      :           15
not-NA   :          383
not-0-NA :          243
sum      :        1 260
range    : [ 0 ] ... [ 12 ]
examples : [0], [1], [5], [5], [0], [NA], [0], [0], [6], [0] ...
```

lns__corp__642__fst (ISOR, textlines)

Number of lines with corpus code 642

6 Internal Organization of Parliament

64 parliamentary party groups

642 rights and obligations of parliamentary party groups (if not coded more specifically as e.g. 112; 51; 52; 53) (first value within cabinet duration)

```
class    :      numeric
unique   :           14
NAs      :           15
not-NA   :          383
not-0-NA :          115
sum      :          626
range    : [ 0 ] ... [ 55 ]
examples : [23], [0], [0], [0], [0], [3], [0], [0], [0], [NA] ...
```

lns__corp__643__fst (ISOR, textlines)

Number of lines with corpus code 643

6 Internal Organization of Parliament

64 parliamentary party groups

643 financial and staff resources (first value within cabinet duration)

```
class    :      numeric
unique   :            8
NAs      :           15
not-NA   :          383
not-0-NA :          100
sum      :          203
range    : [ 0 ] ... [ 6 ]
examples : [0], [1], [0], [0], [0], [6], [0], [0], [0], [1] ...
```

lns__corp__651__fst (ISOR, textlines)

Number of lines with corpus code 651

6 Internal Organization of Parliament

65 individual members of parlaiment

651 election, entry into office, resignation, incompatibilities, legal status, immunity, indemnity (first value within cabinet duration)

```
class    :      numeric
unique   :           30
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :        5 319
range    : [ 2 ] ... [ 56 ]
examples : [28], [24], [23], [15], [15], [7], [5], [56], [6], [9] ...
```

lns__corp__652__fst (ISOR, textlines)

Number of lines with corpus code 652

6 Internal Organization of Parliament

65 individual members of parlaiment

652 rights and obligations of individual members of parliament (if not coded more specifically as e.g. 112; 51; 52; 53) (first value within cabinet duration)

```
class    :      numeric
unique   :           27
NAs      :           15
not-NA   :          383
not-0-NA :          350
sum      :        3 482
range    : [ 0 ] ... [ 66 ]
```

```
examples : [9], [1], [9], [5], [9], [6], [14], [9], [5], [25] ...
```

lns_corp__653__fst (ISOR, textlines)

Number of lines with corpus code 653

6 Internal Organization of Parliament

65 individual members of parlaiment

653 salary, financial and staff resources (first value within cabinet duration)

```
class    :      numeric
unique   :            6
NAs      :           15
not-NA   :          383
not-0-NA :           84
sum      :          191
range    : [ 0 ] ... [ 7 ]
examples : [1], [0], [0], [6], [0], [0], [1], [0], [2], [0] ...
```

lns_corp__999__fst (ISOR, textlines)

Number of lines with corpus code 999

999 Footnotes and Titles Without Relevant Content (first value within cabinet duration)

```
class    :      integer
unique   :          126
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :       78 494
range    : [ 29 ] ... [ 763 ]
examples : [49], [751], [108], [215], [339], [392], [50], [45], [422], [98] ...
```

lns_corp__6211__fst (ISOR, textlines)

Number of lines with corpus code 6211

6 Internal Organization of Parliament

62 parliamentary presiding bodies

621 president of parliament, vice presidents, secretaries and clerks

6211 election, resignation and internal decision rules (first value within cabinet duration)

```
class    :      numeric
unique   :           24
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :        3 639
range    : [ 1 ] ... [ 36 ]
```

```
examples : [2], [4], [12], [8], [8], [13], [26], [5], [4], [6] ...
```

lns_corp_6212_fst (ISOR, textlines)

Number of lines with corpus code 6212

6 Internal Organization of Parliament

62 parliamentary presiding bodies

621 president of parliament, vice presidents, secretaries and clerks

6212 responsibilities (if not coded as more specific category (e.g. 612)) (first value within cabinet duration)

```
class    :       numeric
unique   :            25
NAs      :            15
not-NA   :           383
not-0-NA :           369
sum      :         3 621
range    : [ 0 ] ... [ 72 ]
examples : [NA], [11], [6], [6], [14], [16], [7], [7], [12], [5] ...
```

lns_corp_6221_fst (ISOR, textlines)

Number of lines with corpus code 6221

6 Internal Organization of Parliament

62 parliamentary presiding bodies

622 council of elders or similar coordination body

6221 composition, election, resignation, internal decision rules (first value within cabinet duration)

```
class    :       numeric
unique   :            13
NAs      :            15
not-NA   :           383
not-0-NA :           256
sum      :           749
range    : [ 0 ] ... [ 13 ]
examples : [1], [1], [1], [2], [1], [1], [1], [4], [0], [3] ...
```

lns_corp_6222_fst (ISOR, textlines)

Number of lines with corpus code 6222

6 Internal Organization of Parliament

62 parliamentary presiding bodies

622 council of elders or similar coordination body

6222 responsibilities (if not coded as more specific category (e.g. 612)) (first value within cabinet duration)

```
class    :       numeric
unique   :            14
```

```
NAs     :          15
not-NA  :         383
not-0-NA :         154
sum     :         585
range   : [ 0 ] ... [ 16 ]
examples : [0], [0], [15], [2], [0], [0], [0], [0], [0], [0] ...
```

lns_corp__6351__fst (ISOR, textlines)

Number of lines with corpus code 6351

6 Internal Organization of Parliament

63 committees

relations to other bodies

6351 relation to plenary (if not coded as 124; 134; 34) (first value within cabinet duration)

```
class    :       numeric
unique   :           6
NAs      :          15
not-NA   :         383
not-0-NA :          89
sum      :         115
range    : [ 0 ] ... [ 6 ]
examples : [0], [1], [0], [0], [0], [3], [0], [0], [0], [1] ...
```

lns_corp__6352__fst (ISOR, textlines)

Number of lines with corpus code 6352

6 Internal Organization of Parliament

63 committees

relations to other bodies

6352 relation to other committees (first value within cabinet duration)

```
class    :       numeric
unique   :           9
NAs      :          15
not-NA   :         383
not-0-NA :         201
sum      :         494
range    : [ 0 ] ... [ 7 ]
examples : [1], [1], [2], [1], [2], [0], [0], [5], [3], [0] ...
```

wds_corp__8__fst (ISOR, textlines)

Number of words with corpus code 8 - see lns_corp_8 for more information. (first value within cabinet duration)

```
class    :       numeric
unique   :          77
```

```
NAs      :           15
not-NA   :          383
not-0-NA :          337
sum      :       73 409
range    : [ 0 ] ... [ 729 ]
examples : [78], [0], [310], [264], [0], [39], [270], [78], [39], [296] ...
```

wds_corp_9_fst (ISOR, textlines)

Number of words with corpus code 9 - see lns_corp_9 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           23
NAs      :           15
not-NA   :          383
not-0-NA :          103
sum      :        9 542
range    : [ 0 ] ... [ 633 ]
examples : [0], [13], [0], [0], [213], [0], [336], [17], [13], [0] ...
```

wds_corp_10_fst (ISOR, textlines)

Number of words with corpus code 10 - see lns_corp_10 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :          102
NAs      :           15
not-NA   :          383
not-0-NA :          367
sum      :      142 649
range    : [ 0 ] ... [ 3566 ]
examples : [978], [0], [134], [541], [313], [286], [194], [523], [697], [121] ...
```

wds_corp_21_fst (ISOR, textlines)

Number of words with corpus code 21 - see lns_corp_21 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           36
NAs      :           15
not-NA   :          383
not-0-NA :          241
sum      :       45 128
range    : [ 0 ] ... [ 883 ]
examples : [0], [0], [0], [51], [164], [51], [99], [277], [165], [133] ...
```

wds_corp_22_fst (ISOR, textlines)

Number of words with corpus code 22 - see lns_corp_22 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :          101
NAs      :           15
not-NA   :          383
not-0-NA :          328
sum      :      279 255
range    : [ 0 ] ... [ 2920 ]
examples : [45], [71], [73], [647], [NA], [806], [521], [536], [2920], [71] ...
```

wds_corp_23_fst (ISOR, textlines)

Number of words with corpus code 23 - see lns_corp_23 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           32
NAs      :           15
not-NA   :          383
not-0-NA :          150
sum      :       42 169
range    : [ 0 ] ... [ 777 ]
examples : [0], [635], [0], [0], [22], [0], [0], [67], [0], [635] ...
```

wds_corp_25_fst (ISOR, textlines)

Number of words with corpus code 25 - see lns_corp_25 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           68
NAs      :           15
not-NA   :          383
not-0-NA :          302
sum      :      111 714
range    : [ 0 ] ... [ 1847 ]
examples : [0], [793], [8], [0], [795], [0], [365], [80], [176], [1419] ...
```

wds_corp_26_fst (ISOR, textlines)

Number of words with corpus code 26 - see lns_corp_26 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           66
NAs      :           15
not-NA   :          383
not-0-NA :          276
```

```
sum      :      140 493
range    : [ 0 ] ... [ 2217 ]
examples : [0], [1055], [98], [98], [0], [204], [98], [376], [401], [203] ...
```

wds__corp__27__fst (ISOR, textlines)

Number of words with corpus code 27 - see lns_corp_27 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           12
NAs      :           15
not-NA   :          383
not-0-NA :           61
sum      :       14 171
range    : [ 0 ] ... [ 475 ]
examples : [0], [0], [0], [0], [0], [NA], [0], [0], [195], [0] ...
```

wds__corp__28__fst (ISOR, textlines)

Number of words with corpus code 28 - see lns_corp_28 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :           15
not-NA   :          383
not-0-NA :           27
sum      :       12 366
range    : [ 0 ] ... [ 775 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds__corp__29__fst (ISOR, textlines)

Number of words with corpus code 29 - see lns_corp_29 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           34
NAs      :           15
not-NA   :          383
not-0-NA :           92
sum      :      111 268
range    : [ 0 ] ... [ 8107 ]
examples : [NA], [488], [570], [0], [0], [0], [0], [0], [0], [0] ...
```

wds__corp__31__fst (ISOR, textlines)

Number of words with corpus code 31 - see lns_corp_31 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           14
NAs      :           15
not-NA   :          383
not-0-NA :           76
sum      :       13 382
range    : [ 0 ] ... [ 426 ]
examples : [426], [27], [0], [0], [331], [0], [0], [0], [0], [0] ...
```

wds_corp_32_fst (ISOR, textlines)

Number of words with corpus code 32 - see lns_corp_32 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           30
NAs      :           15
not-NA   :          383
not-0-NA :          205
sum      :       45 855
range    : [ 0 ] ... [ 859 ]
examples : [511], [64], [76], [121], [39], [0], [230], [0], [239], [0] ...
```

wds_corp_33_fst (ISOR, textlines)

Number of words with corpus code 33 - see lns_corp_33 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           19
NAs      :           15
not-NA   :          383
not-0-NA :          126
sum      :       21 471
range    : [ 0 ] ... [ 268 ]
examples : [0], [0], [0], [240], [187], [0], [0], [0], [0], [23] ...
```

wds_corp_34_fst (ISOR, textlines)

Number of words with corpus code 34 - see lns_corp_34 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           64
NAs      :           15
not-NA   :          383
not-0-NA :          329
sum      :       54 420
range    : [ 0 ] ... [ 485 ]
examples : [313], [0], [64], [99], [57], [485], [304], [0], [360], [360] ...
```

wds__corp__43__fst (ISOR, textlines)

Number of words with corpus code 43 - see lns_corp_43 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           14
NAs      :           15
not-NA   :          383
not-0-NA :          123
sum      :        9 395
range    : [ 0 ] ... [ 163 ]
examples : [0], [0], [0], [0], [0], [0], [0], [101], [0], [0] ...
```

wds__corp__45__fst (ISOR, textlines)

Number of words with corpus code 45 - see lns_corp_45 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           11
NAs      :           15
not-NA   :          383
not-0-NA :           56
sum      :       13 206
range    : [ 0 ] ... [ 1001 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds__corp__51__fst (ISOR, textlines)

Number of words with corpus code 51 - see lns_corp_51 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :          116
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :      253 142
range    : [ 86 ] ... [ 1649 ]
examples : [87], [463], [1605], [839], [839], [1244], [535], [NA], [NA], [697] ...
```

wds__corp__52__fst (ISOR, textlines)

Number of words with corpus code 52 - see lns_corp_52 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           33
NAs      :           15
not-NA   :          383
```

```
not-0-NA :         103
sum      :      28 375
range    : [ 0 ] ... [ 1025 ]
examples : [0], [0], [28], [0], [0], [263], [0], [277], [99], [0] ...
```

wds_corp_53_fst (ISOR, textlines)

Number of words with corpus code 53 - see lns_corp_53 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :         128
NAs      :          15
not-NA   :         383
not-0-NA :         380
sum      :     303 992
range    : [ 0 ] ... [ 2691 ]
examples : [1318], [2691], [919], [873], [1300], [433], [1318], [338], [NA], [0] ...
```

wds_corp_54_fst (ISOR, textlines)

Number of words with corpus code 54 - see lns_corp_54 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :          59
NAs      :          15
not-NA   :         383
not-0-NA :         296
sum      :      93 501
range    : [ 0 ] ... [ 1106 ]
examples : [0], [998], [725], [292], [0], [630], [143], [314], [273], [0] ...
```

wds_corp_55_fst (ISOR, textlines)

Number of words with corpus code 55 - see lns_corp_55 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :          91
NAs      :          15
not-NA   :         383
not-0-NA :         383
sum      :     105 081
range    : [ 37 ] ... [ 1851 ]
examples : [NA], [124], [42], [280], [301], [235], [116], [287], [46], [341] ...
```

wds_corp_56_fst (ISOR, textlines)

Number of words with corpus code 56 - see lns_corp_56 for more information. (first value within cabinet duration)

```
class    :       numeric
unique   :            97
NAs      :            15
not-NA   :           383
not-0-NA :           383
sum      :       151 288
range    : [ 47 ] ... [ 1340 ]
examples : [474], [276], [274], [NA], [83], [NA], [223], [303], [NA], [210] ...
```

wds_corp_66_fst (ISOR, textlines)

Number of words with corpus code 66 - see lns_corp_66 for more information. (first value within cabinet duration)

```
class    :       numeric
unique   :             3
NAs      :            15
not-NA   :           383
not-0-NA :             8
sum      :           328
range    : [ 0 ] ... [ 41 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_67_fst (ISOR, textlines)

Number of words with corpus code 67 - see lns_corp_67 for more information. (first value within cabinet duration)

```
class    :       numeric
unique   :             8
NAs      :            15
not-NA   :           383
not-0-NA :            19
sum      :         2 235
range    : [ 0 ] ... [ 137 ]
examples : [0], [NA], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_68_fst (ISOR, textlines)

Number of words with corpus code 68 - see lns_corp_68 for more information. (first value within cabinet duration)

```
class    :       numeric
unique   :            55
NAs      :            15
not-NA   :           383
not-0-NA :           270
sum      :        41 828
range    : [ 0 ] ... [ 1093 ]
```

```
examples : [320], [0], [0], [105], [0], [90], [402], [133], [0], [0] ...
```

wds_corp_71_fst (ISOR, textlines)

Number of words with corpus code 71 - see lns_corp_71 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           36
NAs      :           15
not-NA   :          383
not-0-NA :          179
sum      :       22 209
range    : [ 0 ] ... [ 388 ]
examples : [52], [56], [82], [70], [91], [70], [200], [17], [0], [0] ...
```

wds_corp_72_fst (ISOR, textlines)

Number of words with corpus code 72 - see lns_corp_72 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           24
NAs      :           15
not-NA   :          383
not-0-NA :          182
sum      :       14 718
range    : [ 0 ] ... [ 148 ]
examples : [0], [0], [42], [0], [121], [30], [0], [0], [0], [0] ...
```

wds_corp_73_fst (ISOR, textlines)

Number of words with corpus code 73 - see lns_corp_73 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           17
NAs      :           15
not-NA   :          383
not-0-NA :          111
sum      :       11 960
range    : [ 0 ] ... [ 295 ]
examples : [0], [0], [0], [NA], [0], [0], [15], [0], [284], [254] ...
```

wds_corp_111_fst (ISOR, textlines)

Number of words with corpus code 111 - see lns_corp_111 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           54
```

```
NAs       :            15
not-NA    :           383
not-0-NA  :           294
sum       :        38 248
range     : [ 0 ] ... [ 651 ]
examples  : [102], [0], [642], [64], [30], [260], [305], [64], [NA], [0] ...
```

wds_corp_112_fst (ISOR, textlines)

Number of words with corpus code 112 - see lns_corp_112 for more information. (first value within cabinet duration)

```
class     :        numeric
unique    :            55
NAs       :            15
not-NA    :           383
not-0-NA  :           314
sum       :        42 348
range     : [ 0 ] ... [ 443 ]
examples  : [65], [139], [126], [0], [25], [65], [125], [53], [174], [226] ...
```

wds_corp_113_fst (ISOR, textlines)

Number of words with corpus code 113 - see lns_corp_113 for more information. (first value within cabinet duration)

```
class     :        numeric
unique    :            76
NAs       :            15
not-NA    :           383
not-0-NA  :           368
sum       :        80 717
range     : [ 0 ] ... [ 806 ]
examples  : [122], [129], [29], [271], [122], [199], [122], [727], [281], [337] ...
```

wds_corp_114_fst (ISOR, textlines)

Number of words with corpus code 114 - see lns_corp_114 for more information. (first value within cabinet duration)

```
class     :        numeric
unique    :            16
NAs       :            15
not-NA    :           383
not-0-NA  :            96
sum       :        14 121
range     : [ 0 ] ... [ 635 ]
examples  : [40], [0], [0], [0], [0], [256], [14], [0], [0], [0] ...
```

wds__corp__121__fst (ISOR, textlines)

Number of words with corpus code 121 - see lns_corp_121 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           75
NAs      :           15
not-NA   :          383
not-0-NA :          319
sum      :      111 286
range    : [ 0 ] ... [ 1363 ]
examples : [660], [238], [0], [616], [0], [272], [616], [164], [616], [318] ...
```

wds__corp__122__fst (ISOR, textlines)

Number of words with corpus code 122 - see lns_corp_122 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           67
NAs      :           15
not-NA   :          383
not-0-NA :          321
sum      :      107 477
range    : [ 0 ] ... [ 1136 ]
examples : [388], [0], [0], [203], [201], [240], [367], [106], [315], [153] ...
```

wds__corp__123__fst (ISOR, textlines)

Number of words with corpus code 123 - see lns_corp_123 for more information. (first value within cabinet duration)

```
class    :      integer
unique   :          128
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :      360 841
range    : [ 245 ] ... [ 2362 ]
examples : [825], [341], [697], [1166], [2072], [1246], [654], [675], [350], [905] ...
```

wds__corp__124__fst (ISOR, textlines)

Number of words with corpus code 124 - see lns_corp_124 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           15
NAs      :           15
not-NA   :          383
not-0-NA :           47
```

```
sum      :       16 915
range    : [ 0 ] ... [ 498 ]
examples : [0], [0], [0], [0], [0], [0], [NA], [0], [0], [0] ...
```

wds__corp__125__fst (ISOR, textlines)

Number of words with corpus code 125 - see lns_corp_125 for more information. (first value within cabinet duration)

```
class    :       numeric
unique   :            85
NAs      :            15
not-NA   :           383
not-0-NA :           368
sum      :        96 258
range    : [ 0 ] ... [ 1073 ]
examples : [111], [275], [203], [176], [269], [260], [142], [229], [394], [379] ...
```

wds__corp__131__fst (ISOR, textlines)

Number of words with corpus code 131 - see lns_corp_131 for more information. (first value within cabinet duration)

```
class    :       numeric
unique   :            53
NAs      :            15
not-NA   :           383
not-0-NA :           234
sum      :        33 396
range    : [ 0 ] ... [ 636 ]
examples : [0], [349], [0], [0], [23], [141], [0], [NA], [76], [25] ...
```

wds__corp__132__fst (ISOR, textlines)

Number of words with corpus code 132 - see lns_corp_132 for more information. (first value within cabinet duration)

```
class    :       numeric
unique   :            41
NAs      :            15
not-NA   :           383
not-0-NA :           250
sum      :        26 785
range    : [ 0 ] ... [ 435 ]
examples : [302], [36], [0], [213], [0], [55], [0], [246], [0], [49] ...
```

wds__corp__133__fst (ISOR, textlines)

Number of words with corpus code 133 - see lns_corp_133 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           48
NAs      :           15
not-NA   :          383
not-0-NA :          294
sum      :       29 953
range    : [ 0 ] ... [ 413 ]
examples : [0], [235], [377], [202], [0], [52], [0], [37], [0], [36] ...
```

wds_corp_134_fst (ISOR, textlines)

Number of words with corpus code 134 - see lns_corp_134 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           95
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :       92 669
range    : [ 36 ] ... [ 736 ]
examples : [250], [177], [445], [115], [314], [233], [119], [263], [41], [495] ...
```

wds_corp_141_fst (ISOR, textlines)

Number of words with corpus code 141 - see lns_corp_141 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :           15
not-NA   :          383
not-0-NA :           95
sum      :       12 891
range    : [ 0 ] ... [ 187 ]
examples : [NA], [107], [0], [90], [0], [NA], [0], [0], [107], [187] ...
```

wds_corp_142_fst (ISOR, textlines)

Number of words with corpus code 142 - see lns_corp_142 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           38
NAs      :           15
not-NA   :          383
not-0-NA :          266
sum      :       67 287
range    : [ 0 ] ... [ 1121 ]
examples : [0], [274], [55], [0], [0], [274], [128], [194], [74], [274] ...
```

wds__corp__143__fst (ISOR, textlines)

Number of words with corpus code 143 - see lns_corp_143 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :          15
NAs      :          15
not-NA   :         383
not-0-NA :          99
sum      :      22 071
range    : [ 0 ] ... [ 555 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [546] ...
```

wds__corp__144__fst (ISOR, textlines)

Number of words with corpus code 144 - see lns_corp_144 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           9
NAs      :          15
not-NA   :         383
not-0-NA :          55
sum      :       2 821
range    : [ 0 ] ... [ 136 ]
examples : [0], [0], [21], [0], [0], [0], [0], [0], [0], [0] ...
```

wds__corp__145__fst (ISOR, textlines)

Number of words with corpus code 145 - see lns_corp_145 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           8
NAs      :          15
not-NA   :         383
not-0-NA :          20
sum      :       6 203
range    : [ 0 ] ... [ 849 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds__corp__241__fst (ISOR, textlines)

Number of words with corpus code 241 - see lns_corp_241 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :          32
NAs      :          15
not-NA   :         383
```

```
not-0-NA :            99
sum      :        29 942
range    : [ 0 ] ... [ 889 ]
examples : [0], [162], [0], [0], [NA], [0], [889], [0], [50], [0] ...
```

wds__corp__242__fst (ISOR, textlines)

Number of words with corpus code 242 - see lns_corp_242 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           30
NAs      :           15
not-NA   :          383
not-0-NA :           83
sum      :       24 012
range    : [ 0 ] ... [ 1310 ]
examples : [375], [0], [0], [0], [0], [0], [341], [0], [64], [0] ...
```

wds__corp__243__fst (ISOR, textlines)

Number of words with corpus code 243 - see lns_corp_243 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :            7
NAs      :           15
not-NA   :          383
not-0-NA :           10
sum      :          446
range    : [ 0 ] ... [ 70 ]
examples : [0], [43], [0], [NA], [0], [0], [0], [0], [NA], [0] ...
```

wds__corp__244__fst (ISOR, textlines)

Number of words with corpus code 244 - see lns_corp_244 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           20
NAs      :           15
not-NA   :          383
not-0-NA :           73
sum      :        5 897
range    : [ 0 ] ... [ 918 ]
examples : [55], [19], [0], [0], [0], [0], [0], [0], [NA], [0] ...
```

wds__corp__411__fst (ISOR, textlines)

Number of words with corpus code 411 - see lns_corp_411 for more information. (first value within cabinet duration)

```
class    :       numeric
unique   :            21
NAs      :            15
not-NA   :           383
not-0-NA :            66
sum      :       11 731
range    : [ 0 ] ... [ 1435 ]
examples : [0], [0], [8], [0], [9], [9], [0], [0], [NA], [0] ...
```

wds_corp_412_fst (ISOR, textlines)

Number of words with corpus code 412 - see lns_corp_412 for more information. (first value within cabinet duration)

```
class    :       numeric
unique   :            36
NAs      :            15
not-NA   :           383
not-0-NA :           197
sum      :       31 916
range    : [ 0 ] ... [ 629 ]
examples : [179], [225], [0], [53], [53], [60], [171], [0], [0], [225] ...
```

wds_corp_421_fst (ISOR, textlines)

Number of words with corpus code 421 - see lns_corp_421 for more information. (first value within cabinet duration)

```
class    :       numeric
unique   :            14
NAs      :            15
not-NA   :           383
not-0-NA :            48
sum      :       10 602
range    : [ 0 ] ... [ 391 ]
examples : [350], [0], [NA], [185], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_422_fst (ISOR, textlines)

Number of words with corpus code 422 - see lns_corp_422 for more information. (first value within cabinet duration)

```
class    :       numeric
unique   :            10
NAs      :            15
not-NA   :           383
not-0-NA :            42
sum      :        4 191
range    : [ 0 ] ... [ 170 ]
```

```
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_441_fst (ISOR, textlines)

Number of words with corpus code 441 - see lns_corp_441 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :           15
not-NA   :          383
not-0-NA :           27
sum      :        1 941
range    : [ 0 ] ... [ 99 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_442_fst (ISOR, textlines)

Number of words with corpus code 442 - see lns_corp_442 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :           15
not-NA   :          383
not-0-NA :           61
sum      :        5 630
range    : [ 0 ] ... [ 142 ]
examples : [0], [0], [0], [0], [27], [0], [0], [142], [0], [142] ...
```

wds_corp_611_fst (ISOR, textlines)

Number of words with corpus code 611 - see lns_corp_611 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           98
NAs      :           15
not-NA   :          383
not-0-NA :          360
sum      :      267 881
range    : [ 0 ] ... [ 6791 ]
examples : [683], [375], [662], [109], [301], [449], [788], [375], [230], [749] ...
```

wds_corp_612_fst (ISOR, textlines)

Number of words with corpus code 612 - see lns_corp_612 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           75
```

```
NAs      :          15
not-NA   :          383
not-O-NA :          383
sum      :      198 747
range    : [ 88 ] ... [ 2211 ]
examples : [741], [NA], [88], [628], [496], [1153], [229], [1103], [1153], [1103] ...
```

wds_corp_613_fst (ISOR, textlines)

Number of words with corpus code 613 - see lns_corp_613 for more information. (first value within cabinet duration)

```
class    :       numeric
unique   :          64
NAs      :          15
not-NA   :          383
not-O-NA :          323
sum      :       67 877
range    : [ 0 ] ... [ 842 ]
examples : [26], [26], [145], [53], [243], [80], [NA], [0], [107], [253] ...
```

wds_corp_631_fst (ISOR, textlines)

Number of words with corpus code 631 - see lns_corp_631 for more information. (first value within cabinet duration)

```
class    :       numeric
unique   :          42
NAs      :          15
not-NA   :          383
not-O-NA :          309
sum      :       36 069
range    : [ 0 ] ... [ 518 ]
examples : [NA], [0], [209], [99], [20], [0], [19], [76], [86], [81] ...
```

wds_corp_632_fst (ISOR, textlines)

Number of words with corpus code 632 - see lns_corp_632 for more information. (first value within cabinet duration)

```
class    :       numeric
unique   :          148
NAs      :          15
not-NA   :          383
not-O-NA :          383
sum      :      205 414
range    : [ 27 ] ... [ 1313 ]
examples : [996], [534], [537], [760], [967], [NA], [253], [630], [747], [NA] ...
```

wds_corp__633__fst (ISOR, textlines)

Number of words with corpus code 633 - see lns_corp_633 for more information. (first value within cabinet duration)

```
class    :       numeric
unique   :            72
NAs      :            15
not-NA   :           383
not-0-NA :           377
sum      :        56 405
range    : [ 0 ] ... [ 790 ]
examples : [127], [55], [273], [730], [182], [747], [145], [20], [30], [255] ...
```

wds_corp__634__fst (ISOR, textlines)

Number of words with corpus code 634 - see lns_corp_634 for more information. (first value within cabinet duration)

```
class    :       numeric
unique   :            93
NAs      :            15
not-NA   :           383
not-0-NA :           373
sum      :       102 029
range    : [ 0 ] ... [ 1288 ]
examples : [119], [1087], [287], [67], [293], [464], [32], [326], [161], [1113] ...
```

wds_corp__636__fst (ISOR, textlines)

Number of words with corpus code 636 - see lns_corp_636 for more information. (first value within cabinet duration)

```
class    :       numeric
unique   :            61
NAs      :            15
not-NA   :           383
not-0-NA :           283
sum      :        42 971
range    : [ 0 ] ... [ 595 ]
examples : [68], [0], [174], [0], [50], [62], [50], [71], [561], [0] ...
```

wds_corp__637__fst (ISOR, textlines)

Number of words with corpus code 637 - see lns_corp_637 for more information. (first value within cabinet duration)

```
class    :       numeric
unique   :            38
NAs      :            15
not-NA   :           383
not-0-NA :           179
```

```
sum      :        60 174
range    : [ 0 ] ... [ 2444 ]
examples : [477], [0], [120], [0], [120], [0], [40], [0], [0], [0] ...
```

wds__corp__638__fst (ISOR, textlines)

Number of words with corpus code 638 - see lns_corp_638 for more information. (first value within cabinet duration)

```
class    :     numeric
unique   :          16
NAs      :          15
not-NA   :         383
not-0-NA :          78
sum      :      16 450
range    : [ 0 ] ... [ 649 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds__corp__639__fst (ISOR, textlines)

Number of words with corpus code 639 - see lns_corp_639 for more information. (first value within cabinet duration)

```
class    :     numeric
unique   :          98
NAs      :          15
not-NA   :         383
not-0-NA :         294
sum      :     160 554
range    : [ 0 ] ... [ 6014 ]
examples : [1632], [1004], [283], [543], [0], [696], [1600], [936], [0], [873] ...
```

wds__corp__641__fst (ISOR, textlines)

Number of words with corpus code 641 - see lns_corp_641 for more information. (first value within cabinet duration)

```
class    :     numeric
unique   :          35
NAs      :          15
not-NA   :         383
not-0-NA :         243
sum      :      40 686
range    : [ 0 ] ... [ 439 ]
examples : [198], [0], [78], [141], [0], [159], [224], [152], [43], [0] ...
```

wds__corp__642__fst (ISOR, textlines)

Number of words with corpus code 642 - see lns_corp_642 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           25
NAs      :           15
not-NA   :          383
not-0-NA :          115
sum      :       16 326
range    : [ 0 ] ... [ 643 ]
examples : [90], [271], [0], [0], [90], [0], [0], [0], [0], [0] ...
```

wds_corp_643_fst (ISOR, textlines)

Number of words with corpus code 643 - see lns_corp_643 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           20
NAs      :           15
not-NA   :          383
not-0-NA :          100
sum      :        8 966
range    : [ 0 ] ... [ 202 ]
examples : [0], [202], [0], [46], [46], [138], [0], [NA], [0], [0] ...
```

wds_corp_651_fst (ISOR, textlines)

Number of words with corpus code 651 - see lns_corp_651 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           96
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :      209 563
range    : [ 53 ] ... [ 2439 ]
examples : [206], [722], [NA], [223], [1230], [78], [558], [78], [108], [53] ...
```

wds_corp_652_fst (ISOR, textlines)

Number of words with corpus code 652 - see lns_corp_652 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           79
NAs      :           15
not-NA   :          383
not-0-NA :          350
sum      :      103 853
range    : [ 0 ] ... [ 2080 ]
examples : [225], [123], [219], [196], [159], [81], [81], [262], [487], [160] ...
```

wds__corp__653__fst (ISOR, textlines)

Number of words with corpus code 653 - see lns_corp_653 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           12
NAs      :           15
not-NA   :          383
not-0-NA :           84
sum      :        8 680
range    : [ 0 ] ... [ 274 ]
examples : [58], [0], [0], [0], [274], [0], [0], [58], [0], [0] ...
```

wds__corp__999__fst (ISOR, textlines)

Number of words with corpus code 999 - see lns_corp_999 for more information. (first value within cabinet duration)

```
class    :      integer
unique   :          155
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :      167 888
range    : [ 38 ] ... [ 3193 ]
examples : [362], [324], [753], [209], [387], [1122], [976], [120], [159], [976] ...
```

wds__corp__6211__fst (ISOR, textlines)

Number of words with corpus code 6211 - see lns_corp_6211 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           74
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :      112 899
range    : [ 39 ] ... [ 1308 ]
examples : [442], [657], [176], [657], [39], [382], [142], [189], [153], [245] ...
```

wds__corp__6212__fst (ISOR, textlines)

Number of words with corpus code 6212 - see lns_corp_6212 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           81
NAs      :           15
not-NA   :          383
```

```
not-0-NA :          369
sum      :      101 093
range    : [ 0 ] ... [ 1060 ]
examples : [276], [78], [209], [199], [151], [44], [166], [214], [NA], [440] ...
```

wds__corp__6221__fst (ISOR, textlines)

Number of words with corpus code 6221 - see lns_corp_6221 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           52
NAs      :           15
not-NA   :          383
not-0-NA :          256
sum      :       23 874
range    : [ 0 ] ... [ 308 ]
examples : [18], [51], [NA], [67], [NA], [45], [0], [18], [0], [18] ...
```

wds__corp__6222__fst (ISOR, textlines)

Number of words with corpus code 6222 - see lns_corp_6222 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           40
NAs      :           15
not-NA   :          383
not-0-NA :          154
sum      :       20 968
range    : [ 0 ] ... [ 560 ]
examples : [0], [0], [0], [0], [NA], [0], [0], [0], [213], [27] ...
```

wds__corp__6351__fst (ISOR, textlines)

Number of words with corpus code 6351 - see lns_corp_6351 for more information. (first value within cabinet duration)

```
class    :      numeric
unique   :           18
NAs      :           15
not-NA   :          383
not-0-NA :           89
sum      :        4 151
range    : [ 0 ] ... [ 178 ]
examples : [0], [0], [25], [0], [0], [0], [27], [0], [0], [0] ...
```

wds__corp__6352__fst (ISOR, textlines)

Number of words with corpus code 6352 - see lns_corp_6352 for more information. (first value within cabinet duration)

```
class    :       numeric
unique   :            31
NAs      :            15
not-NA   :           383
not-0-NA :           201
sum      :        20 790
range    : [ 0 ] ... [ 323 ]
examples : [21], [139], [65], [80], [65], [14], [21], [0], [14], [109] ...
```

lns_corp_top_1_fst (ISOR, textlines)

Number of lines with aggregated corpus code 1 - lawmaking

codes: 111, 112, 113, 114, 121, 122, 123, 124, 125, 131, 132, 133, 134, 141, 142, 143, 144, 145 (first value within cabinet duration)

```
class    :       numeric
unique   :            91
NAs      :            15
not-NA   :           383
not-0-NA :           383
sum      :        32 743
range    : [ 18 ] ... [ 192 ]
examples : [139], [62], [88], [51], [95], [107], [66], [53], [43], [101] ...
```

lns_corp_top_2_fst (ISOR, textlines)

Number of lines with aggregated corpus code 2 - special decission rules

codes: 21, 22, 23, 241, 242, 243, 244, 26, 27, 28, 29, 67, 71, 72, 73 (first value within cabinet duration)

```
class    :       numeric
unique   :            86
NAs      :            15
not-NA   :           383
not-0-NA :           383
sum      :        20 153
range    : [ 3 ] ... [ 341 ]
examples : [7], [15], [63], [29], [22], [30], [21], [22], [7], [75] ...
```

lns_corp_top_3_fst (ISOR, textlines)

Number of lines with aggregated corpus code 3 - elections

codes: 25, 31, 32, 33, 411, 421, 441 (first value within cabinet duration)

```
class    :       numeric
unique   :            42
NAs      :            15
not-NA   :           383
```

```
not-0-NA :           335
sum      :         6 230
range    : [ 0 ] ... [ 97 ]
examples : [3], [11], [3], [40], [5], [19], [52], [4], [0], [10] ...
```

lns_corp_top_4_fst (ISOR, textlines)

Number of lines with aggregated corpus code 4 - government control

codes: 412, 53, 54, 636, 637, 66 (first value within cabinet duration)

```
class    :        numeric
unique   :             66
NAs      :             15
not-NA   :            383
not-0-NA :            383
sum      :         16 184
range    : [ 2 ] ... [ 164 ]
examples : [18], [19], [23], [22], [56], [NA], [10], [53], [NA], [2] ...
```

lns_corp_top_5_fst (ISOR, textlines)

Number of lines with aggregated corpus code 5 - puplicity

codes: 121, 51, 52, 53, 55, 56, 611, 612, 613 (first value within cabinet duration)

```
class    :        numeric
unique   :            107
NAs      :             15
not-NA   :            383
not-0-NA :            383
sum      :         46 279
range    : [ 19 ] ... [ 314 ]
examples : [87], [137], [121], [88], [66], [94], [23], [94], [59], [131] ...
```

lns_corp_top_66_fst (ISOR, textlines)

Number of lines with aggregated corpus code 66 - not used for aggregation

codes: 34, 422, 43, 442, 45, 6211, 6212, 6221, 6222, 631, 632, 633, 634, 6351, 6352, 638, 639, 641, 642, 643, 651, 652, 653, 68, 8, 9, 10, 999 (first value within cabinet duration)

```
class    :        numeric
unique   :            121
NAs      :             15
not-NA   :            383
not-0-NA :            383
sum      :         51 008
range    : [ 36 ] ... [ 464 ]
examples : [152], [153], [158], [271], [133], [266], [95], [122], [130], [93] ...
```

lns_corp_top_77_fst (ISOR, textlines)

Number of lines with aggregated corpus code 77 - not relevant

codes: 999 (first value within cabinet duration)

```
class     :      numeric
unique    :          126
NAs       :           15
not-NA    :          383
not-0-NA  :          383
sum       :       78 494
range     : [ 29 ] ... [ 763 ]
examples  : [216], [385], [44], [43], [204], [216], [341], [40], [207], [229] ...
```

wds_corp_top_1_fst (ISOR, textlines)

Number of words with aggregated corpus code 1 - lawmaking

codes: 111, 112, 113, 114, 121, 122, 123, 124, 125, 131, 132, 133, 134, 141, 142, 143, 144, 145 (first value within cabinet duration)

```
class     :      numeric
unique    :          178
NAs       :           15
not-NA    :          383
not-0-NA  :          383
sum       :    1 162 287
range     : [ 1130 ] ... [ 7671 ]
examples  : [2353], [2561], [2530], [2358], [1417], [2164], [2325], [1702], [2530], [2254]
...
```

wds_corp_top_2_fst (ISOR, textlines)

Number of words with aggregated corpus code 2 - special decission rules

codes: 21, 22, 23, 241, 242, 243, 244, 26, 27, 28, 29, 67, 71, 72, 73 (first value within cabinet duration)

```
class     :      numeric
unique    :          160
NAs       :           15
not-NA    :          383
not-0-NA  :          383
sum       :      756 269
range     : [ 222 ] ... [ 11363 ]
examples  :    [5669], [2210], [2701], [1520], [1892], [2712], [1508], [278], [549], [1202]
...
```

wds_corp_top_3_fst (ISOR, textlines)

Number of words with aggregated corpus code 3 - elections

codes: 25, 31, 32, 33, 411, 421, 441 (first value within cabinet duration)

```
class    :      numeric
unique   :           92
NAs      :           15
not-NA   :          383
not-0-NA :          335
sum      :      216 696
range    : [ 0 ] ... [ 2406 ]
examples : [337], [163], [267], [0], [337], [1465], [396], [190], [0], [1244] ...
```

wds_corp_top_4_fst (ISOR, textlines)

Number of words with aggregated corpus code 4 - government control

codes: 412, 53, 54, 636, 637, 66 (first value within cabinet duration)

```
class    :      numeric
unique   :          150
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :      532 882
range    : [ 93 ] ... [ 5488 ]
examples : [1142], [1002], [1130], [1757], [1633], [707], [1334], [NA], [797], [NA] ...
```

wds_corp_top_5_fst (ISOR, textlines)

Number of words with aggregated corpus code 5 - puplicity

codes: 121, 51, 52, 53, 55, 56, 611, 612, 613 (first value within cabinet duration)

```
class    :      numeric
unique   :          191
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :    1 487 669
range    : [ 955 ] ... [ 11338 ]
examples :  [2577], [990], [2923], [1992], [5662], [5969], [5662], [1131], [3512], [6822]
...
```

wds_corp_top_66_fst (ISOR, textlines)

Number of words with aggregated corpus code 66 - not used for aggregation

codes: 34, 422, 43, 442, 45, 6211, 6212, 6221, 6222, 631, 632, 633, 634, 6351, 6352, 638, 639, 641, 642, 643, 651, 652, 653, 68, 8, 9, 10 (first value within cabinet duration)

```
class    :      numeric
unique   :          206
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :    1 603 040
```

```
range    : [ 1276 ] ... [ 13971 ]
examples : [5539], [3454], [2008], [5607], [2631], [2630], [5856], [1317], [6126], [2110]
...
```

wds_corp_top_77_fst (ISOR, textlines)

Number of words with aggregated corpus code 77 - not relevant

codes: 999 (first value within cabinet duration)

```
class    :      numeric
unique   :          155
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :      167 888
range    : [ 38 ] ... [ 3193 ]
examples : [329], [55], [242], [362], [159], [126], [483], [145], [153], [1064] ...
```

lns_corp_act_1_fst (ISOR, textlines)

Number of lines with aggregated corpus code 1 - MPs

codes: 111,651,652,653 (first value within cabinet duration)

```
class    :      numeric
unique   :           54
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :       10 607
range    : [ 3 ] ... [ 128 ]
examples : [24], [58], [8], [15], [3], [NA], [17], [18], [39], [25] ...
```

lns_corp_act_2_fst (ISOR, textlines)

Number of lines with aggregated corpus code 2 - PPGs

codes: 641,642,643 (first value within cabinet duration)

```
class    :      numeric
unique   :           19
NAs      :           15
not-NA   :          383
not-0-NA :          246
sum      :        2 089
range    : [ 0 ] ... [ 61 ]
examples : [0], [0], [0], [0], [0], [0], [NA], [14], [0], [7] ...
```

lns_corp_act_3_fst (ISOR, textlines)

Number of lines with aggregated corpus code 3 - committees

codes: 125, 131, 132, 133, 134, 242, 54, 631, 632, 633, 634, 6351, 6352, 636, 637, 638, 639 (first value within cabinet duration)

```
class     :      numeric
unique    :           97
NAs       :           15
not-NA    :          383
not-0-NA  :          383
sum       :       34 031
range     : [ 15 ] ... [ 404 ]
examples  : [32], [126], [77], [89], [92], [57], [78], [128], [92], [215] ...
```

lns_corp_act_4_fst (ISOR, textlines)

Number of lines with aggregated corpus code 4 - governing body

codes: 612, 6211, 6212, 6221, 6222 (first value within cabinet duration)

```
class     :      numeric
unique    :           51
NAs       :           15
not-NA    :          383
not-0-NA  :          383
sum       :       14 477
range     : [ 7 ] ... [ 126 ]
examples  : [73], [29], [38], [105], [18], [33], [13], [34], [31], [22] ...
```

lns_corp_act_66_fst (ISOR, textlines)

Number of lines with aggregated corpus code 66 - not used for aggregation

codes: 112, 123, 22, 55, 8, 56, 34, 113, 611, 121, 122, 51, 73, 21, 142, 32, 26, 71, 25, 53, 143, 23, 10, 9, 68, 412, 52, 411, 145, 43, 241, 243, 244, 72, 114, 613, 29, 124, 33, 31, 27, 28, 141, 442, 66, 441, 45, 422, 421, 144 (first value within cabinet duration)

```
class     :      numeric
unique    :          156
NAs       :           15
not-NA    :          383
not-0-NA  :          383
sum       :       99 324
range     : [ 51 ] ... [ 738 ]
examples  : [219], [355], [149], [409], [85], [351], [106], [349], [351], [118] ...
```

lns_corp_act_77_fst (ISOR, textlines)

Number of lines with aggregated corpus code 77 - not relevant

codes: 999 (first value within cabinet duration)

```
class     :      numeric
unique    :          126
```

```
NAs      :          15
not-NA   :          383
not-0-NA :          383
sum      :       78 494
range    : [ 29 ] ... [ 763 ]
examples : [30], [654], [747], [108], [277], [411], [85], [87], [229], [98] ...
```

wds_corp_act_1_fst (ISOR, textlines)

Number of words with aggregated corpus code 1 - MPs

codes: 111,651,652,653 (first value within cabinet duration)

```
class    :       numeric
unique   :          130
NAs      :          15
not-NA   :          383
not-0-NA :          383
sum      :       360 344
range    : [ 134 ] ... [ 4779 ]
examples : [491], [NA], [1816], [371], [1050], [799], [1807], [472], [NA], [485] ...
```

wds_corp_act_2_fst (ISOR, textlines)

Number of words with aggregated corpus code 2 - PPGs

codes: 641,642,643 (first value within cabinet duration)

```
class    :       numeric
unique   :          51
NAs      :          15
not-NA   :          383
not-0-NA :          246
sum      :       65 978
range    : [ 0 ] ... [ 841 ]
examples : [0], [0], [237], [0], [0], [324], [274], [270], [220], [0] ...
```

wds_corp_act_3_fst (ISOR, textlines)

Number of words with aggregated corpus code 3 - committees

codes: 125, 131, 132, 133, 134, 242, 54, 631, 632, 633, 634, 6351, 6352, 636, 637, 638, 639 (first value within cabinet duration)

```
class    :       numeric
unique   :          197
NAs      :          15
not-NA   :          383
not-0-NA :          383
sum      :     1 101 581
range    : [ 496 ] ... [ 12082 ]
examples :    [NA], [1829], [3306], [1892], [6434], [2470], [1427], [2354], [2291], [4057]
```

...

wds__corp__act__4__fst (ISOR, textlines)

Number of words with aggregated corpus code 4 - governing body

codes: 612, 6211, 6212, 6221, 6222 (first value within cabinet duration)

```
class    :       numeric
unique   :           126
NAs      :            15
not-NA   :           383
not-0-NA :           383
sum      :       457 581
range    : [ 371 ] ... [ 3291 ]
examples :    [562], [1822], [751], [1141], [1682], [3040], [1830], [1259], [1142], [1077]
...
```

wds__corp__act__66__fst (ISOR, textlines)

Number of words with aggregated corpus code 66 - not used for aggregation

codes: 112, 123, 22, 55, 8, 56, 34, 113, 611, 121, 122, 51, 73, 21, 142, 32, 26, 71, 25, 53, 143, 23, 10, 9, 68, 412, 52, 411, 145, 43, 241, 243, 244, 72, 114, 613, 29, 124, 33, 31, 27, 28, 141, 442, 66, 441, 45, 422, 421, 144 (first value within cabinet duration)

```
class    :       numeric
unique   :           214
NAs      :            15
not-NA   :           383
not-0-NA :           383
sum      :     3 358 081
range    : [ 3059 ] ... [ 25564 ]
examples :    [8776], [14281], [7305], [12999], [12308], [5411], [13079], [6461], [7851],
[390 ...
```

wds__corp__act__77__fst (ISOR, textlines)

Number of words with aggregated corpus code 77 - not relevant

codes: 999 (first value within cabinet duration)

```
class    :       numeric
unique   :           155
NAs      :            15
not-NA   :           383
not-0-NA :           383
sum      :       167 888
range    : [ 38 ] ... [ 3193 ]
examples : [1373], [55], [63], [1128], [64], [324], [591], [207], [1299], [126] ...
```

lns_corp__8__lst (ISOR, textlines)

Number of lines with corpus code 8

8 General Rules Regarding Formation and Legislative Session; Discontinuity (last value within cabinet duration)

```
class    :      numeric
unique   :           17
NAs      :           15
not-NA   :          383
not-0-NA :          338
sum      :        2 095
range    : [ 0 ] ... [ 22 ]
examples : [1], [NA], [11], [9], [3], [8], [3], [7], [9], [0] ...
```

lns_corp__9__lst (ISOR, textlines)

Number of lines with corpus code 9

9 Final Provisions (last value within cabinet duration)

```
class    :      numeric
unique   :           13
NAs      :           15
not-NA   :          383
not-0-NA :          106
sum      :          328
range    : [ 0 ] ... [ 12 ]
examples : [3], [0], [0], [7], [1], [0], [0], [0], [0], [0] ...
```

lns_corp__10__lst (ISOR, textlines)

Number of lines with corpus code 10

10 Miscellaneous (cannot be coded otherwise) (last value within cabinet duration)

```
class    :      numeric
unique   :           43
NAs      :           15
not-NA   :          383
not-0-NA :          368
sum      :        5 026
range    : [ 0 ] ... [ 163 ]
examples : [9], [7], [9], [38], [19], [16], [8], [7], [19], [9] ...
```

lns_corp__21__lst (ISOR, textlines)

Number of lines with corpus code 21

2 Special Decision Procedures other than Regular Law-Making

21 constitutional change and amendment (last value within cabinet duration)

```
class    :      numeric
unique   :          16
NAs      :          15
not-NA   :         383
not-0-NA :         242
sum      :       1 569
range    : [ 0 ] ... [ 22 ]
examples : [9], [0], [0], [7], [0], [9], [0], [1], [1], [3] ...
```

lns_corp_22_lst (ISOR, textlines)

Number of lines with corpus code 22

2 Special Decision Procedures other than Regular Law-Making

22 financial laws (money bills) and budgeting (last value within cabinet duration)

```
class    :      numeric
unique   :          43
NAs      :          15
not-NA   :         383
not-0-NA :         328
sum      :       6 756
range    : [ 0 ] ... [ 65 ]
examples : [41], [63], [1], [9], [5], [10], [13], [18], [43], [46] ...
```

lns_corp_23_lst (ISOR, textlines)

Number of lines with corpus code 23

2 Special Decision Procedures other than Regular Law-Making

23 foreign policy (last value within cabinet duration)

```
class    :      numeric
unique   :          14
NAs      :          15
not-NA   :         383
not-0-NA :         152
sum      :       1 160
range    : [ 0 ] ... [ 29 ]
examples : [0], [0], [3], [0], [NA], [0], [0], [0], [0], [0] ...
```

lns_corp_25_lst (ISOR, textlines)

Number of lines with corpus code 25

2 Special Decision Procedures other than Regular Law-Making

25 general rules on elections in parliament (if not coded as election of government (31), or election of specific officials (411; 421; 441; 6211; 6221; 632)) (last value within cabinet duration)

```
class    :      numeric
unique   :          31
```

```
NAs      :          15
not-NA   :         383
not-0-NA :         304
sum      :       3 101
range    : [ 0 ] ... [ 80 ]
examples : [21], [24], [10], [3], [4], [5], [3], [4], [0], [1] ...
```

lns_corp__26__lst (ISOR, textlines)

Number of lines with corpus code 26

2 Special Decision Procedures other than Regular Law-Making

26 further special decision procedures (leading to a decision, e.g. resolution, or leading to a decree/act/bylaw (not mere debate or question time) but cannot be coded as regular law-making nor special decision procedures (21 - 24)) (last value within cabinet duration)

```
class    :      numeric
unique   :          30
NAs      :          15
not-NA   :         383
not-0-NA :         277
sum      :       3 825
range    : [ 0 ] ... [ 44 ]
examples : [9], [3], [0], [0], [40], [3], [28], [9], [NA], [3] ...
```

lns_corp__27__lst (ISOR, textlines)

Number of lines with corpus code 27

2 Special Decision Procedures other than Regular Law-Making

27 procedures concerning laws that are hierarchically situated between regular laws and constitutional laws (above regular laws; e.g. organic laws in Spain) (last value within cabinet duration)

```
class    :      numeric
unique   :           7
NAs      :          15
not-NA   :         383
not-0-NA :          63
sum      :         358
range    : [ 0 ] ... [ 9 ]
examples : [0], [0], [0], [0], [5], [0], [0], [0], [0], [0] ...
```

lns_corp__28__lst (ISOR, textlines)

Number of lines with corpus code 28

2 Special Decision Procedures other than Regular Law-Making

28 emergency legislation (last value within cabinet duration)

```
class    :      numeric
unique   :           7
```

```
NAs      :           15
not-NA   :          383
not-0-NA :           28
sum      :          528
range    : [ 0 ] ... [ 32 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp__29__lst (ISOR, textlines)

Number of lines with corpus code 29

2 Special Decision Procedures other than Regular Law-Making

29 relationship to sub-national level (law-making, rights of participation of sub-national level) (last value within cabinet duration)

```
class    :      numeric
unique   :           24
NAs      :           15
not-NA   :          383
not-0-NA :           96
sum      :        3 356
range    : [ 0 ] ... [ 245 ]
examples : [0], [20], [0], [0], [0], [14], [14], [0], [0], [29] ...
```

lns_corp__31__lst (ISOR, textlines)

Number of lines with corpus code 31

3 Relationship to Government

31 election of government / mandatory investiture vote; entry into office (last value within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :           15
not-NA   :          383
not-0-NA :           80
sum      :          528
range    : [ 0 ] ... [ 18 ]
examples : [NA], [0], [5], [0], [5], [10], [0], [10], [0], [15] ...
```

lns_corp__32__lst (ISOR, textlines)

Number of lines with corpus code 32

3 Relationship to Government

32 vote of no confidence / government resignation (last value within cabinet duration)

```
class    :      numeric
unique   :           15
NAs      :           15
not-NA   :          383
```

```
not-0-NA :         208
sum      :       1 429
range    : [ 0 ] ... [ 27 ]
examples : [3], [0], [2], [27], [1], [0], [NA], [5], [0], [5] ...
```

lns__corp__33__lst (ISOR, textlines)

Number of lines with corpus code 33

3 Relationship to Government

33 vote of confidence (last value within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :           15
not-NA   :          383
not-0-NA :          129
sum      :          640
range    : [ 0 ] ... [ 9 ]
examples : [0], [9], [NA], [0], [0], [NA], [0], [2], [7], [0] ...
```

lns__corp__34__lst (ISOR, textlines)

Number of lines with corpus code 34

3 Relationship to Government

34 instructions to government, involvement of members of government in parliamentary activities (rights to compel witnesses [usually right of parliament against members of government], right to speak [usually members of government's right], request of information about state of execution of decisions of parliament) (last value within cabinet duration)

```
class    :      numeric
unique   :           15
NAs      :           15
not-NA   :          383
not-0-NA :          334
sum      :        1 710
range    : [ 0 ] ... [ 13 ]
examples : [1], [1], [4], [7], [2], [2], [0], [6], [8], [0] ...
```

lns__corp__43__lst (ISOR, textlines)

Number of lines with corpus code 43

4 Relationship to External Offices/Institutions apart from the Government

43 second chamber (if not coded as law-making (142)) (last value within cabinet duration)

```
class    :      numeric
unique   :            6
NAs      :           15
not-NA   :          383
```

```
not-0-NA :          124
sum      :          287
range    : [ 0 ] ... [ 4 ]
examples : [0], [0], [0], [NA], [0], [2], [1], [NA], [0], [0] ...
```

lns__corp__45__lst (ISOR, textlines)

Number of lines with corpus code 45

4 Relationship to External Offices/Institutions apart from the Government

45 constitutional courts (last value within cabinet duration)

```
class    :      numeric
unique   :            8
NAs      :           15
not-NA   :          383
not-0-NA :           56
sum      :          385
range    : [ 0 ] ... [ 34 ]
examples : [0], [0], [5], [0], [5], [0], [5], [0], [0], [0] ...
```

lns__corp__51__lst (ISOR, textlines)

Number of lines with corpus code 51

5 Generating Publicity

51 general rules regarding debate (e.g. time allotted for speaking, proportional representation of parties during debate, closure of debate) (last value within cabinet duration)

```
class    :      numeric
unique   :           56
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :       10 052
range    : [ 2 ] ... [ 108 ]
examples : [17], [35], [17], [38], [NA], [NA], [38], [18], [17], [15] ...
```

lns__corp__52__lst (ISOR, textlines)

Number of lines with corpus code 52

5 Generating Publicity

52 debates outside of law-making (e.g. topical hours ...) (last value within cabinet duration)

```
class    :      numeric
unique   :           19
NAs      :           15
not-NA   :          383
not-0-NA :          108
sum      :        1 000
```

```
range    : [ 0 ] ... [ 32 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp__53__lst (ISOR, textlines)

Number of lines with corpus code 53

5 Generating Publicity

53 question rights (last value within cabinet duration)

```
class    :      numeric
unique   :          45
NAs      :          15
not-NA   :         383
not-0-NA :         381
sum      :       9 234
range    : [ 0 ] ... [ 89 ]
examples : [28], [31], [13], [33], [24], [11], [NA], [21], [31], [33] ...
```

lns_corp__54__lst (ISOR, textlines)

Number of lines with corpus code 54

5 Generating Publicity

54 petitions and petition committee (last value within cabinet duration)

```
class    :      numeric
unique   :          23
NAs      :          15
not-NA   :         383
not-0-NA :         297
sum      :       3 143
range    : [ 0 ] ... [ 49 ]
examples : [9], [NA], [19], [5], [4], [0], [6], [12], [0], [4] ...
```

lns_corp__55__lst (ISOR, textlines)

Number of lines with corpus code 55

5 Generating Publicity

55 relationship to media and citizens (e.g. parliamentary TV, accreditation of journalists, publicity of meetings, admissibility of visitors); regulation of matters of confidentiality (last value within cabinet duration)

```
class    :      numeric
unique   :          29
NAs      :          15
not-NA   :         383
not-0-NA :         383
sum      :       3 599
range    : [ 1 ] ... [ 67 ]
examples : [8], [4], [5], [2], [27], [NA], [3], [21], [8], [3] ...
```

lns_corp__56__lst (ISOR, textlines)

Number of lines with corpus code 56

5 Generating Publicity

56 protocols and parliamentary documents; forwarding of documents and decisions to other bodies (last value within cabinet duration)

```
class    :      numeric
unique   :           32
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :        4 938
range    : [ 2 ] ... [ 61 ]
examples : [13], [20], [12], [16], [60], [NA], [14], [NA], [14], [26] ...
```

lns_corp__66__lst (ISOR, textlines)

Number of lines with corpus code 66

6 Internal Organization of Parliament

66 opposition (last value within cabinet duration)

```
class    :      numeric
unique   :            3
NAs      :           15
not-NA   :          383
not-0-NA :           10
sum      :           10
range    : [ 0 ] ... [ 1 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp__67__lst (ISOR, textlines)

Number of lines with corpus code 67

6 Internal Organization of Parliament

67 special bodies for emergency situations (last value within cabinet duration)

```
class    :      numeric
unique   :            6
NAs      :           15
not-NA   :          383
not-0-NA :           20
sum      :          109
range    : [ 0 ] ... [ 7 ]
examples : [6], [0], [0], [0], [NA], [7], [0], [0], [0], [0] ...
```

lns_corp__68__lst (ISOR, textlines)

Number of lines with corpus code 68

6 Internal Organization of Parliament

68 parliamentary administration (last value within cabinet duration)

```
class    :       numeric
unique   :            23
NAs      :            15
not-NA   :           383
not-0-NA :           273
sum      :         1 631
range    : [ 0 ] ... [ 47 ]
examples : [5], [0], [0], [8], [0], [0], [0], [2], [0], [0] ...
```

lns_corp__71__lst (ISOR, textlines)

Number of lines with corpus code 71

7 Change and Interpretation of the Standing Orders

71 rules regarding changing the standing orders (last value within cabinet duration)

```
class    :       numeric
unique   :            11
NAs      :            15
not-NA   :           383
not-0-NA :           180
sum      :           693
range    : [ 0 ] ... [ 11 ]
examples : [3], [0], [0], [6], [1], [7], [6], [0], [0], [0] ...
```

lns_corp__72__lst (ISOR, textlines)

Number of lines with corpus code 72

7 Change and Interpretation of the Standing Orders

72 rules regarding interpretation of and deviation from standing orders (last value within cabinet duration)

```
class    :       numeric
unique   :             7
NAs      :            15
not-NA   :           383
not-0-NA :           184
sum      :           430
range    : [ 0 ] ... [ 6 ]
examples : [1], [0], [3], [1], [1], [1], [2], [1], [3], [0] ...
```

lns_corp__73__lst (ISOR, textlines)

Number of lines with corpus code 73

7 Change and Interpretation of the Standing Orders

73 debate about standing orders and motions regarding the standing orders (last value within cabinet duration)

```
class    :       numeric
unique   :             8
NAs      :            15
not-NA   :           383
not-0-NA :           111
sum      :           512
range    : [ 0 ] ... [ 17 ]
examples : [3], [1], [2], [0], [0], [NA], [0], [17], [0], [1] ...
```

lns__corp__111__lst (ISOR, textlines)

Number of lines with corpus code 111

1 Law-Making

11 Bills and motions

111 types of bills and motions; printing and distribution of bills and motions to MPs (last value within cabinet duration)

```
class    :       numeric
unique   :            22
NAs      :            15
not-NA   :           383
not-0-NA :           294
sum      :         1 672
range    : [ 0 ] ... [ 33 ]
examples : [2], [2], [2], [3], [1], [2], [1], [10], [1], [3] ...
```

lns__corp__112__lst (ISOR, textlines)

Number of lines with corpus code 112

1 Law-Making

11 Bills and motions

112 right to initiate bills and motions (last value within cabinet duration)

```
class    :       numeric
unique   :            15
NAs      :            15
not-NA   :           383
not-0-NA :           313
sum      :         1 337
range    : [ 0 ] ... [ 15 ]
examples : [0], [2], [1], [1], [1], [1], [10], [11], [0], [3] ...
```

lns__corp__113__lst (ISOR, textlines)

Number of lines with corpus code 113

1 Law-Making

11 Bills and motions

113 restrictions and deadlines (if not assignable to more specific category, e.g. code 121; 32; 134) (last value within cabinet duration)

```
class    :       numeric
unique   :            25
NAs      :            15
not-NA   :           383
not-0-NA :           369
sum      :         2 595
range    : [ 0 ] ... [ 31 ]
examples : [3], [24], [6], [19], [5], [0], [19], [6], [0], [5] ...
```

lns__corp__114__lst (ISOR, textlines)

Number of lines with corpus code 114

1 Law-Making

11 Bills and motions

114 legislative planning (concerns the whole term- general schedule) (last value within cabinet duration)

```
class    :       numeric
unique   :             7
NAs      :            15
not-NA   :           383
not-0-NA :           101
sum      :           361
range    : [ 0 ] ... [ 11 ]
examples : [0], [0], [0], [9], [0], [0], [0], [0], [1], [0] ...
```

lns__corp__121__lst (ISOR, textlines)

Number of lines with corpus code 121

1 Law-Making

12 Treatment of Bills and motions in the plenary

121 debate in the plenary (last value within cabinet duration)

```
class    :       numeric
unique   :            27
NAs      :            15
not-NA   :           383
not-0-NA :           319
sum      :         3 165
range    : [ 0 ] ... [ 34 ]
examples : [3], [10], [2], [2], [6], [24], [0], [2], [17], [1] ...
```

lns__corp__122__lst (ISOR, textlines)

Number of lines with corpus code 122

1 Law-Making

12 Treatment of Bills and motions in the plenary

122 right of amendment in the plenary (last value within cabinet duration)

```
class    :      numeric
unique   :           26
NAs      :           15
not-NA   :          383
not-0-NA :          322
sum      :        2 962
range    : [ 0 ] ... [ 26 ]
examples : [4], [7], [3], [22], [6], [3], [2], [5], [0], [NA] ...
```

lns_corp_123_lst (ISOR, textlines)

Number of lines with corpus code 123

1 Law-Making

12 Treatment of Bills and motions in the plenary

123 subject of vote, rules of vote (including quorum), voting technology in the plenary (last value within cabinet duration)

```
class    :      integer
unique   :           45
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :       11 044
range    : [ 2 ] ... [ 67 ]
examples : [46], [33], [26], [56], [26], [56], [56], [26], [20], [47] ...
```

lns_corp_124_lst (ISOR, textlines)

Number of lines with corpus code 124

1 Law-Making

12 Treatment of Bills and motions in the plenary

124 the plenary as Committee of the Whole House (last value within cabinet duration)

```
class    :      numeric
unique   :            7
NAs      :           15
not-NA   :          383
not-0-NA :           47
sum      :          247
range    : [ 0 ] ... [ 8 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_125_lst (ISOR, textlines)

Number of lines with corpus code 125

1 Law-Making

12 Treatment of Bills and motions in the plenary

125 referral to committee, withdrawal from committee (last value within cabinet duration)

```
class    :      numeric
unique   :           17
NAs      :           15
not-NA   :          383
not-0-NA :          368
sum      :        2 266
range    : [ 0 ] ... [ 22 ]
examples : [7], [22], [4], [5], [3], [7], [7], [7], [NA], [6] ...
```

lns__corp__131__lst (ISOR, textlines)

Number of lines with corpus code 131

1 Law-Making

13 Treatment of bills and motions in committee

131 debate in committee (including hearing) (last value within cabinet duration)

```
class    :      numeric
unique   :           14
NAs      :           15
not-NA   :          383
not-0-NA :          237
sum      :          886
range    : [ 0 ] ... [ 13 ]
examples : [1], [0], [6], [1], [0], [4], [1], [1], [2], [1] ...
```

lns__corp__132__lst (ISOR, textlines)

Number of lines with corpus code 132

1 Law-Making

13 Treatment of bills and motions in committee

132 amendment rights in committee (last value within cabinet duration)

```
class    :      numeric
unique   :           10
NAs      :           15
not-NA   :          383
not-0-NA :          251
sum      :          641
range    : [ 0 ] ... [ 10 ]
examples : [0], [1], [0], [0], [0], [0], [4], [0], [1], [1] ...
```

lns__corp__133__lst (ISOR, textlines)

Number of lines with corpus code 133

1 Law-Making

13 Treatment of bills and motions in committee

133 subject of vote, rules of vote (including quorum), voting technology in committee (last value within cabinet duration)

```
class    :      numeric
unique   :           10
NAs      :           15
not-NA   :          383
not-0-NA :          300
sum      :          863
range    : [ 0 ] ... [ 9 ]
examples : [0], [1], [1], [7], [5], [1], [0], [1], [0], [0] ...
```

lns__corp__134__lst (ISOR, textlines)

Number of lines with corpus code 134

1 Law-Making

13 Treatment of bills and motions in committee

134 report to the plenary (last value within cabinet duration)

```
class    :      numeric
unique   :           19
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :        2 562
range    : [ 1 ] ... [ 22 ]
examples : [7], [5], [4], [6], [5], [5], [2], [6], [6], [NA] ...
```

lns__corp__141__lst (ISOR, textlines)

Number of lines with corpus code 141

1 Law-Making

14 Post-parliamentary stage

141 veto right of government actors and head of state (any case when government actors can oppose themselves to the decisions of parliament) (last value within cabinet duration)

```
class    :      numeric
unique   :            7
NAs      :           15
not-NA   :          383
not-0-NA :           96
sum      :          333
range    : [ 0 ] ... [ 6 ]
```

```
examples : [4], [0], [0], [2], [6], [0], [0], [0], [0], [0] ...
```

lns__corp__142__lst (ISOR, textlines)

Number of lines with corpus code 142

1 Law-Making

14 Post-parliamentary stage

142 referral to second chamber, conciliation committee, and renewed decision after intervention (last value within cabinet duration)

```
class    :       numeric
unique   :            13
NAs      :            15
not-NA   :           383
not-0-NA :           264
sum      :         1 574
range    : [ 0 ] ... [ 33 ]
examples : [3], [3], [1], [NA], [2], [1], [1], [1], [0], [9] ...
```

lns__corp__143__lst (ISOR, textlines)

Number of lines with corpus code 143

1 Law-Making

14 Post-parliamentary stage

143 direct democratic procedures following the legislative stage (last value within cabinet duration)

```
class    :       numeric
unique   :             7
NAs      :            15
not-NA   :           383
not-0-NA :           100
sum      :           551
range    : [ 0 ] ... [ 13 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [NA] ...
```

lns__corp__144__lst (ISOR, textlines)

Number of lines with corpus code 144

1 Law-Making

14 Post-parliamentary stage

144 promulgation and enactment (last value within cabinet duration)

```
class    :       numeric
unique   :             6
NAs      :            15
not-NA   :           383
not-0-NA :            54
```

```
sum       :          120
range     : [ 0 ] ... [ 6 ]
examples : [0], [0], [NA], [0], [0], [0], [0], [1], [0], [1] ...
```

lns_corp__145__lst (ISOR, textlines)

Number of lines with corpus code 145

1 Law-Making

14 Post-parliamentary stage

145 referral to the constitutional court/supreme court (last value within cabinet duration)

```
class     :      numeric
unique    :            6
NAs       :           15
not-NA    :          383
not-0-NA  :           23
sum       :          143
range     : [ 0 ] ... [ 15 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp__241__lst (ISOR, textlines)

Number of lines with corpus code 241

2 Special Decision Procedures other than Regular Law-Making

24 EU

241 treatment of EU-bills and motions (last value within cabinet duration)

```
class     :      numeric
unique    :           14
NAs       :           15
not-NA    :          383
not-0-NA  :          107
sum       :          780
range     : [ 0 ] ... [ 24 ]
examples : [0], [0], [0], [0], [19], [0], [3], [0], [0], [0] ...
```

lns_corp__242__lst (ISOR, textlines)

Number of lines with corpus code 242

2 Special Decision Procedures other than Regular Law-Making

24 EU

242 EU-committee: election and resignation (last value within cabinet duration)

```
class     :      numeric
unique    :           21
NAs       :           15
not-NA    :          383
```

```
not-0-NA :          92
sum      :         829
range    : [ 0 ] ... [ 48 ]
examples : [0], [46], [0], [0], [0], [0], [0], [0], [0], [15] ...
```

lns_corp_243_lst (ISOR, textlines)

Number of lines with corpus code 243

2 Special Decision Procedures other than Regular Law-Making

24 EU

243 instructions to the government concerning EU decisions (last value within cabinet duration)

```
class    :       numeric
unique   :           4
NAs      :          15
not-NA   :         383
not-0-NA :          12
sum      :          16
range    : [ 0 ] ... [ 3 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_244_lst (ISOR, textlines)

Number of lines with corpus code 244

2 Special Decision Procedures other than Regular Law-Making

24 EU

244 further rights of participation in EU matters (e.g. debates about EU topics not based on EU bills and motions, reaction to violations of subsidiary principle) (last value within cabinet duration)

```
class    :       numeric
unique   :          12
NAs      :          15
not-NA   :         383
not-0-NA :          81
sum      :         248
range    : [ 0 ] ... [ 28 ]
examples : [0], [1], [0], [0], [0], [1], [0], [4], [0], [0] ...
```

lns_corp_411_lst (ISOR, textlines)

Number of lines with corpus code 411

4 Relationship to External Offices/Institutions apart from the Government

41 parliamentary support bodies (e.g. general accounting office, ombudsman, . . .)

411 election and resignation (last value within cabinet duration)

```
class    :       numeric
unique   :          13
```

```
NAs       :          15
not-NA    :         383
not-0-NA  :          69
sum       :         413
range     : [ 0 ] ... [ 46 ]
examples  : [0], [0], [0], [0], [1], [0], [0], [0], [NA], [0] ...
```

lns_corp__412__lst (ISOR, textlines)

Number of lines with corpus code 412

4 Relationship to External Offices/Institutions apart from the Government

41 parliamentary support bodies (e.g. general accounting office, ombudsman, . . .)

412 competences and resources of external offices/institutions; relations to parliament (e.g. reports, questions, . . .) (last value within cabinet duration)

```
class     :     numeric
unique    :          13
NAs       :          15
not-NA    :         383
not-0-NA  :         203
sum       :       1 056
range     : [ 0 ] ... [ 22 ]
examples  : [5], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp__421__lst (ISOR, textlines)

Number of lines with corpus code 421

4 Relationship to External Offices/Institutions apart from the Government

42 head of state

421 election and resignation (last value within cabinet duration)

```
class     :     numeric
unique    :           7
NAs       :          15
not-NA    :         383
not-0-NA  :          48
sum       :         295
range     : [ 0 ] ... [ 15 ]
examples  : [NA], [0], [0], [0], [0], [NA], [0], [0], [0], [1] ...
```

lns_corp__422__lst (ISOR, textlines)

Number of lines with corpus code 422

4 Relationship to External Offices/Institutions apart from the Government

42 head of state

422 relation to parliament (if not coded as law-making (141, 144)) (last value within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :           15
not-NA   :          383
not-0-NA :           40
sum      :          159
range    : [ 0 ] ... [ 6 ]
examples : [0], [0], [0], [0], [0], [3], [0], [6], [3], [0] ...
```

lns__corp__441__lst (ISOR, textlines)

Number of lines with corpus code 441

4 Relationship to External Offices/Institutions apart from the Government

44 constitutional courts

441 election and resignation (last value within cabinet duration)

```
class    :      numeric
unique   :            4
NAs      :           15
not-NA   :          383
not-0-NA :           27
sum      :           76
range    : [ 0 ] ... [ 4 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns__corp__442__lst (ISOR, textlines)

Number of lines with corpus code 442

4 Relationship to External Offices/Institutions apart from the Government

44 constitutional courts

442 relation to parliament (if not coded as law-making (145)) (last value within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :           15
not-NA   :          383
not-0-NA :           61
sum      :          195
range    : [ 0 ] ... [ 5 ]
examples : [0], [0], [0], [0], [0], [0], [0], [5], [0], [5] ...
```

lns__corp__611__lst (ISOR, textlines)

Number of lines with corpus code 611

6 Internal Organization of Parliament

61 plenary

611 agenda setting and removal of items from the agenda (general rules which are not specifically regulated under 114) (last value within cabinet duration)

```
class    :      numeric
unique   :           53
NAs      :           15
not-NA   :          383
not-0-NA :          362
sum      :        7 536
range    : [ 0 ] ... [ 200 ]
examples : [17], [2], [3], [3], [20], [0], [73], [7], [12], [15] ...
```

lns_corp_612_lst (ISOR, textlines)

Number of lines with corpus code 612

6 Internal Organization of Parliament

61 plenary

612 chairing of meetings and measures to uphold order (last value within cabinet duration)

```
class    :      numeric
unique   :           29
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :        5 960
range    : [ 2 ] ... [ 60 ]
examples : [21], [25], [8], [12], [24], [7], [5], [12], [58], [5] ...
```

lns_corp_613_lst (ISOR, textlines)

Number of lines with corpus code 613

6 Internal Organization of Parliament

61 plenary

613 sitting times (last value within cabinet duration)

```
class    :      numeric
unique   :           21
NAs      :           15
not-NA   :          383
not-0-NA :          324
sum      :        2 051
range    : [ 0 ] ... [ 32 ]
examples : [3], [6], [2], [7], [7], [6], [6], [2], [9], [0] ...
```

lns_corp_631_lst (ISOR, textlines)

Number of lines with corpus code 631

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

631 general regulations regarding types of committees (last value within cabinet duration)

```
class    :      numeric
unique   :          13
NAs      :          15
not-NA   :         383
not-0-NA :         309
sum      :       1 066
range    : [ 0 ] ... [ 11 ]
examples : [1], [3], [0], [2], [NA], [2], [1], [1], [NA], [10] ...
```

lns_corp_632_lst (ISOR, textlines)

Number of lines with corpus code 632

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

632 membership and committee jurisdiction (area of influence-control .g. finance, economy, agriculture. . .) (last value within cabinet duration)

```
class    :      numeric
unique   :          46
NAs      :          15
not-NA   :         383
not-0-NA :         383
sum      :       8 366
range    : [ 1 ] ... [ 164 ]
examples : [13], [5], [41], [7], [38], [41], [40], [6], [7], [9] ...
```

lns_corp_633_lst (ISOR, textlines)

Number of lines with corpus code 633

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

633 formal organizational units of committee (e.g. chair of committee, sub-committees, staff) (last value within cabinet duration)

```
class    :      numeric
unique   :          17
NAs      :          15
not-NA   :         383
not-0-NA :         378
sum      :       1 729
range    : [ 0 ] ... [ 24 ]
examples : [6], [5], [7], [1], [5], [3], [9], [2], [23], [1] ...
```

lns_corp_634_lst (ISOR, textlines)

Number of lines with corpus code 634

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

634 agenda and procedures (details on how decisions are taken) within committees (if not coded as law-making (13)) (last value within cabinet duration)

```
class    :     numeric
unique   :          28
NAs      :          15
not-NA   :         383
not-0-NA :         374
sum      :       3 201
range    : [ 0 ] ... [ 39 ]
examples : [8], [11], [5], [35], [38], [23], [5], [21], [2], [1] ...
```

lns_corp_636_lst (ISOR, textlines)

Number of lines with corpus code 636

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

636 investigative competencies of regular committees (NOT committees of inquiry (637)) (last value within cabinet duration)

```
class    :     numeric
unique   :          17
NAs      :          15
not-NA   :         383
not-0-NA :         285
sum      :       1 354
range    : [ 0 ] ... [ 21 ]
examples : [2], [2], [2], [8], [10], [1], [1], [1], [15], [1] ...
```

lns_corp_637_lst (ISOR, textlines)

Number of lines with corpus code 637

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

637 committee of inquiry (last value within cabinet duration)

```
class    :     numeric
unique   :          19
NAs      :          15
not-NA   :         383
not-0-NA :         182
sum      :       1 989
range    : [ 0 ] ... [ 78 ]
examples : [0], [9], [0], [15], [0], [5], [13], [5], [12], [0] ...
```

lns__corp__638__lst (ISOR, textlines)

Number of lines with corpus code 638

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

638 enquete commission (last value within cabinet duration)

```
class    :      numeric
unique   :           11
NAs      :           15
not-NA   :          383
not-0-NA :           78
sum      :          506
range    : [ 0 ] ... [ 20 ]
examples : [0], [0], [0], [0], [0], [0], [4], [0], [0], [20] ...
```

lns__corp__639__lst (ISOR, textlines)

Number of lines with corpus code 639

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

639 other special committees which are not explicitly referenced in this coding manual (e.g. oversight committees in Switzerland) (last value within cabinet duration)

```
class    :      numeric
unique   :           37
NAs      :           15
not-NA   :          383
not-0-NA :          294
sum      :        5 212
range    : [ 0 ] ... [ 211 ]
examples : [11], [0], [6], [0], [0], [0], [23], [5], [14], [10] ...
```

lns__corp__641__lst (ISOR, textlines)

Number of lines with corpus code 641

6 Internal Organization of Parliament

64 parliamentary party groups

641 formation of parliamentary party groups (last value within cabinet duration)

```
class    :      numeric
unique   :           11
NAs      :           15
not-NA   :          383
not-0-NA :          249
sum      :        1 296
range    : [ 0 ] ... [ 12 ]
```

```
examples : [5], [5], [8], [6], [7], [5], [0], [1], [0], [3] ...
```

lns_corp_642_lst (ISOR, textlines)

Number of lines with corpus code 642

6 Internal Organization of Parliament

64 parliamentary party groups

642 rights and obligations of parliamentary party groups (if not coded more specifically as e.g. 112; 51; 52; 53) (last value within cabinet duration)

```
class    :      numeric
unique   :           14
NAs      :           15
not-NA   :          383
not-0-NA :          119
sum      :          690
range    : [ 0 ] ... [ 55 ]
examples : [1], [0], [NA], [0], [2], [0], [0], [15], [0], [0] ...
```

lns_corp_643_lst (ISOR, textlines)

Number of lines with corpus code 643

6 Internal Organization of Parliament

64 parliamentary party groups

643 financial and staff resources (last value within cabinet duration)

```
class    :      numeric
unique   :            8
NAs      :           15
not-NA   :          383
not-0-NA :          104
sum      :          214
range    : [ 0 ] ... [ 6 ]
examples : [1], [6], [0], [0], [0], [0], [0], [0], [1], [0] ...
```

lns_corp_651_lst (ISOR, textlines)

Number of lines with corpus code 651

6 Internal Organization of Parliament

65 individual members of parliament

651 election, entry into office, resignation, incompatibilities, legal status, immunity, indemnity (last value within cabinet duration)

```
class    :      numeric
unique   :           30
NAs      :           15
not-NA   :          383
```

```
not-0-NA :         383
sum      :       5 412
range    : [ 2 ] ... [ 56 ]
examples : [2], [23], [2], [6], [7], [6], [15], [6], [15], [20] ...
```

lns_corp__652__lst (ISOR, textlines)

Number of lines with corpus code 652

6 Internal Organization of Parliament

65 individual members of parlaiment

652 rights and obligations of individual members of parliament (if not coded more specifically as e.g. 112; 51; 52; 53) (last value within cabinet duration)

```
class    :       numeric
unique   :          26
NAs      :          15
not-NA   :         383
not-0-NA :         352
sum      :       3 546
range    : [ 0 ] ... [ 66 ]
examples : [9], [6], [0], [1], [7], [6], [21], [9], [5], [4] ...
```

lns_corp__653__lst (ISOR, textlines)

Number of lines with corpus code 653

6 Internal Organization of Parliament

65 individual members of parlaiment

653 salary, financial and staff resources (last value within cabinet duration)

```
class    :       numeric
unique   :           7
NAs      :          15
not-NA   :         383
not-0-NA :          84
sum      :         194
range    : [ 0 ] ... [ 7 ]
examples : [0], [NA], [7], [2], [1], [2], [2], [0], [0], [0] ...
```

lns_corp__999__lst (ISOR, textlines)

Number of lines with corpus code 999

999 Footnotes and Titles Without Relevant Content (last value within cabinet duration)

```
class    :       integer
unique   :         128
NAs      :          15
not-NA   :         383
not-0-NA :         383
```

```
sum     :       80 610
range   : [ 29 ] ... [ 763 ]
examples : [29], [59], [262], [81], [NA], [93], [196], [30], [654], [295] ...
```

lns__corp__6211__lst (ISOR, textlines)

Number of lines with corpus code 6211

6 Internal Organization of Parliament

62 parliamentary presiding bodies

621 president of parliament, vice presidents, secretaries and clerks

6211 election, resignation and internal decision rules (last value within cabinet duration)

```
class    :       numeric
unique   :            24
NAs      :            15
not-NA   :           383
not-0-NA :           383
sum      :         3 712
range    : [ 1 ] ... [ 36 ]
examples : [7], [8], [4], [6], [7], [16], [8], [NA], [4], [10] ...
```

lns__corp__6212__lst (ISOR, textlines)

Number of lines with corpus code 6212

6 Internal Organization of Parliament

62 parliamentary presiding bodies

621 president of parliament, vice presidents, secretaries and clerks

6212 responsibilities (if not coded as more specific category (e.g. 612)) (last value within cabinet duration)

```
class    :       numeric
unique   :            25
NAs      :            15
not-NA   :           383
not-0-NA :           370
sum      :         3 668
range    : [ 0 ] ... [ 72 ]
examples : [6], [5], [5], [11], [10], [7], [12], [11], [NA], [16] ...
```

lns__corp__6221__lst (ISOR, textlines)

Number of lines with corpus code 6221

6 Internal Organization of Parliament

62 parliamentary presiding bodies

622 council of elders or similar coordination body

6221 composition, election, resignation, internal decision rules (last value within cabinet duration)

```
class    :     numeric
unique   :          13
NAs      :          15
not-NA   :         383
not-0-NA :         261
sum      :         786
range    : [ 0 ] ... [ 13 ]
examples : [1], [1], [1], [0], [1], [2], [1], [2], [0], [0] ...
```

lns__corp__6222__lst (ISOR, textlines)

Number of lines with corpus code 6222

6 Internal Organization of Parliament

62 parliamentary presiding bodies

622 council of elders or similar coordination body

6222 responsibilities (if not coded as more specific category (e.g. 612)) (last value within cabinet duration)

```
class    :     numeric
unique   :          14
NAs      :          15
not-NA   :         383
not-0-NA :         159
sum      :         614
range    : [ 0 ] ... [ 16 ]
examples : [4], [0], [4], [2], [0], [2], [0], [0], [0], [0] ...
```

lns__corp__6351__lst (ISOR, textlines)

Number of lines with corpus code 6351

6 Internal Organization of Parliament

63 committees

relations to other bodies

6351 relation to plenary (if not coded as 124; 134; 34) (last value within cabinet duration)

```
class    :     numeric
unique   :           6
NAs      :          15
not-NA   :         383
not-0-NA :          88
sum      :         113
range    : [ 0 ] ... [ 6 ]
examples : [NA], [0], [0], [3], [0], [0], [1], [0], [2], [0] ...
```

lns__corp__6352__lst (ISOR, textlines)

Number of lines with corpus code 6352

6 Internal Organization of Parliament

63 committees

relations to other bodies

6352 relation to other committees (last value within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :           15
not-NA   :          383
not-0-NA :          207
sum      :          522
range    : [ 0 ] ... [ 7 ]
examples : [0], [2], [6], [3], [1], [2], [2], [1], [0], [5] ...
```

wds_corp_8_lst (ISOR, textlines)

Number of words with corpus code 8 - see lns_corp_8 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           74
NAs      :           15
not-NA   :          383
not-0-NA :          338
sum      :       74 397
range    : [ 0 ] ... [ 729 ]
examples : [349], [315], [309], [NA], [148], [255], [0], [46], [51], [402] ...
```

wds_corp_9_lst (ISOR, textlines)

Number of words with corpus code 9 - see lns_corp_9 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           26
NAs      :           15
not-NA   :          383
not-0-NA :          106
sum      :       10 165
range    : [ 0 ] ... [ 633 ]
examples : [42], [0], [0], [0], [0], [0], [0], [0], [0], [213] ...
```

wds_corp_10_lst (ISOR, textlines)

Number of words with corpus code 10 - see lns_corp_10 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :          105
NAs      :           15
```

```
not-NA   :        383
not-0-NA :        368
sum      :     150 311
range    : [ 0 ] ... [ 3571 ]
examples : [301], [372], [NA], [303], [NA], [698], [96], [358], [271], [194] ...
```

wds_corp_21_lst (ISOR, textlines)

Number of words with corpus code 21 - see lns_corp_21 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :         37
NAs      :         15
not-NA   :        383
not-0-NA :        242
sum      :      45 626
range    : [ 0 ] ... [ 883 ]
examples : [99], [61], [293], [51], [293], [87], [0], [27], [0], [258] ...
```

wds_corp_22_lst (ISOR, textlines)

Number of words with corpus code 22 - see lns_corp_22 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :         99
NAs      :         15
not-NA   :        383
not-0-NA :        328
sum      :     285 757
range    : [ 0 ] ... [ 2920 ]
examples : [687], [2873], [647], [28], [647], [0], [992], [294], [0], [1494] ...
```

wds_corp_23_lst (ISOR, textlines)

Number of words with corpus code 23 - see lns_corp_23 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :         33
NAs      :         15
not-NA   :        383
not-0-NA :        152
sum      :      44 101
range    : [ 0 ] ... [ 777 ]
examples : [NA], [0], [664], [0], [0], [0], [0], [0], [NA], [0] ...
```

wds_corp_25_lst (ISOR, textlines)

Number of words with corpus code 25 - see lns_corp_25 for more information. (last value within cabinet duration)

```
class    :       numeric
unique   :            69
NAs      :            15
not-NA   :           383
not-0-NA :           304
sum      :       114 760
range    : [ 0 ] ... [ 1942 ]
examples : [8], [180], [0], [457], [247], [515], [NA], [1822], [11], [136] ...
```

wds__corp__26__lst (ISOR, textlines)

Number of words with corpus code 26 - see lns_corp_26 for more information. (last value within cabinet duration)

```
class    :       numeric
unique   :            68
NAs      :            15
not-NA   :           383
not-0-NA :           277
sum      :       145 260
range    : [ 0 ] ... [ 2217 ]
examples : [1111], [98], [372], [0], [203], [129], [203], [0], [48], [NA] ...
```

wds__corp__27__lst (ISOR, textlines)

Number of words with corpus code 27 - see lns_corp_27 for more information. (last value within cabinet duration)

```
class    :       numeric
unique   :            14
NAs      :            15
not-NA   :           383
not-0-NA :            63
sum      :        14 987
range    : [ 0 ] ... [ 475 ]
examples : [0], [0], [0], [0], [0], [0], [NA], [0], [190], [0] ...
```

wds__corp__28__lst (ISOR, textlines)

Number of words with corpus code 28 - see lns_corp_28 for more information. (last value within cabinet duration)

```
class    :       numeric
unique   :             9
NAs      :            15
not-NA   :           383
not-0-NA :            28
sum      :        13 203
range    : [ 0 ] ... [ 775 ]
```

```
examples : [0], [0], [0], [0], [0], [429], [0], [0], [0], [0] ...
```

wds_corp_29_lst (ISOR, textlines)

Number of words with corpus code 29 - see lns_corp_29 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           34
NAs      :           15
not-NA   :          383
not-0-NA :           96
sum      :      123 262
range    : [ 0 ] ... [ 8107 ]
examples : [0], [0], [0], [457], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_31_lst (ISOR, textlines)

Number of words with corpus code 31 - see lns_corp_31 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           14
NAs      :           15
not-NA   :          383
not-0-NA :           80
sum      :       13 851
range    : [ 0 ] ... [ 426 ]
examples : [0], [48], [0], [0], [0], [426], [0], [0], [0], [0] ...
```

wds_corp_32_lst (ISOR, textlines)

Number of words with corpus code 32 - see lns_corp_32 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           32
NAs      :           15
not-NA   :          383
not-0-NA :          208
sum      :       47 972
range    : [ 0 ] ... [ 859 ]
examples : [120], [0], [55], [0], [NA], [511], [0], [0], [93], [538] ...
```

wds_corp_33_lst (ISOR, textlines)

Number of words with corpus code 33 - see lns_corp_33 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           20
```

```
NAs      :          15
not-NA   :         383
not-0-NA :         129
sum      :      22 194
range    : [ 0 ] ... [ 268 ]
examples : [0], [161], [0], [189], [214], [0], [0], [62], [187], [0] ...
```

wds_corp_34_lst (ISOR, textlines)

Number of words with corpus code 34 - see lns_corp_34 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :          64
NAs      :          15
not-NA   :         383
not-0-NA :         334
sum      :      57 114
range    : [ 0 ] ... [ 485 ]
examples : [0], [55], [218], [110], [68], [132], [92], [64], [NA], [0] ...
```

wds_corp_43_lst (ISOR, textlines)

Number of words with corpus code 43 - see lns_corp_43 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :          14
NAs      :          15
not-NA   :         383
not-0-NA :         124
sum      :       9 615
range    : [ 0 ] ... [ 163 ]
examples : [0], [0], [17], [0], [101], [0], [0], [0], [58], [93] ...
```

wds_corp_45_lst (ISOR, textlines)

Number of words with corpus code 45 - see lns_corp_45 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :          11
NAs      :          15
not-NA   :         383
not-0-NA :          56
sum      :      14 026
range    : [ 0 ] ... [ 1001 ]
examples : [0], [NA], [0], [0], [0], [0], [0], [0], [287], [0] ...
```

wds__corp__51__lst (ISOR, textlines)

Number of words with corpus code 51 - see lns_corp_51 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :          122
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :      260 231
range    : [ 86 ] ... [ 1649 ]
examples : [610], [NA], [817], [NA], [824], [534], [569], [498], [570], [651] ...
```

wds__corp__52__lst (ISOR, textlines)

Number of words with corpus code 52 - see lns_corp_52 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           33
NAs      :           15
not-NA   :          383
not-0-NA :          108
sum      :       31 901
range    : [ 0 ] ... [ 1025 ]
examples : [0], [237], [0], [0], [28], [0], [1025], [0], [0], [99] ...
```

wds__corp__53__lst (ISOR, textlines)

Number of words with corpus code 53 - see lns_corp_53 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :          130
NAs      :           15
not-NA   :          383
not-0-NA :          381
sum      :      313 775
range    : [ 0 ] ... [ 2691 ]
examples : [631], [918], [1105], [695], [793], [428], [576], [193], [873], [793] ...
```

wds__corp__54__lst (ISOR, textlines)

Number of words with corpus code 54 - see lns_corp_54 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           58
NAs      :           15
not-NA   :          383
not-0-NA :          297
```

```
sum      :        94 985
range    : [ 0 ] ... [ 1106 ]
examples : [136], [124], [366], [208], [366], [344], [123], [124], [505], [0] ...
```

wds__corp__55__lst (ISOR, textlines)

Number of words with corpus code 55 - see lns_corp_55 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           94
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :      110 084
range    : [ 37 ] ... [ 1851 ]
examples : [42], [234], [77], [280], [42], [249], [144], [77], [185], [227] ...
```

wds__corp__56__lst (ISOR, textlines)

Number of words with corpus code 56 - see lns_corp_56 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           99
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :      154 141
range    : [ 47 ] ... [ 1340 ]
examples : [210], [561], [1085], [655], [274], [207], [253], [83], [NA], [206] ...
```

wds__corp__66__lst (ISOR, textlines)

Number of words with corpus code 66 - see lns_corp_66 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :            3
NAs      :           15
not-NA   :          383
not-0-NA :           10
sum      :          410
range    : [ 0 ] ... [ 41 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [41], [0] ...
```

wds__corp__67__lst (ISOR, textlines)

Number of words with corpus code 67 - see lns_corp_67 for more information. (last value within cabinet duration)

```
class    :       numeric
unique   :             8
NAs      :            15
not-NA   :           383
not-0-NA :            20
sum      :         2 372
range    : [ 0 ] ... [ 137 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds__corp__68__lst (ISOR, textlines)

Number of words with corpus code 68 - see lns_corp_68 for more information. (last value within cabinet
duration)

```
class    :       numeric
unique   :            58
NAs      :            15
not-NA   :           383
not-0-NA :           273
sum      :        43 139
range    : [ 0 ] ... [ 1093 ]
examples : [NA], [224], [0], [0], [0], [33], [337], [133], [105], [21] ...
```

wds__corp__71__lst (ISOR, textlines)

Number of words with corpus code 71 - see lns_corp_71 for more information. (last value within cabinet
duration)

```
class    :       numeric
unique   :            36
NAs      :            15
not-NA   :           383
not-0-NA :           180
sum      :        22 845
range    : [ 0 ] ... [ 388 ]
examples : [388], [0], [0], [0], [87], [0], [0], [32], [0], [0] ...
```

wds__corp__72__lst (ISOR, textlines)

Number of words with corpus code 72 - see lns_corp_72 for more information. (last value within cabinet
duration)

```
class    :       numeric
unique   :            23
NAs      :            15
not-NA   :           383
not-0-NA :           184
sum      :        14 869
range    : [ 0 ] ... [ 148 ]
examples : [0], [37], [0], [0], [0], [0], [0], [NA], [NA], [148] ...
```

wds__corp__73__lst (ISOR, textlines)

Number of words with corpus code 73 - see lns_corp_73 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           17
NAs      :           15
not-NA   :          383
not-0-NA :          111
sum      :       12 211
range    : [ 0 ] ... [ 295 ]
examples : [0], [0], [0], [NA], [0], [93], [0], [0], [0], [0] ...
```

wds__corp__111__lst (ISOR, textlines)

Number of words with corpus code 111 - see lns_corp_111 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           53
NAs      :           15
not-NA   :          383
not-0-NA :          294
sum      :       39 208
range    : [ 0 ] ... [ 651 ]
examples : [0], [0], [85], [70], [0], [105], [19], [52], [105], [64] ...
```

wds__corp__112__lst (ISOR, textlines)

Number of words with corpus code 112 - see lns_corp_112 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           58
NAs      :           15
not-NA   :          383
not-0-NA :          313
sum      :       43 944
range    : [ 0 ] ... [ 443 ]
examples : [65], [126], [163], [172], [181], [25], [164], [0], [59], [139] ...
```

wds__corp__113__lst (ISOR, textlines)

Number of words with corpus code 113 - see lns_corp_113 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           78
NAs      :           15
not-NA   :          383
```

```
not-0-NA :          369
sum      :       83 291
range    : [ 0 ] ... [ 806 ]
examples : [514], [96], [26], [337], [271], [122], [89], [110], [386], [378] ...
```

wds__corp__114__lst (ISOR, textlines)

Number of words with corpus code 114 - see lns_corp_114 for more information. (last value within cabinet duration)

```
class    :       numeric
unique   :           17
NAs      :           15
not-NA   :          383
not-0-NA :          101
sum      :       14 747
range    : [ 0 ] ... [ 635 ]
examples : [0], [24], [0], [40], [0], [0], [0], [256], [14], [0] ...
```

wds__corp__121__lst (ISOR, textlines)

Number of words with corpus code 121 - see lns_corp_121 for more information. (last value within cabinet duration)

```
class    :       numeric
unique   :           72
NAs      :           15
not-NA   :          383
not-0-NA :          319
sum      :      113 237
range    : [ 0 ] ... [ 1536 ]
examples : [203], [266], [616], [131], [17], [660], [745], [0], [450], [NA] ...
```

wds__corp__122__lst (ISOR, textlines)

Number of words with corpus code 122 - see lns_corp_122 for more information. (last value within cabinet duration)

```
class    :       numeric
unique   :           67
NAs      :           15
not-NA   :          383
not-0-NA :          322
sum      :      108 814
range    : [ 0 ] ... [ 1136 ]
examples : [315], [819], [265], [106], [0], [172], [186], [89], [756], [NA] ...
```

wds__corp__123__lst (ISOR, textlines)

Number of words with corpus code 123 - see lns_corp_123 for more information. (last value within cabinet duration)

```
class    :       integer
unique   :           131
NAs      :            15
not-NA   :           383
not-0-NA :           383
sum      :       366 437
range    : [ 245 ] ... [ 2362 ]
examples : [2158], [565], [1165], [806], [883], [489], [NA], [601], [1491], [1978] ...
```

wds_corp_124_lst (ISOR, textlines)

Number of words with corpus code 124 - see lns_corp_124 for more information. (last value within cabinet duration)

```
class    :       numeric
unique   :            16
NAs      :            15
not-NA   :           383
not-0-NA :            47
sum      :        16 734
range    : [ 0 ] ... [ 498 ]
examples : [0], [457], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_125_lst (ISOR, textlines)

Number of words with corpus code 125 - see lns_corp_125 for more information. (last value within cabinet duration)

```
class    :       numeric
unique   :            82
NAs      :            15
not-NA   :           383
not-0-NA :           368
sum      :        98 130
range    : [ 0 ] ... [ 1073 ]
examples : [88], [259], [269], [NA], [372], [269], [416], [259], [220], [221] ...
```

wds_corp_131_lst (ISOR, textlines)

Number of words with corpus code 131 - see lns_corp_131 for more information. (last value within cabinet duration)

```
class    :       numeric
unique   :            52
NAs      :            15
not-NA   :           383
not-0-NA :           237
sum      :        33 883
range    : [ 0 ] ... [ 636 ]
```

```
examples : [109], [22], [22], [0], [636], [74], [372], [181], [105], [149] ...
```

wds_corp_132_lst (ISOR, textlines)

Number of words with corpus code 132 - see lns_corp_132 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           43
NAs      :           15
not-NA   :          383
not-0-NA :          251
sum      :       27 204
range    : [ 0 ] ... [ 435 ]
examples : [307], [36], [36], [0], [55], [421], [55], [0], [36], [0] ...
```

wds_corp_133_lst (ISOR, textlines)

Number of words with corpus code 133 - see lns_corp_133 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           50
NAs      :           15
not-NA   :          383
not-0-NA :          300
sum      :       31 341
range    : [ 0 ] ... [ 413 ]
examples : [22], [37], [100], [0], [15], [62], [65], [NA], [49], [0] ...
```

wds_corp_134_lst (ISOR, textlines)

Number of words with corpus code 134 - see lns_corp_134 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           94
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :       95 140
range    : [ 41 ] ... [ 736 ]
examples : [206], [333], [495], [171], [104], [198], [222], [NA], [177], [217] ...
```

wds_corp_141_lst (ISOR, textlines)

Number of words with corpus code 141 - see lns_corp_141 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           10
```

```
NAs      :           15
not-NA   :          383
not-0-NA :           96
sum      :       12 996
range    : [ 0 ] ... [ 187 ]
examples : [0], [0], [107], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_142_lst (ISOR, textlines)

Number of words with corpus code 142 - see lns_corp_142 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           37
NAs      :           15
not-NA   :          383
not-0-NA :          264
sum      :       67 597
range    : [ 0 ] ... [ 1359 ]
examples : [0], [123], [0], [55], [55], [156], [123], [0], [1076], [0] ...
```

wds_corp_143_lst (ISOR, textlines)

Number of words with corpus code 143 - see lns_corp_143 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           16
NAs      :           15
not-NA   :          383
not-0-NA :          100
sum      :       22 260
range    : [ 0 ] ... [ 555 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [111], [138] ...
```

wds_corp_144_lst (ISOR, textlines)

Number of words with corpus code 144 - see lns_corp_144 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :           15
not-NA   :          383
not-0-NA :           54
sum      :        2 839
range    : [ 0 ] ... [ 136 ]
examples : [77], [0], [28], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_145_lst (ISOR, textlines)

Number of words with corpus code 145 - see lns_corp_145 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :           15
not-NA   :          383
not-0-NA :           23
sum      :        7 198
range    : [ 0 ] ... [ 857 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_241_lst (ISOR, textlines)

Number of words with corpus code 241 - see lns_corp_241 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           35
NAs      :           15
not-NA   :          383
not-0-NA :          107
sum      :       34 403
range    : [ 0 ] ... [ 1348 ]
examples : [0], [0], [0], [162], [NA], [0], [0], [0], [801], [0] ...
```

wds_corp_242_lst (ISOR, textlines)

Number of words with corpus code 242 - see lns_corp_242 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           34
NAs      :           15
not-NA   :          383
not-0-NA :           92
sum      :       26 933
range    : [ 0 ] ... [ 1310 ]
examples : [0], [0], [0], [34], [0], [168], [196], [0], [NA], [0] ...
```

wds_corp_243_lst (ISOR, textlines)

Number of words with corpus code 243 - see lns_corp_243 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :            7
NAs      :           15
not-NA   :          383
not-0-NA :           12
```

```
sum       :          539
range     : [ 0 ] ... [ 70 ]
examples  : [0], [0], [0], [0], [0], [NA], [0], [0], [0], [0] ...
```

wds_corp_244_lst (ISOR, textlines)

Number of words with corpus code 244 - see lns_corp_244 for more information. (last value within cabinet duration)

```
class     :      numeric
unique    :           24
NAs       :           15
not-NA    :          383
not-0-NA  :           81
sum       :        9 626
range     : [ 0 ] ... [ 927 ]
examples  : [0], [125], [NA], [0], [0], [19], [0], [0], [NA], [0] ...
```

wds_corp_411_lst (ISOR, textlines)

Number of words with corpus code 411 - see lns_corp_411 for more information. (last value within cabinet duration)

```
class     :      numeric
unique    :           22
NAs       :           15
not-NA    :          383
not-0-NA  :           69
sum       :       13 187
range     : [ 0 ] ... [ 1435 ]
examples  : [320], [8], [0], [0], [0], [0], [0], [NA], [0], [0] ...
```

wds_corp_412_lst (ISOR, textlines)

Number of words with corpus code 412 - see lns_corp_412 for more information. (last value within cabinet duration)

```
class     :      numeric
unique    :           38
NAs       :           15
not-NA    :          383
not-0-NA  :          203
sum       :       34 068
range     : [ 0 ] ... [ 629 ]
examples  : [141], [0], [0], [0], [171], [24], [0], [0], [0], [206] ...
```

wds_corp_421_lst (ISOR, textlines)

Number of words with corpus code 421 - see lns_corp_421 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           14
NAs      :           15
not-NA   :          383
not-0-NA :           48
sum      :       10 137
range    : [ 0 ] ... [ 391 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_422_lst (ISOR, textlines)

Number of words with corpus code 422 - see lns_corp_422 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           10
NAs      :           15
not-NA   :          383
not-0-NA :           40
sum      :        4 065
range    : [ 0 ] ... [ 170 ]
examples : [0], [NA], [0], [0], [0], [170], [0], [158], [0], [0] ...
```

wds_corp_441_lst (ISOR, textlines)

Number of words with corpus code 441 - see lns_corp_441 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :            5
NAs      :           15
not-NA   :          383
not-0-NA :           27
sum      :        1 941
range    : [ 0 ] ... [ 99 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_442_lst (ISOR, textlines)

Number of words with corpus code 442 - see lns_corp_442 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           10
NAs      :           15
not-NA   :          383
not-0-NA :           61
sum      :        5 758
range    : [ 0 ] ... [ 142 ]
examples : [0], [142], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds__corp__611__lst (ISOR, textlines)

Number of words with corpus code 611 - see lns_corp_611 for more information. (last value within cabinet duration)

```
class     :      numeric
unique    :          100
NAs       :           15
not-NA    :          383
not-0-NA  :          362
sum       :      274 658
range     : [ 0 ] ... [ 6791 ]
examples  : [NA], [109], [1583], [810], [NA], [323], [217], [1900], [375], [662] ...
```

wds__corp__612__lst (ISOR, textlines)

Number of words with corpus code 612 - see lns_corp_612 for more information. (last value within cabinet duration)

```
class     :      numeric
unique    :           78
NAs       :           15
not-NA    :          383
not-0-NA  :          383
sum       :      201 037
range     : [ 88 ] ... [ 2221 ]
examples  : [631], [265], [252], [118], [247], [371], [610], [120], [455], [694] ...
```

wds__corp__613__lst (ISOR, textlines)

Number of words with corpus code 613 - see lns_corp_613 for more information. (last value within cabinet duration)

```
class     :      numeric
unique    :           66
NAs       :           15
not-NA    :          383
not-0-NA  :          324
sum       :       69 457
range     : [ 0 ] ... [ 842 ]
examples  : [198], [NA], [0], [309], [150], [84], [146], [149], [110], [0] ...
```

wds__corp__631__lst (ISOR, textlines)

Number of words with corpus code 631 - see lns_corp_631 for more information. (last value within cabinet duration)

```
class     :      numeric
unique    :           42
NAs       :           15
not-NA    :          383
```

```
not-0-NA :         309
sum      :      36 694
range    : [ 0 ] ... [ 518 ]
examples : [19], [0], [20], [19], [81], [209], [19], [19], [126], [19] ...
```

wds_corp_632_lst (ISOR, textlines)

Number of words with corpus code 632 - see lns_corp_632 for more information. (last value within cabinet duration)

```
class    :       numeric
unique   :         147
NAs      :          15
not-NA   :         383
not-0-NA :         383
sum      :     207 044
range    : [ 44 ] ... [ 1313 ]
examples : [1241], [44], [344], [85], [890], [1241], [366], [497], [886], [247] ...
```

wds_corp_633_lst (ISOR, textlines)

Number of words with corpus code 633 - see lns_corp_633 for more information. (last value within cabinet duration)

```
class    :       numeric
unique   :          71
NAs      :          15
not-NA   :         383
not-0-NA :         378
sum      :      57 544
range    : [ 0 ] ... [ 790 ]
examples : [NA], [100], [62], [145], [148], [244], [20], [195], [66], [88] ...
```

wds_corp_634_lst (ISOR, textlines)

Number of words with corpus code 634 - see lns_corp_634 for more information. (last value within cabinet duration)

```
class    :       numeric
unique   :          95
NAs      :          15
not-NA   :         383
not-0-NA :         374
sum      :     104 896
range    : [ 0 ] ... [ 1288 ]
examples : [326], [124], [277], [186], [119], [152], [124], [124], [217], [251] ...
```

wds_corp_636_lst (ISOR, textlines)

Number of words with corpus code 636 - see lns_corp_636 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           64
NAs      :           15
not-NA   :          383
not-0-NA :          285
sum      :       45 664
range    : [ 0 ] ... [ 878 ]
examples : [124], [62], [NA], [174], [0], [62], [174], [196], [31], [112] ...
```

wds_corp_637_lst (ISOR, textlines)

Number of words with corpus code 637 - see lns_corp_637 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           38
NAs      :           15
not-NA   :          383
not-0-NA :          182
sum      :       64 872
range    : [ 0 ] ... [ 2444 ]
examples : [527], [120], [636], [0], [120], [0], [120], [801], [688], [120] ...
```

wds_corp_638_lst (ISOR, textlines)

Number of words with corpus code 638 - see lns_corp_638 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           17
NAs      :           15
not-NA   :          383
not-0-NA :           78
sum      :       16 173
range    : [ 0 ] ... [ 649 ]
examples : [97], [0], [0], [0], [0], [0], [250], [0], [0], [0] ...
```

wds_corp_639_lst (ISOR, textlines)

Number of words with corpus code 639 - see lns_corp_639 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           97
NAs      :           15
not-NA   :          383
not-0-NA :          294
sum      :      170 327
range    : [ 0 ] ... [ 6014 ]
```

```
examples : [6014], [272], [394], [189], [5087], [445], [159], [5171], [252], [264] ...
```

wds__corp__641__lst (ISOR, textlines)

Number of words with corpus code 641 - see lns_corp_641 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           35
NAs      :           15
not-NA   :          383
not-0-NA :          249
sum      :       42 040
range    : [ 0 ] ... [ 439 ]
examples : [0], [0], [0], [224], [137], [77], [151], [0], [0], [198] ...
```

wds__corp__642__lst (ISOR, textlines)

Number of words with corpus code 642 - see lns_corp_642 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           25
NAs      :           15
not-NA   :          383
not-0-NA :          119
sum      :       17 282
range    : [ 0 ] ... [ 643 ]
examples : [0], [74], [100], [0], [0], [0], [0], [0], [100], [0] ...
```

wds__corp__643__lst (ISOR, textlines)

Number of words with corpus code 643 - see lns_corp_643 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           19
NAs      :           15
not-NA   :          383
not-0-NA :          104
sum      :        9 551
range    : [ 0 ] ... [ 196 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds__corp__651__lst (ISOR, textlines)

Number of words with corpus code 651 - see lns_corp_651 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :           95
```

```
NAs       :          15
not-NA    :         383
not-0-NA  :         383
sum       :      213 916
range     : [ 78 ] ... [ 2439 ]
examples  : [1410], [227], [227], [230], [1253], [234], [1055], [1192], [1125], [225] ...
```

wds_corp_652_lst (ISOR, textlines)

Number of words with corpus code 652 - see lns_corp_652 for more information. (last value within cabinet duration)

```
class     :      numeric
unique    :          81
NAs       :          15
not-NA    :         383
not-0-NA  :         352
sum       :      106 768
range     : [ 0 ] ... [ 2080 ]
examples  : [196], [225], [355], [108], [178], [178], [178], [173], [539], [133] ...
```

wds_corp_653_lst (ISOR, textlines)

Number of words with corpus code 653 - see lns_corp_653 for more information. (last value within cabinet duration)

```
class     :      numeric
unique    :          13
NAs       :          15
not-NA    :         383
not-0-NA  :          84
sum       :        8 817
range     : [ 0 ] ... [ 328 ]
examples  : [274], [NA], [0], [25], [0], [58], [0], [0], [0], [0] ...
```

wds_corp_999_lst (ISOR, textlines)

Number of words with corpus code 999 - see lns_corp_999 for more information. (last value within cabinet duration)

```
class     :      integer
unique    :         157
NAs       :          15
not-NA    :         383
not-0-NA  :         383
sum       :      172 427
range     : [ 38 ] ... [ 3193 ]
examples  : [324], [1561], [63], [530], [503], [353], [329], [447], [159], [NA] ...
```

wds_corp_6211_lst (ISOR, textlines)

Number of words with corpus code 6211 - see lns_corp_6211 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :         75
NAs      :         15
not-NA   :        383
not-0-NA :        383
sum      :     115 351
range    : [ 39 ] ... [ 1308 ]
examples : [186], [176], [224], [561], [186], [NA], [202], [45], [610], [221] ...
```

wds_corp_6212_lst (ISOR, textlines)

Number of words with corpus code 6212 - see lns_corp_6212 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :         82
NAs      :         15
not-NA   :        383
not-0-NA :        370
sum      :     102 542
range    : [ 0 ] ... [ 1060 ]
examples : [185], [0], [387], [97], [407], [104], [0], [102], [417], [73] ...
```

wds_corp_6221_lst (ISOR, textlines)

Number of words with corpus code 6221 - see lns_corp_6221 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :         52
NAs      :         15
not-NA   :        383
not-0-NA :        261
sum      :      25 016
range    : [ 0 ] ... [ 308 ]
examples : [NA], [0], [0], [0], [0], [110], [0], [0], [0], [9] ...
```

wds_corp_6222_lst (ISOR, textlines)

Number of words with corpus code 6222 - see lns_corp_6222 for more information. (last value within cabinet duration)

```
class    :      numeric
unique   :         40
NAs      :         15
not-NA   :        383
not-0-NA :        159
```

```
sum       :       21 897
range     : [ 0 ] ... [ 560 ]
examples  : [456], [0], [0], [0], [66], [0], [125], [129], [0], [0] ...
```

wds__corp__6351__lst (ISOR, textlines)

Number of words with corpus code 6351 - see lns_corp_6351 for more information. (last value within cabinet duration)

```
class     :       numeric
unique    :            19
NAs       :            15
not-NA    :           383
not-0-NA  :            88
sum       :         4 019
range     : [ 0 ] ... [ 178 ]
examples  : [0], [0], [0], [41], [0], [43], [0], [0], [0], [0] ...
```

wds__corp__6352__lst (ISOR, textlines)

Number of words with corpus code 6352 - see lns_corp_6352 for more information. (last value within cabinet duration)

```
class     :       numeric
unique    :            32
NAs       :            15
not-NA    :           383
not-0-NA  :           207
sum       :        21 650
range     : [ 0 ] ... [ 323 ]
examples  : [234], [60], [0], [35], [0], [0], [0], [0], [21], [101] ...
```

lns__corp__top__1__lst (ISOR, textlines)

Number of lines with aggregated corpus code 1 - lawmaking

codes: 111, 112, 113, 114, 121, 122, 123, 124, 125, 131, 132, 133, 134, 141, 142, 143, 144, 145 (last value within cabinet duration)

```
class     :       numeric
unique    :            93
NAs       :            15
not-NA    :           383
not-0-NA  :           383
sum       :        33 322
range     : [ 18 ] ... [ 192 ]
examples  : [102], [69], [76], [104], [74], [52], [71], [65], [110], [104] ...
```

lns__corp__top__2__lst (ISOR, textlines)

Number of lines with aggregated corpus code 2 - special decission rules

codes: 21, 22, 23, 241, 242, 243, 244, 26, 27, 28, 29, 67, 71, 72, 73 (last value within cabinet duration)

```
class    :      numeric
unique   :           88
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :       21 169
range    : [ 3 ] ... [ 341 ]
examples : [92], [79], [26], [57], [63], [43], [92], [131], [92], [7] ...
```

lns_corp_top_3_lst (ISOR, textlines)

Number of lines with aggregated corpus code 3 - elections

codes: 25, 31, 32, 33, 411, 421, 441 (last value within cabinet duration)

```
class    :      numeric
unique   :           43
NAs      :           15
not-NA   :          383
not-0-NA :          336
sum      :        6 482
range    : [ 0 ] ... [ 98 ]
examples : [51], [NA], [60], [24], [9], [53], [50], [3], [15], [0] ...
```

lns_corp_top_4_lst (ISOR, textlines)

Number of lines with aggregated corpus code 4 - government control

codes: 412, 53, 54, 636, 637, 66 (last value within cabinet duration)

```
class    :      numeric
unique   :           69
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :       16 786
range    : [ 2 ] ... [ 164 ]
examples : [66], [16], [62], [56], [24], [13], [26], [56], [3], [56] ...
```

lns_corp_top_5_lst (ISOR, textlines)

Number of lines with aggregated corpus code 5 - puplicity

codes: 121, 51, 52, 53, 55, 56, 611, 612, 613 (last value within cabinet duration)

```
class    :      numeric
unique   :          107
NAs      :           15
not-NA   :          383
not-0-NA :          383
```

```
sum      :        47 535
range    : [ 19 ] ... [ 314 ]
examples : [241], [149], [138], [78], [117], [69], [193], [148], [24], [117] ...
```

lns_corp_top_66_lst (ISOR, textlines)

Number of lines with aggregated corpus code 66 - not used for aggregation

codes: 34, 422, 43, 442, 45, 6211, 6212, 6221, 6222, 631, 632, 633, 634, 6351, 6352, 638, 639, 641, 642, 643, 651, 652, 653, 68, 8, 9, 10, 999 (last value within cabinet duration)

```
class    :       numeric
unique   :           126
NAs      :            15
not-NA   :           383
not-0-NA :           383
sum      :        52 663
range    : [ 38 ] ... [ 464 ]
examples : [150], [185], [77], [108], [191], [64], [277], [87], [131], [109] ...
```

lns_corp_top_77_lst (ISOR, textlines)

Number of lines with aggregated corpus code 77 - not relevant

codes: 999 (last value within cabinet duration)

```
class    :       numeric
unique   :           128
NAs      :            15
not-NA   :           383
not-0-NA :           383
sum      :        80 610
range    : [ 29 ] ... [ 763 ]
examples : [49], [66], [217], [36], [160], [49], [207], [295], [343], [93] ...
```

wds_corp_top_1_lst (ISOR, textlines)

Number of words with aggregated corpus code 1 - lawmaking

codes: 111, 112, 113, 114, 121, 122, 123, 124, 125, 131, 132, 133, 134, 141, 142, 143, 144, 145 (last value within cabinet duration)

```
class    :       numeric
unique   :           178
NAs      :            15
not-NA   :           383
not-0-NA :           383
sum      :     1 185 000
range    : [ 1130 ] ... [ 7885 ]
examples : [2060], [3652], [7195], [2325], [2475], [2325], [3584], [1449], [2773], [2866]
...
```

wds__corp__top__2__lst (ISOR, textlines)

Number of words with aggregated corpus code 2 - special decission rules

codes: 21, 22, 23, 241, 242, 243, 244, 26, 27, 28, 29, 67, 71, 72, 73 (last value within cabinet duration)

```
class    :       numeric
unique   :          162
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :      795 994
range    : [ 278 ] ... [ 11363 ]
examples :    [284], [5439], [2145], [350], [2145], [2301], [5011], [1057], [3648], [1354]
...
```

wds__corp__top__3__lst (ISOR, textlines)

Number of words with aggregated corpus code 3 - elections

codes: 25, 31, 32, 33, 411, 421, 441 (last value within cabinet duration)

```
class    :       numeric
unique   :           94
NAs      :           15
not-NA   :          383
not-0-NA :          336
sum      :      224 042
range    : [ 0 ] ... [ 2478 ]
examples : [1019], [785], [163], [567], [NA], [1019], [0], [348], [354], [1465] ...
```

wds__corp__top__4__lst (ISOR, textlines)

Number of words with aggregated corpus code 4 - government control

codes: 412, 53, 54, 636, 637, 66 (last value within cabinet duration)

```
class    :       numeric
unique   :          148
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :      553 774
range    : [ 93 ] ... [ 5511 ]
examples : [642], [1340], [993], [652], [797], [1385], [981], [1861], [817], [1394] ...
```

wds__corp__top__5__lst (ISOR, textlines)

Number of words with aggregated corpus code 5 - puplicity

codes: 121, 51, 52, 53, 55, 56, 611, 612, 613 (last value within cabinet duration)

```
class     :       numeric
unique    :           196
NAs       :            15
not-NA    :           383
not-0-NA  :           383
sum       :     1 528 521
range     : [ 955 ] ... [ 11338 ]
examples  :    [2478], [4411], [3634], [5012], [4557], [NA], [2728], [2949], [3397], [3329]
...
```

wds_corp_top_66_lst (ISOR, textlines)

Number of words with aggregated corpus code 66 - not used for aggregation

codes: 34, 422, 43, 442, 45, 6211, 6212, 6221, 6222, 631, 632, 633, 634, 6351, 6352, 638, 639, 641, 642, 643, 651, 652, 653, 68, 8, 9, 10 (last value within cabinet duration)

```
class     :       numeric
unique    :           206
NAs       :            15
not-NA    :           383
not-0-NA  :           383
sum       :     1 650 117
range     : [ 1276 ] ... [ 13971 ]
examples  :        [3870], [8173], [4799], [2505], [2464], [2767], [13971], [3008], [6288],
[2811] ...
```

wds_corp_top_77_lst (ISOR, textlines)

Number of words with aggregated corpus code 77 - not relevant

codes: 999 (last value within cabinet duration)

```
class     :       numeric
unique    :           157
NAs       :            15
not-NA    :           383
not-0-NA  :           383
sum       :       172 427
range     : [ 38 ] ... [ 3193 ]
examples  : [190], [63], [314], [1154], [NA], [1299], [178], [163], [153], [153] ...
```

lns_corp_act_1_lst (ISOR, textlines)

Number of lines with aggregated corpus code 1 - MPs

codes: 111,651,652,653 (last value within cabinet duration)

```
class     :       numeric
unique    :            55
NAs       :            15
not-NA    :           383
not-0-NA  :           383
```

```
sum       :        10 824
range     : [ 3 ] ... [ 128 ]
examples : [51], [11], [10], [19], [63], [38], [38], [19], [128], [18] ...
```

lns_corp_act_2_lst (ISOR, textlines)

Number of lines with aggregated corpus code 2 - PPGs

codes: 641,642,643 (last value within cabinet duration)

```
class     :       numeric
unique    :           21
NAs       :           15
not-NA    :          383
not-0-NA  :          253
sum       :        2 200
range     : [ 0 ] ... [ 61 ]
examples : [8], [1], [6], [1], [0], [0], [5], [5], [6], [1] ...
```

lns_corp_act_3_lst (ISOR, textlines)

Number of lines with aggregated corpus code 3 - committees

codes: 125, 131, 132, 133, 134, 242, 54, 631, 632, 633, 634, 6351, 6352, 636, 637, 638, 639 (last value within cabinet duration)

```
class     :       numeric
unique    :           99
NAs       :           15
not-NA    :          383
not-0-NA  :          383
sum       :       35 248
range     : [ 15 ] ... [ 404 ]
examples : [112], [83], [353], [NA], [74], [50], [43], [62], [105], [33] ...
```

lns_corp_act_4_lst (ISOR, textlines)

Number of lines with aggregated corpus code 4 - governing body

codes: 612, 6211, 6212, 6221, 6222 (last value within cabinet duration)

```
class     :       numeric
unique    :           53
NAs       :           15
not-NA    :          383
not-0-NA  :          383
sum       :       14 740
range     : [ 7 ] ... [ 126 ]
examples : [38], [42], [34], [9], [18], [25], [16], [9], [73], [38] ...
```

lns_corp_act_66_lst (ISOR, textlines)

Number of lines with aggregated corpus code 66 - not used for aggregation

codes: 112, 123, 22, 55, 8, 56, 34, 113, 611, 121, 122, 51, 73, 21, 142, 32, 26, 71, 25, 53, 143, 23, 10, 9, 68, 412, 52, 411, 145, 43, 241, 243, 244, 72, 114, 613, 29, 124, 33, 31, 27, 28, 141, 442, 66, 441, 45, 422, 421, 144 (last value within cabinet duration)

```
class    :      numeric
unique   :         155
NAs      :          15
not-NA   :         383
not-0-NA :         383
sum      :     102 546
range    : [ 51 ] ... [ 738 ]
examples : [220], [205], [350], [346], [350], [350], [147], [160], [224], [409] ...
```

lns_corp_act_77_lst (ISOR, textlines)

Number of lines with aggregated corpus code 77 - not relevant

codes: 999 (last value within cabinet duration)

```
class    :      numeric
unique   :         128
NAs      :          15
not-NA   :         383
not-0-NA :         383
sum      :      80 610
range    : [ 29 ] ... [ 763 ]
examples : [295], [215], [418], [191], [197], [29], [229], [196], [207], [214] ...
```

wds_corp_act_1_lst (ISOR, textlines)

Number of words with aggregated corpus code 1 - MPs

codes: 111,651,652,653 (last value within cabinet duration)

```
class    :      numeric
unique   :         128
NAs      :          15
not-NA   :         383
not-0-NA :         383
sum      :     368 709
range    : [ 134 ] ... [ 4779 ]
examples : [134], [333], [641], [494], [407], [1485], [2271], [333], [1707], [134] ...
```

wds_corp_act_2_lst (ISOR, textlines)

Number of words with aggregated corpus code 2 - PPGs

codes: 641,642,643 (last value within cabinet duration)

```
class    :      numeric
unique   :          52
NAs      :          15
```

```
not-NA   :        383
not-0-NA :        253
sum      :     68 873
range    : [ 0 ] ... [ 841 ]
examples : [195], [NA], [0], [264], [0], [294], [152], [0], [0], [407] ...
```

wds_corp_act_3_lst (ISOR, textlines)

Number of words with aggregated corpus code 3 - committees

codes: 125, 131, 132, 133, 134, 242, 54, 631, 632, 633, 634, 6351, 6352, 636, 637, 638, 639 (last value within cabinet duration)

```
class    :     numeric
unique   :        195
NAs      :         15
not-NA   :        383
not-0-NA :        383
sum      :   1 136 499
range    : [ 645 ] ... [ 12082 ]
examples :       [11239], [1829], [2319], [4355], [4060], [2291], [1889], [3004], [3326],
[12082] ...
```

wds_corp_act_4_lst (ISOR, textlines)

Number of words with aggregated corpus code 4 - governing body

codes: 612, 6211, 6212, 6221, 6222 (last value within cabinet duration)

```
class    :     numeric
unique   :        130
NAs      :         15
not-NA   :        383
not-0-NA :        383
sum      :     465 843
range    : [ 371 ] ... [ 3291 ]
examples : [602], [1992], [1437], [809], [1077], [1342], [3291], [593], [2258], [800] ...
```

wds_corp_act_66_lst (ISOR, textlines)

Number of words with aggregated corpus code 66 - not used for aggregation

codes: 112, 123, 22, 55, 8, 56, 34, 113, 611, 121, 122, 51, 73, 21, 142, 32, 26, 71, 25, 53, 143, 23, 10, 9, 68, 412, 52, 411, 145, 43, 241, 243, 244, 72, 114, 613, 29, 124, 33, 31, 27, 28, 141, 442, 66, 441, 45, 422, 421, 144 (last value within cabinet duration)

```
class    :     numeric
unique   :        216
NAs      :         15
not-NA   :        383
not-0-NA :        383
sum      :   3 470 512
range    : [ 3059 ] ... [ 25564 ]
```

```
examples :        [5908], [13171], [12999], [9874], [6405], [5495], [6461], [5111], [4447],
[12308 ...
```

wds_corp_act_77_lst (ISOR, textlines)

Number of words with aggregated corpus code 77 - not relevant

codes: 999 (last value within cabinet duration)

```
class    :      numeric
unique   :          157
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :      172 427
range    : [ 38 ] ... [ 3193 ]
examples : [355], [740], [309], [483], [NA], [483], [61], [1007], [178], [120] ...
```

lns_corp_8_mn (ISOR, textlines)

Number of lines with corpus code 8

8 General Rules Regarding Formation and Legislative Session; Discontinuity (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           38
NAs      :           15
not-NA   :          383
not-0-NA :          339
sum      :    2 071.664
range    : [ 0 ] ... [ 22 ]
examples : [3], [1], [7], [NA], [3], [0], [7], [7], [0], [7] ...
```

lns_corp_9_mn (ISOR, textlines)

Number of lines with corpus code 9

9 Final Provisions (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           25
NAs      :           15
not-NA   :          383
not-0-NA :          109
sum      :     325.1977
range    : [ 0 ] ... [ 10 ]
examples : [0], [1], [0], [0], [0], [0], [7], [NA], [0], [NA] ...
```

lns_corp_10_mn (ISOR, textlines)

Number of lines with corpus code 10

10 Miscellaneous (cannot be coded otherwise) (mean of all values within cabinet duration)

```
class    :       numeric
unique   :            88
NAs      :            15
not-NA   :           383
not-0-NA :           368
sum      :     4 854.882
range    : [ 0 ] ... [ 162.333333333333 ]
examples : [2], [7], [14.6666666666667], [38], [19], [7], [39], [24.4], [8], [7] ...
```

lns_corp_21_mn (ISOR, textlines)

Number of lines with corpus code 21

2 Special Decision Procedures other than Regular Law-Making

21 constitutional change and amendment (mean of all values within cabinet duration)

```
class    :       numeric
unique   :            26
NAs      :            15
not-NA   :           383
not-0-NA :           242
sum      :     1 559.539
range    : [ 0 ] ... [ 22 ]
examples : [1], [2], [0], [5], [3], [0], [8], [1], [3], [0] ...
```

lns_corp_22_mn (ISOR, textlines)

Number of lines with corpus code 22

2 Special Decision Procedures other than Regular Law-Making

22 financial laws (money bills) and budgeting (mean of all values within cabinet duration)

```
class    :       numeric
unique   :            92
NAs      :            15
not-NA   :           383
not-0-NA :           331
sum      :     6 693.632
range    : [ 0 ] ... [ 65 ]
examples : [42.3333333333333], [16], [5], [10.5], [16], [NA], [1], [NA], [0], [19] ...
```

lns_corp_23_mn (ISOR, textlines)

Number of lines with corpus code 23

2 Special Decision Procedures other than Regular Law-Making

23 foreign policy (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           27
NAs      :           15
not-NA   :          383
not-0-NA :          155
sum      :     1 134.41
range    : [ 0 ] ... [ 29 ]
examples : [0], [0], [NA], [2], [7], [0], [7], [1], [NA], [0] ...
```

lns_corp__25__mn (ISOR, textlines)

Number of lines with corpus code 25

2 Special Decision Procedures other than Regular Law-Making

25 general rules on elections in parliament (if not coded as election of government (31), or election of specific officials (411; 421; 441; 6211; 6221; 632)) (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           54
NAs      :           15
not-NA   :          383
not-0-NA :          304
sum      :     3 054.56
range    : [ 0 ] ... [ 79.2 ]
examples : [3], [0], [11.5], [13], [10], [3.5], [13], [0], [10], [3] ...
```

lns_corp__26__mn (ISOR, textlines)

Number of lines with corpus code 26

2 Special Decision Procedures other than Regular Law-Making

26 further special decision procedures (leading to a decision, e.g. resolution, or leading to a decree/act/bylaw (not mere debate or question time) but cannot be coded as regular law-making nor special decision procedures (21 - 24)) (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           63
NAs      :           15
not-NA   :          383
not-0-NA :          279
sum      :     3 775.032
range    : [ 0 ] ... [ 44 ]
examples : [0], [8.5], [28], [2], [0], [0.333333333333333], [3], [0], [8], [31] ...
```

lns_corp__27__mn (ISOR, textlines)

Number of lines with corpus code 27

2 Special Decision Procedures other than Regular Law-Making

27 procedures concerning laws that are hierarchically situated between regular laws and constitutional laws (above regular laws; e.g. organic laws in Spain) (mean of all values within cabinet duration)

```
class     :     numeric
unique    :           12
NAs       :           15
not-NA    :          383
not-0-NA  :           63
sum       :      349.1524
range     : [ 0 ] ... [ 9 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns__corp__28__mn (ISOR, textlines)

Number of lines with corpus code 28

2 Special Decision Procedures other than Regular Law-Making

28 emergency legislation (mean of all values within cabinet duration)

```
class     :     numeric
unique    :           11
NAs       :           15
not-NA    :          383
not-0-NA  :           28
sum       :         510.5
range     : [ 0 ] ... [ 32 ]
examples  : [0], [14], [0], [0], [0], [0], [0], [14], [0], [12] ...
```

lns__corp__29__mn (ISOR, textlines)

Number of lines with corpus code 29

2 Special Decision Procedures other than Regular Law-Making

29 relationship to sub-national level (law-making, rights of participation of sub-national level) (mean of all values within cabinet duration)

```
class     :     numeric
unique    :           37
NAs       :           15
not-NA    :          383
not-0-NA  :           96
sum       :     3 215.948
range     : [ 0 ] ... [ 245 ]
examples  : [29], [0], [208.35], [0], [29], [0], [0], [0], [14], [0] ...
```

lns__corp__31__mn (ISOR, textlines)

Number of lines with corpus code 31

3 Relationship to Government

31 election of government / mandatory investiture vote; entry into office (mean of all values within cabinet duration)

```
class     :     numeric
unique    :           16
```

```
NAs       :            15
not-NA    :           383
not-0-NA  :            80
sum       :      522.9881
range     : [ 0 ] ... [ 18 ]
examples  : [0], [0], [5], [0], [15], [0], [0], [0], [0], [0] ...
```

lns_corp_32_mn (ISOR, textlines)

Number of lines with corpus code 32

3 Relationship to Government

32 vote of no confidence / government resignation (mean of all values within cabinet duration)

```
class     :       numeric
unique    :            27
NAs       :            15
not-NA    :           383
not-0-NA  :           208
sum       :       1 404.1
range     : [ 0 ] ... [ 27 ]
examples  : [6.75], [9], [15], [0], [3], [0], [NA], [NA], [3], [0] ...
```

lns_corp_33_mn (ISOR, textlines)

Number of lines with corpus code 33

3 Relationship to Government

33 vote of confidence (mean of all values within cabinet duration)

```
class     :       numeric
unique    :            14
NAs       :            15
not-NA    :           383
not-0-NA  :           129
sum       :      630.4167
range     : [ 0 ] ... [ 9 ]
examples  : [0], [0], [7], [5], [0], [2], [0], [4], [0], [0] ...
```

lns_corp_34_mn (ISOR, textlines)

Number of lines with corpus code 34

3 Relationship to Government

34 instructions to government, involvement of members of government in parliamentary activities (rights to compel witnesses [usually right of parliament against members of government], right to speak [usually members of government's right], request of information about state of execution of decisions of parliament) (mean of all values within cabinet duration)

```
class     :       numeric
unique    :            48
```

```
NAs      :          15
not-NA   :         383
not-0-NA :         335
sum      :    1 686.204
range    : [ 0 ] ... [ 13 ]
examples : [5], [6.66666666666667], [NA], [6], [4.5], [7], [2], [0], [8], [2] ...
```

lns_corp_43_mn (ISOR, textlines)

Number of lines with corpus code 43

4 Relationship to External Offices/Institutions apart from the Government

43 second chamber (if not coded as law-making (142)) (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          10
NAs      :          15
not-NA   :         383
not-0-NA :         125
sum      :     284.5833
range    : [ 0 ] ... [ 4 ]
examples : [0], [2], [0], [0], [0], [0], [0], [1], [3], [0] ...
```

lns_corp_45_mn (ISOR, textlines)

Number of lines with corpus code 45

4 Relationship to External Offices/Institutions apart from the Government

45 constitutional courts (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          12
NAs      :          15
not-NA   :         383
not-0-NA :          57
sum      :       373.65
range    : [ 0 ] ... [ 34 ]
examples : [0], [0], [0], [0], [0], [0], [5], [0], [0], [0] ...
```

lns_corp_51_mn (ISOR, textlines)

Number of lines with corpus code 51

5 Generating Publicity

51 general rules regarding debate (e.g. time allotted for speaking, proportional representation of parties during debate, closure of debate) (mean of all values within cabinet duration)

```
class    :      numeric
unique   :         106
NAs      :          15
not-NA   :         383
```

```
not-0-NA :         383
sum      :   9 932.313
range    : [ 3 ] ... [ 107.5 ]
examples : [90], [96], [15], [18], [102], [19], [25], [8], [38], [10] ...
```

lns_corp__52__mn (ISOR, textlines)

Number of lines with corpus code 52

5 Generating Publicity

52 debates outside of law-making (e.g. topical hours . . .) (mean of all values within cabinet duration)

```
class    :       numeric
unique   :            38
NAs      :            15
not-NA   :           383
not-0-NA :           112
sum      :      950.5244
range    : [ 0 ] ... [ 32 ]
examples : [14.5], [0], [0], [2], [6], [0], [2.57142857142857], [0], [0], [22] ...
```

lns_corp__53__mn (ISOR, textlines)

Number of lines with corpus code 53

5 Generating Publicity

53 question rights (mean of all values within cabinet duration)

```
class    :       numeric
unique   :           103
NAs      :            15
not-NA   :           383
not-0-NA :           381
sum      :     9 087.732
range    : [ 0 ] ... [ 89 ]
examples :   [45.2], [22], [12.3333333333333], [33], [9], [22.25], [33], [19], [31], [28]
...
```

lns_corp__54__mn (ISOR, textlines)

Number of lines with corpus code 54

5 Generating Publicity

54 petitions and petition committee (mean of all values within cabinet duration)

```
class    :       numeric
unique   :            42
NAs      :            15
not-NA   :           383
not-0-NA :           297
sum      :     3 103.325
```

```
range    : [ 0 ] ... [ 34 ]
examples : [4], [11], [32], [0], [6], [11], [1], [4], [0], [0] ...
```


lns_corp__55__mn (ISOR, textlines)

Number of lines with corpus code 55

5 Generating Publicity

55 relationship to media and citizens (e.g. parliamentary TV, accreditation of journalists, publicity of meetings, admissibility of visitors); regulation of matters of confidentiality (mean of all values within cabinet duration)

```
class    :       numeric
unique   :            71
NAs      :            15
not-NA   :           383
not-0-NA :           383
sum      :     3 527.266
range    : [ 1 ] ... [ 67 ]
examples : [12], [21], [5.72727272727273], [4], [2], [3], [4], [3], [12], [6] ...
```


lns_corp__56__mn (ISOR, textlines)

Number of lines with corpus code 56

5 Generating Publicity

56 protocols and parliamentary documents; forwarding of documents and decisions to other bodies (mean of all values within cabinet duration)

```
class    :       numeric
unique   :            79
NAs      :            15
not-NA   :           383
not-0-NA :           383
sum      :     4 901.019
range    : [ 2 ] ... [ 61 ]
examples : [16], [9], [9], [8], [9], [19], [12], [17], [19], [14] ...
```


lns_corp__66__mn (ISOR, textlines)

Number of lines with corpus code 66

6 Internal Organization of Parliament

66 opposition (mean of all values within cabinet duration)

```
class    :       numeric
unique   :             5
NAs      :            15
not-NA   :           383
not-0-NA :            10
sum      :         9.175
range    : [ 0 ] ... [ 1 ]
```

```
examples : [0], [0], [0], [0], [0], [0], [1], [0], [0], [0] ...
```

lns_corp__67__mn (ISOR, textlines)

Number of lines with corpus code 67

6 Internal Organization of Parliament

67 special bodies for emergency situations (mean of all values within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :           15
not-NA   :          383
not-0-NA :           20
sum      :     107.5167
range    : [ 0 ] ... [ 7 ]
examples : [0], [0], [0], [0], [0], [NA], [0], [6.6], [0], [0] ...
```

lns_corp__68__mn (ISOR, textlines)

Number of lines with corpus code 68

6 Internal Organization of Parliament

68 parliamentary administration (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           46
NAs      :           15
not-NA   :          383
not-0-NA :          274
sum      :    1 593.094
range    : [ 0 ] ... [ 39.8 ]
examples : [2], [0], [2.5], [4], [3], [4], [0], [10.2], [3], [3] ...
```

lns_corp__71__mn (ISOR, textlines)

Number of lines with corpus code 71

7 Change and Interpretation of the Standing Orders

71 rules regarding changing the standing orders (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           24
NAs      :           15
not-NA   :          383
not-0-NA :          182
sum      :     691.9095
range    : [ 0 ] ... [ 12.25 ]
examples : [0], [1.5], [0], [0], [0], [0], [0], [0], [0], [11] ...
```

lns__corp__72__mn (ISOR, textlines)

Number of lines with corpus code 72

7 Change and Interpretation of the Standing Orders

72 rules regarding interpretation of and deviation from standing orders (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           13
NAs      :           15
not-NA   :          383
not-0-NA :          185
sum      :        430.2
range    : [ 0 ] ... [ 6 ]
examples : [0], [0], [1], [0], [0], [3], [3], [0], [0], [0] ...
```

lns__corp__73__mn (ISOR, textlines)

Number of lines with corpus code 73

7 Change and Interpretation of the Standing Orders

73 debate about standing orders and motions regarding the standing orders (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           14
NAs      :           15
not-NA   :          383
not-0-NA :          112
sum      :     503.8333
range    : [ 0 ] ... [ 17 ]
examples : [0], [0], [0], [3], [0], [0], [NA], [1], [0], [0] ...
```

lns__corp__111__mn (ISOR, textlines)

Number of lines with corpus code 111

1 Law-Making

11 Bills and motions

111 types of bills and motions; printing and distribution of bills and motions to MPs (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           43
NAs      :           15
not-NA   :          383
not-0-NA :          297
sum      :    1 643.742
range    : [ 0 ] ... [ 32.5 ]
examples : [0], [2], [2.25], [0], [2], [1], [5], [2], [0], [1] ...
```

lns_corp_112_mn (ISOR, textlines)

Number of lines with corpus code 112

1 Law-Making

11 Bills and motions

112 right to initiate bills and motions (mean of all values within cabinet duration)

```
class    :     numeric
unique   :          43
NAs      :          15
not-NA   :         383
not-0-NA :         316
sum      :    1 319.026
range    : [ 0 ] ... [ 15 ]
examples : [3], [8], [1], [3], [1], [1], [3], [2], [10.3333333333333], [0] ...
```

lns_corp_113_mn (ISOR, textlines)

Number of lines with corpus code 113

1 Law-Making

11 Bills and motions

113 restrictions and deadlines (if not assignable to more specific category, e.g. code 121; 32; 134) (mean of all values within cabinet duration)

```
class    :     numeric
unique   :          63
NAs      :          15
not-NA   :         383
not-0-NA :         370
sum      :    2 564.746
range    : [ 0 ] ... [ 31 ]
examples : [2], [6], [11], [9], [NA], [19], [3], [1], [6], [3] ...
```

lns_corp_114_mn (ISOR, textlines)

Number of lines with corpus code 114

1 Law-Making

11 Bills and motions

114 legislative planning (concerns the whole term- general schedule) (mean of all values within cabinet duration)

```
class    :     numeric
unique   :          14
NAs      :          15
not-NA   :         383
not-0-NA :         103
sum      :       359.35
```

```
range    : [ 0 ] ... [ 11 ]
examples : [0], [0], [0], [1], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_121_mn (ISOR, textlines)

Number of lines with corpus code 121

1 Law-Making

12 Treatment of Bills and motions in the plenary

121 debate in the plenary (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          60
NAs      :          15
not-NA   :         383
not-0-NA :         320
sum      :     3 143.187
range    : [ 0 ] ... [ 33.2 ]
examples : [10], [24], [8], [2], [4], [8], [8], [9], [0], [8] ...
```

lns_corp_122_mn (ISOR, textlines)

Number of lines with corpus code 122

1 Law-Making

12 Treatment of Bills and motions in the plenary

122 right of amendment in the plenary (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          54
NAs      :          15
not-NA   :         383
not-0-NA :         322
sum      :     2 945.264
range    : [ 0 ] ... [ 26 ]
examples : [6.6], [22], [12], [4], [7], [NA], [7], [5], [7], [NA] ...
```

lns_corp_123_mn (ISOR, textlines)

Number of lines with corpus code 123

1 Law-Making

12 Treatment of Bills and motions in the plenary

123 subject of vote, rules of vote (including quorum), voting technology in the plenary (mean of all values within cabinet duration)

```
class    :      numeric
unique   :         104
NAs      :          15
not-NA   :         383
```

```
not-0-NA :        383
sum      :     10 967.8
range    : [ 4.75 ] ... [ 67 ]
examples : [50], [36], [9], [17], [35], [27], [9], [12], [36], [27] ...
```

lns_corp_124_mn (ISOR, textlines)

Number of lines with corpus code 124

1 Law-Making

12 Treatment of Bills and motions in the plenary

124 the plenary as Committee of the Whole House (mean of all values within cabinet duration)

```
class    :     numeric
unique   :          10
NAs      :          15
not-NA   :         383
not-0-NA :          48
sum      :     252.4273
range    : [ 0 ] ... [ 8 ]
examples : [NA], [0], [0], [0], [0], [0], [0], [0], [7], [7.72727272727273] ...
```

lns_corp_125_mn (ISOR, textlines)

Number of lines with corpus code 125

1 Law-Making

12 Treatment of Bills and motions in the plenary

125 referral to committee, withdrawal from committee (mean of all values within cabinet duration)

```
class    :     numeric
unique   :          49
NAs      :          15
not-NA   :         383
not-0-NA :         369
sum      :    2 246.913
range    : [ 0 ] ... [ 22 ]
examples : [NA], [4], [5], [8], [12], [3.33333333333333], [5], [8], [0], [7] ...
```

lns_corp_131_mn (ISOR, textlines)

Number of lines with corpus code 131

1 Law-Making

13 Treatment of bills and motions in committee

131 debate in committee (including hearing) (mean of all values within cabinet duration)

```
class    :     numeric
unique   :          34
NAs      :          15
```

```
not-NA   :         383
not-0-NA :         239
sum      :    877.3583
range    : [ 0 ] ... [ 13 ]
examples : [NA], [1], [NA], [4], [5], [0], [12], [0], [1], [1] ...
```

lns_corp_132_mn (ISOR, textlines)

Number of lines with corpus code 132

1 Law-Making

13 Treatment of bills and motions in committee

132 amendment rights in committee (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          25
NAs      :          15
not-NA   :         383
not-0-NA :         252
sum      :    633.9095
range    : [ 0 ] ... [ 10 ]
examples : [2], [2.5], [2], [1], [0], [0], [1], [0], [1], [0] ...
```

lns_corp_133_mn (ISOR, textlines)

Number of lines with corpus code 133

1 Law-Making

13 Treatment of bills and motions in committee

133 subject of vote, rules of vote (including quorum), voting technology in committee (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          30
NAs      :          15
not-NA   :         383
not-0-NA :         301
sum      :     853.466
range    : [ 0 ] ... [ 9 ]
examples : [9], [0], [1], [0], [0], [9], [2], [1], [2], [0] ...
```

lns_corp_134_mn (ISOR, textlines)

Number of lines with corpus code 134

1 Law-Making

13 Treatment of bills and motions in committee

134 report to the plenary (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          65
NAs      :          15
not-NA   :         383
not-0-NA :         383
sum      :     2 537.19
range    : [ 1 ] ... [ 22 ]
examples : [5], [4], [8], [5], [3.5], [5], [5], [NA], [1], [5] ...
```

lns_corp_141_mn (ISOR, textlines)

Number of lines with corpus code 141

1 Law-Making

14 Post-parliamentary stage

141 veto right of government actors and head of state (any case when government actors can oppose themselves to the decisions of parliament) (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           9
NAs      :          15
not-NA   :         383
not-0-NA :          96
sum      :      331.25
range    : [ 0 ] ... [ 6 ]
examples : [0], [4], [5], [0], [0], [6], [0], [0], [0], [3] ...
```

lns_corp_142_mn (ISOR, textlines)

Number of lines with corpus code 142

1 Law-Making

14 Post-parliamentary stage

142 referral to second chamber, conciliation committee, and renewed decision after intervention (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          24
NAs      :          15
not-NA   :         383
not-0-NA :         268
sum      :     1 569.792
range    : [ 0 ] ... [ 31.8 ]
examples : [1], [0], [0], [0.666666666666667], [0], [3], [4], [4], [26], [26] ...
```

lns_corp_143_mn (ISOR, textlines)

Number of lines with corpus code 143

1 Law-Making

14 Post-parliamentary stage

143 direct democratic procedures following the legislative stage (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           11
NAs      :           15
not-NA   :          383
not-0-NA :          101
sum      :     549.1333
range    : [ 0 ] ... [ 13 ]
examples : [0], [2], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_144_mn (ISOR, textlines)

Number of lines with corpus code 144

1 Law-Making

14 Post-parliamentary stage

144 promulgation and enactment (mean of all values within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :           15
not-NA   :          383
not-0-NA :           55
sum      :     118.4167
range    : [ 0 ] ... [ 6 ]
examples : [0], [0], [3], [5.5], [0], [0], [0], [1], [0], [3] ...
```

lns_corp_145_mn (ISOR, textlines)

Number of lines with corpus code 145

1 Law-Making

14 Post-parliamentary stage

145 referral to the constitutional court/supreme court (mean of all values within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :           15
not-NA   :          383
not-0-NA :           23
sum      :       133.15
range    : [ 0 ] ... [ 15 ]
examples : [0], [0], [4.75], [0], [0], [2], [0], [0], [0], [0] ...
```

lns_corp_241_mn (ISOR, textlines)

Number of lines with corpus code 241

2 Special Decision Procedures other than Regular Law-Making

24 EU

241 treatment of EU-bills and motions (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           33
NAs      :           15
not-NA   :          383
not-0-NA :          107
sum      :     726.4319
range    : [ 0 ] ... [ 24 ]
examples : [0], [0], [3], [0], [1], [0], [0], [0], [NA], [0] ...
```

lns_corp__242__mn (ISOR, textlines)

Number of lines with corpus code 242

2 Special Decision Procedures other than Regular Law-Making

24 EU

242 EU-committee: election and resignation (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           42
NAs      :           15
not-NA   :          383
not-0-NA :           93
sum      :     781.8418
range    : [ 0 ] ... [ 46.0952380952381 ]
examples : [14.6666666666667], [0], [24.75], [0], [17], [0], [0], [0], [0], [1] ...
```

lns_corp__243__mn (ISOR, textlines)

Number of lines with corpus code 243

2 Special Decision Procedures other than Regular Law-Making

24 EU

243 instructions to the government concerning EU decisions (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           10
NAs      :           15
not-NA   :          383
not-0-NA :           14
sum      :      14.93788
range    : [ 0 ] ... [ 3.45454545454545 ]
examples : [0], [0], [0], [0], [0], [0], [NA], [0], [0], [0] ...
```

lns_corp__244__mn (ISOR, textlines)

Number of lines with corpus code 244

2 Special Decision Procedures other than Regular Law-Making

24 EU

244 further rights of participation in EU matters (e.g. debates about EU topics not based on EU bills and motions, reaction to violations of subsidiary principle) (mean of all values within cabinet duration)

```
class     :      numeric
unique    :           22
NAs       :           15
not-NA    :          383
not-0-NA  :           82
sum       :     205.2312
range     : [ 0 ] ... [ 28 ]
examples  : [0], [0], [2], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_411_mn (ISOR, textlines)

Number of lines with corpus code 411

4 Relationship to External Offices/Institutions apart from the Government

41 parliamentary support bodies (e.g. general accounting office, ombudsman, . . .)

411 election and resignation (mean of all values within cabinet duration)

```
class     :      numeric
unique    :           22
NAs       :           15
not-NA    :          383
not-0-NA  :           69
sum       :     384.9262
range     : [ 0 ] ... [ 46 ]
examples  : [1], [5], [7], [0], [0], [0], [6], [1], [0], [0] ...
```

lns_corp_412_mn (ISOR, textlines)

Number of lines with corpus code 412

4 Relationship to External Offices/Institutions apart from the Government

41 parliamentary support bodies (e.g. general accounting office, ombudsman, . . .)

412 competences and resources of external offices/institutions; relations to parliament (e.g. reports, questions, . . .) (mean of all values within cabinet duration)

```
class     :      numeric
unique    :           29
NAs       :           15
not-NA    :          383
not-0-NA  :          205
sum       :    1 026.418
range     : [ 0 ] ... [ 21 ]
examples  : [1], [5], [1], [2], [12.6], [0], [0.2], [17], [13.5], [0] ...
```

lns__corp__421__mn (ISOR, textlines)

Number of lines with corpus code 421

4 Relationship to External Offices/Institutions apart from the Government

42 head of state

421 election and resignation (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           10
NAs      :           15
not-NA   :          383
not-0-NA :           48
sum      :        298.5
range    : [ 0 ] ... [ 15 ]
examples : [0], [15], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns__corp__422__mn (ISOR, textlines)

Number of lines with corpus code 422

4 Relationship to External Offices/Institutions apart from the Government

42 head of state

422 relation to parliament (if not coded as law-making (141, 144)) (mean of all values within cabinet duration)

```
class    :      numeric
unique   :            8
NAs      :           15
not-NA   :          383
not-0-NA :           42
sum      :     159.9167
range    : [ 0 ] ... [ 6 ]
examples : [0], [0], [6], [0], [0], [0], [0], [0], [6], [0] ...
```

lns__corp__441__mn (ISOR, textlines)

Number of lines with corpus code 441

4 Relationship to External Offices/Institutions apart from the Government

44 constitutional courts

441 election and resignation (mean of all values within cabinet duration)

```
class    :      numeric
unique   :            6
NAs      :           15
not-NA   :          383
not-0-NA :           29
sum      :     76.33333
range    : [ 0 ] ... [ 4 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_442_mn (ISOR, textlines)

Number of lines with corpus code 442

4 Relationship to External Offices/Institutions apart from the Government

44 constitutional courts

442 relation to parliament (if not coded as law-making (145)) (mean of all values within cabinet duration)

```
class    :     numeric
unique   :          11
NAs      :          15
not-NA   :         383
not-0-NA :          63
sum      :    192.4833
range    : [ 0 ] ... [ 5 ]
examples : [0], [0], [0], [0], [0], [0.666666666666667], [0], [0], [0], [0] ...
```

lns_corp_611_mn (ISOR, textlines)

Number of lines with corpus code 611

6 Internal Organization of Parliament

61 plenary

611 agenda setting and removal of items from the agenda (general rules which are not specifically regulated under 114) (mean of all values within cabinet duration)

```
class    :     numeric
unique   :          95
NAs      :          15
not-NA   :         383
not-0-NA :         362
sum      :    7 378.839
range    : [ 0 ] ... [ 198.8 ]
examples : [53], [10], [1], [10], [24], [1.5], [196], [0], [92.8095238095238], [17] ...
```

lns_corp_612_mn (ISOR, textlines)

Number of lines with corpus code 612

6 Internal Organization of Parliament

61 plenary

612 chairing of meetings and measures to uphold order (mean of all values within cabinet duration)

```
class    :     numeric
unique   :          56
NAs      :          15
not-NA   :         383
not-0-NA :         383
sum      :    5 927.821
range    : [ 2 ] ... [ 59.2 ]
```

```
examples : [5.5], [15], [58], [39.3333333333333], [2], [41], [5], [15], [40.75], [11] ...
```

lns_corp_613_mn (ISOR, textlines)

Number of lines with corpus code 613

6 Internal Organization of Parliament

61 plenary

613 sitting times (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           44
NAs      :           15
not-NA   :          383
not-0-NA :          324
sum      :    2 032.252
range    : [ 0 ] ... [ 32 ]
examples : [6], [2], [9], [8], [26], [7], [6], [0], [23], [4] ...
```

lns_corp_631_mn (ISOR, textlines)

Number of lines with corpus code 631

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

631 general regulations regarding types of committees (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           32
NAs      :           15
not-NA   :          383
not-0-NA :          311
sum      :    1 064.307
range    : [ 0 ] ... [ 12 ]
examples : [2], [2], [0], [5], [0], [0], [NA], [2], [1], [0] ...
```

lns_corp_632_mn (ISOR, textlines)

Number of lines with corpus code 632

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

632 membership and committee jurisdiction (area of influence-control .g. finance, economy, agriculture...) (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          100
NAs      :           15
not-NA   :          383
not-0-NA :          383
```

```
sum      :     8 281.916
range    : [ 1 ] ... [ 160 ]
examples : [20.5], [26], [46], [6], [25], [47], [26], [41], [41], [35.875] ...
```

lns__corp__633__mn (ISOR, textlines)

Number of lines with corpus code 633

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

633 formal organizational units of committee (e.g. chair of committee, sub-committees, staff) (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          48
NAs      :          15
not-NA   :         383
not-0-NA :         378
sum      :    1 714.28
range    : [ 0 ] ... [ 24 ]
examples : [1], [2], [2], [9], [3], [3], [2.5], [2.66666666666667], [4], [6] ...
```

lns__corp__634__mn (ISOR, textlines)

Number of lines with corpus code 634

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

634 agenda and procedures (details on how decisions are taken) within committees (if not coded as law-making (13)) (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          74
NAs      :          15
not-NA   :         383
not-0-NA :         374
sum      :    3 163.437
range    : [ 0 ] ... [ 38.75 ]
examples : [8], [11], [8], [2], [2], [7.75], [2], [12], [7], [3] ...
```

lns__corp__636__mn (ISOR, textlines)

Number of lines with corpus code 636

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

636 investigative competencies of regular committees (NOT committees of inquiry (637)) (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           46
NAs      :           15
not-NA   :          383
not-0-NA :          285
sum      :    1 317.741
range    : [ 0 ] ... [ 19.8 ]
examples : [1], [0], [2], [1], [1], [1], [1], [0], [2], [0] ...
```

lns_corp_637_mn (ISOR, textlines)

Number of lines with corpus code 637

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

637 committee of inquiry (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           39
NAs      :           15
not-NA   :          383
not-0-NA :          183
sum      :    1 949.876
range    : [ 0 ] ... [ 78 ]
examples : [0], [NA], [0], [5], [13], [11.3333333333333], [0], [0], [5], [9] ...
```

lns_corp_638_mn (ISOR, textlines)

Number of lines with corpus code 638

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

638 enquete commission (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           20
NAs      :           15
not-NA   :          383
not-0-NA :           79
sum      :     507.3524
range    : [ 0 ] ... [ 20 ]
examples : [0], [0], [0], [0], [0], [0], [1], [17], [0], [0] ...
```

lns_corp_639_mn (ISOR, textlines)

Number of lines with corpus code 639

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

639 other special committees which are not explicitly referenced in this coding manual (e.g. oversight committees in Switzerland) (mean of all values within cabinet duration)

```
class     :      numeric
unique    :           76
NAs       :           15
not-NA    :          383
not-0-NA  :          294
sum       :     5 016.507
range     : [ 0 ] ... [ 211 ]
examples  : [32], [70], [0], [3], [11], [0], [15], [10], [11], [0] ...
```

lns_corp_641_mn (ISOR, textlines)

Number of lines with corpus code 641

6 Internal Organization of Parliament

64 parliamentary party groups

641 formation of parliamentary party groups (mean of all values within cabinet duration)

```
class     :      numeric
unique    :           23
NAs       :           15
not-NA    :          383
not-0-NA  :          249
sum       :     1 275.017
range     : [ 0 ] ... [ 12 ]
examples  : [1], [11], [0], [6], [0], [6], [5], [7], [5], [1] ...
```

lns_corp_642_mn (ISOR, textlines)

Number of lines with corpus code 642

6 Internal Organization of Parliament

64 parliamentary party groups

642 rights and obligations of parliamentary party groups (if not coded more specifically as e.g. 112; 51; 52; 53) (mean of all values within cabinet duration)

```
class     :      numeric
unique    :           27
NAs       :           15
not-NA    :          383
not-0-NA  :          119
sum       :      654.2889
range     : [ 0 ] ... [ 55 ]
examples  : [15], [17], [0], [NA], [5], [0], [0], [0], [0], [0] ...
```

lns_corp_643_mn (ISOR, textlines)

Number of lines with corpus code 643

6 Internal Organization of Parliament

64 parliamentary party groups

643 financial and staff resources (mean of all values within cabinet duration)

```
class    :       numeric
unique   :            15
NAs      :            15
not-NA   :           383
not-0-NA :           104
sum      :      206.6619
range    : [ 0 ] ... [ 6 ]
examples : [1], [0], [1], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_651_mn (ISOR, textlines)

Number of lines with corpus code 651

6 Internal Organization of Parliament

65 individual members of parlaiment

651 election, entry into office, resignation, incompatibilities, legal status, immunity, indemnity (mean of all values within cabinet duration)

```
class    :       numeric
unique   :            67
NAs      :            15
not-NA   :           383
not-0-NA :           383
sum      :     5 355.696
range    : [ 2 ] ... [ 56 ]
examples : [8], [6], [6], [17.5], [25], [15], [28], [NA], [7], [9] ...
```

lns_corp_652_mn (ISOR, textlines)

Number of lines with corpus code 652

6 Internal Organization of Parliament

65 individual members of parlaiment

652 rights and obligations of individual members of parliament (if not coded more specifically as e.g. 112; 51; 52; 53) (mean of all values within cabinet duration)

```
class    :       numeric
unique   :            63
NAs      :            15
not-NA   :           383
not-0-NA :           352
sum      :     3 512.721
range    : [ 0 ] ... [ 66 ]
examples : [0], [5], [8], [2], [66], [13.75], [2], [5], [7], [6] ...
```

lns__corp__653__mn (ISOR, textlines)

Number of lines with corpus code 653

6 Internal Organization of Parliament

65 individual members of parlaiment

653 salary, financial and staff resources (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           11
NAs      :           15
not-NA   :          383
not-0-NA :           85
sum      :     193.0833
range    : [ 0 ] ... [ 7 ]
examples : [0], [1], [2], [0], [0], [0], [0], [1], [0], [0] ...
```

lns__corp__999__mn (ISOR, textlines)

Number of lines with corpus code 999

999 Footnotes and Titles Without Relevant Content (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          215
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :    79 943.91
range    : [ 29 ] ... [ 759 ]
examples : [197], [35.875], [216], [654], [385], [759], [93], [94], [29], [29] ...
```

lns__corp__6211__mn (ISOR, textlines)

Number of lines with corpus code 6211

6 Internal Organization of Parliament

62 parliamentary presiding bodies

621 president of parliament, vice presidents, secretaries and clerks

6211 election, resignation and internal decision rules (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           50
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :    3 667.929
range    : [ 1 ] ... [ 36 ]
examples : [6], [26], [26], [4], [NA], [7], [14.75], [3], [2], [5] ...
```

lns_corp_6212_mn (ISOR, textlines)

Number of lines with corpus code 6212

6 Internal Organization of Parliament

62 parliamentary presiding bodies

621 president of parliament, vice presidents, secretaries and clerks

6212 responsibilities (if not coded as more specific category (e.g. 612)) (mean of all values within cabinet duration)

```
class     :     numeric
unique    :          55
NAs       :          15
not-NA    :         383
not-0-NA  :         370
sum       :     3 646.44
range     : [ 0 ] ... [ 72 ]
examples  : [6], [2], [2], [3], [15], [6], [1], [3], [10], [5] ...
```

lns_corp_6221_mn (ISOR, textlines)

Number of lines with corpus code 6221

6 Internal Organization of Parliament

62 parliamentary presiding bodies

622 council of elders or similar coordination body

6221 composition, election, resignation, internal decision rules (mean of all values within cabinet duration)

```
class     :     numeric
unique    :          34
NAs       :          15
not-NA    :         383
not-0-NA  :         261
sum       :     768.8009
range     : [ 0 ] ... [ 13 ]
examples  : [2], [1], [2], [1], [4], [1], [5], [0], [12.6666666666667], [1] ...
```

lns_corp_6222_mn (ISOR, textlines)

Number of lines with corpus code 6222

6 Internal Organization of Parliament

62 parliamentary presiding bodies

622 council of elders or similar coordination body

6222 responsibilities (if not coded as more specific category (e.g. 612)) (mean of all values within cabinet duration)

```
class     :     numeric
unique    :          29
NAs       :          15
```

```
not-NA   :        383
not-0-NA :        159
sum      :     599.9632
range    : [ 0 ] ... [ 16 ]
examples : [2], [0], [0], [0], [0], [2], [0], [14.7142857142857], [0], [0] ...
```

lns_corp__6351__mn (ISOR, textlines)

Number of lines with corpus code 6351

6 Internal Organization of Parliament

63 committees

relations to other bodies

6351 relation to plenary (if not coded as 124; 134; 34) (mean of all values within cabinet duration)

```
class    :      numeric
unique   :         14
NAs      :         15
not-NA   :        383
not-0-NA :         91
sum      :     112.2774
range    : [ 0 ] ... [ 3.2 ]
examples : [0], [1], [1], [1], [0.5], [1], [0], [NA], [0], [0] ...
```

lns_corp__6352__mn (ISOR, textlines)

Number of lines with corpus code 6352

6 Internal Organization of Parliament

63 committees

relations to other bodies

6352 relation to other committees (mean of all values within cabinet duration)

```
class    :      numeric
unique   :         23
NAs      :         15
not-NA   :        383
not-0-NA :        209
sum      :     513.3671
range    : [ 0 ] ... [ 7 ]
examples : [2], [1], [2], [2], [0], [0], [5], [2], [3], [0] ...
```

wds_corp__8__mn (ISOR, textlines)

Number of words with corpus code 8 - see lns_corp_8 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :        118
```

```
NAs      :          15
not-NA   :         383
not-0-NA :         339
sum      :    73 527.15
range    : [ 0 ] ... [ 729 ]
examples : [238.888888888889], [NA], [189], [NA], [39], [0], [309], [0], [NA], [401.6666666
...
```

wds_corp_9_mn (ISOR, textlines)

Number of words with corpus code 9 - see lns_corp_9 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          40
NAs      :          15
not-NA   :         383
not-0-NA :         109
sum      :    10 127.4
range    : [ 0 ] ... [ 527.5 ]
examples : [NA], [0], [0], [0], [0], [0], [0], [98], [0], [0] ...
```

wds_corp_10_mn (ISOR, textlines)

Number of words with corpus code 10 - see lns_corp_10 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :         166
NAs      :          15
not-NA   :         383
not-0-NA :         368
sum      :   145 489.3
range    : [ 0 ] ... [ 3564.5 ]
examples :     [523], [191], [271], [433.333333333333], [271], [286], [NA], [372], [467],
[1507 ...
```

wds_corp_21_mn (ISOR, textlines)

Number of words with corpus code 21 - see lns_corp_21 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          62
NAs      :          15
not-NA   :         383
not-0-NA :         242
sum      :    45 508.64
range    : [ 0 ] ... [ 883 ]
examples : [0], [131], [31], [0], [27], [0], [0], [18], [31], [51] ...
```

wds_corp_22_mn (ISOR, textlines)

Number of words with corpus code 22 - see lns_corp_22 for more information. (mean of all values within cabinet duration)

```
class     :       numeric
unique    :           158
NAs       :            15
not-NA    :           383
not-0-NA  :           331
sum       :      283 195.9
range     : [ 0 ] ... [ 2920 ]
examples  : [687], [414], [75.5], [1868], [NA], [1861.66666666667], [2123], [269], [306.3333
...
```

wds_corp_23_mn (ISOR, textlines)

Number of words with corpus code 23 - see lns_corp_23 for more information. (mean of all values within cabinet duration)

```
class     :       numeric
unique    :            58
NAs       :            15
not-NA    :           383
not-0-NA  :           155
sum       :      42 996.77
range     : [ 0 ] ... [ 777 ]
examples  : [22], [437], [0], [0], [0], [0], [0], [0], [209], [53] ...
```

wds_corp_25_mn (ISOR, textlines)

Number of words with corpus code 25 - see lns_corp_25 for more information. (mean of all values within cabinet duration)

```
class     :       numeric
unique    :           110
NAs       :            15
not-NA    :           383
not-0-NA  :           304
sum       :       113 519
range     : [ 0 ] ... [ 1913.4 ]
examples  :    [0], [182.666666666667], [176], [0], [445], [180], [NA], [71], [971], [190]
...
```

wds_corp_26_mn (ISOR, textlines)

Number of words with corpus code 26 - see lns_corp_26 for more information. (mean of all values within cabinet duration)

```
class     :       numeric
unique    :           110
```

```
NAs       :           15
not-NA    :          383
not-0-NA  :          279
sum       :     142 725.5
range     : [ 0 ] ... [ 2217 ]
examples  : [797], [0], [796.5], [303], [1863], [0], [374], [414], [1055], [401] ...
```

wds_corp_27_mn (ISOR, textlines)

Number of words with corpus code 27 - see lns_corp_27 for more information. (mean of all values within cabinet duration)

```
class     :       numeric
unique    :           21
NAs       :           15
not-NA    :          383
not-0-NA  :           63
sum       :     14 575.11
range     : [ 0 ] ... [ 475 ]
examples  : [0], [0], [193.333333333333], [0], [0], [0], [0], [475], [0], [183] ...
```

wds_corp_28_mn (ISOR, textlines)

Number of words with corpus code 28 - see lns_corp_28 for more information. (mean of all values within cabinet duration)

```
class     :       numeric
unique    :           14
NAs       :           15
not-NA    :          383
not-0-NA  :           28
sum       :     12 657.25
range     : [ 0 ] ... [ 775 ]
examples  : [0], [0], [268], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_29_mn (ISOR, textlines)

Number of words with corpus code 29 - see lns_corp_29 for more information. (mean of all values within cabinet duration)

```
class     :       numeric
unique    :           48
NAs       :           15
not-NA    :          383
not-0-NA  :           96
sum       :     118 318
range     : [ 0 ] ... [ 8107 ]
examples  : [0], [0], [NA], [0], [0], [0], [0], [0], [488], [545] ...
```

wds_corp_31_mn (ISOR, textlines)

Number of words with corpus code 31 - see lns_corp_31 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           25
NAs      :           15
not-NA   :          383
not-0-NA :           80
sum      :    13 652.83
range    : [ 0 ] ... [ 426 ]
examples : [0], [376], [0], [403], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_32_mn (ISOR, textlines)

Number of words with corpus code 32 - see lns_corp_32 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           51
NAs      :           15
not-NA   :          383
not-0-NA :          208
sum      :      47 028.8
range    : [ 0 ] ... [ 859.2 ]
examples : [120], [61], [251], [0], [120], [0], [239], [45], [477], [122] ...
```

wds_corp_33_mn (ISOR, textlines)

Number of words with corpus code 33 - see lns_corp_33 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           31
NAs      :           15
not-NA   :          383
not-0-NA :          129
sum      :    21 824.65
range    : [ 0 ] ... [ 268 ]
examples : [0], [240], [161], [0], [0], [0], [0], [0], [169], [0] ...
```

wds_corp_34_mn (ISOR, textlines)

Number of words with corpus code 34 - see lns_corp_34 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          110
NAs      :           15
not-NA   :          383
not-0-NA :          335
```

```
sum      :    56 078.51
range    : [ 0 ] ... [ 485 ]
examples : [13], [360], [64], [0], [0], [57], [448], [24], [332.8], [24] ...
```

wds__corp__43__mn (ISOR, textlines)

Number of words with corpus code 43 - see lns_corp_43 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           22
NAs      :           15
not-NA   :          383
not-0-NA :          125
sum      :    9 497.417
range    : [ 0 ] ... [ 163 ]
examples : [101], [0], [17], [34], [0], [78], [0], [17], [0], [0] ...
```

wds__corp__45__mn (ISOR, textlines)

Number of words with corpus code 45 - see lns_corp_45 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           18
NAs      :           15
not-NA   :          383
not-0-NA :           57
sum      :    13 788.75
range    : [ 0 ] ... [ 1001 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [289], [0] ...
```

wds__corp__51__mn (ISOR, textlines)

Number of words with corpus code 51 - see lns_corp_51 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          186
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :      257 105
range    : [ 86 ] ... [ 1649 ]
examples : [599], [463], [509], [570], [578.666666666667], [640], [87], [1083.5], [486.5],
...
```

wds__corp__52__mn (ISOR, textlines)

Number of words with corpus code 52 - see lns_corp_52 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           58
NAs      :           15
not-NA   :          383
not-0-NA :          112
sum      :    30 590.83
range    : [ 0 ] ... [ 1025 ]
examples : [0], [0], [0], [0], [0], [0], [143], [26.75], [30.3333333333333], [49.5] ...
```

wds_corp_53_mn (ISOR, textlines)

Number of words with corpus code 53 - see lns_corp_53 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          198
NAs      :           15
not-NA   :          383
not-0-NA :          381
sum      :    308 567.2
range    : [ 0 ] ... [ 2691 ]
examples :    [0], [631.5], [665], [404.75], [2460.1], [49], [NA], [578], [919], [1060.5]
...
```

wds_corp_54_mn (ISOR, textlines)

Number of words with corpus code 54 - see lns_corp_54 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           98
NAs      :           15
not-NA   :          383
not-0-NA :          297
sum      :    93 797.42
range    : [ 0 ] ... [ 908 ]
examples : [448], [92], [877], [431], [0], [354.75], [92], [92], [289], [900.25] ...
```

wds_corp_55_mn (ISOR, textlines)

Number of words with corpus code 55 - see lns_corp_55 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          147
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :    107 668.4
```

```
range     : [ 37 ] ... [ 1851 ]
examples :      [391.809523809524], [723.272727272727], [581], [89], [464.75], [37], [42],
[1851 ...
```

wds__corp__56__mn (ISOR, textlines)

Number of words with corpus code 56 - see lns_corp_56 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :         157
NAs      :          15
not-NA   :         383
not-0-NA :         383
sum      :    152 533.6
range    : [ 47 ] ... [ 1340 ]
examples : [278], [206], [424], [394.6], [188], [274], [534], [303], [472], [263.6666666666
...
```

wds__corp__66__mn (ISOR, textlines)

Number of words with corpus code 66 - see lns_corp_66 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           5
NAs      :          15
not-NA   :         383
not-0-NA :          10
sum      :     376.175
range    : [ 0 ] ... [ 41 ]
examples : [0], [0], [0], [0], [41], [0], [0], [0], [0], [0] ...
```

wds__corp__67__mn (ISOR, textlines)

Number of words with corpus code 67 - see lns_corp_67 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          12
NAs      :          15
not-NA   :         383
not-0-NA :          20
sum      :    2 327.562
range    : [ 0 ] ... [ 137 ]
examples : [0], [0], [0], [0], [NA], [0], [0], [66.75], [0], [0] ...
```

wds__corp__68__mn (ISOR, textlines)

Number of words with corpus code 68 - see lns_corp_68 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          89
NAs      :          15
not-NA   :         383
not-0-NA :         274
sum      :    42 109.25
range    : [ 0 ] ... [ 1044.2 ]
examples : [0], [0], [0], [16], [16], [112.25], [90], [33], [0], [NA] ...
```

wds_corp_71_mn (ISOR, textlines)

Number of words with corpus code 71 - see lns_corp_71 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          60
NAs      :          15
not-NA   :         383
not-0-NA :         182
sum      :    22 600.69
range    : [ 0 ] ... [ 388 ]
examples : [388], [167], [NA], [0], [0], [93], [0], [56], [388], [0] ...
```

wds_corp_72_mn (ISOR, textlines)

Number of words with corpus code 72 - see lns_corp_72 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          41
NAs      :          15
not-NA   :         383
not-0-NA :         185
sum      :    14 789.53
range    : [ 0 ] ... [ 148 ]
examples : [37], [38], [0], [0], [0], [51], [28], [0], [0], [107] ...
```

wds_corp_73_mn (ISOR, textlines)

Number of words with corpus code 73 - see lns_corp_73 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          28
NAs      :          15
not-NA   :         383
not-0-NA :         112
sum      :    12 094.08
range    : [ 0 ] ... [ 295 ]
```

```
examples : [0], [289], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_111_mn (ISOR, textlines)

Number of words with corpus code 111 - see lns_corp_111 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           92
NAs      :           15
not-NA   :          383
not-0-NA :          297
sum      :    38 724.62
range    : [ 0 ] ... [ 651 ]
examples : [87], [64], [64], [64], [72], [19], [70], [260], [123], [0] ...
```

wds_corp_112_mn (ISOR, textlines)

Number of words with corpus code 112 - see lns_corp_112 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           96
NAs      :           15
not-NA   :          383
not-0-NA :          316
sum      :    43 182.48
range    : [ 0 ] ... [ 443 ]
examples : [172], [169], [126.5], [0], [0], [42], [0], [0], [0], [0] ...
```

wds_corp_113_mn (ISOR, textlines)

Number of words with corpus code 113 - see lns_corp_113 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          124
NAs      :           15
not-NA   :          383
not-0-NA :          370
sum      :    81 982.81
range    : [ 0 ] ... [ 806 ]
examples : [108], [337], [220.818181818182], [576], [136], [150], [143], [242.166666666667]
...
```

wds_corp_114_mn (ISOR, textlines)

Number of words with corpus code 114 - see lns_corp_114 for more information. (mean of all values within cabinet duration)

```
class      :      numeric
unique     :           29
NAs        :           15
not-NA     :          383
not-0-NA   :          103
sum        :     14 533.27
range      : [ 0 ] ... [ 635 ]
examples   : [0], [50], [0], [0], [0], [0], [0], [0], [0], [291] ...
```

wds__corp__121__mn (ISOR, textlines)

Number of words with corpus code 121 - see lns_corp_121 for more information. (mean of all values within cabinet duration)

```
class      :      numeric
unique     :          124
NAs        :           15
not-NA     :          383
not-0-NA   :          320
sum        :     112 189.9
range      : [ 0 ] ... [ 1501.4 ]
examples   : [745], [0], [334], [0], [131], [272], [399], [210], [17], [430] ...
```

wds__corp__122__mn (ISOR, textlines)

Number of words with corpus code 122 - see lns_corp_122 for more information. (mean of all values within cabinet duration)

```
class      :      numeric
unique     :          110
NAs        :           15
not-NA     :          383
not-0-NA   :          322
sum        :     108 081
range      : [ 0 ] ... [ 1136 ]
examples   : [60], [367], [923], [241], [254.8], [321.5], [235], [113], [0], [905] ...
```

wds__corp__123__mn (ISOR, textlines)

Number of words with corpus code 123 - see lns_corp_123 for more information. (mean of all values within cabinet duration)

```
class      :      numeric
unique     :          211
NAs        :           15
not-NA     :          383
not-0-NA   :          383
sum        :     363 542.5
range      : [ 245 ] ... [ 2362 ]
examples   :     [761.6], [NA], [752], [1165], [613.5], [871.333333333333], [1978], [1163],
[726] ...
```

wds__corp__124__mn (ISOR, textlines)

Number of words with corpus code 124 - see lns_corp_124 for more information. (mean of all values within cabinet duration)

```
class    :     numeric
unique   :          26
NAs      :          15
not-NA   :         383
not-0-NA :          48
sum      :   17 076.05
range    : [ 0 ] ... [ 498 ]
examples : [498], [0], [0], [0], [0], [264], [0], [0], [0], [0] ...
```

wds__corp__125__mn (ISOR, textlines)

Number of words with corpus code 125 - see lns_corp_125 for more information. (mean of all values within cabinet duration)

```
class    :     numeric
unique   :         143
NAs      :          15
not-NA   :         383
not-0-NA :         369
sum      :   97 271.41
range    : [ 0 ] ... [ 1073 ]
examples : [195.5], [102], [202.5], [154.25], [269], [50], [NA], [394], [583], [259] ...
```

wds__corp__131__mn (ISOR, textlines)

Number of words with corpus code 131 - see lns_corp_131 for more information. (mean of all values within cabinet duration)

```
class    :     numeric
unique   :          89
NAs      :          15
not-NA   :         383
not-0-NA :         239
sum      :   33 523.43
range    : [ 0 ] ... [ 636 ]
examples : [141], [0], [28], [0], [192], [23], [0], [22], [22], [282.5] ...
```

wds__corp__132__mn (ISOR, textlines)

Number of words with corpus code 132 - see lns_corp_132 for more information. (mean of all values within cabinet duration)

```
class    :     numeric
unique   :          70
NAs      :          15
not-NA   :         383
```

```
not-0-NA :          252
sum      :     26 973.16
range    : [ 0 ] ... [ 435 ]
examples : [0], [72], [0], [0], [36], [0], [49], [295.5], [0], [188] ...
```

wds_corp_133_mn (ISOR, textlines)

Number of words with corpus code 133 - see lns_corp_133 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          88
NAs      :          15
not-NA   :         383
not-0-NA :         301
sum      :     30 740.65
range    : [ 0 ] ... [ 436.722222222222 ]
examples : [22], [80], [17], [15], [0], [NA], [0], [349], [18], [62] ...
```

wds_corp_134_mn (ISOR, textlines)

Number of words with corpus code 134 - see lns_corp_134 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :         154
NAs      :          15
not-NA   :         383
not-0-NA :         383
sum      :     93 988.17
range    : [ 41 ] ... [ 736 ]
examples : [122], [214.2], [374.8], [NA], [384], [326], [177], [350.733333333333], [198],
[ ...
```

wds_corp_141_mn (ISOR, textlines)

Number of words with corpus code 141 - see lns_corp_141 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          14
NAs      :          15
not-NA   :         383
not-0-NA :          96
sum      :     12 935.55
range    : [ 0 ] ... [ 187 ]
examples : [0], [NA], [0], [0], [0], [0], [0], [168], [107], [187] ...
```

wds_corp_142_mn (ISOR, textlines)

Number of words with corpus code 142 - see lns_corp_142 for more information. (mean of all values within cabinet duration)

```
class    :     numeric
unique   :        63
NAs      :        15
not-NA   :       383
not-0-NA :       268
sum      :   67 413.42
range    : [ 0 ] ... [ 1311.4 ]
examples : [0], [0], [0], [1076], [0], [1031], [0], [66], [55], [186] ...
```

wds_corp_143_mn (ISOR, textlines)

Number of words with corpus code 143 - see lns_corp_143 for more information. (mean of all values within cabinet duration)

```
class    :     numeric
unique   :        29
NAs      :        15
not-NA   :       383
not-0-NA :       101
sum      :   22 176.2
range    : [ 0 ] ... [ 555 ]
examples : [0], [0], [0], [NA], [139.333333333333], [0], [0], [546], [0], [0] ...
```

wds_corp_144_mn (ISOR, textlines)

Number of words with corpus code 144 - see lns_corp_144 for more information. (mean of all values within cabinet duration)

```
class    :     numeric
unique   :        15
NAs      :        15
not-NA   :       383
not-0-NA :        55
sum      :   2 811.333
range    : [ 0 ] ... [ 136 ]
examples : [0], [0], [0], [0], [21], [135], [0], [0], [0], [0] ...
```

wds_corp_145_mn (ISOR, textlines)

Number of words with corpus code 145 - see lns_corp_145 for more information. (mean of all values within cabinet duration)

```
class    :     numeric
unique   :        13
NAs      :        15
not-NA   :       383
not-0-NA :        23
sum      :   6 684.408
range    : [ 0 ] ... [ 849 ]
```

```
examples : [0], [0], [76], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_241_mn (ISOR, textlines)

Number of words with corpus code 241 - see lns_corp_241 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          55
NAs      :          15
not-NA   :         383
not-0-NA :         107
sum      :    31 902.74
range    : [ 0 ] ... [ 1039.4 ]
examples : [0], [NA], [500], [0], [0], [0], [0], [0], [881], [162] ...
```

wds_corp_242_mn (ISOR, textlines)

Number of words with corpus code 242 - see lns_corp_242 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          52
NAs      :          15
not-NA   :         383
not-0-NA :          93
sum      :    25 388.63
range    : [ 0 ] ... [ 1248.4 ]
examples : [0], [0], [187.5], [0], [0], [NA], [0], [0], [0], [341] ...
```

wds_corp_243_mn (ISOR, textlines)

Number of words with corpus code 243 - see lns_corp_243 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          13
NAs      :          15
not-NA   :         383
not-0-NA :          14
sum      :    508.3424
range    : [ 0 ] ... [ 72.9090909090909 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_244_mn (ISOR, textlines)

Number of words with corpus code 244 - see lns_corp_244 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          35
```

```
NAs      :          15
not-NA   :         383
not-0-NA :          82
sum      :    7 871.642
range    : [ 0 ] ... [ 918 ]
examples : [68], [0], [0], [19], [0], [NA], [0], [0], [0], [0] ...
```

wds_corp_411_mn (ISOR, textlines)

Number of words with corpus code 411 - see lns_corp_411 for more information. (mean of all values within cabinet duration)

```
class    :     numeric
unique   :          35
NAs      :          15
not-NA   :         383
not-0-NA :          69
sum      :    12 296.37
range    : [ 0 ] ... [ 1435 ]
examples : [170.833333333333], [0], [1413.8], [0], [0], [0], [0], [0], [NA], [0] ...
```

wds_corp_412_mn (ISOR, textlines)

Number of words with corpus code 412 - see lns_corp_412 for more information. (mean of all values within cabinet duration)

```
class    :     numeric
unique   :          59
NAs      :          15
not-NA   :         383
not-0-NA :         205
sum      :    33 060.12
range    : [ 0 ] ... [ 629 ]
examples : [47], [24], [0], [0], [207], [242], [207], [0], [0], [0] ...
```

wds_corp_421_mn (ISOR, textlines)

Number of words with corpus code 421 - see lns_corp_421 for more information. (mean of all values within cabinet duration)

```
class    :     numeric
unique   :          22
NAs      :          15
not-NA   :         383
not-0-NA :          48
sum      :    10 310.6
range    : [ 0 ] ... [ 391 ]
examples : [0], [0], [0], [0], [0], [0], [0], [33], [0], [0] ...
```

wds_corp_422_mn (ISOR, textlines)

Number of words with corpus code 422 - see lns_corp_422 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           16
NAs      :           15
not-NA   :          383
not-0-NA :           42
sum      :    4 105.583
range    : [ 0 ] ... [ 170 ]
examples : [0], [0], [0], [0], [0], [170], [0], [0], [0], [0] ...
```

wds_corp_441_mn (ISOR, textlines)

Number of words with corpus code 441 - see lns_corp_441 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :            9
NAs      :           15
not-NA   :          383
not-0-NA :           29
sum      :        1 950
range    : [ 0 ] ... [ 99 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_442_mn (ISOR, textlines)

Number of words with corpus code 442 - see lns_corp_442 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           16
NAs      :           15
not-NA   :          383
not-0-NA :           63
sum      :    5 667.283
range    : [ 0 ] ... [ 142 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_611_mn (ISOR, textlines)

Number of words with corpus code 611 - see lns_corp_611 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          151
NAs      :           15
not-NA   :          383
not-0-NA :          362
```

```
sum      :    270 047.4
range    : [ 0 ] ... [ 6757.6 ]
examples : [330], [NA], [857.5], [1725], [803.5], [369.181818181818], [191], [0], [1363],
[ ...
```

wds_corp_612_mn (ISOR, textlines)

Number of words with corpus code 612 - see lns_corp_612 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          128
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :      199 955
range    : [ 88 ] ... [ 2219 ]
examples : [787], [247], [533], [1103], [88], [742], [610], [326], [631], [2211] ...
```

wds_corp_613_mn (ISOR, textlines)

Number of words with corpus code 613 - see lns_corp_613 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          110
NAs      :           15
not-NA   :          383
not-0-NA :          324
sum      :    68 625.83
range    : [ 0 ] ... [ 842 ]
examples : [168], [702], [0], [321], [168], [275], [275], [275], [84], [355.5] ...
```

wds_corp_631_mn (ISOR, textlines)

Number of words with corpus code 631 - see lns_corp_631 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           71
NAs      :           15
not-NA   :          383
not-0-NA :          311
sum      :    36 450.75
range    : [ 0 ] ... [ 518 ]
examples : [81], [192], [19], [19], [38], [0], [0], [81], [100], [86] ...
```

wds_corp_632_mn (ISOR, textlines)

Number of words with corpus code 632 - see lns_corp_632 for more information. (mean of all values within cabinet duration)

```
class    :       numeric
unique   :           215
NAs      :            15
not-NA   :           383
not-0-NA :           383
sum      :     206 329.8
range    : [ 44 ] ... [ 1313 ]
examples : [326], [1015.66666666667], [348], [961], [651], [651], [534], [321.666666666667]
...
```

wds_corp_633_mn (ISOR, textlines)

Number of words with corpus code 633 - see lns_corp_633 for more information. (mean of all values within cabinet duration)

```
class    :       numeric
unique   :           119
NAs      :            15
not-NA   :           383
not-0-NA :           378
sum      :     57 162.13
range    : [ 0 ] ... [ 790 ]
examples :     [0], [148], [26], [317], [100], [244], [66], [68], [66], [145.333333333333]
...
```

wds_corp_634_mn (ISOR, textlines)

Number of words with corpus code 634 - see lns_corp_634 for more information. (mean of all values within cabinet duration)

```
class    :       numeric
unique   :           148
NAs      :            15
not-NA   :           383
not-0-NA :           374
sum      :     103 534.8
range    : [ 0 ] ... [ 1260 ]
examples : [117], [303], [119], [304], [34], [194], [121], [269.5], [170], [255] ...
```

wds_corp_636_mn (ISOR, textlines)

Number of words with corpus code 636 - see lns_corp_636 for more information. (mean of all values within cabinet duration)

```
class    :       numeric
unique   :            97
NAs      :            15
not-NA   :           383
not-0-NA :           285
```

```
sum      :      44 301.11
range    : [ 0 ] ... [ 803.6 ]
examples : [173], [68], [0], [197], [174], [0], [0], [174], [95], [406.2] ...
```

wds_corp_637_mn (ISOR, textlines)

Number of words with corpus code 637 - see lns_corp_637 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           60
NAs      :           15
not-NA   :          383
not-0-NA :          183
sum      :    63 478.15
range    : [ 0 ] ... [ 2444 ]
examples : [0], [0], [0], [688], [0], [668.6], [0], [120], [77], [120] ...
```

wds_corp_638_mn (ISOR, textlines)

Number of words with corpus code 638 - see lns_corp_638 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           27
NAs      :           15
not-NA   :          383
not-0-NA :           79
sum      :    16 194.79
range    : [ 0 ] ... [ 649 ]
examples : [NA], [0], [0], [0], [0], [649], [0], [25], [132], [0] ...
```

wds_corp_639_mn (ISOR, textlines)

Number of words with corpus code 639 - see lns_corp_639 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          147
NAs      :           15
not-NA   :          383
not-0-NA :          294
sum      :      164 591
range    : [ 0 ] ... [ 6014 ]
examples : [0], [972.2], [394], [272], [0], [1613.5], [64], [0], [272], [532.5] ...
```

wds_corp_641_mn (ISOR, textlines)

Number of words with corpus code 641 - see lns_corp_641 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           58
NAs      :           15
not-NA   :          383
not-0-NA :          249
sum      :    41 288.74
range    : [ 0 ] ... [ 439 ]
examples : [0], [224], [0], [404], [NA], [0], [55], [43.5], [77], [224] ...
```

wds_corp_642_mn (ISOR, textlines)

Number of words with corpus code 642 - see lns_corp_642 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           43
NAs      :           15
not-NA   :          383
not-0-NA :          119
sum      :    16 757.99
range    : [ 0 ] ... [ 643 ]
examples : [0], [0], [319], [0], [0], [0], [508], [0], [123.4], [0] ...
```

wds_corp_643_mn (ISOR, textlines)

Number of words with corpus code 643 - see lns_corp_643 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           29
NAs      :           15
not-NA   :          383
not-0-NA :          104
sum      :     9 225.596
range    : [ 0 ] ... [ 196 ]
examples : [46], [46], [0], [73], [0], [0], [0], [0], [131.75], [93] ...
```

wds_corp_651_mn (ISOR, textlines)

Number of words with corpus code 651 - see lns_corp_651 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          153
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :     211 528.2
range    : [ 78 ] ... [ 2439 ]
examples : [705.5], [230], [719], [223], [550], [115], [274], [437], [259], [108] ...
```

wds_corp__652__mn (ISOR, textlines)

Number of words with corpus code 652 - see lns_corp_652 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          132
NAs      :           15
not-NA   :          383
not-0-NA :          352
sum      :    105 221.9
range    : [ 0 ] ... [ 2080 ]
examples : [133], [178], [533], [173], [225], [133], [317], [0], [133], [56] ...
```

wds_corp__653__mn (ISOR, textlines)

Number of words with corpus code 653 - see lns_corp_653 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           21
NAs      :           15
not-NA   :          383
not-0-NA :           85
sum      :    8 819.917
range    : [ 0 ] ... [ 294.6 ]
examples : [0], [0], [0], [0], [58], [0], [0], [0], [0], [0] ...
```

wds_corp__999__mn (ISOR, textlines)

Number of words with corpus code 999 - see lns_corp_999 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          229
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :    177 284.3
range    : [ 38 ] ... [ 3934.5 ]
examples :     [NA], [340], [591], [770.2], [740], [1004.25], [1154], [1858.33333333333],
[479] ...
```

wds_corp__6211__mn (ISOR, textlines)

Number of words with corpus code 6211 - see lns_corp_6211 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          118
NAs      :           15
```

```
not-NA   :        383
not-0-NA :        383
sum      :    113 808.9
range    : [ 39 ] ... [ 1308 ]
examples : [239], [657], [39], [657], [154], [69], [134.5], [186], [657], [149] ...
```

wds_corp_6212_mn (ISOR, textlines)

Number of words with corpus code 6212 - see lns_corp_6212 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :        137
NAs      :         15
not-NA   :        383
not-0-NA :        370
sum      :    101 872.8
range    : [ 0 ] ... [ 1060 ]
examples : [199], [417], [199], [437], [0], [818], [0], [227], [255], [214] ...
```

wds_corp_6221_mn (ISOR, textlines)

Number of words with corpus code 6221 - see lns_corp_6221 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :         87
NAs      :         15
not-NA   :        383
not-0-NA :        261
sum      :    24 464.72
range    : [ 0 ] ... [ 308 ]
examples : [128], [116.166666666667], [128], [42], [58], [51], [136], [51], [NA], [0] ...
```

wds_corp_6222_mn (ISOR, textlines)

Number of words with corpus code 6222 - see lns_corp_6222 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :         63
NAs      :         15
not-NA   :        383
not-0-NA :        159
sum      :    21 444.81
range    : [ 0 ] ... [ 511 ]
examples : [355], [0], [0], [0], [0], [0], [435.75], [NA], [174], [72.5] ...
```

wds_corp_6351_mn (ISOR, textlines)

Number of words with corpus code 6351 - see lns_corp_6351 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           34
NAs      :           15
not-NA   :          383
not-0-NA :           91
sum      :    4 043.149
range    : [ 0 ] ... [ 139 ]
examples : [18], [0], [39], [0], [0], [0], [25], [0], [43], [0] ...
```

wds_corp_6352_mn (ISOR, textlines)

Number of words with corpus code 6352 - see lns_corp_6352 for more information. (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           56
NAs      :           15
not-NA   :          383
not-0-NA :          209
sum      :    21 357.59
range    : [ 0 ] ... [ 323 ]
examples : [265], [0], [0], [65], [108.6], [0], [0], [65], [101], [65] ...
```

lns_corp_top_1_mn (ISOR, textlines)

Number of lines with aggregated corpus code 1 - lawmaking

codes: 111, 112, 113, 114, 121, 122, 123, 124, 125, 131, 132, 133, 134, 141, 142, 143, 144, 145 (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          183
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :    33 046.12
range    : [ 25 ] ... [ 192 ]
examples : [NA], [105], [110], [43], [182], [47], [87], [184.6], [104], [191] ...
```

lns_corp_top_2_mn (ISOR, textlines)

Number of lines with aggregated corpus code 2 - special decission rules

codes: 21, 22, 23, 241, 242, 243, 244, 26, 27, 28, 29, 67, 71, 72, 73 (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          152
NAs      :           15
not-NA   :          383
not-0-NA :          383
```

```
sum      :     20 700.12
range    : [ 3 ] ... [ 341 ]
examples :    [88], [5], [22.5], [52.6666666666667], [5], [54.3333333333333], [13.5], [7],
[24 ...
```

lns_corp_top_3_mn (ISOR, textlines)

Number of lines with aggregated corpus code 3 - elections

codes: 25, 31, 32, 33, 411, 421, 441 (mean of all values within cabinet duration)

```
class    :       numeric
unique   :            80
NAs      :            15
not-NA   :           383
not-0-NA :           336
sum      :     6 371.824
range    : [ 0 ] ... [ 97.6 ]
examples : [3], [3], [3], [3], [46], [14.25], [55], [0], [3], [19] ...
```

lns_corp_top_4_mn (ISOR, textlines)

Number of lines with aggregated corpus code 4 - government control

codes: 412, 53, 54, 636, 637, 66 (mean of all values within cabinet duration)

```
class    :       numeric
unique   :           138
NAs      :            15
not-NA   :           383
not-0-NA :           383
sum      :     16 494.27
range    : [ 2 ] ... [ 164 ]
examples : [68], [29], [29.6], [62], [62], [10], [147.5], [32], [55], [26] ...
```

lns_corp_top_5_mn (ISOR, textlines)

Number of lines with aggregated corpus code 5 - puplicity

codes: 121, 51, 52, 53, 55, 56, 611, 612, 613 (mean of all values within cabinet duration)

```
class    :       numeric
unique   :           194
NAs      :            15
not-NA   :           383
not-0-NA :           383
sum      :     46 880.95
range    : [ 21 ] ... [ 314 ]
examples :    [150.25], [78], [94], [102], [138], [243], [68.5714285714286], [NA], [61],
[78] ...
```

lns_corp_top_66_mn (ISOR, textlines)

Number of lines with aggregated corpus code 66 - not used for aggregation

codes: 34, 422, 43, 442, 45, 6211, 6212, 6221, 6222, 631, 632, 633, 634, 6351, 6352, 638, 639, 641, 642, 643, 651, 652, 653, 68, 8, 9, 10, 999 (mean of all values within cabinet duration)

```
class     :      numeric
unique    :          216
NAs       :           15
not-NA    :          383
not-0-NA  :          383
sum       :     51 795.72
range     : [ 37 ] ... [ 464 ]
examples  : [100.5], [211], [123.75], [68], [75], [172], [342], [NA], [129.5], [99.5] ...
```

lns_corp_top_77_mn (ISOR, textlines)

Number of lines with aggregated corpus code 77 - not relevant

codes: 999 (mean of all values within cabinet duration)

```
class     :      numeric
unique    :          215
NAs       :           15
not-NA    :          383
not-0-NA  :          383
sum       :     79 943.91
range     : [ 29 ] ... [ 759 ]
examples  : [284], [29], [386], [43], [59.3333333333333], [387], [197], [45.1818181818182],
...
```

wds_corp_top_1_mn (ISOR, textlines)

Number of words with aggregated corpus code 1 - lawmaking

codes: 111, 112, 113, 114, 121, 122, 123, 124, 125, 131, 132, 133, 134, 141, 142, 143, 144, 145 (mean of all values within cabinet duration)

```
class     :      numeric
unique    :          261
NAs       :           15
not-NA    :          383
not-0-NA  :          383
sum       :    1 173 830
range     : [ 1130 ] ... [ 7778.6 ]
examples  : [2815.5], [1449], [2007], [5141.5], [7671], [3854], [1828], [1697], [2322.75],
[ ...
```

wds_corp_top_2_mn (ISOR, textlines)

Number of words with aggregated corpus code 2 - special decission rules

codes: 21, 22, 23, 241, 242, 243, 244, 26, 27, 28, 29, 67, 71, 72, 73 (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          239
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :    777 460.4
range    : [ 277 ] ... [ 11363 ]
examples :        [1704], [2628], [2435.2], [556.5], [2518.5], [2145], [283.666666666667],
[1171], ...
```

wds_corp_top_3_mn (ISOR, textlines)

Number of words with aggregated corpus code 3 - elections

codes: 25, 31, 32, 33, 411, 421, 441 (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          145
NAs      :           15
not-NA   :          383
not-0-NA :          336
sum      :    220 582.3
range    : [ 0 ] ... [ 2454 ]
examples : [1460.5], [348], [694], [1019], [67], [2454], [1711], [0], [1396], [519] ...
```

wds_corp_top_4_mn (ISOR, textlines)

Number of words with aggregated corpus code 4 - government control

codes: 412, 53, 54, 636, 637, 66 (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          225
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :    543 580.2
range    : [ 94 ] ... [ 5499.5 ]
examples :     [748], [1369], [978], [2487], [799.75], [1394], [743.666666666667], [1676],
[892 ...
```

wds_corp_top_5_mn (ISOR, textlines)

Number of words with aggregated corpus code 5 - puplicity

codes: 121, 51, 52, 53, 55, 56, 611, 612, 613 (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          273
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :    1 507 283
```

```
range    : [ 955 ] ... [ 11338 ]
examples :  [1889], [3563.5], [4293], [4787.5], [2975.5], [5196], [5032.5], [3033], [NA],
[3 ...
```

wds__corp__top__66__mn (ISOR, textlines)

Number of words with aggregated corpus code 66 - not used for aggregation

codes: 34, 422, 43, 442, 45, 6211, 6212, 6221, 6222, 631, 632, 633, 634, 6351, 6352, 638, 639, 641, 642, 643, 651, 652, 653, 68, 8, 9, 10 (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          284
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :    1 624 488
range    : [ 1276 ] ... [ 13971 ]
examples : [1296], [8114.5], [NA], [3092], [2959], [6241], [5863], [3235.5], [2880.28571428
...
```

wds__corp__top__77__mn (ISOR, textlines)

Number of words with aggregated corpus code 77 - not relevant

codes: 999 (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          229
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :    177 284.3
range    : [ 38 ] ... [ 3934.5 ]
examples :  [153], [737.6], [218.333333333333], [530], [107], [63], [856], [1154], [766],
[3 ...
```

lns__corp__act__1__mn (ISOR, textlines)

Number of lines with aggregated corpus code 1 - MPs

codes: 111,651,652,653 (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          118
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :    10 705.24
range    : [ 3 ] ... [ 128 ]
examples : [5.4], [12], [4], [63], [11.7142857142857], [91], [24], [11], [44.5], [91] ...
```

lns_corp_act_2_mn (ISOR, textlines)

Number of lines with aggregated corpus code 2 - PPGs

codes: 641,642,643 (mean of all values within cabinet duration)

```
class    :      numeric
unique   :           43
NAs      :           15
not-NA   :          383
not-0-NA :          253
sum      :    2 135.968
range    : [ 0 ] ... [ 61 ]
examples : [5], [6], [9], [9], [1], [7], [0], [5], [0], [5] ...
```


lns_corp_act_3_mn (ISOR, textlines)

Number of lines with aggregated corpus code 3 - committees

codes: 125, 131, 132, 133, 134, 242, 54, 631, 632, 633, 634, 6351, 6352, 636, 637, 638, 639 (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          176
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :    34 675.07
range    : [ 15 ] ... [ 404 ]
examples : [46], [37], [104], [87.5], [77], [92], [214], [92], [74], [99.5] ...
```


lns_corp_act_4_mn (ISOR, textlines)

Number of lines with aggregated corpus code 4 - governing body

codes: 612, 6211, 6212, 6221, 6222 (mean of all values within cabinet duration)

```
class    :      numeric
unique   :          106
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :    14 610.95
range    : [ 7.75 ] ... [ 126 ]
examples :   [31.2727272727273], [57.5], [32.6666666666667], [38], [44], [NA], [36], [NA],
[1 ...
```


lns_corp_act_66_mn (ISOR, textlines)

Number of lines with aggregated corpus code 66 - not used for aggregation

codes: 112, 123, 22, 55, 8, 56, 34, 113, 611, 121, 122, 51, 73, 21, 142, 32, 26, 71, 25, 53, 143, 23, 10, 9, 68, 412, 52, 411, 145, 43, 241, 243, 244, 72, 114, 613, 29, 124, 33, 31, 27, 28, 141, 442, 66, 441, 45, 422, 421, 144 (mean of all values within cabinet duration)

```
class    :       numeric
unique   :          245
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :     100 930.8
range    : [ 68.25 ] ... [ 738 ]
examples :   [441], [349.333333333333], [157.333333333333], [212.75], [343], [654], [235],
[2 ...
```

lns_corp_act_77_mn (ISOR, textlines)

Number of lines with aggregated corpus code 77 - not relevant

codes: 999 (mean of all values within cabinet duration)

```
class    :       numeric
unique   :          215
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :      79 943.91
range    : [ 29 ] ... [ 759 ]
examples : [340.5], [262], [261], [101.333333333333], [276.666666666667], [30], [144.5625],
...
```

wds_corp_act_1_mn (ISOR, textlines)

Number of words with aggregated corpus code 1 - MPs

codes: 111,651,652,653 (mean of all values within cabinet duration)

```
class    :       numeric
unique   :          204
NAs      :           15
not-NA   :          383
not-0-NA :          383
sum      :      364 294.6
range    : [ 134 ] ... [ 4779 ]
examples :     [NA], [653], [409], [434], [257], [625], [433.666666666667], [419], [1635],
[582 ...
```

wds_corp_act_2_mn (ISOR, textlines)

Number of words with aggregated corpus code 2 - PPGs

codes: 641,642,643 (mean of all values within cabinet duration)

```
class    :       numeric
unique   :           84
```

```
NAs       :          15
not-NA    :          383
not-0-NA  :          253
sum       :     67 272.32
range     : [ 0 ] ... [ 841 ]
examples  : [219.333333333333], [0], [270], [585], [30], [382.4], [0], [324], [152], [151]
...
```

wds__corp__act__3__mn (ISOR, textlines)

Number of words with aggregated corpus code 3 - committees

codes: 125, 131, 132, 133, 134, 242, 54, 631, 632, 633, 634, 6351, 6352, 636, 637, 638, 639 (mean of all values within cabinet duration)

```
class     :       numeric
unique    :          275
NAs       :          15
not-NA    :          383
not-0-NA  :          383
sum       :     1 119 126
range     : [ 636.5 ] ... [ 12082 ]
examples  :     [645], [771], [2365], [5034], [4993.28571428571], [4277.5], [NA], [2304.5],
[423 ...
```

wds__corp__act__4__mn (ISOR, textlines)

Number of words with aggregated corpus code 4 - governing body

codes: 612, 6211, 6212, 6221, 6222 (mean of all values within cabinet duration)

```
class     :       numeric
unique    :          198
NAs       :          15
not-NA    :          383
not-0-NA  :          383
sum       :     461 546.2
range     : [ 371 ] ... [ 3291 ]
examples  : [1128], [2203.4], [2009], [554], [2253.33333333333], [1241], [1069.8], [2099],
[ ...
```

wds__corp__act__66__mn (ISOR, textlines)

Number of words with aggregated corpus code 66 - not used for aggregation

codes: 112, 123, 22, 55, 8, 56, 34, 113, 611, 121, 122, 51, 73, 21, 142, 32, 26, 71, 25, 53, 143, 23, 10, 9, 68, 412, 52, 411, 145, 43, 241, 243, 244, 72, 114, 613, 29, 124, 33, 31, 27, 28, 141, 442, 66, 441, 45, 422, 421, 144 (mean of all values within cabinet duration)

```
class     :       numeric
unique    :          296
NAs       :          15
not-NA    :          383
```

```
not-0-NA :        383
sum      :  3 414 228
range    : [ 3365.5 ] ... [ 25564 ]
examples : [5008], [8993.8], [12070.6111111111], [8399.83333333333], [8748], [5125.66666666
...
```

wds_corp_act_77_mn (ISOR, textlines)

Number of words with aggregated corpus code 77 - not relevant

codes: 999 (mean of all values within cabinet duration)

```
class     :      numeric
unique    :          229
NAs       :           15
not-NA    :          383
not-0-NA  :          383
sum       :    177 284.3
range     : [ 38 ] ... [ 3934.5 ]
examples  : [363], [646], [38], [479], [1157], [324], [115], [314], [153], [329] ...
```