

ISOR Codebook

pm

2015-11-24 15:03:35

1 The ISOR dataset (version 2.08)

The data-set is based on the IDEP data - data on Standing Orders versions (*texts*), data on Standing Orders Text (*textlines*) and data on Standing Orders change between versions (*linelinkage*). Information from all three sources are aggregated on Standing Orders version level - i.e. each version has its own line in the data-set. This aggregation allows for studying what happened - in an aggregate - at each reform of Standing Orders.

The data set incorporates aggregated data for 770 reforms in 15 countries and consists of 741 variables.

Example:

```
isor %>%
  select(t_id, wds_clean_rel, wds_chg, pro_min, pro_maj, wds_corp_top_1, pro_minmaj_qual)
```

```
## Source: local data frame [786 x 7]
```

```
##
```

##		t_id	wds_clean_rel	wds_chg	pro_min	pro_maj	wds_corp_top_1	pro_minmaj_qual
##		(chr)	(int)	(dbl)	(dbl)	(dbl)	(dbl)	(dbl)
## 1	AUT_1928-02-01.0		7802	NA	NA	NA	2530	NA
## 2	AUT_1948-06-04.0		7882	164	0	1	2523	1
## 3	AUT_1961-09-01.0		9151	2825	13	4	2832	-1
## 4	AUT_1975-10-01.0		13600	12706	40	24	4242	-1
## 5	AUT_1976-07-01.0		13676	78	1	0	4318	-1
## 6	AUT_1979-10-01.0		13826	454	2	0	4356	-1
## 7	AUT_1986-09-01.0		14225	771	2	3	4454	-1
## 8	AUT_1989-01-01.0		16910	6343	34	25	4772	-1
## 9	AUT_1993-09-15.0		18295	2529	12	12	4951	1
## 10	AUT_1996-10-15.0		20639	5942	23	32	5332	1
##

ADDING FURTHER DESCRIPTION OF REFORM AND TEXT DATA

2 Shortcuts

SP is short for subparagraph and in most cases identical to **line** or text line due to the fact that sub-paragraphs have in the data gathering process been transfered (from PDFs and Word documents and the like) to simple text files in which each sub-paragraph was put on a single line and on one single line only.

SO is short for Standing Orders (rules of procedure) and usually refers to one particular version of Standing Orders in force in a particular country from a particular time point on.

3 General variable name shortcuts

wds is short for words, like the number of words within a SP.

lms is short for lines an equivalent to SP.

rel is short for relevant, like whether or not a SP contains relevant information or can be dismissed as headline, blank-line, comment, appendix or some other not relevant part of the text (the opposite usually is **all**)

raw versus **clean** denote whether or not the SP was used as found in the official documents or cleaned up. Cleaned SPs have been stripped by their enumeration (only at the start of the SP), thus pure changes of enumeration (only at the start of the SP) are not considered as changes nor are they counted as relevant content.

ins, **del**, **mdf**, **non**: denote the type of change that occurred for a particular SP - insertion, deletion, modification and no-change. The shorthand **chg** is for change and refers to all three possible forms that change might come by.

pro_... indicate minority/majority codings, e.g. *pro_min* indicates how many SPs were changed in a way considered minority friendly.

4 Shortcuts indicating their raw data sets

db_ and **int_** denote variables that have to do with the database that serves as basis for all data-sets and are most likely not relevant to the user.

t_ information on text or Standing Orders version level, e.g. the data when a particular standing order was accepted, the country it belongs to or total number of words of the version, ...

tl_ information on text lines aka SPs, e.g whether or not a SP is relevant, how many words it contains, it's corpus code, ...

ll_ information on the what happened to SPs from one version to the next - e.g. was it changed or deleted.

Other shortcuts or variable names missing the above mentioned shortcuts indicate that those variables have been computed from other variables and most likely were result from some form of aggregation. See below for more detailed descriptions.

5 Citing the Data

Publications using this dataset should acknowledge in writing that the information comes from:

Sieberer, Ulrich; Meißner, Peter; Keh, Julia; Müller, Wolfgang C. (2015): ISOR - IDEP Standing Orders Reforms Dataset.

Tsebelis, George (2002): Veto Players. How Political Institutions Work. Princeton UP

6 References used in the Codebook

ERD (2014): European Representative Democracy (ERD) Release 3.0 February 12, 2014 Codebook for ERD - e.

7 General Notes and Remarks

7.1 change measure interpretaion

While SO lengths are given as SP counts (l_{ns}) and word counts (w_{ds}) and are furthermore subdivided by relevance (rel) and whether or not the word counts are based on raw text or cleaned up text this variance in measures does not exist for changes between SO versions. Since all coding and analysis was only pursued on the basis of relevant and cleaned SPs all change measures refer to SPs that were relevant and cleansed from enumerations.

8 Variable descriptions

8.1 meta

t_id (texts)

Unique identifier of a SO version by including country shorthand, date, and version counter.

```
class      :      character
unique     :          786
NAs        :           0
not-NA     :          786
not-0-NA   :          786
sum        :           -
range      : [ AUT_1928-02-01.0 ] ... [ UK_2009-06-25.0 ]
examples   : [UK_1971-11-24.0], [SWIPARLG_1998-06-01.0], [ITA_1989-08-28.0], [IRE_1986-11-13.
...
```

t_date (texts)

Date of the SO version - equals to (according to availability) enactment, promulgation, acceptance.

```
class      :          Date
unique     :          702
NAs        :           0
not-NA     :          786
not-0-NA   :          786
sum        :           -
range      : [ 1903-01-20 ] ... [ 2011-07-01 ]
examples   : [1996-12-01], [1998-01-10], [2009-03-26], [1982-01-16], [2009-07-09], [1967-12-1
...
```

t_dplus (texts)

Version counter that is zero under normal circumstances but might be higher if more than one version got enacted on the same date.

```
class      :          integer
unique     :           5
NAs        :           0
not-NA     :          786
```

```

not-0-NA :          62
sum       :          100
range     : [ 0 ] ... [ 4 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [2] ...

```

t_country (texts)

Country shorthand (as used internal). In case of Swiss two separate shorthands exist because there SO are spread among two bodies.

```

class      :      character
unique     :          16
NAs        :           0
not-NA     :          786
not-0-NA   :          786
sum         :           -
range      : [ AUT ] ... [ UK ]
examples   : [NED], [UK], [SWE], [DEN], [SWE], [SWE], [UK], [SWE], [UK], [BEL] ...

```

country (texts)

Name of the country.

```

class      :      character
unique     :          16
NAs        :           0
not-NA     :          786
not-0-NA   :          786
sum         :           -
range      : [ Austria ] ... [ United Kingdom ]
examples   : [United Kingdom], [Sweden], [Austria], [Ireland], [Sweden], [United Kingdom],
[U ...

```

ctr (texts)

Country shorthand adhering to ISO 3166-1 alpha-3 https://en.wikipedia.org/wiki/ISO_3166-1_alpha-3

```

class      :      character
unique     :          16
NAs        :           0
not-NA     :          786
not-0-NA   :          786
sum         :           -
range      : [ aut ] ... [ swe ]
examples   : [gbr], [gbr], [gbr], [swe], [dnk], [nor], [dnk], [nor], [lux], [nld] ...

```

t_daccept (texts)

Date on which the SO were accepted, voted upon, decided upon,

```

class      :      Date
unique     :      690
NAs        :      38
not-NA     :      748
not-0-NA   :      748
sum        :      -
range      : [ 1902-10-09 ] ... [ 2011-04-28 ]
examples   : [2005-10-21], [1986-12-17], [1979-02-22], [1979-07-04], [1990-10-25], [2006-11-0
...

```

t_dpromul (texts)

Date on which the SO were promulgated - made puplic, printed, published,

```

class      :      Date
unique     :      307
NAs        :      456
not-NA     :      330
not-0-NA   :      330
sum        :      -
range      : [ 1928-12-26 ] ... [ 2011-04-19 ]
examples   : [1992-02-19], [NA], [NA], [NA], [2004-05-01], [NA], [1979-11-29], [NA], [NA],
[N ...

```

t_denact (texts)

Date on which the SO were enacted - came into force / took effect.

```

class      :      Date
unique     :      303
NAs        :      418
not-NA     :      368
not-0-NA   :      368
sum        :      -
range      : [ 1903-01-20 ] ... [ 2011-07-01 ]
examples   : [NA], [NA], [1961-04-26], [1977-06-10], [1993-10-05], [NA], [NA], [NA], [NA],
[1 ...

```

t_date_lag (texts, derived)

Date on which the previous SO was enacted - came into force / took effect.

```

class      :      Date
unique     :      690
NAs        :      16
not-NA     :      770
not-0-NA   :      770
sum        :      -
range      : [ 1903-01-20 ] ... [ 2011-04-01 ]
examples   : [1955-12-06], [1976-07-01], [2010-08-01], [1987-03-25], [1994-06-22], [1985-07-0
...

```

t_date_lead (texts, derived)

Date on which the following SO will be enacted - came into force / took effect.

```
class      :      Date
unique     :      688
NAs        :      16
not-NA     :      770
not-0-NA   :      770
sum        :      -
range      : [ 1929-03-30 ] ... [ 2011-07-01 ]
examples   : [1983-12-14], [1997-07-10], [2003-04-15], [1988-01-01], [2009-04-30], [1987-07-2
...

```

t_snc_lst_ref (texts, derived)

Time in days between the last and the current SO.

```
class      :      difftime
unique     :      455
NAs        :      16
not-NA     :      770
not-0-NA   :      737
sum        : 359 129 days
range      : [ 0 ] ... [ 9566 ]
examples   : [142], [169], [5], [64], [458], [270], [150], [275], [61], [366] ...

```

t_to_nxt_ref (texts, derived)

Time in days between the following and the current SO.

```
class      :      difftime
unique     :      455
NAs        :      16
not-NA     :      770
not-0-NA   :      737
sum        : 359 129 days
range      : [ 0 ] ... [ 9566 ]
examples   : [NA], [40], [212], [258], [64], [150], [987], [576], [242], [135] ...

```

8.2 db

int__dupdate__texts (db)

Date at which the 'texts' table of the database was last updated.

```
class      :      character
unique     :      17
NAs        :      0

```

```

not-NA      :          786
not-0-NA    :          786
sum         :           -
range       : [ 2015-09-14 14:23:06 ] ... [ 2015-09-14 15:01:07 ]
examples    : [2015-09-14 14:49:16], [2015-09-14 14:26:54], [2015-09-14 14:36:44], [2015-09-14
...

```

`int_id_texts` (db)

Database internal enumeration of SO - this might change at any time. Do **not** use this as an id variable.

```

class       :      numeric
unique      :          786
NAs         :           0
not-NA      :          786
not-0-NA    :          786
sum         :       309 291
range       : [ 1 ] ... [ 786 ]
examples    : [515], [650], [522], [681], [409], [417], [262], [232], [700], [324] ...

```

`db_version` (db)

Version of the database which was used to create the data set. On every change the version number goes up by 0.01 - there is no distinction between major and minor version.

```

class       :      numeric
unique      :           1
NAs         :           0
not-NA      :          786
not-0-NA    :          786
sum         :       1 634.88
range       : [ 2.08 ] ... [ 2.08 ]
examples    : [2.08], [2.08], [2.08], [2.08], [2.08], [2.08], [2.08], [2.08], [2.08], [2.08]
...

```

`db_lastupdate` (db)

Date at which the database was last updated.

```

class       :      character
unique      :           1
NAs         :           0
not-NA      :          786
not-0-NA    :          786
sum         :           -
range       : [ 2015-09-14 15:02:29 ] ... [ 2015-09-14 15:02:29 ]
examples    : [2015-09-14 15:02:29], [2015-09-14 15:02:29], [2015-09-14 15:02:29], [2015-09-14
...

```

8.3 length

lms_all (textlines)

Number of lines - also known as sub paragraphs - within a particular SO.

```
class      :      integer
unique     :          473
NAs        :           0
not-NA     :          786
not-0-NA   :          786
sum        :        528 002
range      : [ 88 ] ... [ 2645 ]
examples   : [618], [581], [1446], [410], [1300], [451], [444], [559], [643], [437] ...
```

wds_raw_all (textlines)

Number of words within a particular SO.

```
class      :      integer
unique     :          744
NAs        :           0
not-NA     :          786
not-0-NA   :          786
sum        :       13 299 515
range      : [ 2318 ] ... [ 61397 ]
examples   : [44258], [23433], [11809], [8310], [10865], [10582], [12190], [21114], [20571],
...

```

wds_clean_all (textlines)

Number of words within a particular SO after having striped away enumerations like, a), b), ..., 1., 2., ... I, II, ... and so forth.

```
class      :      integer
unique     :          739
NAs        :           0
not-NA     :          786
not-0-NA   :          786
sum        :       12 807 889
range      : [ 2236 ] ... [ 59628 ]
examples   : [8280], [31648], [14970], [11141], [17005], [10209], [8231], [35474], [31644],
[ ...

```

lms_rel (textlines)

Number of lines that contain relevant content - e.g. no blank lines, no headlines, no appendices.

```
class      :      integer
unique     :          389
NAs        :           0
not-NA     :          786

```



```

not-0-NA :      786
sum       :      365 434
range     : [ 38 ] ... [ 1239 ]
examples  : [616], [356], [321], [683], [361], [201], [239], [299], [357], [420] ...

```

wds_raw_rel (textlines)

Number of words that are not from irrelevant lines - e.g. no blank lines, no headlines, no appendices.

```

class      :      integer
unique     :      733
NAs        :          0
not-NA     :      786
not-0-NA   :      786
sum        :    12 714 053
range      : [ 2122 ] ... [ 43031 ]
examples   : [2246], [7882], [11197], [22332], [11875], [11967], [9113], [15746], [22860],
[1 ...

```

wds_clean_rel (textlines)

Number of words that are not from irrelevant lines - e.g. no blank lines, no headlines, no appendices - after having striped away enumerations like, a), b), ..., 1., 2., ... I, II, ... and so forth.

```

class      :      integer
unique     :      744
NAs        :          0
not-NA     :      786
not-0-NA   :      786
sum        :    12 354 641
range      : [ 2122 ] ... [ 41476 ]
examples   : [10669], [20907], [12542], [11436], [8018], [10818], [21798], [4199], [22348],
[ ...

```

8.4 wordiness

lang (own research / EU documents)

Language in which SO are written down.

```

class      :      character
unique     :          10
NAs        :          0
not-NA     :      786
not-0-NA   :      786
sum        :          -
range      : [ Danish ] ... [ Swedish ]
examples   : [Dutch], [Norwegian], [Dutch], [Norwegian], [Swedish], [English], [Norwegian],
[ ...

```

wdns (own research / EU documents)

The wordiness of a language. Different languages have different wordiness meaning that they need different amounts of words to express the same concept, sentence, regulation, The variable gives the factor of wordiness compared to English based on the translations of EU documents. These are available in English but also in all other EU languages. Languages that need more words than English have values above 1, languages that need less have values below 1.

```
class      :      numeric
unique     :           7
NAs        :           0
not-NA     :          786
not-0-NA   :          786
sum        :         748.88
range      : [ 0.86 ] ... [ 1.05 ]
examples   : [1], [1], [0.9], [0.95], [1], [1.01], [1], [1], [0.86], [0.86] ...
```

wdns_corr (own research / EU documents)

Wordiness correction factor which can be used to transform word counts into English equivalent word counts by multiplying the word count with the value of this variable.

```
class      :      numeric
unique     :           7
NAs        :           0
not-NA     :          786
not-0-NA   :          786
sum        :         828.8936
range      : [ 0.952380952380952 ] ... [ 1.16279069767442 ]
examples   : [1], [0.99009900990099], [1.16279069767442], [1], [1], [1], [1.05263157894737],
...

```

wds_clean_rel_wdns_corr (own research / EU documents)

The variable **wds_clean_rel** corrected by its wordiness to English equivalent word counts. See **wds_clean_rel** and **wdns_corr**.

```
class      :      numeric
unique     :          748
NAs        :           0
not-NA     :          786
not-0-NA   :          786
sum        :        12 796 118
range      : [ 2357.77777777778 ] ... [ 41476 ]
examples   : [16389.5348837209], [17524.7524752475], [16490], [17603], [39506], [34028],
[119 ...
```

8.5 change

lms_mdf (textlines)

Number of lines that were modified - i.e. changed but not deleted or inserted.

```
class      :      numeric
unique     :          98
NAs        :          16
not-NA     :         770
not-0-NA   :         655
sum        :        12 970
range      : [ 0 ] ... [ 583 ]
examples   : [4], [3], [1], [1], [1], [7], [0], [1], [16], [2] ...
```

wds_mdf (textlines)

Number of words modified - i.e. changed but not deleted or inserted.

```
class      :      numeric
unique     :         345
NAs        :          16
not-NA     :         770
not-0-NA   :         652
sum        :        287 218
range      : [ 0 ] ... [ 12273 ]
examples   : [0], [64], [0], [17], [134], [350], [0], [0], [0], [497] ...
```

wds_ins (textlines, linelinkage)

Number of words that were inserted into SO.

```
class      :      numeric
unique     :         357
NAs        :          16
not-NA     :         770
not-0-NA   :         562
sum        :        264 322
range      : [ 0 ] ... [ 11320 ]
examples   : [0], [373], [584], [402], [258], [63], [162], [0], [789], [25] ...
```

lms_ins (textlines, linelinkage)

Number of lines that were inserted into SO.

```
class      :      numeric
unique     :          78
NAs        :          16
not-NA     :         770
not-0-NA   :         562
sum        :          8 674
range      : [ 0 ] ... [ 381 ]
```

examples : [0], [9], [1], [4], [1], [9], [7], [33], [0], [5] ...

wds_del (textlines, linelinkage)

Number of words that were deleted from old SO.

```
class      :      numeric
unique     :          210
NAs        :           16
not-NA     :          770
not-0-NA   :          319
sum        :       107 765
range      : [ 0 ] ... [ 6059 ]
examples   : [156], [184], [1], [0], [107], [233], [0], [3], [65], [19] ...
```

lns_del (textlines, linelinkage)

Number of lines that were deleted from old SO.

```
class      :      numeric
unique     :           50
NAs        :           16
not-NA     :          770
not-0-NA   :          321
sum        :           3 558
range      : [ 0 ] ... [ 229 ]
examples   : [21], [0], [5], [0], [0], [18], [9], [0], [3], [4] ...
```

lns_chg (textlines, linelinkage)

Number of lines that were changed from the old SO to the current - i.e. the sum of insertions, deletions and modifications.

```
class      :      numeric
unique     :          127
NAs        :           16
not-NA     :          770
not-0-NA   :          765
sum        :       25 202
range      : [ 0 ] ... [ 1049 ]
examples   : [3], [8], [42], [NA], [5], [24], [57], [673], [185], [17] ...
```

wds_chg (textlines, linelinkage)

Number of words that were changed from the old SO to the current - i.e. the sum of insertions, deletions and modifications.

```
class      :      numeric
unique     :          492
NAs        :           16
```

```

not-NA      :          770
not-0-NA    :          763
sum         :         659 305
range       : [ 0 ] ... [ 28785 ]
examples    : [334], [12], [496], [8], [148], [8], [57], [32], [19], [241] ...

```

8.6 minority/majority

pro_maj_mdf (textlines, linelinkage)

Number of lines modified that were coded as majority friendly.

```

class       :      numeric
unique      :          16
NAs         :          87
not-NA      :         699
not-0-NA    :         108
sum         :         335
range       : [ 0 ] ... [ 20 ]
examples    : [3], [8], [0], [0], [NA], [0], [0], [0], [0], [0] ...

```

pro_min_mdf (textlines, linelinkage)

Number of lines modified that were coded as minority friendly.

```

class       :      numeric
unique      :          17
NAs         :          87
not-NA      :         699
not-0-NA    :         128
sum         :         384
range       : [ 0 ] ... [ 25 ]
examples    : [0], [0], [0], [0], [2], [0], [2], [1], [0], [0] ...

```

pro_non_mdf (textlines, linelinkage)

Number of lines modified that were coded as neither majority nor minority friendly.

```

class       :      numeric
unique      :          85
NAs         :          87
not-NA      :         699
not-0-NA    :         581
sum         :         11 429
range       : [ 0 ] ... [ 583 ]
examples    : [1], [2], [14], [1], [4], [5], [3], [1], [2], [8] ...

```

wds_pro_maj_mdf (textlines, linelinkage)

Number of words modified that were coded as majority friendly.

```
class      :      numeric
unique     :          83
NAs        :          87
not-NA     :         699
not-0-NA   :         108
sum        :         12 191
range      : [ 0 ] ... [ 2355 ]
examples   : [0], [0], [NA], [0], [0], [NA], [0], [0], [0], [0] ...
```

wds_pro_min_mdf (textlines, linelinkage)

Number of words modified that were coded as minority friendly.

```
class      :      numeric
unique     :          83
NAs        :          87
not-NA     :         699
not-0-NA   :         128
sum        :         12 897
range      : [ 0 ] ... [ 1162 ]
examples   : [0], [0], [4], [NA], [0], [0], [NA], [16], [0], [0] ...
```

wds_pro_non_mdf (textlines, linelinkage)

Number of words modified that were coded as neither majority nor minority friendly.

```
class      :      numeric
unique     :         316
NAs        :          87
not-NA     :         699
not-0-NA   :         578
sum        :         239 511
range      : [ 0 ] ... [ 11883 ]
examples   : [32], [459], [0], [7430], [99], [189], [0], [4254], [41], [NA] ...
```

pro_maj_ins (textlines, linelinkage)

Number of lines inserted that were coded as majority friendly.

```
class      :      numeric
unique     :          15
NAs        :          87
not-NA     :         699
not-0-NA   :          95
sum        :          300
range      : [ 0 ] ... [ 38 ]
examples   : [NA], [0], [0], [0], [NA], [0], [0], [NA], [0], [NA] ...
```

pro_min_ins (textlines, linelinkage)

Number of lines inserted that were coded as minority friendly.

```
class      :      numeric
unique     :          15
NAs        :          87
not-NA     :         699
not-0-NA   :         100
sum        :         249
range      : [ 0 ] ... [ 17 ]
examples   : [1], [0], [1], [0], [0], [0], [0], [0], [0], [2] ...
```

pro_non_ins (textlines, linelinkage)

Number of lines inserted that were coded as neither majority nor minority friendly.

```
class      :      numeric
unique     :          71
NAs        :          87
not-NA     :         699
not-0-NA   :         487
sum        :         6 919
range      : [ 0 ] ... [ 318 ]
examples   : [3], [1], [0], [0], [1], [5], [0], [0], [0], [2] ...
```

wds_pro_maj_ins (textlines, linelinkage)

Number of words inserted that were coded as majority friendly.

```
class      :      numeric
unique     :          77
NAs        :          87
not-NA     :         699
not-0-NA   :          95
sum        :        10 939
range      : [ 0 ] ... [ 1439 ]
examples   : [0], [0], [0], [0], [0], [65], [0], [0], [0], [0] ...
```

wds_pro_min_ins (textlines, linelinkage)

Number of words inserted that were coded as minority friendly.

```
class      :      numeric
unique     :          80
NAs        :          87
not-NA     :         699
not-0-NA   :         100
sum        :        11 759
range      : [ 0 ] ... [ 601 ]
examples   : [123], [0], [0], [0], [0], [NA], [0], [0], [0], [0] ...
```

wds_pro_non_ins (textlines, linelinkage)

Number of words inserted that were coded as neither majority nor minority friendly.

```
class      :      numeric
unique     :          318
NAs        :           87
not-NA     :          699
not-0-NA   :          487
sum        :        216 980
range      : [ 0 ] ... [ 11182 ]
examples   : [443], [599], [0], [70], [279], [342], [0], [2], [NA], [624] ...
```

pro_maj_del (textlines, linelinkage)

Number of lines deleted that were coded as majority friendly.

```
class      :      numeric
unique     :           7
NAs        :           87
not-NA     :          699
not-0-NA   :           25
sum        :           62
range      : [ 0 ] ... [ 25 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

pro_min_del (textlines, linelinkage)

Number of lines deleted that were coded as minority friendly.

```
class      :      numeric
unique     :           7
NAs        :           87
not-NA     :          699
not-0-NA   :           25
sum        :           41
range      : [ 0 ] ... [ 7 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [NA], [0] ...
```

pro_non_del (textlines, linelinkage)

Number of lines deleted that were coded as neither majority nor minority friendly.

```
class      :      numeric
unique     :           48
NAs        :           87
not-NA     :          699
not-0-NA   :          289
sum        :        2 893
range      : [ 0 ] ... [ 229 ]
```


examples : [1], [3], [3], [4], [1], [0], [229], [NA], [0], [4] ...

wds_pro_maj_del (textlines, linelinkage)

Number of words deleted that were coded as majority friendly.

```
class      :      numeric
unique     :          26
NAs        :          87
not-NA     :         699
not-0-NA   :          25
sum        :         2 736
range      : [ 0 ] ... [ 980 ]
examples   : [0], [NA], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_pro_min_del (textlines, linelinkage)

Number of words deleted that were coded as minority friendly.

```
class      :      numeric
unique     :          26
NAs        :          87
not-NA     :         699
not-0-NA   :          25
sum        :         1 353
range      : [ 0 ] ... [ 192 ]
examples   : [0], [0], [0], [0], [47], [0], [NA], [0], [0], [0] ...
```

wds_pro_non_del (textlines, linelinkage)

Number of words deleted that were coded as neither majority nor minority friendly.

```
class      :      numeric
unique     :         188
NAs        :          87
not-NA     :         699
not-0-NA   :         287
sum        :         91 237
range      : [ 0 ] ... [ 5992 ]
examples   : [NA], [0], [0], [76], [0], [0], [0], [21], [0], [0] ...
```

pro_maj (linelinkage)

Number of lines coded as majority friendly.

```
class      :      numeric
unique     :          22
NAs        :          87
not-NA     :         699
not-0-NA   :         161
```

```

sum      :      697
range    : [ 0 ] ... [ 44 ]
examples : [2], [0], [0], [0], [0], [NA], [0], [0], [0], [1] ...

```

pro_min (linelinkage)

Number of lines coded as minority friendly.

```

class     :      numeric
unique    :      21
NAs       :      87
not-NA    :      699
not-0-NA  :      182
sum       :      674
range     : [ 0 ] ... [ 40 ]
examples  : [0], [0], [0], [0], [0], [0], [5], [0], [2], [0] ...

```

pro_non (linelinkage)

Number of lines coded as neither majority nor minority friendly.

```

class     :      numeric
unique    :     121
NAs       :      87
not-NA    :      699
not-0-NA  :      673
sum       :     21 241
range     : [ 0 ] ... [ 1049 ]
examples  : [2], [NA], [18], [8], [4], [1], [17], [2], [3], [2] ...

```

wds_pro_maj (textlines, linelinkage)

Number of words coded as majority friendly.

```

class     :      numeric
unique    :     123
NAs       :      87
not-NA    :      699
not-0-NA  :     161
sum       :     25 866
range     : [ 0 ] ... [ 2583 ]
examples  : [37], [NA], [26], [0], [145], [0], [0], [0], [NA], [0] ...

```

wds_pro_min (textlines, linelinkage)

Number of words coded as minority friendly.

```

class     :      numeric
unique    :     117
NAs       :      87

```

```

not-NA      :          699
not-0-NA    :          182
sum         :         26 009
range       : [ 0 ] ... [ 1810 ]
examples    : [69], [0], [0], [0], [0], [0], [0], [0], [2], [0] ...

```

wds_pro_non (textlines, linelinkage)

Number of words coded as neither majority nor minority friendly.

```

class       :      numeric
unique      :          444
NAs         :           87
not-NA      :          699
not-0-NA    :          671
sum         :         547 728
range       : [ 0 ] ... [ 28262 ]
examples    : [NA], [99], [249], [55], [5815], [8], [185], [74], [138], [13] ...

```

8.7 raw corpus codes - 1 law making

lms_corp_111 (textlines)

Number of lines with corpus code 111

1 Law-Making

11 Bills and motions

111 types of bills and motions; printing and distribution of bills and motions to MPs

```

class       :      numeric
unique      :          24
NAs         :           0
not-NA      :          786
not-0-NA    :          587
sum         :           3 295
range       : [ 0 ] ... [ 33 ]
examples    : [19], [6], [1], [3], [0], [0], [21], [2], [3], [2] ...

```

lms_corp_112 (textlines)

Number of lines with corpus code 112

1 Law-Making

11 Bills and motions

112 right to initiate bills and motions

```

class       :      numeric
unique      :          17
NAs         :           0

```

```

not-NA      :          786
not-0-NA    :          690
sum         :           3 503
range       : [ 0 ] ... [ 28 ]
examples    : [7], [3], [7], [7], [3], [3], [1], [3], [6], [3] ...

```

lms__corp__113 (textlines)

Number of lines with corpus code 113

1 Law-Making

11 Bills and motions

113 restrictions and deadlines (if not assignable to more specific category, e.g. code 121; 32; 134)

```

class       :      numeric
unique      :          26
NAs         :           0
not-NA      :          786
not-0-NA    :          754
sum         :           6 415
range       : [ 0 ] ... [ 31 ]
examples    : [1], [3], [16], [2], [24], [3], [2], [10], [27], [2] ...

```

lms__corp__114 (textlines)

Number of lines with corpus code 114

1 Law-Making

11 Bills and motions

114 legislative planning (concerns the whole term- general schedule)

```

class       :      numeric
unique      :           9
NAs         :           0
not-NA      :          786
not-0-NA    :          236
sum         :          564
range       : [ 0 ] ... [ 12 ]
examples    : [0], [0], [1], [0], [0], [1], [0], [0], [0], [1] ...

```

lms__corp__121 (textlines)

Number of lines with corpus code 121

1 Law-Making

12 Treatment of Bills and motions in the plenary

121 debate in the plenary

```

class       :      numeric
unique      :          34

```

```

NAs      :      0
not-NA   :      786
not-0-NA :      564
sum      :      5 098
range    : [ 0 ] ... [ 49 ]
examples : [4], [0], [5], [13], [10], [12], [5], [38], [24], [5] ...

```

lms__corp__122 (textlines)

Number of lines with corpus code 122

1 Law-Making

12 Treatment of Bills and motions in the plenary

122 right of amendment in the plenary

```

class    :      numeric
unique   :      26
NAs      :      0
not-NA   :      786
not-0-NA :      572
sum      :      4 783
range    : [ 0 ] ... [ 26 ]
examples : [1], [7], [0], [4], [17], [8], [0], [0], [21], [5] ...

```

lms__corp__123 (textlines)

Number of lines with corpus code 123

1 Law-Making

12 Treatment of Bills and motions in the plenary

123 subject of vote, rules of vote (including quorum), voting technology in the plenary

```

class    :      integer
unique   :      49
NAs      :      0
not-NA   :      786
not-0-NA :      786
sum      :      18 587
range    : [ 2 ] ... [ 67 ]
examples : [57], [26], [17], [11], [9], [27], [20], [26], [15], [56] ...

```

lms__corp__124 (textlines)

Number of lines with corpus code 124

1 Law-Making

12 Treatment of Bills and motions in the plenary

124 the plenary as Committee of the Whole House

```

class      :      numeric
unique     :          7
NAs        :          0
not-NA     :        786
not-0-NA   :        207
sum        :         1 338
range      : [ 0 ] ... [ 9 ]
examples   : [0], [0], [8], [8], [0], [1], [0], [0], [0], [0] ...

```

lms__corp__125 (textlines)

Number of lines with corpus code 125

1 Law-Making

12 Treatment of Bills and motions in the plenary

125 referral to committee, withdrawal from committee

```

class      :      numeric
unique     :          18
NAs        :          0
not-NA     :        786
not-0-NA   :        750
sum        :         5 845
range      : [ 0 ] ... [ 22 ]
examples   : [4], [10], [8], [4], [0], [6], [5], [7], [6], [7] ...

```

lms__corp__131 (textlines)

Number of lines with corpus code 131

1 Law-Making

13 Treatment of bills and motions in committee

131 debate in committee (including hearing)

```

class      :      numeric
unique     :          13
NAs        :          0
not-NA     :        786
not-0-NA   :        450
sum        :         1 535
range      : [ 0 ] ... [ 13 ]
examples   : [0], [0], [1], [0], [0], [10], [0], [2], [0], [4] ...

```

lms__corp__132 (textlines)

Number of lines with corpus code 132

1 Law-Making

13 Treatment of bills and motions in committee

132 amendment rights in committee

```
class      :      numeric
unique     :           9
NAs        :           0
not-NA     :          786
not-0-NA   :          452
sum        :          1 208
range      : [ 0 ] ... [ 10 ]
examples   : [4], [1], [0], [0], [0], [1], [2], [2], [0], [1] ...
```

lms__corp__133 (textlines)

Number of lines with corpus code 133

1 Law-Making

13 Treatment of bills and motions in committee

133 subject of vote, rules of vote (including quorum), voting technology in committee

```
class      :      numeric
unique     :          11
NAs        :           0
not-NA     :          786
not-0-NA   :          566
sum        :          1 548
range      : [ 0 ] ... [ 11 ]
examples   : [11], [2], [3], [7], [0], [0], [1], [2], [1], [4] ...
```

lms__corp__134 (textlines)

Number of lines with corpus code 134

1 Law-Making

13 Treatment of bills and motions in committee

134 report to the plenary

```
class      :      numeric
unique     :          21
NAs        :           0
not-NA     :          786
not-0-NA   :          782
sum        :          5 890
range      : [ 0 ] ... [ 22 ]
examples   : [5], [10], [10], [7], [5], [6], [1], [3], [9], [9] ...
```

lms__corp__141 (textlines)

Number of lines with corpus code 141

1 Law-Making

14 Post-parliamentary stage

141 veto right of government actors and head of state (any case when government actors can oppose themselves to the decisions of parliament)

```
class      :      numeric
unique     :           6
NAs        :           0
not-NA     :          786
not-0-NA   :          107
sum        :          363
range      : [ 0 ] ... [ 6 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [4], [0] ...
```

lms__corp__142 (textlines)

Number of lines with corpus code 142

1 Law-Making

14 Post-parliamentary stage

142 referral to second chamber, conciliation committee, and renewed decision after intervention

```
class      :      numeric
unique     :          20
NAs        :           0
not-NA     :          786
not-0-NA   :          562
sum        :         4 359
range      : [ 0 ] ... [ 47 ]
examples   : [0], [0], [3], [0], [9], [1], [3], [6], [2], [6] ...
```

lms__corp__143 (textlines)

Number of lines with corpus code 143

1 Law-Making

14 Post-parliamentary stage

143 direct democratic procedures following the legislative stage

```
class      :      numeric
unique     :           7
NAs        :           0
not-NA     :          786
not-0-NA   :          136
sum        :          697
range      : [ 0 ] ... [ 13 ]
examples   : [0], [0], [0], [0], [0], [0], [13], [0], [1], [0] ...
```

lms__corp__144 (textlines)

Number of lines with corpus code 144

1 Law-Making

14 Post-parliamentary stage

144 promulgation and enactment

```
class      :      numeric
unique     :           5
NAs        :           0
not-NA     :          786
not-0-NA   :          191
sum        :          272
range      : [ 0 ] ... [ 6 ]
examples   : [0], [0], [0], [1], [0], [0], [0], [0], [0], [0] ...
```

lms__corp__145 (textlines)

Number of lines with corpus code 145

1 Law-Making

14 Post-parliamentary stage

145 referral to the constitutional court/supreme court

```
class      :      numeric
unique     :           5
NAs        :           0
not-NA     :          786
not-0-NA   :           29
sum        :          267
range      : [ 0 ] ... [ 15 ]
examples    : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds__corp__111 (textlines)

Number of words with corpus code 111 - see lms__corp__111 for more information.

```
class      :      numeric
unique     :          68
NAs        :           0
not-NA     :          786
not-0-NA   :          587
sum        :       78 108
range      : [ 0 ] ... [ 651 ]
examples    : [109], [0], [0], [106], [393], [70], [64], [22], [0], [19] ...
```

wds__corp__112 (textlines)

Number of words with corpus code 112 - see lms__corp__112 for more information.

```
class      :      numeric
unique     :          79
NAs        :           0
```

```

not-NA      :          786
not-0-NA    :          690
sum         :         113 699
range       : [ 0 ] ... [ 522 ]
examples    : [178], [178], [154], [169], [222], [178], [120], [169], [169], [139] ...

```

wds_corp_113 (textlines)

Number of words with corpus code 113 - see lns_corp_113 for more information.

```

class       :      numeric
unique      :          100
NAs         :           0
not-NA      :          786
not-0-NA    :          754
sum         :         212 072
range       : [ 0 ] ... [ 806 ]
examples    : [343], [237], [367], [368], [150], [783], [727], [81], [367], [806] ...

```

wds_corp_114 (textlines)

Number of words with corpus code 114 - see lns_corp_114 for more information.

```

class       :      numeric
unique      :           23
NAs         :           0
not-NA      :          786
not-0-NA    :          236
sum         :         20 198
range       : [ 0 ] ... [ 635 ]
examples    : [286], [0], [0], [0], [0], [0], [0], [0], [23], [0], [0] ...

```

wds_corp_121 (textlines)

Number of words with corpus code 121 - see lns_corp_121 for more information.

```

class       :      numeric
unique      :          109
NAs         :           0
not-NA      :          786
not-0-NA    :          564
sum         :         180 206
range       : [ 0 ] ... [ 1536 ]
examples    : [243], [238], [640], [223], [203], [203], [272], [272], [243], [0] ...

```

wds_corp_122 (textlines)

Number of words with corpus code 122 - see lns_corp_122 for more information.

```

class       :      numeric
unique      :           91

```

```

NAs      :          0
not-NA   :          786
not-0-NA :          572
sum       :         175 271
range    : [ 0 ] ... [ 1189 ]
examples : [517], [943], [240], [749], [231], [364], [92], [0], [118], [153] ...

```

wds_corp_123 (textlines)

Number of words with corpus code 123 - see lns_corp_123 for more information.

```

class     :      integer
unique    :          182
NAs       :          0
not-NA    :          786
not-0-NA  :          786
sum        :         621 902
range     : [ 80 ] ... [ 2366 ]
examples  : [341], [565], [588], [1425], [1453], [1425], [825], [556], [565], [221] ...

```

wds_corp_124 (textlines)

Number of words with corpus code 124 - see lns_corp_124 for more information.

```

class     :      numeric
unique    :          18
NAs       :          0
not-NA    :          786
not-0-NA  :          207
sum        :          84 776
range     : [ 0 ] ... [ 498 ]
examples  : [0], [0], [0], [0], [498], [457], [458], [458], [0], [0] ...

```

wds_corp_125 (textlines)

Number of words with corpus code 125 - see lns_corp_125 for more information.

```

class     :      numeric
unique    :          106
NAs       :          0
not-NA    :          786
not-0-NA  :          750
sum        :         269 936
range     : [ 0 ] ... [ 1073 ]
examples  : [260], [122], [82], [349], [198], [717], [992], [229], [87], [115] ...

```

wds_corp_131 (textlines)

Number of words with corpus code 131 - see lns_corp_131 for more information.

```

class      :      numeric
unique     :          58
NAs        :          0
not-NA     :         786
not-0-NA   :         450
sum        :         57 515
range      : [ 0 ] ... [ 636 ]
examples   : [61], [0], [53], [0], [159], [35], [0], [48], [110], [35] ...

```

wds_corp_132 (textlines)

Number of words with corpus code 132 - see lns_corp_132 for more information.

```

class      :      numeric
unique     :          46
NAs        :          0
not-NA     :         786
not-0-NA   :         452
sum        :         52 435
range      : [ 0 ] ... [ 435 ]
examples   : [49], [40], [122], [0], [356], [86], [0], [0], [25], [55] ...

```

wds_corp_133 (textlines)

Number of words with corpus code 133 - see lns_corp_133 for more information.

```

class      :      numeric
unique     :          60
NAs        :          0
not-NA     :         786
not-0-NA   :         566
sum        :         62 394
range      : [ 0 ] ... [ 489 ]
examples   : [65], [377], [193], [349], [0], [70], [107], [0], [22], [47] ...

```

wds_corp_134 (textlines)

Number of words with corpus code 134 - see lns_corp_134 for more information.

```

class      :      numeric
unique     :         126
NAs        :          0
not-NA     :         786
not-0-NA   :         782
sum        :        204 068
range      : [ 0 ] ... [ 761 ]
examples   : [295], [257], [314], [124], [260], [200], [119], [461], [248], [431] ...

```

wds_corp_141 (textlines)

Number of words with corpus code 141 - see lns_corp_141 for more information.

```
class      :      numeric
unique     :           9
NAs        :           0
not-NA     :          786
not-0-NA   :          107
sum        :         14 531
range      : [ 0 ] ... [ 187 ]
examples   : [0], [107], [0], [0], [0], [0], [0], [90], [0], [0] ...
```

wds_corp_142 (textlines)

Number of words with corpus code 142 - see lns_corp_142 for more information.

```
class      :      numeric
unique     :           59
NAs        :           0
not-NA     :          786
not-0-NA   :          562
sum        :         168 428
range      : [ 0 ] ... [ 1359 ]
examples   : [128], [156], [775], [53], [74], [169], [53], [0], [150], [720] ...
```

wds_corp_143 (textlines)

Number of words with corpus code 143 - see lns_corp_143 for more information.

```
class      :      numeric
unique     :           18
NAs        :           0
not-NA     :          786
not-0-NA   :          136
sum        :          27 235
range      : [ 0 ] ... [ 555 ]
examples   : [0], [0], [0], [0], [16], [138], [0], [0], [0], [546] ...
```

wds_corp_144 (textlines)

Number of words with corpus code 144 - see lns_corp_144 for more information.

```
class      :      numeric
unique     :           10
NAs        :           0
not-NA     :          786
not-0-NA   :          191
sum        :           6 737
range      : [ 0 ] ... [ 136 ]
examples   : [0], [0], [0], [21], [0], [0], [0], [21], [28], [0] ...
```

wds_corp_145 (textlines)

Number of words with corpus code 145 - see lns_corp_145 for more information.

```
class      :      numeric
unique     :           9
NAs        :           0
not-NA     :          786
not-0-NA   :           29
sum        :          13 301
range      : [ 0 ] ... [ 857 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

8.8 raw corpus codes - 2 special decision procedures

lns_corp_21 (textlines)

Number of lines with corpus code 21

2 Special Decision Procedures other than Regular Law-Making

21 constitutional change and amendment

```
class      :      numeric
unique     :          22
NAs        :           0
not-NA     :          786
not-0-NA   :          387
sum        :           3 414
range      : [ 0 ] ... [ 35 ]
examples   : [11], [3], [14], [0], [0], [28], [30], [8], [0], [0] ...
```

lns_corp_22 (textlines)

Number of lines with corpus code 22

2 Special Decision Procedures other than Regular Law-Making

22 financial laws (money bills) and budgeting

```
class      :      numeric
unique     :          48
NAs        :           0
not-NA     :          786
not-0-NA   :          629
sum        :          15 358
range      : [ 0 ] ... [ 65 ]
examples   : [43], [43], [16], [0], [41], [0], [19], [38], [13], [43] ...
```

lns_corp_23 (textlines)

Number of lines with corpus code 23

2 Special Decision Procedures other than Regular Law-Making

23 foreign policy

```
class      :      numeric
unique     :          16
NAs        :           0
not-NA     :         786
not-0-NA   :         213
sum        :         1 765
range      : [ 0 ] ... [ 29 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lms__corp__25 (textlines)

Number of lines with corpus code 25

2 Special Decision Procedures other than Regular Law-Making

25 general rules on elections in parliament (if not coded as election of government (31), or election of specific officials (411; 421; 441; 6211; 6221; 632))

```
class      :      numeric
unique     :          34
NAs        :           0
not-NA     :         786
not-0-NA   :         515
sum        :         8 653
range      : [ 0 ] ... [ 80 ]
examples   : [4], [10], [2], [41], [3], [32], [0], [2], [0], [3] ...
```

lms__corp__26 (textlines)

Number of lines with corpus code 26

2 Special Decision Procedures other than Regular Law-Making

26 further special decision procedures (leading to a decision, e.g. resolution, or leading to a decree/act/bylaw (not mere debate or question time) but cannot be coded as regular law-making nor special decision procedures (21 - 24))

```
class      :      numeric
unique     :          32
NAs        :           0
not-NA     :         786
not-0-NA   :         465
sum        :         5 053
range      : [ 0 ] ... [ 44 ]
examples   : [10], [0], [0], [1], [0], [0], [2], [6], [8], [0] ...
```

lms__corp__27 (textlines)

Number of lines with corpus code 27

2 Special Decision Procedures other than Regular Law-Making

27 procedures concerning laws that are hierarchically situated between regular laws and constitutional laws (above regular laws; e.g. organic laws in Spain)

```
class      :      numeric
unique     :          6
NAs        :          0
not-NA     :         786
not-0-NA   :         105
sum        :         609
range      : [ 0 ] ... [ 9 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lms__corp__28 (textlines)

Number of lines with corpus code 28

2 Special Decision Procedures other than Regular Law-Making

28 emergency legislation

```
class      :      numeric
unique     :          6
NAs        :          0
not-NA     :         786
not-0-NA   :          23
sum        :         457
range      : [ 0 ] ... [ 32 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lms__corp__29 (textlines)

Number of lines with corpus code 29

2 Special Decision Procedures other than Regular Law-Making

29 relationship to sub-national level (law-making, rights of participation of sub-national level)

```
class      :      numeric
unique     :          36
NAs        :          0
not-NA     :         786
not-0-NA   :         259
sum        :        18 465
range      : [ 0 ] ... [ 245 ]
examples   : [0], [0], [0], [0], [0], [39], [39], [0], [29], [0] ...
```

lms__corp__241 (textlines)

Number of lines with corpus code 241

2 Special Decision Procedures other than Regular Law-Making

24 EU

241 treatment of EU-bills and motions

```
class      :      numeric
unique     :          14
NAs        :           0
not-NA     :          786
not-0-NA   :          291
sum        :          1 446
range      : [ 0 ] ... [ 24 ]
examples   : [3], [0], [3], [0], [18], [0], [0], [0], [0], [0] ...
```

lms__corp__242 (textlines)

Number of lines with corpus code 242

2 Special Decision Procedures other than Regular Law-Making

24 EU

242 EU-committee: election and resignation

```
class      :      numeric
unique     :          23
NAs        :           0
not-NA     :          786
not-0-NA   :          264
sum        :          4 369
range      : [ 0 ] ... [ 48 ]
examples   : [12], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lms__corp__243 (textlines)

Number of lines with corpus code 243

2 Special Decision Procedures other than Regular Law-Making

24 EU

243 instructions to the government concerning EU decisions

```
class      :      numeric
unique     :           4
NAs        :           0
not-NA     :          786
not-0-NA   :           67
sum        :          102
range      : [ 0 ] ... [ 4 ]
examples   : [0], [0], [1], [0], [0], [0], [0], [0], [0], [0] ...
```

lms__corp__244 (textlines)

Number of lines with corpus code 244

2 Special Decision Procedures other than Regular Law-Making

24 EU

244 further rights of participation in EU matters (e.g. debates about EU topics not based on EU bills and motions, reaction to violations of subsidiary principle)

```
class      :      numeric
unique     :          14
NAs        :           0
not-NA     :         786
not-0-NA   :         140
sum        :         661
range      : [ 0 ] ... [ 29 ]
examples   : [0], [0], [0], [0], [3], [3], [0], [1], [0], [0] ...
```

wds_corp_21 (textlines)

Number of words with corpus code 21 - see lns_corp_21 for more information.

```
class      :      numeric
unique     :          54
NAs        :           0
not-NA     :         786
not-0-NA   :         387
sum        :        100 101
range      : [ 0 ] ... [ 885 ]
examples   : [131], [279], [124], [0], [99], [0], [0], [0], [602], [0] ...
```

wds_corp_22 (textlines)

Number of words with corpus code 22 - see lns_corp_22 for more information.

```
class      :      numeric
unique     :         155
NAs        :           0
not-NA     :         786
not-0-NA   :         629
sum        :        640 813
range      : [ 0 ] ... [ 2938 ]
examples   : [1494], [635], [151], [352], [0], [2047], [414], [1917], [1494], [1494] ...
```

wds_corp_23 (textlines)

Number of words with corpus code 23 - see lns_corp_23 for more information.

```
class      :      numeric
unique     :          40
NAs        :           0
not-NA     :         786
not-0-NA   :         213
sum        :         74 661
range      : [ 0 ] ... [ 777 ]
examples   : [0], [0], [0], [0], [0], [333], [635], [0], [0], [22] ...
```

wds_corp__25 (textlines)

Number of words with corpus code 25 - see lns_corp__25 for more information.

```
class      :      numeric
unique     :           94
NAs        :            0
not-NA     :           786
not-0-NA   :           515
sum        :        290 048
range      : [ 0 ] ... [ 1942 ]
examples   : [235], [294], [756], [0], [1439], [294], [1461], [365], [0], [631] ...
```

wds_corp__26 (textlines)

Number of words with corpus code 26 - see lns_corp__26 for more information.

```
class      :      numeric
unique     :            86
NAs        :            0
not-NA     :           786
not-0-NA   :           465
sum        :        199 867
range      : [ 0 ] ... [ 2217 ]
examples   : [797], [0], [98], [66], [266], [70], [410], [98], [0], [0] ...
```

wds_corp__27 (textlines)

Number of words with corpus code 27 - see lns_corp__27 for more information.

```
class      :      numeric
unique     :            15
NAs        :            0
not-NA     :           786
not-0-NA   :           105
sum        :         25 278
range      : [ 0 ] ... [ 475 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp__28 (textlines)

Number of words with corpus code 28 - see lns_corp__28 for more information.

```
class      :      numeric
unique     :             8
NAs        :            0
not-NA     :           786
not-0-NA   :            23
sum        :        12 021
range      : [ 0 ] ... [ 775 ]
```

examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

wds_corp_29 (textlines)

Number of words with corpus code 29 - see lns_corp_29 for more information.

```
class      :      numeric
unique     :          70
NAs        :           0
not-NA     :          786
not-0-NA   :          259
sum        :        681 590
range      : [ 0 ] ... [ 8107 ]
examples   : [0], [0], [0], [0], [1576], [1576], [0], [0], [7601], [1014] ...
```

wds_corp_241 (textlines)

Number of words with corpus code 241 - see lns_corp_241 for more information.

```
class      :      numeric
unique     :          42
NAs        :           0
not-NA     :          786
not-0-NA   :          291
sum        :         56 096
range      : [ 0 ] ... [ 1348 ]
examples   : [70], [0], [0], [0], [0], [0], [988], [0], [0], [122] ...
```

wds_corp_242 (textlines)

Number of words with corpus code 242 - see lns_corp_242 for more information.

```
class      :      numeric
unique     :          50
NAs        :           0
not-NA     :          786
not-0-NA   :          264
sum        :        123 510
range      : [ 0 ] ... [ 1310 ]
examples   : [276], [34], [276], [0], [0], [0], [0], [0], [47], [1219] ...
```

wds_corp_243 (textlines)

Number of words with corpus code 243 - see lns_corp_243 for more information.

```
class      :      numeric
unique     :           7
NAs        :           0
not-NA     :          786
not-0-NA   :          67
```

```

sum      :      3 733
range    : [ 0 ] ... [ 84 ]
examples : [0], [0], [0], [0], [0], [70], [0], [0], [70], [0] ...

```

wds_corp_244 (textlines)

Number of words with corpus code 244 - see lns_corp_244 for more information.

```

class     :      numeric
unique    :          28
NAs       :           0
not-NA    :         786
not-0-NA  :         140
sum       :      24 725
range     : [ 0 ] ... [ 927 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [147], [0] ...

```

8.9 raw corpus codes - 3 relationship to government

lns_corp_31 (textlines)

Number of lines with corpus code 31

3 Relationship to Government

31 election of government / mandatory investiture vote; entry into office

```

class     :      numeric
unique    :           9
NAs       :           0
not-NA    :         786
not-0-NA  :         197
sum       :         690
range     : [ 0 ] ... [ 18 ]
examples  : [0], [1], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_32 (textlines)

Number of lines with corpus code 32

3 Relationship to Government

32 vote of no confidence / government resignation

```

class     :      numeric
unique    :          15
NAs       :           0
not-NA    :         786
not-0-NA  :         311
sum       :         2 141
range     : [ 0 ] ... [ 27 ]

```

examples : [5], [0], [5], [0], [0], [5], [4], [0], [0], [15] ...

lms__corp__33 (textlines)

Number of lines with corpus code 33

3 Relationship to Government

33 vote of confidence

```
class      :      numeric
unique     :          8
NAs        :          0
not-NA     :        786
not-0-NA   :        153
sum        :        789
range      : [ 0 ] ... [ 9 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lms__corp__34 (textlines)

Number of lines with corpus code 34

3 Relationship to Government

34 instructions to government, involvement of members of government in parliamentary activities (rights to compel witnesses [usually right of parliament against members of government], right to speak [usually members of government's right], request of information about state of execution of decisions of parliament)

```
class      :      numeric
unique     :         27
NAs        :          0
not-NA     :        786
not-0-NA   :        713
sum        :      4 395
range      : [ 0 ] ... [ 37 ]
examples : [1], [7], [8], [7], [1], [7], [2], [3], [2], [12] ...
```

wds__corp__31 (textlines)

Number of words with corpus code 31 - see lms__corp__31 for more information.

```
class      :      numeric
unique     :         17
NAs        :          0
not-NA     :        786
not-0-NA   :        197
sum        :      17 859
range      : [ 0 ] ... [ 426 ]
examples : [27], [0], [0], [0], [0], [0], [0], [27], [0], [0] ...
```

wds_corp_32 (textlines)

Number of words with corpus code 32 - see lns_corp_32 for more information.

```
class      :      numeric
unique     :          33
NAs        :           0
not-NA     :         786
not-0-NA   :         311
sum        :        70 940
range      : [ 0 ] ... [ 861 ]
examples   : [0], [122], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_33 (textlines)

Number of words with corpus code 33 - see lns_corp_33 for more information.

```
class      :      numeric
unique     :          19
NAs        :           0
not-NA     :         786
not-0-NA   :         153
sum        :        26 002
range      : [ 0 ] ... [ 268 ]
examples   : [62], [0], [0], [0], [0], [0], [0], [157], [0], [167] ...
```

wds_corp_34 (textlines)

Number of words with corpus code 34 - see lns_corp_34 for more information.

```
class      :      numeric
unique     :         102
NAs        :           0
not-NA     :         786
not-0-NA   :         713
sum        :       135 027
range      : [ 0 ] ... [ 860 ]
examples   : [99], [233], [33], [57], [244], [360], [20], [296], [239], [626] ...
```

8.10 raw corpus codes - 4 relationship to others

lns_corp_43 (textlines)

Number of lines with corpus code 43

4 Relationship to External Offices/Institutions apart from the Government

43 second chamber (if not coded as law-making (142))

```
class      :      numeric
unique     :          10
NAs        :           0
```

```

not-NA      :          786
not-0-NA    :          243
sum         :          1 002
range       : [ 0 ] ... [ 16 ]
examples    : [0], [0], [0], [0], [0], [2], [0], [0], [3], [0] ...

```

lms__corp__45 (textlines)

Number of lines with corpus code 45

4 Relationship to External Offices/Institutions apart from the Government

45 constitutional courts

```

class       :          numeric
unique      :           10
NAs         :            0
not-NA      :          786
not-0-NA    :           68
sum         :          655
range       : [ 0 ] ... [ 34 ]
examples    : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms__corp__411 (textlines)

Number of lines with corpus code 411

4 Relationship to External Offices/Institutions apart from the Government

41 parliamentary support bodies (e.g. general accounting office, ombudsman, ...)

411 election and resignation

```

class       :          numeric
unique      :           14
NAs         :            0
not-NA      :          786
not-0-NA    :          177
sum         :          1 392
range       : [ 0 ] ... [ 46 ]
examples    : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms__corp__412 (textlines)

Number of lines with corpus code 412

4 Relationship to External Offices/Institutions apart from the Government

41 parliamentary support bodies (e.g. general accounting office, ombudsman, ...)

412 competences and resources of external offices/institutions; relations to parliament (e.g. reports, questions, ...)

```

class       :          numeric
unique      :           13

```



```

NAs      :      0
not-NA   :      786
not-0-NA :      352
sum      :      1 921
range    : [ 0 ] ... [ 22 ]
examples : [0], [1], [0], [5], [0], [5], [0], [7], [0], [6] ...

```

lms__corp__421 (textlines)

Number of lines with corpus code 421

4 Relationship to External Offices/Institutions apart from the Government

42 head of state

421 election and resignation

```

class    :      numeric
unique   :          6
NAs      :          0
not-NA   :      786
not-0-NA :      129
sum      :      292
range    : [ 0 ] ... [ 15 ]
examples : [1], [0], [0], [0], [1], [0], [0], [0], [0], [0] ...

```

lms__corp__422 (textlines)

Number of lines with corpus code 422

4 Relationship to External Offices/Institutions apart from the Government

42 head of state

422 relation to parliament (if not coded as law-making (141, 144))

```

class    :      numeric
unique   :          4
NAs      :          0
not-NA   :      786
not-0-NA :      41
sum      :      132
range    : [ 0 ] ... [ 6 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms__corp__441 (textlines)

Number of lines with corpus code 441

4 Relationship to External Offices/Institutions apart from the Government

44 constitutional courts

441 election and resignation

```

class      :      numeric
unique     :          3
NAs        :          0
not-NA     :         786
not-0-NA   :          26
sum        :          66
range      : [ 0 ] ... [ 4 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns__corp__442 (textlines)

Number of lines with corpus code 442

4 Relationship to External Offices/Institutions apart from the Government

44 constitutional courts

442 relation to parliament (if not coded as law-making (145))

```

class      :      numeric
unique     :          4
NAs        :          0
not-NA     :         786
not-0-NA   :          71
sum        :         198
range      : [ 0 ] ... [ 5 ]
examples   : [1], [5], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds__corp__43 (textlines)

Number of words with corpus code 43 - see lns__corp__43 for more information.

```

class      :      numeric
unique     :         25
NAs        :          0
not-NA     :         786
not-0-NA   :         243
sum        :      28 427
range      : [ 0 ] ... [ 335 ]
examples   : [0], [101], [0], [0], [14], [101], [0], [0], [0], [0] ...

```

wds__corp__45 (textlines)

Number of words with corpus code 45 - see lns__corp__45 for more information.

```

class      :      numeric
unique     :         14
NAs        :          0
not-NA     :         786
not-0-NA   :          68
sum        :     22 655
range      : [ 0 ] ... [ 1001 ]

```

```
examples : [0], [0], [0], [0], [173], [0], [0], [173], [0], [0] ...
```

wds_corp_411 (textlines)

Number of words with corpus code 411 - see lns_corp_411 for more information.

```
class      :      numeric
unique     :          27
NAs        :           0
not-NA     :          786
not-0-NA   :          177
sum        :         40 622
range      : [ 0 ] ... [ 1435 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_412 (textlines)

Number of words with corpus code 412 - see lns_corp_412 for more information.

```
class      :      numeric
unique     :          42
NAs        :           0
not-NA     :          786
not-0-NA   :          352
sum        :         57 401
range      : [ 0 ] ... [ 629 ]
examples   : [0], [148], [0], [171], [0], [148], [0], [0], [0], [44] ...
```

wds_corp_421 (textlines)

Number of words with corpus code 421 - see lns_corp_421 for more information.

```
class      :      numeric
unique     :          13
NAs        :           0
not-NA     :          786
not-0-NA   :          129
sum        :         11 032
range      : [ 0 ] ... [ 391 ]
examples   : [33], [0], [0], [33], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_422 (textlines)

Number of words with corpus code 422 - see lns_corp_422 for more information.

```
class      :      numeric
unique     :          10
NAs        :           0
not-NA     :          786
not-0-NA   :          41
```

```

sum      :      3 193
range    : [ 0 ] ... [ 170 ]
examples : [0], [0], [69], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_441 (textlines)

Number of words with corpus code 441 - see lns_corp_441 for more information.

```

class     :      numeric
unique    :          4
NAs       :          0
not-NA    :        786
not-0-NA  :         26
sum       :      1 695
range     : [ 0 ] ... [ 99 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_442 (textlines)

Number of words with corpus code 442 - see lns_corp_442 for more information.

```

class     :      numeric
unique    :         10
NAs       :          0
not-NA    :        786
not-0-NA  :         71
sum       :      6 028
range     : [ 0 ] ... [ 142 ]
examples  : [0], [0], [142], [0], [0], [0], [0], [0], [0], [0] ...

```

8.11 raw corpus codes - 5 publicity

lns_corp_51 (textlines)

Number of lines with corpus code 51

5 Generating Publicity

51 general rules regarding debate (e.g. time allotted for speaking, proportional representation of parties during debate, closure of debate)

```

class     :      numeric
unique    :         64
NAs       :          0
not-NA    :        786
not-0-NA  :        723
sum       :     15 446
range     : [ 0 ] ... [ 111 ]
examples  : [8], [10], [19], [38], [22], [13], [82], [17], [18], [10] ...

```

lms_corp_52 (textlines)

Number of lines with corpus code 52

5 Generating Publicity

52 debates outside of law-making (e.g. topical hours ...)

```
class      :      numeric
unique     :           19
NAs        :            0
not-NA     :           786
not-0-NA   :           318
sum        :          1 873
range      : [ 0 ] ... [ 32 ]
examples   : [0], [14], [0], [0], [0], [1], [2], [0], [2], [2] ...
```

lms_corp_53 (textlines)

Number of lines with corpus code 53

5 Generating Publicity

53 question rights

```
class      :      numeric
unique     :           55
NAs        :            0
not-NA     :           786
not-0-NA   :           769
sum        :          17 319
range      : [ 0 ] ... [ 89 ]
examples   : [11], [21], [33], [28], [1], [23], [24], [12], [11], [9] ...
```

lms_corp_54 (textlines)

Number of lines with corpus code 54

5 Generating Publicity

54 petitions and petition committee

```
class      :      numeric
unique     :           25
NAs        :            0
not-NA     :           786
not-0-NA   :           503
sum        :           5 073
range      : [ 0 ] ... [ 49 ]
examples   : [0], [11], [4], [0], [13], [0], [19], [0], [0], [11] ...
```

lms_corp_55 (textlines)

Number of lines with corpus code 55

5 Generating Publicity

55 relationship to media and citizens (e.g. parliamentary TV, accreditation of journalists, publicity of meetings, admissibility of visitors); regulation of matters of confidentiality

```
class      :      numeric
unique     :          31
NAs        :           0
not-NA     :          786
not-0-NA   :          753
sum        :         8 446
range      : [ 0 ] ... [ 67 ]
examples   : [18], [5], [3], [17], [5], [22], [0], [8], [8], [65] ...
```

lms__corp__56 (textlines)

Number of lines with corpus code 56

5 Generating Publicity

56 protocols and parliamentary documents; forwarding of documents and decisions to other bodies

```
class      :      numeric
unique     :          36
NAs        :           0
not-NA     :          786
not-0-NA   :          776
sum        :         10 109
range      : [ 0 ] ... [ 61 ]
examples   : [13], [20], [15], [8], [28], [7], [15], [8], [5], [29] ...
```

wds__corp__51 (textlines)

Number of words with corpus code 51 - see lms__corp__51 for more information.

```
class      :      numeric
unique     :         171
NAs        :           0
not-NA     :          786
not-0-NA   :          723
sum        :        486 967
range      : [ 0 ] ... [ 1649 ]
examples   : [780], [0], [463], [640], [927], [407], [520], [752], [1045], [674] ...
```

wds__corp__52 (textlines)

Number of words with corpus code 52 - see lms__corp__52 for more information.

```
class      :      numeric
unique     :          43
NAs        :           0
not-NA     :          786
```

```

not-0-NA :      318
sum       :      77 501
range     : [ 0 ] ... [ 1025 ]
examples  : [0], [275], [295], [0], [0], [654], [295], [0], [295], [170] ...

```

wds_corp_53 (textlines)

Number of words with corpus code 53 - see lns_corp_53 for more information.

```

class     :      numeric
unique    :      189
NAs       :         0
not-NA    :      786
not-0-NA  :      769
sum       :      620 154
range     : [ 0 ] ... [ 2691 ]
examples  : [1167], [801], [520], [968], [752], [669], [766], [739], [426], [901] ...

```

wds_corp_54 (textlines)

Number of words with corpus code 54 - see lns_corp_54 for more information.

```

class     :      numeric
unique    :       74
NAs       :         0
not-NA    :      786
not-0-NA  :      503
sum       :      179 259
range     : [ 0 ] ... [ 1106 ]
examples  : [908], [314], [123], [0], [521], [527], [92], [349], [473], [555] ...

```

wds_corp_55 (textlines)

Number of words with corpus code 55 - see lns_corp_55 for more information.

```

class     :      numeric
unique    :      128
NAs       :         0
not-NA    :      786
not-0-NA  :      753
sum       :      273 739
range     : [ 0 ] ... [ 1851 ]
examples  : [464], [464], [144], [264], [249], [450], [57], [1851], [262], [372] ...

```

wds_corp_56 (textlines)

Number of words with corpus code 56 - see lns_corp_56 for more information.

```

class     :      numeric
unique    :      147

```

```

NAs      :          0
not-NA   :          786
not-0-NA :          776
sum      :        336 558
range    : [ 0 ] ... [ 1340 ]
examples : [206], [1056], [253], [372], [394], [394], [700], [700], [712], [278] ...

```

8.12 raw corpus codes - 6 committees

lms__corp__66 (textlines)

Number of lines with corpus code 66

6 Internal Organization of Parliament

66 opposition

```

class      :      numeric
unique     :          2
NAs        :          0
not-NA     :          786
not-0-NA   :          89
sum        :          89
range      : [ 0 ] ... [ 1 ]
examples   : [0], [1], [0], [0], [0], [0], [0], [0], [1], [0] ...

```

lms__corp__67 (textlines)

Number of lines with corpus code 67

6 Internal Organization of Parliament

67 special bodies for emergency situations

```

class      :      numeric
unique     :          5
NAs        :          0
not-NA     :          786
not-0-NA   :          108
sum        :          639
range      : [ 0 ] ... [ 7 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms__corp__68 (textlines)

Number of lines with corpus code 68

6 Internal Organization of Parliament

68 parliamentary administration

```

class      :      numeric
unique     :          26

```



```

NAs      :          0
not-NA   :          786
not-0-NA :          600
sum      :          6 090
range    : [ 0 ] ... [ 47 ]
examples : [13], [36], [8], [4], [15], [1], [0], [2], [0], [3] ...

```

lms__corp__611 (textlines)

Number of lines with corpus code 611

6 Internal Organization of Parliament

61 plenary

611 agenda setting and removal of items from the agenda (general rules which are not specifically regulated under 114)

```

class    :      numeric
unique   :          73
NAs      :          0
not-NA   :          786
not-0-NA :          722
sum      :          22 831
range    : [ 0 ] ... [ 200 ]
examples : [5], [3], [0], [31], [15], [0], [28], [77], [0], [69] ...

```

lms__corp__612 (textlines)

Number of lines with corpus code 612

6 Internal Organization of Parliament

61 plenary

612 chairing of meetings and measures to uphold order

```

class    :      numeric
unique   :          32
NAs      :          0
not-NA   :          786
not-0-NA :          748
sum      :          10 960
range    : [ 0 ] ... [ 60 ]
examples : [12], [10], [16], [15], [4], [2], [2], [16], [7], [15] ...

```

lms__corp__613 (textlines)

Number of lines with corpus code 613

6 Internal Organization of Parliament

61 plenary

613 sitting times

```

class      :      numeric
unique     :          21
NAs        :           0
not-NA     :         786
not-0-NA   :         731
sum        :         5 285
range      : [ 0 ] ... [ 32 ]
examples   : [17], [0], [11], [11], [10], [7], [23], [3], [3], [4] ...

```

lms__corp__631 (textlines)

Number of lines with corpus code 631

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

631 general regulations regarding types of committees

```

class      :      numeric
unique     :          13
NAs        :           0
not-NA     :         786
not-0-NA   :         459
sum        :         1 706
range      : [ 0 ] ... [ 13 ]
examples   : [0], [2], [0], [1], [3], [2], [0], [0], [7], [0] ...

```

lms__corp__632 (textlines)

Number of lines with corpus code 632

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

632 membership and committee jurisdiction (area of influence-control .g. finance, economy, agriculture...)

```

class      :      numeric
unique     :          56
NAs        :           0
not-NA     :         786
not-0-NA   :         773
sum        :         21 232
range      : [ 0 ] ... [ 164 ]
examples   : [58], [35], [1], [17], [39], [42], [0], [56], [39], [1] ...

```

lms__corp__633 (textlines)

Number of lines with corpus code 633

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

633 formal organizational units of committee (e.g. chair of committee, sub-committees, staff)

```
class      :      numeric
unique     :          17
NAs        :           0
not-NA     :          786
not-0-NA   :          771
sum        :         3 276
range      : [ 0 ] ... [ 24 ]
examples   : [2], [1], [2], [3], [1], [2], [23], [3], [2], [4] ...
```

lms__corp__634 (textlines)

Number of lines with corpus code 634

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

634 agenda and procedures (details on how decisions are taken) within committees (if not coded as law-making (13))

```
class      :      numeric
unique     :          30
NAs        :           0
not-NA     :          786
not-0-NA   :          751
sum        :         9 442
range      : [ 0 ] ... [ 39 ]
examples   : [8], [1], [5], [8], [3], [2], [20], [2], [9], [35] ...
```

lms__corp__636 (textlines)

Number of lines with corpus code 636

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

636 investigative competencies of regular committees (NOT committees of inquiry (637))

```
class      :      numeric
unique     :          18
NAs        :           0
not-NA     :          786
not-0-NA   :          612
sum        :         3 343
range      : [ 0 ] ... [ 21 ]
examples   : [0], [10], [1], [5], [7], [3], [2], [13], [6], [12] ...
```

lms__corp__637 (textlines)

Number of lines with corpus code 637

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

637 committee of inquiry

```
class      :      numeric
unique     :          25
NAs        :           0
not-NA     :         786
not-0-NA   :         275
sum        :         4 258
range      : [ 0 ] ... [ 78 ]
examples   : [21], [12], [0], [0], [0], [0], [3], [5], [0], [0] ...
```

lns_corp_638 (textlines)

Number of lines with corpus code 638

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

638 enquete commission

```
class      :      numeric
unique     :          11
NAs        :           0
not-NA     :         786
not-0-NA   :         135
sum        :         782
range      : [ 0 ] ... [ 20 ]
examples   : [1], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_639 (textlines)

Number of lines with corpus code 639

6 Internal Organization of Parliament

63 committees (if not coded as more specific category (e.g. 13; 24; 54; 55; 72))

639 other special committees which are not explicitly referenced in this coding manual (e.g. oversight committees in Switzerland)

```
class      :      numeric
unique     :          79
NAs        :           0
not-NA     :         786
not-0-NA   :         691
sum        :        22 088
range      : [ 0 ] ... [ 211 ]
examples   : [72], [0], [0], [11], [5], [5], [9], [3], [175], [12] ...
```

lns_corp_641 (textlines)

Number of lines with corpus code 641

6 Internal Organization of Parliament

64 parliamentary party groups

641 formation of parliamentary party groups

```
class      :      numeric
unique     :          11
NAs        :           0
not-NA     :          786
not-0-NA   :          419
sum        :         1 964
range      : [ 0 ] ... [ 12 ]
examples   : [7], [1], [4], [8], [3], [3], [7], [7], [0], [7] ...
```

lms__corp__642 (textlines)

Number of lines with corpus code 642

6 Internal Organization of Parliament

64 parliamentary party groups

642 rights and obligations of parliamentary party groups (if not coded more specifically as e.g. 112; 51; 52; 53)

```
class      :      numeric
unique     :          14
NAs        :           0
not-NA     :          786
not-0-NA   :          239
sum        :          893
range      : [ 0 ] ... [ 55 ]
examples   : [0], [0], [0], [2], [2], [0], [6], [0], [1], [0] ...
```

lms__corp__643 (textlines)

Number of lines with corpus code 643

6 Internal Organization of Parliament

64 parliamentary party groups

643 financial and staff resources

```
class      :      numeric
unique     :           7
NAs        :           0
not-NA     :          786
not-0-NA   :          207
sum        :          513
range      : [ 0 ] ... [ 6 ]
examples   : [0], [0], [2], [0], [0], [1], [6], [0], [0], [0] ...
```

lms__corp__651 (textlines)

Number of lines with corpus code 651

6 Internal Organization of Parliament

65 individual members of parliament

651 election, entry into office, resignation, incompatibilities, legal status, immunity, indemnity

```
class      :      numeric
unique     :          34
NAs        :           0
not-NA     :         786
not-0-NA   :         750
sum        :         8 186
range      : [ 0 ] ... [ 56 ]
examples   : [35], [6], [23], [5], [2], [2], [0], [50], [54], [0] ...
```

lms__corp__652 (textlines)

Number of lines with corpus code 652

6 Internal Organization of Parliament

65 individual members of parliament

652 rights and obligations of individual members of parliament (if not coded more specifically as e.g. 112; 51; 52; 53)

```
class      :      numeric
unique     :          29
NAs        :           0
not-NA     :         786
not-0-NA   :         740
sum        :         5 837
range      : [ 0 ] ... [ 67 ]
examples   : [2], [6], [7], [3], [21], [2], [7], [21], [3], [2] ...
```

lms__corp__653 (textlines)

Number of lines with corpus code 653

6 Internal Organization of Parliament

65 individual members of parliament

653 salary, financial and staff resources

```
class      :      numeric
unique     :           6
NAs        :           0
not-NA     :         786
not-0-NA   :         209
sum        :         414
range      : [ 0 ] ... [ 7 ]
examples   : [2], [0], [0], [0], [0], [2], [0], [0], [2], [1] ...
```

lms__corp__6211 (textlines)

Number of lines with corpus code 6211

6 Internal Organization of Parliament

62 parliamentary presiding bodies

621 president of parliament, vice presidents, secretaries and clerks

6211 election, resignation and internal decision rules

```
class      :      numeric
unique     :          26
NAs        :           0
not-NA     :          786
not-0-NA   :          748
sum        :         7 375
range      : [ 0 ] ... [ 36 ]
examples   : [9], [3], [36], [9], [5], [4], [12], [0], [5], [10] ...
```

lms__corp__6212 (textlines)

Number of lines with corpus code 6212

6 Internal Organization of Parliament

62 parliamentary presiding bodies

621 president of parliament, vice presidents, secretaries and clerks

6212 responsibilities (if not coded as more specific category (e.g. 612))

```
class      :      numeric
unique     :          24
NAs        :           0
not-NA     :          786
not-0-NA   :          730
sum        :         5 448
range      : [ 0 ] ... [ 72 ]
examples   : [6], [16], [8], [10], [2], [0], [0], [9], [5], [9] ...
```

lms__corp__6221 (textlines)

Number of lines with corpus code 6221

6 Internal Organization of Parliament

62 parliamentary presiding bodies

622 council of elders or similar coordination body

6221 composition, election, resignation, internal decision rules

```
class      :      numeric
unique     :          12
NAs        :           0
not-NA     :          786
not-0-NA   :          548
```

```

sum      :      1 928
range    : [ 0 ] ... [ 13 ]
examples : [2], [2], [6], [1], [0], [0], [10], [2], [1], [4] ...

```

lms__corp__6222 (textlines)

Number of lines with corpus code 6222

6 Internal Organization of Parliament

62 parliamentary presiding bodies

622 council of elders or similar coordination body

6222 responsibilities (if not coded as more specific category (e.g. 612))

```

class      :      numeric
unique     :          16
NAs        :           0
not-NA     :          786
not-0-NA   :          479
sum        :          2 529
range      : [ 0 ] ... [ 16 ]
examples   : [2], [6], [0], [2], [0], [4], [0], [0], [12], [0] ...

```

lms__corp__6351 (textlines)

Number of lines with corpus code 6351

6 Internal Organization of Parliament

63 committees

relations to other bodies

6351 relation to plenary (if not coded as 124; 134; 34)

```

class      :      numeric
unique     :           6
NAs        :           0
not-NA     :          786
not-0-NA   :          144
sum        :          214
range      : [ 0 ] ... [ 6 ]
examples   : [2], [0], [0], [0], [1], [0], [0], [0], [0], [0] ...

```

lms__corp__6352 (textlines)

Number of lines with corpus code 6352

6 Internal Organization of Parliament

63 committees

relations to other bodies

6352 relation to other committees


```

class      :      numeric
unique     :          8
NAs        :          0
not-NA     :         786
not-0-NA   :         459
sum        :         1 225
range      : [ 0 ] ... [ 7 ]
examples   : [1], [0], [2], [0], [0], [3], [6], [6], [0], [0] ...

```

wds_corp_66 (textlines)

Number of words with corpus code 66 - see lns_corp_66 for more information.

```

class      :      numeric
unique     :          2
NAs        :          0
not-NA     :         786
not-0-NA   :          89
sum        :         3 649
range      : [ 0 ] ... [ 41 ]
examples   : [0], [0], [41], [41], [0], [0], [0], [41], [0], [0] ...

```

wds_corp_67 (textlines)

Number of words with corpus code 67 - see lns_corp_67 for more information.

```

class      :      numeric
unique     :          8
NAs        :          0
not-NA     :         786
not-0-NA   :         108
sum        :        13 213
range      : [ 0 ] ... [ 137 ]
examples   : [0], [137], [0], [0], [119], [0], [0], [0], [0], [124] ...

```

wds_corp_68 (textlines)

Number of words with corpus code 68 - see lns_corp_68 for more information.

```

class      :      numeric
unique     :          77
NAs        :          0
not-NA     :         786
not-0-NA   :         600
sum        :       148 597
range      : [ 0 ] ... [ 1093 ]
examples   : [170], [31], [34], [906], [116], [108], [162], [0], [152], [906] ...

```

wds_corp_611 (textlines)

Number of words with corpus code 611 - see lns_corp_611 for more information.

```
class      :      numeric
unique     :          157
NAs        :           0
not-NA     :          786
not-0-NA   :          722
sum        :       899 117
range      : [ 0 ] ... [ 6791 ]
examples   : [3756], [3751], [203], [145], [328], [3751], [3428], [2895], [240], [3751] ...
```

wds_corp_612 (textlines)

Number of words with corpus code 612 - see lns_corp_612 for more information.

```
class      :      numeric
unique     :           94
NAs        :           0
not-NA     :          786
not-0-NA   :          748
sum        :       409 479
range      : [ 0 ] ... [ 2221 ]
examples   : [727], [231], [509], [0], [88], [1153], [2211], [675], [0], [728] ...
```

wds_corp_613 (textlines)

Number of words with corpus code 613 - see lns_corp_613 for more information.

```
class      :      numeric
unique     :           96
NAs        :           0
not-NA     :          786
not-0-NA   :          731
sum        :       177 924
range      : [ 0 ] ... [ 842 ]
examples   : [513], [53], [275], [275], [397], [52], [131], [306], [38], [513] ...
```

wds_corp_631 (textlines)

Number of words with corpus code 631 - see lns_corp_631 for more information.

```
class      :      numeric
unique     :           56
NAs        :           0
not-NA     :          786
not-0-NA   :          459
sum        :        56 342
range      : [ 0 ] ... [ 518 ]
examples   : [340], [0], [81], [76], [0], [86], [0], [0], [0], [17] ...
```

wds_corp_632 (textlines)

Number of words with corpus code 632 - see lns_corp_632 for more information.

```
class      :      numeric
unique     :          243
NAs        :           0
not-NA     :          786
not-0-NA   :          773
sum        :        443 925
range      : [ 0 ] ... [ 1313 ]
examples   : [1139], [1274], [194], [237], [597], [1147], [534], [188], [943], [608] ...
```

wds_corp_633 (textlines)

Number of words with corpus code 633 - see lns_corp_633 for more information.

```
class      :      numeric
unique     :           94
NAs        :           0
not-NA     :          786
not-0-NA   :          771
sum        :        105 561
range      : [ 0 ] ... [ 790 ]
examples   : [210], [145], [255], [295], [145], [80], [145], [249], [196], [43] ...
```

wds_corp_634 (textlines)

Number of words with corpus code 634 - see lns_corp_634 for more information.

```
class      :      numeric
unique     :          129
NAs        :           0
not-NA     :          786
not-0-NA   :          751
sum        :        305 110
range      : [ 0 ] ... [ 1288 ]
examples   : [70], [277], [0], [628], [265], [1087], [174], [52], [1218], [304] ...
```

wds_corp_636 (textlines)

Number of words with corpus code 636 - see lns_corp_636 for more information.

```
class      :      numeric
unique     :           84
NAs        :           0
not-NA     :          786
not-0-NA   :          612
sum        :        120 418
range      : [ 0 ] ... [ 878 ]
examples   : [136], [180], [108], [0], [62], [0], [213], [83], [0], [0] ...
```

wds_corp_637 (textlines)

Number of words with corpus code 637 - see lns_corp_637 for more information.

```
class      :      numeric
unique     :          55
NAs        :           0
not-NA     :          786
not-0-NA   :          275
sum        :        136 383
range      : [ 0 ] ... [ 2444 ]
examples   : [0], [0], [532], [0], [0], [384], [0], [0], [0], [0] ...
```

wds_corp_638 (textlines)

Number of words with corpus code 638 - see lns_corp_638 for more information.

```
class      :      numeric
unique     :           20
NAs        :           0
not-NA     :          786
not-0-NA   :          135
sum        :         24 497
range      : [ 0 ] ... [ 649 ]
examples   : [12], [25], [0], [0], [0], [0], [0], [0], [97], [97] ...
```

wds_corp_639 (textlines)

Number of words with corpus code 639 - see lns_corp_639 for more information.

```
class      :      numeric
unique     :          207
NAs        :           0
not-NA     :          786
not-0-NA   :          691
sum        :        673 166
range      : [ 0 ] ... [ 6014 ]
examples   : [158], [394], [445], [873], [974], [848], [0], [5253], [886], [1382] ...
```

wds_corp_641 (textlines)

Number of words with corpus code 641 - see lns_corp_641 for more information.

```
class      :      numeric
unique     :           45
NAs        :           0
not-NA     :          786
not-0-NA   :          419
sum        :         63 180
range      : [ 0 ] ... [ 439 ]
```

examples : [0], [224], [251], [59], [0], [0], [72], [404], [0], [0] ...

wds_corp_642 (textlines)

Number of words with corpus code 642 - see lns_corp_642 for more information.

```
class      :      numeric
unique     :          32
NAs        :           0
not-NA     :          786
not-0-NA   :          239
sum        :         26 096
range      : [ 0 ] ... [ 643 ]
examples   : [0], [0], [74], [16], [0], [0], [74], [123], [25], [125] ...
```

wds_corp_643 (textlines)

Number of words with corpus code 643 - see lns_corp_643 for more information.

```
class      :      numeric
unique     :          22
NAs        :           0
not-NA     :          786
not-0-NA   :          207
sum        :         20 175
range      : [ 0 ] ... [ 202 ]
examples   : [154], [0], [0], [157], [73], [0], [0], [0], [154], [91] ...
```

wds_corp_651 (textlines)

Number of words with corpus code 651 - see lns_corp_651 for more information.

```
class      :      numeric
unique     :         121
NAs        :           0
not-NA     :          786
not-0-NA   :          750
sum        :        317 168
range      : [ 0 ] ... [ 2439 ]
examples   : [248], [274], [78], [589], [364], [0], [1055], [1253], [239], [78] ...
```

wds_corp_652 (textlines)

Number of words with corpus code 652 - see lns_corp_652 for more information.

```
class      :      numeric
unique     :         113
NAs        :           0
not-NA     :          786
not-0-NA   :          740
```

```
sum      :      190 488
range    : [ 0 ] ... [ 2080 ]
examples : [123], [215], [262], [360], [94], [357], [137], [183], [225], [355] ...
```

wds_corp_653 (textlines)

Number of words with corpus code 653 - see lns_corp_653 for more information.

```
class    :      numeric
unique    :          14
NAs      :           0
not-NA    :          786
not-0-NA  :          209
sum       :      16 638
range     : [ 0 ] ... [ 328 ]
examples  : [0], [0], [0], [58], [0], [0], [0], [25], [0], [0] ...
```

wds_corp_6211 (textlines)

Number of words with corpus code 6211 - see lns_corp_6211 for more information.

```
class    :      numeric
unique    :          96
NAs      :           0
not-NA    :          786
not-0-NA  :          748
sum       :      260 408
range     : [ 0 ] ... [ 1308 ]
examples  : [149], [189], [129], [664], [664], [225], [145], [442], [70], [259] ...
```

wds_corp_6212 (textlines)

Number of words with corpus code 6212 - see lns_corp_6212 for more information.

```
class    :      numeric
unique    :         106
NAs      :           0
not-NA    :          786
not-0-NA  :          730
sum       :      180 361
range     : [ 0 ] ... [ 1060 ]
examples  : [102], [0], [387], [818], [312], [229], [407], [75], [255], [24] ...
```

wds_corp_6221 (textlines)

Number of words with corpus code 6221 - see lns_corp_6221 for more information.

```
class    :      numeric
unique    :          63
NAs      :           0
```

```

not-NA      :          786
not-0-NA    :          548
sum         :         58 845
range       : [ 0 ] ... [ 312 ]
examples    : [183], [35], [0], [50], [120], [18], [82], [184], [73], [57] ...

```

wds_corp_6222 (textlines)

Number of words with corpus code 6222 - see lns_corp_6222 for more information.

```

class       :      numeric
unique      :          61
NAs         :           0
not-NA      :          786
not-0-NA    :          479
sum         :         88 290
range       : [ 0 ] ... [ 598 ]
examples    : [77], [415], [257], [0], [0], [475], [415], [429], [492], [0] ...

```

wds_corp_6351 (textlines)

Number of words with corpus code 6351 - see lns_corp_6351 for more information.

```

class       :      numeric
unique      :          22
NAs         :           0
not-NA      :          786
not-0-NA    :          144
sum         :          8 169
range       : [ 0 ] ... [ 179 ]
examples    : [0], [0], [140], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_6352 (textlines)

Number of words with corpus code 6352 - see lns_corp_6352 for more information.

```

class       :      numeric
unique      :          42
NAs         :           0
not-NA      :          786
not-0-NA    :          459
sum         :         41 600
range       : [ 0 ] ... [ 323 ]
examples    : [0], [0], [0], [0], [0], [0], [83], [60], [0], [0] ...

```

8.13 raw corpus codes - 7 to 999

lns_corp_8 (textlines)

Number of lines with corpus code 8

8 General Rules Regarding Formation and Legislative Session; Discontinuity

```
class      :      numeric
unique     :          17
NAs        :           0
not-NA     :         786
not-0-NA   :         594
sum        :         4 044
range      : [ 0 ] ... [ 22 ]
examples   : [0], [0], [0], [7], [10], [9], [11], [9], [7], [5] ...
```

lms__corp__9 (textlines)

Number of lines with corpus code 9

9 Final Provisions

```
class      :      numeric
unique     :          13
NAs        :           0
not-NA     :         786
not-0-NA   :         261
sum        :         918
range      : [ 0 ] ... [ 12 ]
examples   : [0], [0], [0], [0], [5], [0], [8], [0], [0], [0] ...
```

lms__corp__10 (textlines)

Number of lines with corpus code 10

10 Miscellaneous (cannot be coded otherwise)

```
class      :      numeric
unique     :          48
NAs        :           0
not-NA     :         786
not-0-NA   :         767
sum        :        11 775
range      : [ 0 ] ... [ 164 ]
examples   : [4], [3], [6], [16], [19], [21], [9], [9], [0], [164] ...
```

lms__corp__71 (textlines)

Number of lines with corpus code 71

7 Change and Interpretation of the Standing Orders

71 rules regarding changing the standing orders

```
class      :      numeric
unique     :          12
NAs        :           0
```



```

not-NA      :          786
not-0-NA    :          291
sum         :           1 112
range       : [ 0 ] ... [ 25 ]
examples    : [3], [0], [2], [0], [3], [0], [0], [2], [6], [4] ...

```

lms__corp__72 (textlines)

Number of lines with corpus code 72

7 Change and Interpretation of the Standing Orders

72 rules regarding interpretation of and deviation from standing orders

```

class       :      numeric
unique      :           6
NAs         :           0
not-NA      :          786
not-0-NA    :          218
sum         :          485
range       : [ 0 ] ... [ 6 ]
examples    : [0], [0], [0], [0], [0], [0], [0], [0], [1], [0] ...

```

lms__corp__73 (textlines)

Number of lines with corpus code 73

7 Change and Interpretation of the Standing Orders

73 debate about standing orders and motions regarding the standing orders

```

class       :      numeric
unique      :           8
NAs         :           0
not-NA      :          786
not-0-NA    :          145
sum         :          695
range       : [ 0 ] ... [ 20 ]
examples    : [0], [1], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms__corp__999 (textlines)

Number of lines with corpus code 999

999 Footnotes and Titles Without Relevant Content

```

class       :      integer
unique      :          265
NAs         :           0
not-NA      :          786
not-0-NA    :          786
sum         :         162 568
range       : [ 29 ] ... [ 1728 ]

```

examples : [48], [253], [406], [30], [200], [197], [50], [30], [209], [435] ...

wds_corp__8 (textlines)

Number of words with corpus code 8 - see lns_corp__8 for more information.

```
class      :      numeric
unique     :          89
NAs        :           0
not-NA     :          786
not-0-NA   :          594
sum        :        140 723
range      : [ 0 ] ... [ 729 ]
examples   : [237], [237], [309], [148], [384], [0], [0], [315], [315], [0] ...
```

wds_corp__9 (textlines)

Number of words with corpus code 9 - see lns_corp__9 for more information.

```
class      :      numeric
unique     :          45
NAs        :           0
not-NA     :          786
not-0-NA   :          261
sum        :         27 408
range      : [ 0 ] ... [ 633 ]
examples   : [0], [0], [0], [0], [246], [13], [48], [0], [0], [0] ...
```

wds_corp__10 (textlines)

Number of words with corpus code 10 - see lns_corp__10 for more information.

```
class      :      numeric
unique     :         162
NAs        :           0
not-NA     :          786
not-0-NA   :          767
sum        :        339 747
range      : [ 0 ] ... [ 3571 ]
examples   : [419], [286], [192], [1425], [358], [95], [190], [430], [435], [263] ...
```

wds_corp__71 (textlines)

Number of words with corpus code 71 - see lns_corp__71 for more information.

```
class      :      numeric
unique     :          43
NAs        :           0
not-NA     :          786
not-0-NA   :          291
```

```

sum      :      36 495
range    : [ 0 ] ... [ 588 ]
examples : [0], [185], [0], [0], [0], [0], [0], [0], [142], [0] ...

```

wds_corp_72 (textlines)

Number of words with corpus code 72 - see lns_corp_72 for more information.

```

class     :      numeric
unique    :          23
NAs       :          0
not-NA    :         786
not-0-NA  :         218
sum       :        16 556
range     : [ 0 ] ... [ 148 ]
examples  : [37], [148], [0], [37], [0], [0], [0], [144], [0], [0] ...

```

wds_corp_73 (textlines)

Number of words with corpus code 73 - see lns_corp_73 for more information.

```

class     :      numeric
unique    :          18
NAs       :          0
not-NA    :         786
not-0-NA  :         145
sum       :        14 599
range     : [ 0 ] ... [ 296 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_999 (textlines)

Number of words with corpus code 999 - see lns_corp_999 for more information.

```

class     :      integer
unique    :         333
NAs       :          0
not-NA    :         786
not-0-NA  :         786
sum       :        453 248
range     : [ 38 ] ... [ 30211 ]
examples  : [87], [189], [87], [5168], [130], [207], [626], [1122], [646], [668] ...

```

8.14 aggregated corpus codes - topics

lns_corp_top_1 (textlines)

Number of lines with aggregated corpus code 1 - lawmaking

codes: 111, 112, 113, 114, 121, 122, 123, 124, 125, 131, 132, 133, 134, 141, 142, 143, 144, 145

```
class      :      numeric
unique     :          114
NAs        :           0
not-NA     :          786
not-0-NA   :          786
sum        :         65 567
range      : [ 9 ] ... [ 192 ]
examples   : [41], [115], [117], [52], [73], [130], [47], [34], [66], [54] ...
```

lms__corp__top__2 (textlines)

Number of lines with aggregated corpus code 2 - special decision rules

codes: 21, 22, 23, 241, 242, 243, 244, 26, 27, 28, 29, 67, 71, 72, 73

```
class      :      numeric
unique     :          130
NAs        :           0
not-NA     :          786
not-0-NA   :          771
sum        :         54 630
range      : [ 0 ] ... [ 342 ]
examples   : [162], [113], [122], [5], [23], [21], [299], [59], [14], [129] ...
```

lms__corp__top__3 (textlines)

Number of lines with aggregated corpus code 3 - elections

codes: 25, 31, 32, 33, 411, 421, 441

```
class      :      numeric
unique     :           45
NAs        :           0
not-NA     :          786
not-0-NA   :          538
sum        :         14 023
range      : [ 0 ] ... [ 98 ]
examples   : [40], [13], [18], [19], [0], [3], [0], [3], [19], [51] ...
```

lms__corp__top__4 (textlines)

Number of lines with aggregated corpus code 4 - government control

codes: 412, 53, 54, 636, 637, 66

```
class      :      numeric
unique     :           83
NAs        :           0
not-NA     :          786
not-0-NA   :          786
sum        :         32 003
```

```

range      : [ 1 ] ... [ 164 ]
examples   : [99], [46], [36], [37], [61], [61], [54], [52], [21], [68] ...

```

lms__corp__top__5 (textlines)

Number of lines with aggregated corpus code 5 - puplicity

codes: 121, 51, 52, 53, 55, 56, 611, 612, 613

```

class      :      numeric
unique     :          160
NAs        :           0
not-NA     :          786
not-0-NA   :          786
sum        :       97 367
range      : [ 9 ] ... [ 314 ]
examples   : [152], [84], [100], [95], [95], [114], [157], [54], [137], [157] ...

```

lms__corp__top__66 (textlines)

Number of lines with aggregated corpus code 66 - not used for aggregation

codes: 34, 422, 43, 442, 45, 6211, 6212, 6221, 6222, 631, 632, 633, 634, 6351, 6352, 638, 639, 641, 642, 643, 651, 652, 653, 68, 8, 9, 10, 999

```

class      :      numeric
unique     :          205
NAs        :           0
not-NA     :          786
not-0-NA   :          786
sum        :       124 261
range      : [ 21 ] ... [ 464 ]
examples   : [108], [212], [159], [64], [128], [201], [206], [158], [127], [184] ...

```

lms__corp__top__77 (textlines)

Number of lines with aggregated corpus code 77 - not relevant

codes: 999

```

class      :      numeric
unique     :          265
NAs        :           0
not-NA     :          786
not-0-NA   :          786
sum        :       162 568
range      : [ 29 ] ... [ 1728 ]
examples   : [63], [307], [138], [373], [128], [373], [439], [212], [47], [66] ...

```

wds__corp__top__1 (textlines)

Number of words with aggregated corpus code 1 - lawmaking

codes: 111, 112, 113, 114, 121, 122, 123, 124, 125, 131, 132, 133, 134, 141, 142, 143, 144, 145

```
class      :      numeric
unique     :          334
NAs        :           0
not-NA     :          786
not-0-NA   :          786
sum        :     2 362 812
range      : [ 638 ] ... [ 7885 ]
examples   : [2773], [4484], [2332], [1692], [1513], [5361], [2073], [2246], [1828], [1490]
...
```

wds_corp_top_2 (textlines)

Number of words with aggregated corpus code 2 - special decision rules

codes: 21, 22, 23, 241, 242, 243, 244, 26, 27, 28, 29, 67, 71, 72, 73

```
class      :      numeric
unique     :          325
NAs        :           0
not-NA     :          786
not-0-NA   :          771
sum        :     2 023 258
range      : [ 0 ] ... [ 11364 ]
examples   : [1301], [448], [1331], [297], [574], [4873], [296], [2590], [506], [1892] ...
```

wds_corp_top_3 (textlines)

Number of words with aggregated corpus code 3 - elections

codes: 25, 31, 32, 33, 411, 421, 441

```
class      :      numeric
unique     :          128
NAs        :           0
not-NA     :          786
not-0-NA   :          538
sum        :     458 198
range      : [ 0 ] ... [ 2478 ]
examples   : [1746], [0], [1465], [1553], [495], [0], [1746], [0], [0], [0] ...
```

wds_corp_top_4 (textlines)

Number of words with aggregated corpus code 4 - government control

codes: 412, 53, 54, 636, 637, 66

```
class      :      numeric
unique     :          271
NAs        :           0
not-NA     :          786
```

```

not-0-NA :      786
sum       :      1 117 264
range     : [ 16 ] ... [ 5511 ]
examples  : [1079], [2526], [1559], [2250], [1426], [1328], [1589], [2294], [2526], [4383]
...

```

wds_corp_top_5 (textlines)

Number of words with aggregated corpus code 5 - puplicity

codes: 121, 51, 52, 53, 55, 56, 611, 612, 613

```

class     :      numeric
unique    :      420
NAs       :          0
not-NA    :      786
not-0-NA  :      786
sum       :      3 461 645
range     : [ 270 ] ... [ 11338 ]
examples  : [5969], [2885], [8177], [6235], [4471], [5348], [2038], [4929], [5102], [3796]
...

```

wds_corp_top_66 (textlines)

Number of words with aggregated corpus code 66 - not used for aggregation

codes: 34, 422, 43, 442, 45, 6211, 6212, 6221, 6222, 631, 632, 633, 634, 6351, 6352, 638, 639, 641, 642, 643, 651, 652, 653, 68, 8, 9, 10

```

class     :      numeric
unique    :      560
NAs       :          0
not-NA    :      786
not-0-NA  :      786
sum       :      3 731 824
range     : [ 1010 ] ... [ 13975 ]
examples  : [1943], [4624], [4865], [6648], [1979], [6154], [9907], [3325], [3599], [3305]
...

```

wds_corp_top_77 (textlines)

Number of words with aggregated corpus code 77 - not relevant

codes: 999

```

class     :      numeric
unique    :      333
NAs       :          0
not-NA    :      786
not-0-NA  :      786
sum       :      453 248
range     : [ 38 ] ... [ 30211 ]

```

examples : [646], [189], [333], [856], [1154], [1373], [44], [1048], [233], [124] ...

8.15 aggregated corpus codes - actors

lms__corp__act__1 (textlines)

Number of lines with aggregated corpus code 1 - MPs

codes: 111,651,652,653

```
class      :      numeric
unique     :          65
NAs        :           0
not-NA     :          786
not-0-NA   :          783
sum         :         17 732
range      : [ 0 ] ... [ 128 ]
examples   : [72], [20], [16], [10], [120], [18], [22], [12], [72], [10] ...
```

lms__corp__act__2 (textlines)

Number of lines with aggregated corpus code 2 - PPGs

codes: 641,642,643

```
class      :      numeric
unique     :          23
NAs        :           0
not-NA     :          786
not-0-NA   :          450
sum         :           3 370
range      : [ 0 ] ... [ 61 ]
examples   : [0], [0], [7], [7], [6], [0], [7], [1], [5], [0] ...
```

lms__corp__act__3 (textlines)

Number of lines with aggregated corpus code 3 - committees

codes: 125, 131, 132, 133, 134, 242, 54, 631, 632, 633, 634, 6351, 6352, 636, 637, 638, 639

```
class      :      numeric
unique     :         168
NAs        :           0
not-NA     :          786
not-0-NA   :          786
sum         :         93 034
range      : [ 5 ] ... [ 404 ]
examples   : [220], [375], [80], [78], [138], [363], [75], [109], [62], [347] ...
```

lms__corp__act__4 (textlines)

Number of lines with aggregated corpus code 4 - governing body

codes: 612, 6211, 6212, 6221, 6222

```
class      :      numeric
unique     :          64
NAs        :           0
not-NA     :         786
not-0-NA   :         776
sum        :        28 240
range      : [ 0 ] ... [ 126 ]
examples   : [14], [3], [19], [19], [14], [30], [18], [76], [30], [75] ...
```

lms__corp__act__66 (textlines)

Number of lines with aggregated corpus code 66 - not used for aggregation

codes: 112, 123, 22, 55, 8, 56, 34, 113, 611, 121, 122, 51, 73, 21, 142, 32, 26, 71, 25, 53, 143, 23, 10, 9, 68, 412, 52, 411, 145, 43, 241, 243, 244, 72, 114, 613, 29, 124, 33, 31, 27, 28, 141, 442, 66, 441, 45, 422, 421, 144

```
class      :      numeric
unique     :         284
NAs        :           0
not-NA     :         786
not-0-NA   :         786
sum        :       223 058
range      : [ 31 ] ... [ 738 ]
examples   : [405], [327], [142], [168], [737], [102], [201], [147], [152], [126] ...
```

lms__corp__act__77 (textlines)

Number of lines with aggregated corpus code 77 - not relevant

codes: 999

```
class      :      numeric
unique     :         265
NAs        :           0
not-NA     :         786
not-0-NA   :         786
sum        :       162 568
range      : [ 29 ] ... [ 1728 ]
examples   : [205], [216], [139], [436], [108], [108], [214], [138], [425], [163] ...
```

wds__corp__act__1 (textlines)

Number of words with aggregated corpus code 1 - MPs

codes: 111,651,652,653

```
class      :      numeric
unique     :         202
NAs        :           0
not-NA     :         786
```

```

not-0-NA :      783
sum       :      602 402
range     : [ 0 ] ... [ 4779 ]
examples  : [483], [626], [594], [485], [1660], [201], [201], [251], [974], [642] ...

```

wds_corp_act_2 (textlines)

Number of words with aggregated corpus code 2 - PPGs

codes: 641,642,643

```

class     :      numeric
unique    :          67
NAs       :          0
not-NA    :          786
not-0-NA  :          450
sum       :      109 451
range     : [ 0 ] ... [ 841 ]
examples  : [198], [0], [241], [23], [274], [0], [55], [0], [0], [0] ...

```

wds_corp_act_3 (textlines)

Number of words with aggregated corpus code 3 - committees

codes: 125, 131, 132, 133, 134, 242, 54, 631, 632, 633, 634, 6351, 6352, 636, 637, 638, 639

```

class     :      numeric
unique    :          476
NAs       :          0
not-NA    :          786
not-0-NA  :          786
sum       :       2 864 288
range     : [ 264 ] ... [ 12091 ]
examples  :      [2414], [3403], [2282], [1916], [11294], [2237], [2385], [2283], [11137],
[4281] ...

```

wds_corp_act_4 (textlines)

Number of words with aggregated corpus code 4 - governing body

codes: 612, 6211, 6212, 6221, 6222

```

class     :      numeric
unique    :          201
NAs       :          0
not-NA    :          786
not-0-NA  :          776
sum       :       997 383
range     : [ 0 ] ... [ 3291 ]
examples  :      [1437], [1277], [1926], [3236], [1982], [677], [1793], [540], [1772], [425]
...

```

wds_corp_act_66 (textlines)

Number of words with aggregated corpus code 66 - not used for aggregation

codes: 112, 123, 22, 55, 8, 56, 34, 113, 611, 121, 122, 51, 73, 21, 142, 32, 26, 71, 25, 53, 143, 23, 10, 9, 68, 412, 52, 411, 145, 43, 241, 243, 244, 72, 114, 613, 29, 124, 33, 31, 27, 28, 141, 442, 66, 441, 45, 422, 421, 144

```
class      :      numeric
unique     :          623
NAs        :           0
not-NA     :          786
not-0-NA   :          786
sum        :    7 781 117
range      : [ 1810 ] ... [ 25564 ]
examples   :    [11186], [7802], [4625], [7905], [13889], [19700], [8341], [7906], [7460],
              [7309] ...
```

wds_corp_act_77 (textlines)

Number of words with aggregated corpus code 77 - not relevant

codes: 999

```
class      :      numeric
unique     :          333
NAs        :           0
not-NA     :          786
not-0-NA   :          786
sum        :    453 248
range      : [ 38 ] ... [ 30211 ]
examples   : [532], [141], [139], [148], [279], [139], [125], [190], [233], [115] ...
```

8.16 corpus code changes

wds_corp_mdf_8 (textlines, linelinkage)

Number of words with corpus code 8 which have changed from last version to this - see lns_corp_8 also wds_mdf for more information.

```
class      :      numeric
unique     :           49
NAs        :           16
not-NA     :          770
not-0-NA   :           63
sum        :    4 087
range      : [ 0 ] ... [ 544 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_mdf_9 (textlines, linelinkage)

Number of words with corpus code 9 which have changed from last version to this - see `lms_corpus_9` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          8
NAs        :          16
not-NA     :         770
not-0-NA   :           7
sum        :         151
range      : [ 0 ] ... [ 112 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corpus_mdf_10 (textlines, linelinkage)

Number of words with corpus code 10 which have changed from last version to this - see `lms_corpus_10` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          64
NAs        :          16
not-NA     :         770
not-0-NA   :         102
sum        :        6 498
range      : [ 0 ] ... [ 467 ]
examples   : [0], [129], [23], [0], [0], [0], [0], [0], [72], [0] ...
```

wds_corpus_mdf_21 (textlines, linelinkage)

Number of words with corpus code 21 which have changed from last version to this - see `lms_corpus_21` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          32
NAs        :          16
not-NA     :         770
not-0-NA   :          35
sum        :        2 856
range      : [ 0 ] ... [ 437 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corpus_mdf_22 (textlines, linelinkage)

Number of words with corpus code 22 which have changed from last version to this - see `lms_corpus_22` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          92
NAs        :          16
not-NA     :         770
not-0-NA   :         127
sum        :       20 098
range      : [ 0 ] ... [ 4427 ]
```

examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

wds_corp_mdf_23 (textlines, linelinkage)

Number of words with corpus code 23 which have changed from last version to this - see lns_corp_23 also wds_mdf for more information.

```
class      :      numeric
unique     :          26
NAs        :          16
not-NA     :          770
not-0-NA   :          26
sum        :          1 694
range      : [ 0 ] ... [ 276 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_mdf_25 (textlines, linelinkage)

Number of words with corpus code 25 which have changed from last version to this - see lns_corp_25 also wds_mdf for more information.

```
class      :      numeric
unique     :          49
NAs        :          16
not-NA     :          770
not-0-NA   :          61
sum        :          6 262
range      : [ 0 ] ... [ 1819 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_mdf_26 (textlines, linelinkage)

Number of words with corpus code 26 which have changed from last version to this - see lns_corp_26 also wds_mdf for more information.

```
class      :      numeric
unique     :          44
NAs        :          16
not-NA     :          770
not-0-NA   :          60
sum        :          5 154
range      : [ 0 ] ... [ 1081 ]
examples   : [0], [0], [0], [0], [NA], [0], [0], [0], [0], [0] ...
```

wds_corp_mdf_27 (textlines, linelinkage)

Number of words with corpus code 27 which have changed from last version to this - see lns_corp_27 also wds_mdf for more information.

```
class      :      numeric
unique     :          10
```

```

NAs      :      16
not-NA   :      770
not-0-NA :       8
sum       :     284
range    : [ 0 ] ... [ 105 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_28 (textlines, linelinkage)

Number of words with corpus code 28 which have changed from last version to this - see lns_corp_28 also wds_mdf for more information.

```

class     :      numeric
unique    :       8
NAs       :      16
not-NA    :      770
not-0-NA  :       6
sum        :     350
range     : [ 0 ] ... [ 205 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_29 (textlines, linelinkage)

Number of words with corpus code 29 which have changed from last version to this - see lns_corp_29 also wds_mdf for more information.

```

class     :      numeric
unique    :      41
NAs       :      16
not-NA    :      770
not-0-NA  :      50
sum        :     3 658
range     : [ 0 ] ... [ 533 ]
examples  : [0], [0], [0], [34], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_31 (textlines, linelinkage)

Number of words with corpus code 31 which have changed from last version to this - see lns_corp_31 also wds_mdf for more information.

```

class     :      numeric
unique    :      10
NAs       :      16
not-NA    :      770
not-0-NA  :      11
sum        :     381
range     : [ 0 ] ... [ 186 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_32 (textlines, linelinkage)

Number of words with corpus code 32 which have changed from last version to this - see lns_corp_32 also wds_mdf for more information.

```
class      :      numeric
unique     :          19
NAs        :          16
not-NA     :         770
not-0-NA   :          21
sum        :         1 533
range      : [ 0 ] ... [ 691 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_mdf_33 (textlines, linelinkage)

Number of words with corpus code 33 which have changed from last version to this - see lns_corp_33 also wds_mdf for more information.

```
class      :      numeric
unique     :          14
NAs        :          16
not-NA     :         770
not-0-NA   :          13
sum        :         621
range      : [ 0 ] ... [ 284 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_mdf_34 (textlines, linelinkage)

Number of words with corpus code 34 which have changed from last version to this - see lns_corp_34 also wds_mdf for more information.

```
class      :      numeric
unique     :          45
NAs        :          16
not-NA     :         770
not-0-NA   :          69
sum        :         3 338
range      : [ 0 ] ... [ 298 ]
examples   : [0], [0], [32], [0], [0], [0], [NA], [0], [0], [0] ...
```

wds_corp_mdf_43 (textlines, linelinkage)

Number of words with corpus code 43 which have changed from last version to this - see lns_corp_43 also wds_mdf for more information.

```
class      :      numeric
unique     :          13
NAs        :          16
not-NA     :         770
not-0-NA   :          11
```

```

sum      :      428
range    : [ 0 ] ... [ 142 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds__corp__mdf__45 (textlines, linelinkage)

Number of words with corpus code 45 which have changed from last version to this - see lns__corp__45 also wds__mdf for more information.

```

class     :      numeric
unique    :          9
NAs       :         16
not-NA    :        770
not-0-NA  :          7
sum       :        341
range     : [ 0 ] ... [ 143 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds__corp__mdf__51 (textlines, linelinkage)

Number of words with corpus code 51 which have changed from last version to this - see lns__corp__51 also wds__mdf for more information.

```

class     :      numeric
unique    :         90
NAs       :         16
not-NA    :        770
not-0-NA  :        128
sum       :       16 869
range     : [ 0 ] ... [ 2587 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds__corp__mdf__52 (textlines, linelinkage)

Number of words with corpus code 52 which have changed from last version to this - see lns__corp__52 also wds__mdf for more information.

```

class     :      numeric
unique    :         28
NAs       :         16
not-NA    :        770
not-0-NA  :         27
sum       :       2 081
range     : [ 0 ] ... [ 322 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds__corp__mdf__53 (textlines, linelinkage)

Number of words with corpus code 53 which have changed from last version to this - see lns__corp__53 also wds__mdf for more information.


```

class      :      numeric
unique     :          116
NAs        :          16
not-NA     :          770
not-0-NA   :          151
sum        :          22 290
range      : [ 0 ] ... [ 1149 ]
examples   : [0], [0], [0], [0], [0], [0], [73], [0], [0], [0] ...

```

wds_corp_mdf_54 (textlines, linelinkage)

Number of words with corpus code 54 which have changed from last version to this - see lns_corp_54 also wds_mdf for more information.

```

class      :      numeric
unique     :          44
NAs        :          16
not-NA     :          770
not-0-NA   :          56
sum        :          4 287
range      : [ 0 ] ... [ 602 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_55 (textlines, linelinkage)

Number of words with corpus code 55 which have changed from last version to this - see lns_corp_55 also wds_mdf for more information.

```

class      :      numeric
unique     :          62
NAs        :          16
not-NA     :          770
not-0-NA   :          89
sum        :          6 329
range      : [ 0 ] ... [ 586 ]
examples   : [0], [0], [0], [0], [0], [167], [0], [0], [0], [101] ...

```

wds_corp_mdf_56 (textlines, linelinkage)

Number of words with corpus code 56 which have changed from last version to this - see lns_corp_56 also wds_mdf for more information.

```

class      :      numeric
unique     :          76
NAs        :          16
not-NA     :          770
not-0-NA   :          108
sum        :          7 379
range      : [ 0 ] ... [ 469 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [47], [22] ...

```

wds_corp_mdf_66 (textlines, linelinkage)

Number of words with corpus code 66 which have changed from last version to this - see lns_corp_66 also wds_mdf for more information.

```
class      :      numeric
unique     :          2
NAs        :         16
not-NA     :        770
not-0-NA   :          0
sum        :          0
range      : [ 0 ] ... [ 0 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_mdf_67 (textlines, linelinkage)

Number of words with corpus code 67 which have changed from last version to this - see lns_corp_67 also wds_mdf for more information.

```
class      :      numeric
unique     :          7
NAs        :         16
not-NA     :        770
not-0-NA   :          5
sum        :        274
range      : [ 0 ] ... [ 140 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_mdf_68 (textlines, linelinkage)

Number of words with corpus code 68 which have changed from last version to this - see lns_corp_68 also wds_mdf for more information.

```
class      :      numeric
unique     :         39
NAs        :         16
not-NA     :        770
not-0-NA   :         55
sum        :      2 903
range      : [ 0 ] ... [ 346 ]
examples   : [0], [0], [2], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_mdf_71 (textlines, linelinkage)

Number of words with corpus code 71 which have changed from last version to this - see lns_corp_71 also wds_mdf for more information.

```
class      :      numeric
unique     :         30
NAs        :         16
not-NA     :        770
```

```

not-0-NA :      33
sum       :      1 569
range     : [ 0 ] ... [ 322 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_72 (textlines, linelinkage)

Number of words with corpus code 72 which have changed from last version to this - see lns_corp_72 also wds_mdf for more information.

```

class     :      numeric
unique    :      15
NAs       :      16
not-NA    :      770
not-0-NA  :      15
sum       :      492
range     : [ 0 ] ... [ 158 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_73 (textlines, linelinkage)

Number of words with corpus code 73 which have changed from last version to this - see lns_corp_73 also wds_mdf for more information.

```

class     :      numeric
unique    :      13
NAs       :      16
not-NA    :      770
not-0-NA  :      11
sum       :      595
range     : [ 0 ] ... [ 282 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_111 (textlines, linelinkage)

Number of words with corpus code 111 which have changed from last version to this - see lns_corp_111 also wds_mdf for more information.

```

class     :      numeric
unique    :      35
NAs       :      16
not-NA    :      770
not-0-NA  :      41
sum       :      1 739
range     : [ 0 ] ... [ 192 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [8] ...

```

wds_corp_mdf_112 (textlines, linelinkage)

Number of words with corpus code 112 which have changed from last version to this - see `lms_corp_112` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          45
NAs        :          16
not-NA     :         770
not-0-NA   :          59
sum        :         3 021
range      : [ 0 ] ... [ 450 ]
examples   : [0], [0], [22], [0], [0], [27], [0], [0], [0], [0] ...
```

wds_corp_mdf_113 (textlines, linelinkage)

Number of words with corpus code 113 which have changed from last version to this - see `lms_corp_113` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          54
NAs        :          16
not-NA     :         770
not-0-NA   :          82
sum        :         6 009
range      : [ 0 ] ... [ 592 ]
examples   : [0], [104], [0], [0], [0], [0], [208], [0], [0], [122] ...
```

wds_corp_mdf_114 (textlines, linelinkage)

Number of words with corpus code 114 which have changed from last version to this - see `lms_corp_114` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          16
NAs        :          16
not-NA     :         770
not-0-NA   :          16
sum        :         1 645
range      : [ 0 ] ... [ 524 ]
examples   : [0], [0], [0], [0], [0], [37], [0], [0], [0], [9] ...
```

wds_corp_mdf_121 (textlines, linelinkage)

Number of words with corpus code 121 which have changed from last version to this - see `lms_corp_121` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          57
NAs        :          16
not-NA     :         770
not-0-NA   :          71
sum        :         5 700
range      : [ 0 ] ... [ 545 ]
```

examples : [0], [NA], [0], [0], [0], [4], [0], [0], [0], [1] ...

wds_corp_mdf_122 (textlines, linelinkage)

Number of words with corpus code 122 which have changed from last version to this - see lns_corp_122 also wds_mdf for more information.

```
class      :      numeric
unique     :          46
NAs        :          16
not-NA     :         770
not-0-NA   :          63
sum        :         3 458
range      : [ 0 ] ... [ 290 ]
examples   : [0], [0], [0], [NA], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_mdf_123 (textlines, linelinkage)

Number of words with corpus code 123 which have changed from last version to this - see lns_corp_123 also wds_mdf for more information.

```
class      :      numeric
unique     :          89
NAs        :          16
not-NA     :         770
not-0-NA   :         130
sum        :        14 288
range      : [ 0 ] ... [ 1177 ]
examples   : [0], [0], [0], [0], [34], [0], [0], [17], [0], [0] ...
```

wds_corp_mdf_124 (textlines, linelinkage)

Number of words with corpus code 124 which have changed from last version to this - see lns_corp_124 also wds_mdf for more information.

```
class      :      numeric
unique     :          14
NAs        :          16
not-NA     :         770
not-0-NA   :          16
sum        :         358
range      : [ 0 ] ... [ 176 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_mdf_125 (textlines, linelinkage)

Number of words with corpus code 125 which have changed from last version to this - see lns_corp_125 also wds_mdf for more information.

```
class      :      numeric
unique     :          57
```

```

NAs      :      16
not-NA   :      770
not-0-NA :      77
sum      :      4 681
range    : [ 0 ] ... [ 355 ]
examples : [0], [110], [0], [21], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_131 (textlines, linelinkage)

Number of words with corpus code 131 which have changed from last version to this - see lns_corp_131 also wds_mdf for more information.

```

class    :      numeric
unique   :      36
NAs      :      16
not-NA   :      770
not-0-NA :      42
sum      :      1 999
range    : [ 0 ] ... [ 311 ]
examples : [2], [0], [0], [0], [0], [0], [0], [0], [3], [0] ...

```

wds_corp_mdf_132 (textlines, linelinkage)

Number of words with corpus code 132 which have changed from last version to this - see lns_corp_132 also wds_mdf for more information.

```

class    :      numeric
unique   :      20
NAs      :      16
not-NA   :      770
not-0-NA :      22
sum      :      730
range    : [ 0 ] ... [ 143 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_133 (textlines, linelinkage)

Number of words with corpus code 133 which have changed from last version to this - see lns_corp_133 also wds_mdf for more information.

```

class    :      numeric
unique   :      31
NAs      :      16
not-NA   :      770
not-0-NA :      42
sum      :      1 254
range    : [ 0 ] ... [ 148 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_134 (textlines, linelinkage)

Number of words with corpus code 134 which have changed from last version to this - see lns_corp_134 also wds_mdf for more information.

```
class      :      numeric
unique     :          65
NAs        :          16
not-NA     :          770
not-0-NA   :          101
sum        :          6 142
range      : [ 0 ] ... [ 269 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [123], [0] ...
```

wds_corp_mdf_141 (textlines, linelinkage)

Number of words with corpus code 141 which have changed from last version to this - see lns_corp_141 also wds_mdf for more information.

```
class      :      numeric
unique     :           8
NAs        :          16
not-NA     :          770
not-0-NA   :           7
sum        :          189
range      : [ 0 ] ... [ 69 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_mdf_142 (textlines, linelinkage)

Number of words with corpus code 142 which have changed from last version to this - see lns_corp_142 also wds_mdf for more information.

```
class      :      numeric
unique     :          31
NAs        :          16
not-NA     :          770
not-0-NA   :          37
sum        :          2 166
range      : [ 0 ] ... [ 591 ]
examples   : [0], [NA], [0], [0], [0], [0], [0], [0], [0], [55] ...
```

wds_corp_mdf_143 (textlines, linelinkage)

Number of words with corpus code 143 which have changed from last version to this - see lns_corp_143 also wds_mdf for more information.

```
class      :      numeric
unique     :          12
NAs        :          16
not-NA     :          770
not-0-NA   :          14
```

```

sum      :      459
range    : [ 0 ] ... [ 153 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_144 (textlines, linelinkage)

Number of words with corpus code 144 which have changed from last version to this - see lns_corp_144 also wds_mdf for more information.

```

class     :      numeric
unique    :          7
NAs       :         16
not-NA    :        770
not-0-NA  :          5
sum       :         76
range     : [ 0 ] ... [ 52 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_145 (textlines, linelinkage)

Number of words with corpus code 145 which have changed from last version to this - see lns_corp_145 also wds_mdf for more information.

```

class     :      numeric
unique    :          6
NAs       :         16
not-NA    :        770
not-0-NA  :          4
sum       :        113
range     : [ 0 ] ... [ 45 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_241 (textlines, linelinkage)

Number of words with corpus code 241 which have changed from last version to this - see lns_corp_241 also wds_mdf for more information.

```

class     :      numeric
unique    :         24
NAs       :         16
not-NA    :        770
not-0-NA  :         23
sum       :        1 339
range     : [ 0 ] ... [ 289 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [21], [0] ...

```

wds_corp_mdf_242 (textlines, linelinkage)

Number of words with corpus code 242 which have changed from last version to this - see lns_corp_242 also wds_mdf for more information.


```

class      :      numeric
unique     :          27
NAs        :          16
not-NA     :          770
not-0-NA   :          33
sum        :          2 539
range      : [ 0 ] ... [ 1096 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [NA] ...

```

wds_corp_mdf_243 (textlines, linelinkage)

Number of words with corpus code 243 which have changed from last version to this - see lns_corp_243 also wds_mdf for more information.

```

class      :      numeric
unique     :          3
NAs        :          16
not-NA     :          770
not-0-NA   :          1
sum        :          115
range      : [ 0 ] ... [ 115 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_244 (textlines, linelinkage)

Number of words with corpus code 244 which have changed from last version to this - see lns_corp_244 also wds_mdf for more information.

```

class      :      numeric
unique     :          11
NAs        :          16
not-NA     :          770
not-0-NA   :          10
sum        :          318
range      : [ 0 ] ... [ 85 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_411 (textlines, linelinkage)

Number of words with corpus code 411 which have changed from last version to this - see lns_corp_411 also wds_mdf for more information.

```

class      :      numeric
unique     :          20
NAs        :          16
not-NA     :          770
not-0-NA   :          18
sum        :          1 997
range      : [ 0 ] ... [ 535 ]
examples   : [0], [47], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_412 (textlines, linelinkage)

Number of words with corpus code 412 which have changed from last version to this - see lns_corp_412 also wds_mdf for more information.

```
class      :      numeric
unique     :          27
NAs        :          16
not-NA     :          770
not-0-NA   :          33
sum        :          1 299
range      : [ 0 ] ... [ 133 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_mdf_421 (textlines, linelinkage)

Number of words with corpus code 421 which have changed from last version to this - see lns_corp_421 also wds_mdf for more information.

```
class      :      numeric
unique     :          10
NAs        :          16
not-NA     :          770
not-0-NA   :           9
sum        :          290
range      : [ 0 ] ... [ 136 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_mdf_422 (textlines, linelinkage)

Number of words with corpus code 422 which have changed from last version to this - see lns_corp_422 also wds_mdf for more information.

```
class      :      numeric
unique     :          10
NAs        :          16
not-NA     :          770
not-0-NA   :           8
sum        :          210
range      : [ 0 ] ... [ 72 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_mdf_441 (textlines, linelinkage)

Number of words with corpus code 441 which have changed from last version to this - see lns_corp_441 also wds_mdf for more information.

```
class      :      numeric
unique     :           2
NAs        :          16
not-NA     :          770
```

```

not-0-NA :      0
sum       :      0
range     : [ 0 ] ... [ 0 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_442 (textlines, linelinkage)

Number of words with corpus code 442 which have changed from last version to this - see lns_corp_442 also wds_mdf for more information.

```

class     :      numeric
unique    :          7
NAs       :         16
not-NA    :        770
not-0-NA  :          5
sum       :         65
range     : [ 0 ] ... [ 23 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_611 (textlines, linelinkage)

Number of words with corpus code 611 which have changed from last version to this - see lns_corp_611 also wds_mdf for more information.

```

class     :      numeric
unique    :         95
NAs       :         16
not-NA    :        770
not-0-NA  :        139
sum       :       12 499
range     : [ 0 ] ... [ 476 ]
examples  : [0], [20], [0], [NA], [0], [0], [0], [0], [0], [102] ...

```

wds_corp_mdf_612 (textlines, linelinkage)

Number of words with corpus code 612 which have changed from last version to this - see lns_corp_612 also wds_mdf for more information.

```

class     :      numeric
unique    :         48
NAs       :         16
not-NA    :        770
not-0-NA  :         66
sum       :        5 686
range     : [ 0 ] ... [ 789 ]
examples  : [0], [0], [0], [0], [0], [0], [77], [0], [0], [0] ...

```

wds_corp_mdf_613 (textlines, linelinkage)

Number of words with corpus code 613 which have changed from last version to this - see `lms_corpus_613` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          62
NAs        :          16
not-NA     :         770
not-0-NA   :          86
sum        :         5 285
range      : [ 0 ] ... [ 327 ]
examples   : [0], [0], [0], [0], [0], [8], [299], [0], [0], [0] ...
```

wds_corpus_mdf_631 (textlines, linelinkage)

Number of words with corpus code 631 which have changed from last version to this - see `lms_corpus_631` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          26
NAs        :          16
not-NA     :         770
not-0-NA   :          32
sum        :         1 413
range      : [ 0 ] ... [ 218 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corpus_mdf_632 (textlines, linelinkage)

Number of words with corpus code 632 which have changed from last version to this - see `lms_corpus_632` also `wds_mdf` for more information.

```
class      :      numeric
unique     :         110
NAs        :          16
not-NA     :         770
not-0-NA   :         219
sum        :        23 580
range      : [ 0 ] ... [ 4856 ]
examples   : [0], [0], [17], [0], [0], [0], [0], [31], [0], [113] ...
```

wds_corpus_mdf_633 (textlines, linelinkage)

Number of words with corpus code 633 which have changed from last version to this - see `lms_corpus_633` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          50
NAs        :          16
not-NA     :         770
not-0-NA   :          79
sum        :         3 022
range      : [ 0 ] ... [ 184 ]
```

examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

wds_corp_mdf_634 (textlines, linelinkage)

Number of words with corpus code 634 which have changed from last version to this - see lns_corp_634 also wds_mdf for more information.

```
class      :      numeric
unique     :          60
NAs        :          16
not-NA     :         770
not-0-NA   :          97
sum        :         4 524
range      : [ 0 ] ... [ 337 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_mdf_636 (textlines, linelinkage)

Number of words with corpus code 636 which have changed from last version to this - see lns_corp_636 also wds_mdf for more information.

```
class      :      numeric
unique     :          38
NAs        :          16
not-NA     :         770
not-0-NA   :          45
sum        :         2 050
range      : [ 0 ] ... [ 217 ]
examples   : [0], [0], [0], [NA], [NA], [0], [0], [85], [17], [0] ...
```

wds_corp_mdf_637 (textlines, linelinkage)

Number of words with corpus code 637 which have changed from last version to this - see lns_corp_637 also wds_mdf for more information.

```
class      :      numeric
unique     :          34
NAs        :          16
not-NA     :         770
not-0-NA   :          35
sum        :         2 696
range      : [ 0 ] ... [ 538 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_mdf_638 (textlines, linelinkage)

Number of words with corpus code 638 which have changed from last version to this - see lns_corp_638 also wds_mdf for more information.

```
class      :      numeric
unique     :           5
```

```

NAs      :      16
not-NA   :      770
not-0-NA :       3
sum       :      410
range    : [ 0 ] ... [ 358 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_639 (textlines, linelinkage)

Number of words with corpus code 639 which have changed from last version to this - see lns_corp_639 also wds_mdf for more information.

```

class     :      numeric
unique    :       78
NAs       :       16
not-NA    :      770
not-0-NA  :      135
sum        :    10 934
range     : [ 0 ] ... [ 1063 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [203], [0], [0] ...

```

wds_corp_mdf_641 (textlines, linelinkage)

Number of words with corpus code 641 which have changed from last version to this - see lns_corp_641 also wds_mdf for more information.

```

class     :      numeric
unique    :       25
NAs       :       16
not-NA    :      770
not-0-NA  :       28
sum        :     1 106
range     : [ 0 ] ... [ 267 ]
examples  : [0], [0], [0], [0], [93], [0], [0], [2], [0], [0] ...

```

wds_corp_mdf_642 (textlines, linelinkage)

Number of words with corpus code 642 which have changed from last version to this - see lns_corp_642 also wds_mdf for more information.

```

class     :      numeric
unique    :       21
NAs       :       16
not-NA    :      770
not-0-NA  :       21
sum        :     975
range     : [ 0 ] ... [ 163 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_643 (textlines, linelinkage)

Number of words with corpus code 643 which have changed from last version to this - see lns_corp_643 also wds_mdf for more information.

```
class      :      numeric
unique     :          10
NAs        :          16
not-NA     :         770
not-O-NA   :          10
sum        :         502
range      : [ 0 ] ... [ 154 ]
examples   : [0], [0], [0], [0], [0], [0], [NA], [0], [0], [0] ...
```

wds_corp_mdf_651 (textlines, linelinkage)

Number of words with corpus code 651 which have changed from last version to this - see lns_corp_651 also wds_mdf for more information.

```
class      :      numeric
unique     :          60
NAs        :          16
not-NA     :         770
not-O-NA   :          87
sum        :          6 631
range      : [ 0 ] ... [ 598 ]
examples   : [0], [0], [0], [0], [4], [0], [0], [0], [0], [0] ...
```

wds_corp_mdf_652 (textlines, linelinkage)

Number of words with corpus code 652 which have changed from last version to this - see lns_corp_652 also wds_mdf for more information.

```
class      :      numeric
unique     :          60
NAs        :          16
not-NA     :         770
not-O-NA   :          78
sum        :          6 415
range      : [ 0 ] ... [ 971 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_mdf_653 (textlines, linelinkage)

Number of words with corpus code 653 which have changed from last version to this - see lns_corp_653 also wds_mdf for more information.

```
class      :      numeric
unique     :          10
NAs        :          16
not-NA     :         770
not-O-NA   :           8
```

```

sum      :          575
range    : [ 0 ] ... [ 231 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_999 (textlines, linelinkage)

Number of words with corpus code 999 which have changed from last version to this - see lns_corp_999 also wds_mdf for more information.

```

class    :      numeric
unique   :          2
NAs      :          16
not-NA   :          770
not-0-NA :          0
sum      :          0
range    : [ 0 ] ... [ 0 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_6211 (textlines, linelinkage)

Number of words with corpus code 6211 which have changed from last version to this - see lns_corp_6211 also wds_mdf for more information.

```

class    :      numeric
unique   :          56
NAs      :          16
not-NA   :          770
not-0-NA :          69
sum      :          4 530
range    : [ 0 ] ... [ 477 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_6212 (textlines, linelinkage)

Number of words with corpus code 6212 which have changed from last version to this - see lns_corp_6212 also wds_mdf for more information.

```

class    :      numeric
unique   :          51
NAs      :          16
not-NA   :          770
not-0-NA :          61
sum      :          5 387
range    : [ 0 ] ... [ 1069 ]
examples : [0], [0], [0], [38], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_6221 (textlines, linelinkage)

Number of words with corpus code 6221 which have changed from last version to this - see lns_corp_6221 also wds_mdf for more information.


```

class      :      numeric
unique     :          37
NAs        :          16
not-NA     :          770
not-0-NA   :          47
sum        :          1 552
range      : [ 0 ] ... [ 261 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_6222 (textlines, linelinkage)

Number of words with corpus code 6222 which have changed from last version to this - see lns_corp_6222 also wds_mdf for more information.

```

class      :      numeric
unique     :          33
NAs        :          16
not-NA     :          770
not-0-NA   :          40
sum        :          1 571
range      : [ 0 ] ... [ 234 ]
examples   : [0], [0], [0], [0], [0], [14], [0], [0], [0], [0] ...

```

wds_corp_mdf_6351 (textlines, linelinkage)

Number of words with corpus code 6351 which have changed from last version to this - see lns_corp_6351 also wds_mdf for more information.

```

class      :      numeric
unique     :          13
NAs        :          16
not-NA     :          770
not-0-NA   :          14
sum        :          233
range      : [ 0 ] ... [ 101 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_mdf_6352 (textlines, linelinkage)

Number of words with corpus code 6352 which have changed from last version to this - see lns_corp_6352 also wds_mdf for more information.

```

class      :      numeric
unique     :          19
NAs        :          16
not-NA     :          770
not-0-NA   :          21
sum        :          641
range      : [ 0 ] ... [ 124 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_8 (textlines, linelinkage)

Number of words with corpus code 8 which have changed from last version to this - see lns_corp_8 also wds_mdf for more information.

```
class      :      numeric
unique     :           24
NAs        :           16
not-NA     :          770
not-0-NA   :           22
sum        :      2 271
range      : [ 0 ] ... [ 708 ]
examples   : [0], [0], [0], [0], [NA], [0], [0], [50], [0], [0] ...
```

wds_corp_ins_9 (textlines, linelinkage)

Number of words with corpus code 9 which have changed from last version to this - see lns_corp_9 also wds_mdf for more information.

```
class      :      numeric
unique     :           30
NAs        :           16
not-NA     :          770
not-0-NA   :           33
sum        :      2 480
range      : [ 0 ] ... [ 633 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_ins_10 (textlines, linelinkage)

Number of words with corpus code 10 which have changed from last version to this - see lns_corp_10 also wds_mdf for more information.

```
class      :      numeric
unique     :           63
NAs        :           16
not-NA     :          770
not-0-NA   :           73
sum        :     11 172
range      : [ 0 ] ... [ 2330 ]
examples   : [0], [0], [0], [68], [175], [0], [0], [45], [0], [0] ...
```

wds_corp_ins_21 (textlines, linelinkage)

Number of words with corpus code 21 which have changed from last version to this - see lns_corp_21 also wds_mdf for more information.

```
class      :      numeric
unique     :           23
NAs        :           16
not-NA     :          770
```

```

not-0-NA :      29
sum       :      2 794
range     : [ 0 ] ... [ 784 ]
examples  : [0], [0], [0], [0], [0], [0], [NA], [0], [0], [0] ...

```

wds_corp_ins_22 (textlines, linelinkage)

Number of words with corpus code 22 which have changed from last version to this - see lns_corp_22 also wds_mdf for more information.

```

class     :      numeric
unique    :      73
NAs       :      16
not-NA    :      770
not-0-NA  :      80
sum       :      14 195
range     : [ 0 ] ... [ 1879 ]
examples  : [0], [0], [0], [0], [0], [0], [71], [35], [0], [0] ...

```

wds_corp_ins_23 (textlines, linelinkage)

Number of words with corpus code 23 which have changed from last version to this - see lns_corp_23 also wds_mdf for more information.

```

class     :      numeric
unique    :      19
NAs       :      16
not-NA    :      770
not-0-NA  :      17
sum       :      2 253
range     : [ 0 ] ... [ 547 ]
examples  : [0], [0], [0], [0], [0], [0], [13], [0], [0], [0] ...

```

wds_corp_ins_25 (textlines, linelinkage)

Number of words with corpus code 25 which have changed from last version to this - see lns_corp_25 also wds_mdf for more information.

```

class     :      numeric
unique    :      30
NAs       :      16
not-NA    :      770
not-0-NA  :      28
sum       :      4 373
range     : [ 0 ] ... [ 832 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_26 (textlines, linelinkage)

Number of words with corpus code 26 which have changed from last version to this - see `lms_corp_26` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          28
NAs        :          16
not-NA     :         770
not-0-NA   :          30
sum        :         5 668
range      : [ 0 ] ... [ 911 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_ins_27 (textlines, linelinkage)

Number of words with corpus code 27 which have changed from last version to this - see `lms_corp_27` also `wds_mdf` for more information.

```
class      :      numeric
unique     :           5
NAs        :          16
not-NA     :         770
not-0-NA   :           3
sum        :         529
range      : [ 0 ] ... [ 484 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_ins_28 (textlines, linelinkage)

Number of words with corpus code 28 which have changed from last version to this - see `lms_corp_28` also `wds_mdf` for more information.

```
class      :      numeric
unique     :           5
NAs        :          16
not-NA     :         770
not-0-NA   :           3
sum        :         864
range      : [ 0 ] ... [ 441 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_ins_29 (textlines, linelinkage)

Number of words with corpus code 29 which have changed from last version to this - see `lms_corp_29` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          35
NAs        :          16
not-NA     :         770
not-0-NA   :          33
sum        :        13 308
range      : [ 0 ] ... [ 2350 ]
```

examples : [0], [0], [0], [0], [10], [0], [0], [0], [0], [0] ...

wds_corp_ins_31 (textlines, linelinkage)

Number of words with corpus code 31 which have changed from last version to this - see lns_corp_31 also wds_mdf for more information.

```
class      :      numeric
unique     :          8
NAs        :         16
not-NA     :        770
not-O-NA   :          6
sum        :        852
range      : [ 0 ] ... [ 387 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_ins_32 (textlines, linelinkage)

Number of words with corpus code 32 which have changed from last version to this - see lns_corp_32 also wds_mdf for more information.

```
class      :      numeric
unique     :         11
NAs        :         16
not-NA     :        770
not-O-NA   :          9
sum        :        1 793
range      : [ 0 ] ... [ 779 ]
examples   : [0], [0], [0], [0], [0], [0], [NA], [0], [0], [0] ...
```

wds_corp_ins_33 (textlines, linelinkage)

Number of words with corpus code 33 which have changed from last version to this - see lns_corp_33 also wds_mdf for more information.

```
class      :      numeric
unique     :          6
NAs        :         16
not-NA     :        770
not-O-NA   :          4
sum        :        482
range      : [ 0 ] ... [ 244 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_ins_34 (textlines, linelinkage)

Number of words with corpus code 34 which have changed from last version to this - see lns_corp_34 also wds_mdf for more information.

```
class      :      numeric
unique     :         48
```

```

NAs      :      16
not-NA   :      770
not-0-NA :      55
sum      :      4 430
range    : [ 0 ] ... [ 479 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_43 (textlines, linelinkage)

Number of words with corpus code 43 which have changed from last version to this - see lns_corp_43 also wds_mdf for more information.

```

class    :      numeric
unique   :      12
NAs      :      16
not-NA   :      770
not-0-NA :      11
sum      :      647
range    : [ 0 ] ... [ 171 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_45 (textlines, linelinkage)

Number of words with corpus code 45 which have changed from last version to this - see lns_corp_45 also wds_mdf for more information.

```

class    :      numeric
unique   :      6
NAs      :      16
not-NA   :      770
not-0-NA :      4
sum      :      1 177
range    : [ 0 ] ... [ 554 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_51 (textlines, linelinkage)

Number of words with corpus code 51 which have changed from last version to this - see lns_corp_51 also wds_mdf for more information.

```

class    :      numeric
unique   :      65
NAs      :      16
not-NA   :      770
not-0-NA :      72
sum      :      7 981
range    : [ 0 ] ... [ 493 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_52 (textlines, linelinkage)

Number of words with corpus code 52 which have changed from last version to this - see lns_corp_52 also wds_mdf for more information.

```
class      :      numeric
unique     :          21
NAs        :          16
not-NA     :          770
not-0-NA   :          20
sum         :          4 041
range      : [ 0 ] ... [ 586 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_ins_53 (textlines, linelinkage)

Number of words with corpus code 53 which have changed from last version to this - see lns_corp_53 also wds_mdf for more information.

```
class      :      numeric
unique     :          85
NAs        :          16
not-NA     :          770
not-0-NA   :          95
sum         :         14 976
range      : [ 0 ] ... [ 674 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_ins_54 (textlines, linelinkage)

Number of words with corpus code 54 which have changed from last version to this - see lns_corp_54 also wds_mdf for more information.

```
class      :      numeric
unique     :          25
NAs        :          16
not-NA     :          770
not-0-NA   :          25
sum         :          4 580
range      : [ 0 ] ... [ 845 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [18], [0], [0], [0] ...
```

wds_corp_ins_55 (textlines, linelinkage)

Number of words with corpus code 55 which have changed from last version to this - see lns_corp_55 also wds_mdf for more information.

```
class      :      numeric
unique     :          53
NAs        :          16
not-NA     :          770
not-0-NA   :          61
```

```

sum      :      6 727
range    : [ 0 ] ... [ 1260 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_56 (textlines, linelinkage)

Number of words with corpus code 56 which have changed from last version to this - see lns_corp_56 also wds_mdf for more information.

```

class     :      numeric
unique    :          53
NAs       :          16
not-NA    :          770
not-0-NA  :          64
sum       :      6 594
range     : [ 0 ] ... [ 547 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_66 (textlines, linelinkage)

Number of words with corpus code 66 which have changed from last version to this - see lns_corp_66 also wds_mdf for more information.

```

class     :      numeric
unique    :           3
NAs       :          16
not-NA    :          770
not-0-NA  :           2
sum       :          82
range     : [ 0 ] ... [ 41 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_67 (textlines, linelinkage)

Number of words with corpus code 67 which have changed from last version to this - see lns_corp_67 also wds_mdf for more information.

```

class     :      numeric
unique    :           4
NAs       :          16
not-NA    :          770
not-0-NA  :           2
sum       :         184
range     : [ 0 ] ... [ 107 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_68 (textlines, linelinkage)

Number of words with corpus code 68 which have changed from last version to this - see lns_corp_68 also wds_mdf for more information.


```

class      :      numeric
unique     :          28
NAs        :          16
not-NA     :          770
not-0-NA   :          32
sum        :          3 365
range      : [ 0 ] ... [ 545 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_71 (textlines, linelinkage)

Number of words with corpus code 71 which have changed from last version to this - see lns_corp_71 also wds_mdf for more information.

```

class      :      numeric
unique     :          12
NAs        :          16
not-NA     :          770
not-0-NA   :          11
sum        :          1 090
range      : [ 0 ] ... [ 469 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_72 (textlines, linelinkage)

Number of words with corpus code 72 which have changed from last version to this - see lns_corp_72 also wds_mdf for more information.

```

class      :      numeric
unique     :           7
NAs        :          16
not-NA     :          770
not-0-NA   :           6
sum        :          194
range      : [ 0 ] ... [ 58 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_73 (textlines, linelinkage)

Number of words with corpus code 73 which have changed from last version to this - see lns_corp_73 also wds_mdf for more information.

```

class      :      numeric
unique     :           8
NAs        :          16
not-NA     :          770
not-0-NA   :           6
sum        :          563
range      : [ 0 ] ... [ 235 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_111 (textlines, linelinkage)

Number of words with corpus code 111 which have changed from last version to this - see lns_corp_111 also wds_mdf for more information.

```
class      :      numeric
unique     :          30
NAs        :          16
not-NA     :          770
not-0-NA   :          31
sum        :          2 112
range      : [ 0 ] ... [ 319 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_ins_112 (textlines, linelinkage)

Number of words with corpus code 112 which have changed from last version to this - see lns_corp_112 also wds_mdf for more information.

```
class      :      numeric
unique     :          32
NAs        :          16
not-NA     :          770
not-0-NA   :          31
sum        :          2 324
range      : [ 0 ] ... [ 212 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_ins_113 (textlines, linelinkage)

Number of words with corpus code 113 which have changed from last version to this - see lns_corp_113 also wds_mdf for more information.

```
class      :      numeric
unique     :          35
NAs        :          16
not-NA     :          770
not-0-NA   :          35
sum        :          3 340
range      : [ 0 ] ... [ 422 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_ins_114 (textlines, linelinkage)

Number of words with corpus code 114 which have changed from last version to this - see lns_corp_114 also wds_mdf for more information.

```
class      :      numeric
unique     :          15
NAs        :          16
not-NA     :          770
```

```

not-0-NA :      13
sum       :      1 054
range     : [ 0 ] ... [ 173 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [NA], [0], [0] ...

```

wds_corp_ins_121 (textlines, linelinkage)

Number of words with corpus code 121 which have changed from last version to this - see lns_corp_121 also wds_mdf for more information.

```

class     :      numeric
unique    :      41
NAs       :      16
not-NA    :      770
not-0-NA  :      44
sum       :      4 654
range     : [ 0 ] ... [ 618 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [97], [0], [NA] ...

```

wds_corp_ins_122 (textlines, linelinkage)

Number of words with corpus code 122 which have changed from last version to this - see lns_corp_122 also wds_mdf for more information.

```

class     :      numeric
unique    :      37
NAs       :      16
not-NA    :      770
not-0-NA  :      37
sum       :      3 270
range     : [ 0 ] ... [ 693 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_123 (textlines, linelinkage)

Number of words with corpus code 123 which have changed from last version to this - see lns_corp_123 also wds_mdf for more information.

```

class     :      numeric
unique    :      70
NAs       :      16
not-NA    :      770
not-0-NA  :      82
sum       :      8 981
range     : [ 0 ] ... [ 697 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [43], [52], [39] ...

```

wds_corp_ins_124 (textlines, linelinkage)

Number of words with corpus code 124 which have changed from last version to this - see `lms_corpus_124` also `wds_mdf` for more information.

```
class      :      numeric
unique     :           5
NAs        :          16
not-NA     :          770
not-0-NA   :           3
sum        :          381
range      : [ 0 ] ... [ 231 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corpus_ins_125 (textlines, linelinkage)

Number of words with corpus code 125 which have changed from last version to this - see `lms_corpus_125` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          37
NAs        :          16
not-NA     :          770
not-0-NA   :          38
sum        :      2 973
range      : [ 0 ] ... [ 352 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corpus_ins_131 (textlines, linelinkage)

Number of words with corpus code 131 which have changed from last version to this - see `lms_corpus_131` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          20
NAs        :          16
not-NA     :          770
not-0-NA   :          20
sum        :      1 480
range      : [ 0 ] ... [ 271 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corpus_ins_132 (textlines, linelinkage)

Number of words with corpus code 132 which have changed from last version to this - see `lms_corpus_132` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          18
NAs        :          16
not-NA     :          770
not-0-NA   :          17
sum        :      1 115
range      : [ 0 ] ... [ 262 ]
```

examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [3] ...

wds_corp_ins_133 (textlines, linelinkage)

Number of words with corpus code 133 which have changed from last version to this - see lns_corp_133 also wds_mdf for more information.

```
class      :      numeric
unique     :          19
NAs        :          16
not-NA     :         770
not-O-NA   :          20
sum        :         1 709
range      : [ 0 ] ... [ 371 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_ins_134 (textlines, linelinkage)

Number of words with corpus code 134 which have changed from last version to this - see lns_corp_134 also wds_mdf for more information.

```
class      :      numeric
unique     :          52
NAs        :          16
not-NA     :         770
not-O-NA   :          58
sum        :         4 267
range      : [ 0 ] ... [ 316 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_ins_141 (textlines, linelinkage)

Number of words with corpus code 141 which have changed from last version to this - see lns_corp_141 also wds_mdf for more information.

```
class      :      numeric
unique     :           5
NAs        :          16
not-NA     :         770
not-O-NA   :           3
sum        :         227
range      : [ 0 ] ... [ 107 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_ins_142 (textlines, linelinkage)

Number of words with corpus code 142 which have changed from last version to this - see lns_corp_142 also wds_mdf for more information.

```
class      :      numeric
unique     :          23
```

```

NAs      :      16
not-NA   :      770
not-0-NA :      23
sum      :      2 095
range    : [ 0 ] ... [ 312 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_143 (textlines, linelinkage)

Number of words with corpus code 143 which have changed from last version to this - see lns_corp_143 also wds_mdf for more information.

```

class    :      numeric
unique   :      4
NAs      :      16
not-NA   :      770
not-0-NA :      2
sum      :      186
range    : [ 0 ] ... [ 137 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_144 (textlines, linelinkage)

Number of words with corpus code 144 which have changed from last version to this - see lns_corp_144 also wds_mdf for more information.

```

class    :      numeric
unique   :      3
NAs      :      16
not-NA   :      770
not-0-NA :      1
sum      :      73
range    : [ 0 ] ... [ 73 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_145 (textlines, linelinkage)

Number of words with corpus code 145 which have changed from last version to this - see lns_corp_145 also wds_mdf for more information.

```

class    :      numeric
unique   :      5
NAs      :      16
not-NA   :      770
not-0-NA :      3
sum      :      913
range    : [ 0 ] ... [ 629 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_241 (textlines, linelinkage)

Number of words with corpus code 241 which have changed from last version to this - see lns_corp_241 also wds_mdf for more information.

```
class      :      numeric
unique     :          24
NAs        :          16
not-NA     :          770
not-O-NA   :          23
sum        :          5 010
range      : [ 0 ] ... [ 801 ]
examples   : [0], [0], [NA], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_ins_242 (textlines, linelinkage)

Number of words with corpus code 242 which have changed from last version to this - see lns_corp_242 also wds_mdf for more information.

```
class      :      numeric
unique     :          22
NAs        :          16
not-NA     :          770
not-O-NA   :          21
sum        :          3 618
range      : [ 0 ] ... [ 491 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_ins_243 (textlines, linelinkage)

Number of words with corpus code 243 which have changed from last version to this - see lns_corp_243 also wds_mdf for more information.

```
class      :      numeric
unique     :           6
NAs        :          16
not-NA     :          770
not-O-NA   :           4
sum        :          160
range      : [ 0 ] ... [ 70 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_ins_244 (textlines, linelinkage)

Number of words with corpus code 244 which have changed from last version to this - see lns_corp_244 also wds_mdf for more information.

```
class      :      numeric
unique     :          21
NAs        :          16
not-NA     :          770
not-O-NA   :          20
```

```

sum      :      3 921
range    : [ 0 ] ... [ 764 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_411 (textlines, linelinkage)

Number of words with corpus code 411 which have changed from last version to this - see lns_corp_411 also wds_mdf for more information.

```

class     :      numeric
unique    :          9
NAs       :         16
not-NA    :        770
not-0-NA  :          7
sum       :      1 358
range     : [ 0 ] ... [ 801 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_412 (textlines, linelinkage)

Number of words with corpus code 412 which have changed from last version to this - see lns_corp_412 also wds_mdf for more information.

```

class     :      numeric
unique    :         21
NAs       :         16
not-NA    :        770
not-0-NA  :         19
sum       :      2 072
range     : [ 0 ] ... [ 371 ]
examples  : [0], [0], [0], [110], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_421 (textlines, linelinkage)

Number of words with corpus code 421 which have changed from last version to this - see lns_corp_421 also wds_mdf for more information.

```

class     :      numeric
unique    :          4
NAs       :         16
not-NA    :        770
not-0-NA  :          2
sum       :         55
range     : [ 0 ] ... [ 34 ]
examples  : [0], [0], [0], [0], [0], [0], [NA], [0], [0], [0] ...

```

wds_corp_ins_422 (textlines, linelinkage)

Number of words with corpus code 422 which have changed from last version to this - see lns_corp_422 also wds_mdf for more information.


```

class      :      numeric
unique     :          4
NAs        :          16
not-NA     :          770
not-0-NA   :           2
sum        :          64
range      : [ 0 ] ... [ 34 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_441 (textlines, linelinkage)

Number of words with corpus code 441 which have changed from last version to this - see lns_corp_441 also wds_mdf for more information.

```

class      :      numeric
unique     :          4
NAs        :          16
not-NA     :          770
not-0-NA   :           2
sum        :          156
range      : [ 0 ] ... [ 100 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_442 (textlines, linelinkage)

Number of words with corpus code 442 which have changed from last version to this - see lns_corp_442 also wds_mdf for more information.

```

class      :      numeric
unique     :          4
NAs        :          16
not-NA     :          770
not-0-NA   :           2
sum        :          199
range      : [ 0 ] ... [ 146 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_611 (textlines, linelinkage)

Number of words with corpus code 611 which have changed from last version to this - see lns_corp_611 also wds_mdf for more information.

```

class      :      numeric
unique     :          57
NAs        :          16
not-NA     :          770
not-0-NA   :          74
sum        :          12 292
range      : [ 0 ] ... [ 2713 ]
examples   : [0], [0], [0], [NA], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_612 (textlines, linelinkage)

Number of words with corpus code 612 which have changed from last version to this - see lns_corp_612 also wds_mdf for more information.

```
class      :      numeric
unique     :          28
NAs        :          16
not-NA     :         770
not-0-NA   :          27
sum        :         3 187
range      : [ 0 ] ... [ 1561 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_ins_613 (textlines, linelinkage)

Number of words with corpus code 613 which have changed from last version to this - see lns_corp_613 also wds_mdf for more information.

```
class      :      numeric
unique     :          35
NAs        :          16
not-NA     :         770
not-0-NA   :          36
sum        :         2 623
range      : [ 0 ] ... [ 239 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [NA], [0], [0] ...
```

wds_corp_ins_631 (textlines, linelinkage)

Number of words with corpus code 631 which have changed from last version to this - see lns_corp_631 also wds_mdf for more information.

```
class      :      numeric
unique     :          14
NAs        :          16
not-NA     :         770
not-0-NA   :          13
sum        :         1 305
range      : [ 0 ] ... [ 516 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_ins_632 (textlines, linelinkage)

Number of words with corpus code 632 which have changed from last version to this - see lns_corp_632 also wds_mdf for more information.

```
class      :      numeric
unique     :          80
NAs        :          16
not-NA     :         770
```

```

not-0-NA :      107
sum       :      7 434
range     : [ 0 ] ... [ 524 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_633 (textlines, linelinkage)

Number of words with corpus code 633 which have changed from last version to this - see lns_corp_633 also wds_mdf for more information.

```

class     :      numeric
unique    :      32
NAs       :      16
not-NA    :      770
not-0-NA  :      33
sum       :      1 976
range     : [ 0 ] ... [ 196 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_634 (textlines, linelinkage)

Number of words with corpus code 634 which have changed from last version to this - see lns_corp_634 also wds_mdf for more information.

```

class     :      numeric
unique    :      51
NAs       :      16
not-NA    :      770
not-0-NA  :      59
sum       :      4 563
range     : [ 0 ] ... [ 460 ]
examples  : [0], [49], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_636 (textlines, linelinkage)

Number of words with corpus code 636 which have changed from last version to this - see lns_corp_636 also wds_mdf for more information.

```

class     :      numeric
unique    :      30
NAs       :      16
not-NA    :      770
not-0-NA  :      36
sum       :      3 334
range     : [ 0 ] ... [ 388 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_637 (textlines, linelinkage)

Number of words with corpus code 637 which have changed from last version to this - see `lms_corpus_637` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          23
NAs        :          16
not-NA     :         770
not-0-NA   :          24
sum        :         6 629
range      : [ 0 ] ... [ 2303 ]
examples   : [281], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corpus_ins_638 (textlines, linelinkage)

Number of words with corpus code 638 which have changed from last version to this - see `lms_corpus_638` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          10
NAs        :          16
not-NA     :         770
not-0-NA   :           8
sum        :         472
range      : [ 0 ] ... [ 173 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corpus_ins_639 (textlines, linelinkage)

Number of words with corpus code 639 which have changed from last version to this - see `lms_corpus_639` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          84
NAs        :          16
not-NA     :         770
not-0-NA   :         100
sum        :        17 168
range      : [ 0 ] ... [ 1150 ]
examples   : [NA], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corpus_ins_641 (textlines, linelinkage)

Number of words with corpus code 641 which have changed from last version to this - see `lms_corpus_641` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          20
NAs        :          16
not-NA     :         770
not-0-NA   :          20
sum        :         1 970
range      : [ 0 ] ... [ 332 ]
```

examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

wds_corp_ins_642 (textlines, linelinkage)

Number of words with corpus code 642 which have changed from last version to this - see lns_corp_642 also wds_mdf for more information.

```
class      :      numeric
unique     :          22
NAs        :          16
not-NA     :         770
not-O-NA   :          23
sum        :         1 770
range      : [ 0 ] ... [ 330 ]
examples   : [0], [0], [0], [0], [0], [25], [0], [0], [0], [0] ...
```

wds_corp_ins_643 (textlines, linelinkage)

Number of words with corpus code 643 which have changed from last version to this - see lns_corp_643 also wds_mdf for more information.

```
class      :      numeric
unique     :           9
NAs        :          16
not-NA     :         770
not-O-NA   :           8
sum        :         513
range      : [ 0 ] ... [ 137 ]
examples   : [0], [NA], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_ins_651 (textlines, linelinkage)

Number of words with corpus code 651 which have changed from last version to this - see lns_corp_651 also wds_mdf for more information.

```
class      :      numeric
unique     :          43
NAs        :          16
not-NA     :         770
not-O-NA   :          44
sum        :         8 949
range      : [ 0 ] ... [ 2061 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [NA], [0], [0] ...
```

wds_corp_ins_652 (textlines, linelinkage)

Number of words with corpus code 652 which have changed from last version to this - see lns_corp_652 also wds_mdf for more information.

```
class      :      numeric
unique     :          41
```

```

NAs      :      16
not-NA   :      770
not-0-NA :      45
sum      :      3 828
range    : [ 0 ] ... [ 470 ]
examples : [75], [73], [470], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_653 (textlines, linelinkage)

Number of words with corpus code 653 which have changed from last version to this - see lns_corp_653 also wds_mdf for more information.

```

class    :      numeric
unique   :      5
NAs      :      16
not-NA   :      770
not-0-NA :      3
sum      :      108
range    : [ 0 ] ... [ 41 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_999 (textlines, linelinkage)

Number of words with corpus code 999 which have changed from last version to this - see lns_corp_999 also wds_mdf for more information.

```

class    :      numeric
unique   :      2
NAs      :      16
not-NA   :      770
not-0-NA :      0
sum      :      0
range    : [ 0 ] ... [ 0 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_6211 (textlines, linelinkage)

Number of words with corpus code 6211 which have changed from last version to this - see lns_corp_6211 also wds_mdf for more information.

```

class    :      numeric
unique   :      27
NAs      :      16
not-NA   :      770
not-0-NA :      29
sum      :      3 046
range    : [ 0 ] ... [ 975 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_6212 (textlines, linelinkage)

Number of words with corpus code 6212 which have changed from last version to this - see lns_corp_6212 also wds_mdf for more information.

```
class      :      numeric
unique     :          31
NAs        :          16
not-NA     :          770
not-0-NA   :          35
sum        :          2 132
range      : [ 0 ] ... [ 263 ]
examples   : [NA], [0], [0], [0], [0], [40], [0], [0], [0], [0] ...
```

wds_corp_ins_6221 (textlines, linelinkage)

Number of words with corpus code 6221 which have changed from last version to this - see lns_corp_6221 also wds_mdf for more information.

```
class      :      numeric
unique     :          22
NAs        :          16
not-NA     :          770
not-0-NA   :          21
sum        :          938
range      : [ 0 ] ... [ 95 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_ins_6222 (textlines, linelinkage)

Number of words with corpus code 6222 which have changed from last version to this - see lns_corp_6222 also wds_mdf for more information.

```
class      :      numeric
unique     :          23
NAs        :          16
not-NA     :          770
not-0-NA   :          25
sum        :          1 432
range      : [ 0 ] ... [ 304 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_ins_6351 (textlines, linelinkage)

Number of words with corpus code 6351 which have changed from last version to this - see lns_corp_6351 also wds_mdf for more information.

```
class      :      numeric
unique     :           6
NAs        :          16
not-NA     :          770
not-0-NA   :           5
```

```

sum      :      235
range    : [ 0 ] ... [ 85 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_ins_6352 (textlines, linelinkage)

Number of words with corpus code 6352 which have changed from last version to this - see lns_corp_6352 also wds_mdf for more information.

```

class    :      numeric
unique   :      19
NAs      :      16
not-NA   :      770
not-0-NA :      17
sum      :      986
range    : [ 0 ] ... [ 202 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_8 (textlines, linelinkage)

Number of words with corpus code 8 which have changed from last version to this - see lns_corp_8 also wds_mdf for more information.

```

class    :      numeric
unique   :      19
NAs      :      16
not-NA   :      770
not-0-NA :      18
sum      :      1 315
range    : [ 0 ] ... [ 462 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [16], [0] ...

```

wds_corp_del_9 (textlines, linelinkage)

Number of words with corpus code 9 which have changed from last version to this - see lns_corp_9 also wds_mdf for more information.

```

class    :      numeric
unique   :      19
NAs      :      16
not-NA   :      770
not-0-NA :      18
sum      :      1 544
range    : [ 0 ] ... [ 564 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_10 (textlines, linelinkage)

Number of words with corpus code 10 which have changed from last version to this - see lns_corp_10 also wds_mdf for more information.


```

class      :      numeric
unique     :          37
NAs        :          16
not-NA     :          770
not-0-NA   :          37
sum        :          2 976
range      : [ 0 ] ... [ 413 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_21 (textlines, linelinkage)

Number of words with corpus code 21 which have changed from last version to this - see lns_corp_21 also wds_mdf for more information.

```

class      :      numeric
unique     :          11
NAs        :          16
not-NA     :          770
not-0-NA   :          13
sum        :          1 913
range      : [ 0 ] ... [ 879 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_22 (textlines, linelinkage)

Number of words with corpus code 22 which have changed from last version to this - see lns_corp_22 also wds_mdf for more information.

```

class      :      numeric
unique     :          43
NAs        :          16
not-NA     :          770
not-0-NA   :          45
sum        :          7 534
range      : [ 0 ] ... [ 1032 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_23 (textlines, linelinkage)

Number of words with corpus code 23 which have changed from last version to this - see lns_corp_23 also wds_mdf for more information.

```

class      :      numeric
unique     :          10
NAs        :          16
not-NA     :          770
not-0-NA   :           8
sum        :          535
range      : [ 0 ] ... [ 188 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_25 (textlines, linelinkage)

Number of words with corpus code 25 which have changed from last version to this - see lns_corp_25 also wds_mdf for more information.

```
class      :      numeric
unique     :           17
NAs        :           16
not-NA     :          770
not-0-NA   :           17
sum        :          1 692
range      : [ 0 ] ... [ 681 ]
examples   : [60], [0], [0], [0], [0], [0], [NA], [0], [0], [0], [0] ...
```

wds_corp_del_26 (textlines, linelinkage)

Number of words with corpus code 26 which have changed from last version to this - see lns_corp_26 also wds_mdf for more information.

```
class      :      numeric
unique     :           16
NAs        :           16
not-NA     :          770
not-0-NA   :           14
sum        :          1 721
range      : [ 0 ] ... [ 327 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_del_27 (textlines, linelinkage)

Number of words with corpus code 27 which have changed from last version to this - see lns_corp_27 also wds_mdf for more information.

```
class      :      numeric
unique     :            3
NAs        :           16
not-NA     :          770
not-0-NA   :            1
sum        :           17
range      : [ 0 ] ... [ 17 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_del_28 (textlines, linelinkage)

Number of words with corpus code 28 which have changed from last version to this - see lns_corp_28 also wds_mdf for more information.

```
class      :      numeric
unique     :            5
NAs        :           16
not-NA     :          770
```

```

not-0-NA :          3
sum       :          186
range     : [ 0 ] ... [ 99 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_29 (textlines, linelinkage)

Number of words with corpus code 29 which have changed from last version to this - see lns_corp_29 also wds_mdf for more information.

```

class     :      numeric
unique    :          16
NAs       :          16
not-NA    :          770
not-0-NA  :          14
sum       :          2 609
range     : [ 0 ] ... [ 991 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_31 (textlines, linelinkage)

Number of words with corpus code 31 which have changed from last version to this - see lns_corp_31 also wds_mdf for more information.

```

class     :      numeric
unique    :           5
NAs       :          16
not-NA    :          770
not-0-NA  :           3
sum       :          132
range     : [ 0 ] ... [ 64 ]
examples  : [0], [0], [0], [NA], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_32 (textlines, linelinkage)

Number of words with corpus code 32 which have changed from last version to this - see lns_corp_32 also wds_mdf for more information.

```

class     :      numeric
unique    :           5
NAs       :          16
not-NA    :          770
not-0-NA  :           3
sum       :           77
range     : [ 0 ] ... [ 40 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_33 (textlines, linelinkage)

Number of words with corpus code 33 which have changed from last version to this - see `lms_corp_33` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          4
NAs        :          16
not-NA     :         770
not-0-NA   :           2
sum         :         143
range      : [ 0 ] ... [ 119 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_del_34 (textlines, linelinkage)

Number of words with corpus code 34 which have changed from last version to this - see `lms_corp_34` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          17
NAs        :          16
not-NA     :         770
not-0-NA   :          18
sum         :        1 162
range      : [ 0 ] ... [ 242 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_del_43 (textlines, linelinkage)

Number of words with corpus code 43 which have changed from last version to this - see `lms_corp_43` also `wds_mdf` for more information.

```
class      :      numeric
unique     :           9
NAs        :          16
not-NA     :         770
not-0-NA   :           7
sum         :         282
range      : [ 0 ] ... [ 63 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_del_45 (textlines, linelinkage)

Number of words with corpus code 45 which have changed from last version to this - see `lms_corp_45` also `wds_mdf` for more information.

```
class      :      numeric
unique     :           4
NAs        :          16
not-NA     :         770
not-0-NA   :           2
sum         :         227
range      : [ 0 ] ... [ 203 ]
```

examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

wds_corp_del_51 (textlines, linelinkage)

Number of words with corpus code 51 which have changed from last version to this - see lns_corp_51 also wds_mdf for more information.

```
class      :      numeric
unique     :          43
NAs        :          16
not-NA     :         770
not-0-NA   :          51
sum        :         3 147
range      : [ 0 ] ... [ 294 ]
examples   : [0], [0], [0], [0], [102], [0], [11], [0], [0], [0] ...
```

wds_corp_del_52 (textlines, linelinkage)

Number of words with corpus code 52 which have changed from last version to this - see lns_corp_52 also wds_mdf for more information.

```
class      :      numeric
unique     :          15
NAs        :          16
not-NA     :         770
not-0-NA   :          13
sum        :         1 143
range      : [ 0 ] ... [ 267 ]
examples   : [0], [0], [0], [0], [0], [0], [NA], [0], [0], [0] ...
```

wds_corp_del_53 (textlines, linelinkage)

Number of words with corpus code 53 which have changed from last version to this - see lns_corp_53 also wds_mdf for more information.

```
class      :      numeric
unique     :          46
NAs        :          16
not-NA     :         770
not-0-NA   :          58
sum        :         6 165
range      : [ 0 ] ... [ 918 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [52] ...
```

wds_corp_del_54 (textlines, linelinkage)

Number of words with corpus code 54 which have changed from last version to this - see lns_corp_54 also wds_mdf for more information.

```
class      :      numeric
unique     :          22
```

```

NAs      :      16
not-NA   :      770
not-0-NA :      20
sum       :      3 110
range    : [ 0 ] ... [ 670 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_55 (textlines, linelinkage)

Number of words with corpus code 55 which have changed from last version to this - see lns_corp_55 also wds_mdf for more information.

```

class     :      numeric
unique    :      23
NAs       :      16
not-NA    :      770
not-0-NA  :      24
sum        :      2 540
range     : [ 0 ] ... [ 485 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_56 (textlines, linelinkage)

Number of words with corpus code 56 which have changed from last version to this - see lns_corp_56 also wds_mdf for more information.

```

class     :      numeric
unique    :      37
NAs       :      16
not-NA    :      770
not-0-NA  :      38
sum        :      4 583
range     : [ 0 ] ... [ 997 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_66 (textlines, linelinkage)

Number of words with corpus code 66 which have changed from last version to this - see lns_corp_66 also wds_mdf for more information.

```

class     :      numeric
unique    :      2
NAs       :      16
not-NA    :      770
not-0-NA  :      0
sum        :      0
range     : [ 0 ] ... [ 0 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_67 (textlines, linelinkage)

Number of words with corpus code 67 which have changed from last version to this - see lns_corp_67 also wds_mdf for more information.

```
class      :      numeric
unique     :          2
NAs        :         16
not-NA     :        770
not-0-NA   :          0
sum        :          0
range      : [ 0 ] ... [ 0 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_del_68 (textlines, linelinkage)

Number of words with corpus code 68 which have changed from last version to this - see lns_corp_68 also wds_mdf for more information.

```
class      :      numeric
unique     :         27
NAs        :         16
not-NA     :        770
not-0-NA   :         26
sum        :        1 749
range      : [ 0 ] ... [ 232 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_del_71 (textlines, linelinkage)

Number of words with corpus code 71 which have changed from last version to this - see lns_corp_71 also wds_mdf for more information.

```
class      :      numeric
unique     :          8
NAs        :         16
not-NA     :        770
not-0-NA   :          6
sum        :        766
range      : [ 0 ] ... [ 481 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_del_72 (textlines, linelinkage)

Number of words with corpus code 72 which have changed from last version to this - see lns_corp_72 also wds_mdf for more information.

```
class      :      numeric
unique     :          4
NAs        :         16
not-NA     :        770
not-0-NA   :          2
```

```

sum      :      73
range    : [ 0 ] ... [ 58 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_73 (textlines, linelinkage)

Number of words with corpus code 73 which have changed from last version to this - see lns_corp_73 also wds_mdf for more information.

```

class     :      numeric
unique    :          5
NAs       :          16
not-NA    :         770
not-0-NA  :           3
sum       :         324
range     : [ 0 ] ... [ 207 ]
examples  : [NA], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_111 (textlines, linelinkage)

Number of words with corpus code 111 which have changed from last version to this - see lns_corp_111 also wds_mdf for more information.

```

class     :      numeric
unique    :          13
NAs       :          16
not-NA    :         770
not-0-NA  :          12
sum       :         833
range     : [ 0 ] ... [ 260 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_112 (textlines, linelinkage)

Number of words with corpus code 112 which have changed from last version to this - see lns_corp_112 also wds_mdf for more information.

```

class     :      numeric
unique    :          13
NAs       :          16
not-NA    :         770
not-0-NA  :          17
sum       :         578
range     : [ 0 ] ... [ 94 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_113 (textlines, linelinkage)

Number of words with corpus code 113 which have changed from last version to this - see lns_corp_113 also wds_mdf for more information.


```

class      :      numeric
unique     :          17
NAs        :          16
not-NA     :          770
not-0-NA   :          17
sum        :          1 298
range      : [ 0 ] ... [ 169 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_114 (textlines, linelinkage)

Number of words with corpus code 114 which have changed from last version to this - see lns_corp_114 also wds_mdf for more information.

```

class      :      numeric
unique     :          7
NAs        :          16
not-NA     :          770
not-0-NA   :          5
sum        :          352
range      : [ 0 ] ... [ 167 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_121 (textlines, linelinkage)

Number of words with corpus code 121 which have changed from last version to this - see lns_corp_121 also wds_mdf for more information.

```

class      :      numeric
unique     :          30
NAs        :          16
not-NA     :          770
not-0-NA   :          29
sum        :          2 917
range      : [ 0 ] ... [ 545 ]
examples   : [0], [200], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_122 (textlines, linelinkage)

Number of words with corpus code 122 which have changed from last version to this - see lns_corp_122 also wds_mdf for more information.

```

class      :      numeric
unique     :          24
NAs        :          16
not-NA     :          770
not-0-NA   :          24
sum        :          1 944
range      : [ 0 ] ... [ 377 ]
examples   : [0], [0], [NA], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_123 (textlines, linelinkage)

Number of words with corpus code 123 which have changed from last version to this - see lns_corp_123 also wds_mdf for more information.

```
class      :      numeric
unique     :           39
NAs        :           16
not-NA     :          770
not-0-NA   :           41
sum        :          3 861
range      : [ 0 ] ... [ 300 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_del_124 (textlines, linelinkage)

Number of words with corpus code 124 which have changed from last version to this - see lns_corp_124 also wds_mdf for more information.

```
class      :      numeric
unique     :           4
NAs        :           16
not-NA     :          770
not-0-NA   :            2
sum        :          506
range      : [ 0 ] ... [ 409 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_del_125 (textlines, linelinkage)

Number of words with corpus code 125 which have changed from last version to this - see lns_corp_125 also wds_mdf for more information.

```
class      :      numeric
unique     :          17
NAs        :           16
not-NA     :          770
not-0-NA   :           19
sum        :          1 267
range      : [ 0 ] ... [ 198 ]
examples   : [159], [0], [0], [0], [26], [0], [0], [0], [0], [0] ...
```

wds_corp_del_131 (textlines, linelinkage)

Number of words with corpus code 131 which have changed from last version to this - see lns_corp_131 also wds_mdf for more information.

```
class      :      numeric
unique     :            8
NAs        :           16
not-NA     :          770
```

```

not-0-NA :          6
sum       :          834
range     : [ 0 ] ... [ 385 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_132 (textlines, linelinkage)

Number of words with corpus code 132 which have changed from last version to this - see lns_corp_132 also wds_mdf for more information.

```

class      :      numeric
unique     :          13
NAs        :          16
not-NA     :          770
not-0-NA   :          11
sum        :          649
range      : [ 0 ] ... [ 170 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_133 (textlines, linelinkage)

Number of words with corpus code 133 which have changed from last version to this - see lns_corp_133 also wds_mdf for more information.

```

class      :      numeric
unique     :           9
NAs        :          16
not-NA     :          770
not-0-NA   :           7
sum        :          454
range      : [ 0 ] ... [ 229 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_134 (textlines, linelinkage)

Number of words with corpus code 134 which have changed from last version to this - see lns_corp_134 also wds_mdf for more information.

```

class      :      numeric
unique     :          31
NAs        :          16
not-NA     :          770
not-0-NA   :          31
sum        :          2 640
range      : [ 0 ] ... [ 511 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [34], [0] ...

```

wds_corp_del_141 (textlines, linelinkage)

Number of words with corpus code 141 which have changed from last version to this - see `lms_corp_141` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          3
NAs        :          16
not-NA     :          770
not-0-NA   :           1
sum         :          30
range      : [ 0 ] ... [ 30 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_del_142 (textlines, linelinkage)

Number of words with corpus code 142 which have changed from last version to this - see `lms_corp_142` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          14
NAs        :          16
not-NA     :          770
not-0-NA   :          12
sum         :      1 397
range      : [ 0 ] ... [ 410 ]
examples   : [0], [0], [55], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_del_143 (textlines, linelinkage)

Number of words with corpus code 143 which have changed from last version to this - see `lms_corp_143` also `wds_mdf` for more information.

```
class      :      numeric
unique     :           5
NAs        :          16
not-NA     :          770
not-0-NA   :           3
sum         :          126
range      : [ 0 ] ... [ 44 ]
examples   : [0], [NA], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_del_144 (textlines, linelinkage)

Number of words with corpus code 144 which have changed from last version to this - see `lms_corp_144` also `wds_mdf` for more information.

```
class      :      numeric
unique     :           4
NAs        :          16
not-NA     :          770
not-0-NA   :           2
sum         :          106
range      : [ 0 ] ... [ 84 ]
```

examples : [NA], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

wds_corp_del_145 (textlines, linelinkage)

Number of words with corpus code 145 which have changed from last version to this - see lns_corp_145 also wds_mdf for more information.

```
class      :      numeric
unique     :          2
NAs        :         16
not-NA     :        770
not-0-NA   :          0
sum        :          0
range      : [ 0 ] ... [ 0 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_del_241 (textlines, linelinkage)

Number of words with corpus code 241 which have changed from last version to this - see lns_corp_241 also wds_mdf for more information.

```
class      :      numeric
unique     :          8
NAs        :         16
not-NA     :        770
not-0-NA   :          6
sum        :        868
range      : [ 0 ] ... [ 324 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_del_242 (textlines, linelinkage)

Number of words with corpus code 242 which have changed from last version to this - see lns_corp_242 also wds_mdf for more information.

```
class      :      numeric
unique     :         13
NAs        :         16
not-NA     :        770
not-0-NA   :         12
sum        :        751
range      : [ 0 ] ... [ 376 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_del_243 (textlines, linelinkage)

Number of words with corpus code 243 which have changed from last version to this - see lns_corp_243 also wds_mdf for more information.

```
class      :      numeric
unique     :          3
```

```

NAs      :      16
not-NA   :      770
not-0-NA :        1
sum      :      43
range    : [ 0 ] ... [ 43 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_244 (textlines, linelinkage)

Number of words with corpus code 244 which have changed from last version to this - see lns_corp_244 also wds_mdf for more information.

```

class    :      numeric
unique   :        4
NAs      :      16
not-NA   :      770
not-0-NA :        2
sum      :      76
range    : [ 0 ] ... [ 57 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_411 (textlines, linelinkage)

Number of words with corpus code 411 which have changed from last version to this - see lns_corp_411 also wds_mdf for more information.

```

class    :      numeric
unique   :        9
NAs      :      16
not-NA   :      770
not-0-NA :        7
sum      :      210
range    : [ 0 ] ... [ 66 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_412 (textlines, linelinkage)

Number of words with corpus code 412 which have changed from last version to this - see lns_corp_412 also wds_mdf for more information.

```

class    :      numeric
unique   :        6
NAs      :      16
not-NA   :      770
not-0-NA :        4
sum      :      113
range    : [ 0 ] ... [ 38 ]
examples : [NA], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_421 (textlines, linelinkage)

Number of words with corpus code 421 which have changed from last version to this - see lns_corp_421 also wds_mdf for more information.

```
class      :      numeric
unique     :           6
NAs        :          16
not-NA     :          770
not-0-NA   :           4
sum        :          393
range      : [ 0 ] ... [ 187 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [NA] ...
```

wds_corp_del_422 (textlines, linelinkage)

Number of words with corpus code 422 which have changed from last version to this - see lns_corp_422 also wds_mdf for more information.

```
class      :      numeric
unique     :           4
NAs        :          16
not-NA     :          770
not-0-NA   :           2
sum        :           58
range      : [ 0 ] ... [ 35 ]
examples   : [0], [0], [NA], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_del_441 (textlines, linelinkage)

Number of words with corpus code 441 which have changed from last version to this - see lns_corp_441 also wds_mdf for more information.

```
class      :      numeric
unique     :           4
NAs        :          16
not-NA     :          770
not-0-NA   :           2
sum        :          150
range      : [ 0 ] ... [ 100 ]
examples   : [0], [0], [0], [0], [0], [NA], [0], [0], [0], [0] ...
```

wds_corp_del_442 (textlines, linelinkage)

Number of words with corpus code 442 which have changed from last version to this - see lns_corp_442 also wds_mdf for more information.

```
class      :      numeric
unique     :           2
NAs        :          16
not-NA     :          770
not-0-NA   :           0
```

```

sum      :      0
range    : [ 0 ] ... [ 0 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_611 (textlines, linelinkage)

Number of words with corpus code 611 which have changed from last version to this - see lns_corp_611 also wds_mdf for more information.

```

class     :      numeric
unique    :      39
NAs       :      16
not-NA    :      770
not-0-NA  :      43
sum       :      6 347
range     : [ 0 ] ... [ 817 ]
examples  : [0], [0], [0], [0], [0], [0], [24], [0], [0], [0] ...

```

wds_corp_del_612 (textlines, linelinkage)

Number of words with corpus code 612 which have changed from last version to this - see lns_corp_612 also wds_mdf for more information.

```

class     :      numeric
unique    :      19
NAs       :      16
not-NA    :      770
not-0-NA  :      18
sum       :      923
range     : [ 0 ] ... [ 95 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_613 (textlines, linelinkage)

Number of words with corpus code 613 which have changed from last version to this - see lns_corp_613 also wds_mdf for more information.

```

class     :      numeric
unique    :      23
NAs       :      16
not-NA    :      770
not-0-NA  :      23
sum       :      1 702
range     : [ 0 ] ... [ 295 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_631 (textlines, linelinkage)

Number of words with corpus code 631 which have changed from last version to this - see lns_corp_631 also wds_mdf for more information.


```

class      :      numeric
unique     :          11
NAs        :          16
not-NA     :          770
not-0-NA   :          10
sum        :          788
range      : [ 0 ] ... [ 276 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_632 (textlines, linelinkage)

Number of words with corpus code 632 which have changed from last version to this - see lns_corp_632 also wds_mdf for more information.

```

class      :      numeric
unique     :          55
NAs        :          16
not-NA     :          770
not-0-NA   :          73
sum        :          5 196
range      : [ 0 ] ... [ 590 ]
examples   : [0], [0], [0], [9], [13], [0], [0], [0], [394], [0] ...

```

wds_corp_del_633 (textlines, linelinkage)

Number of words with corpus code 633 which have changed from last version to this - see lns_corp_633 also wds_mdf for more information.

```

class      :      numeric
unique     :          18
NAs        :          16
not-NA     :          770
not-0-NA   :          19
sum        :          1 412
range      : [ 0 ] ... [ 647 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_634 (textlines, linelinkage)

Number of words with corpus code 634 which have changed from last version to this - see lns_corp_634 also wds_mdf for more information.

```

class      :      numeric
unique     :          20
NAs        :          16
not-NA     :          770
not-0-NA   :          25
sum        :          1 917
range      : [ 0 ] ... [ 622 ]
examples   : [0], [0], [0], [0], [0], [NA], [0], [0], [0], [0] ...

```

wds_corp_del_636 (textlines, linelinkage)

Number of words with corpus code 636 which have changed from last version to this - see lns_corp_636 also wds_mdf for more information.

```
class      :      numeric
unique     :          12
NAs        :          16
not-NA     :          770
not-0-NA   :          12
sum         :          859
range      : [ 0 ] ... [ 219 ]
examples   : [0], [0], [0], [0], [0], [NA], [0], [0], [0], [0] ...
```

wds_corp_del_637 (textlines, linelinkage)

Number of words with corpus code 637 which have changed from last version to this - see lns_corp_637 also wds_mdf for more information.

```
class      :      numeric
unique     :          14
NAs        :          16
not-NA     :          770
not-0-NA   :          12
sum         :          1 667
range      : [ 0 ] ... [ 587 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_del_638 (textlines, linelinkage)

Number of words with corpus code 638 which have changed from last version to this - see lns_corp_638 also wds_mdf for more information.

```
class      :      numeric
unique     :           5
NAs        :          16
not-NA     :          770
not-0-NA   :           3
sum         :          292
range      : [ 0 ] ... [ 134 ]
examples   : [0], [26], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_del_639 (textlines, linelinkage)

Number of words with corpus code 639 which have changed from last version to this - see lns_corp_639 also wds_mdf for more information.

```
class      :      numeric
unique     :          41
NAs        :          16
not-NA     :          770
```

```

not-0-NA :          42
sum       :          6 303
range     : [ 0 ] ... [ 840 ]
examples  : [0], [12], [0], [0], [0], [0], [56], [0], [0], [0] ...

```

wds_corp_del_641 (textlines, linelinkage)

Number of words with corpus code 641 which have changed from last version to this - see lns_corp_641 also wds_mdf for more information.

```

class     :      numeric
unique    :          8
NAs       :          16
not-NA    :          770
not-0-NA  :           7
sum       :          350
range     : [ 0 ] ... [ 145 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_642 (textlines, linelinkage)

Number of words with corpus code 642 which have changed from last version to this - see lns_corp_642 also wds_mdf for more information.

```

class     :      numeric
unique    :          12
NAs       :          16
not-NA    :          770
not-0-NA  :          11
sum       :          615
range     : [ 0 ] ... [ 131 ]
examples  : [0], [131], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_643 (textlines, linelinkage)

Number of words with corpus code 643 which have changed from last version to this - see lns_corp_643 also wds_mdf for more information.

```

class     :      numeric
unique    :           4
NAs       :          16
not-NA    :          770
not-0-NA  :           2
sum       :          56
range     : [ 0 ] ... [ 47 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_651 (textlines, linelinkage)

Number of words with corpus code 651 which have changed from last version to this - see `lms_corp_651` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          20
NAs        :          16
not-NA     :         770
not-0-NA   :          19
sum        :         4 413
range      : [ 0 ] ... [ 1457 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_del_652 (textlines, linelinkage)

Number of words with corpus code 652 which have changed from last version to this - see `lms_corp_652` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          24
NAs        :          16
not-NA     :         770
not-0-NA   :          26
sum        :         1 747
range      : [ 0 ] ... [ 640 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_del_653 (textlines, linelinkage)

Number of words with corpus code 653 which have changed from last version to this - see `lms_corp_653` also `wds_mdf` for more information.

```
class      :      numeric
unique     :           4
NAs        :          16
not-NA     :         770
not-0-NA   :           2
sum        :         102
range      : [ 0 ] ... [ 76 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_del_999 (textlines, linelinkage)

Number of words with corpus code 999 which have changed from last version to this - see `lms_corp_999` also `wds_mdf` for more information.

```
class      :      numeric
unique     :           4
NAs        :          16
not-NA     :         770
not-0-NA   :           2
sum        :           4
range      : [ 0 ] ... [ 3 ]
```

examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

wds_corp_del_6211 (textlines, linelinkage)

Number of words with corpus code 6211 which have changed from last version to this - see lns_corp_6211 also wds_mdf for more information.

```
class      :      numeric
unique     :          16
NAs        :          16
not-NA     :          770
not-0-NA   :          14
sum         :          706
range      : [ 0 ] ... [ 178 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

wds_corp_del_6212 (textlines, linelinkage)

Number of words with corpus code 6212 which have changed from last version to this - see lns_corp_6212 also wds_mdf for more information.

```
class      :      numeric
unique     :          19
NAs        :          16
not-NA     :          770
not-0-NA   :          19
sum         :          987
range      : [ 0 ] ... [ 175 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [9], [0] ...
```

wds_corp_del_6221 (textlines, linelinkage)

Number of words with corpus code 6221 which have changed from last version to this - see lns_corp_6221 also wds_mdf for more information.

```
class      :      numeric
unique     :           7
NAs        :          16
not-NA     :          770
not-0-NA   :           5
sum         :          215
range      : [ 0 ] ... [ 101 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [NA], [0], [0] ...
```

wds_corp_del_6222 (textlines, linelinkage)

Number of words with corpus code 6222 which have changed from last version to this - see lns_corp_6222 also wds_mdf for more information.

```
class      :      numeric
unique     :          12
```

```

NAs      :      16
not-NA   :      770
not-0-NA :      12
sum      :      615
range    : [ 0 ] ... [ 328 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_6351 (textlines, linelinkage)

Number of words with corpus code 6351 which have changed from last version to this - see lns_corp_6351 also wds_mdf for more information.

```

class    :      numeric
unique   :          5
NAs      :      16
not-NA   :      770
not-0-NA :          3
sum      :      138
range    : [ 0 ] ... [ 79 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

wds_corp_del_6352 (textlines, linelinkage)

Number of words with corpus code 6352 which have changed from last version to this - see lns_corp_6352 also wds_mdf for more information.

```

class    :      numeric
unique   :          8
NAs      :      16
not-NA   :      770
not-0-NA :          6
sum      :      210
range    : [ 0 ] ... [ 67 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_mdf_8 (textlines, linelinkage)

Number of lines with corpus code 8 which have changed from last version to this - see lns_corp_8 also wds_mdf for more information.

```

class    :      numeric
unique   :          9
NAs      :      16
not-NA   :      770
not-0-NA :      64
sum      :      147
range    : [ 0 ] ... [ 8 ]
examples : [0], [0], [2], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_mdf_9 (textlines, linelinkage)

Number of lines with corpus code 9 which have changed from last version to this - see lns_corp_9 also wds_mdf for more information.

```
class      :      numeric
unique     :           4
NAs        :          16
not-NA     :          770
not-0-NA   :           7
sum        :           9
range      : [ 0 ] ... [ 3 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_mdf_10 (textlines, linelinkage)

Number of lines with corpus code 10 which have changed from last version to this - see lns_corp_10 also wds_mdf for more information.

```
class      :      numeric
unique     :          17
NAs        :          16
not-NA     :          770
not-0-NA   :          103
sum        :          354
range      : [ 0 ] ... [ 24 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_mdf_21 (textlines, linelinkage)

Number of lines with corpus code 21 which have changed from last version to this - see lns_corp_21 also wds_mdf for more information.

```
class      :      numeric
unique     :          11
NAs        :          16
not-NA     :          770
not-0-NA   :           35
sum        :          104
range      : [ 0 ] ... [ 12 ]
examples   : [0], [0], [1], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_mdf_22 (textlines, linelinkage)

Number of lines with corpus code 22 which have changed from last version to this - see lns_corp_22 also wds_mdf for more information.

```
class      :      numeric
unique     :          25
NAs        :          16
not-NA     :          770
not-0-NA   :          127
```

```

sum      :          672
range    : [ 0 ] ... [ 45 ]
examples : [0], [0], [0], [0], [5], [0], [0], [0], [0], [0] ...

```

lns_corp_mdf_23 (textlines, linelinkage)

Number of lines with corpus code 23 which have changed from last version to this - see lns_corp_23 also wds_mdf for more information.

```

class     :      numeric
unique    :          12
NAs       :          16
not-NA    :          770
not-0-NA  :          26
sum       :          126
range     : [ 0 ] ... [ 18 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_mdf_25 (textlines, linelinkage)

Number of lines with corpus code 25 which have changed from last version to this - see lns_corp_25 also wds_mdf for more information.

```

class     :      numeric
unique    :          13
NAs       :          16
not-NA    :          770
not-0-NA  :          61
sum       :          225
range     : [ 0 ] ... [ 49 ]
examples  : [0], [0], [NA], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_mdf_26 (textlines, linelinkage)

Number of lines with corpus code 26 which have changed from last version to this - see lns_corp_26 also wds_mdf for more information.

```

class     :      numeric
unique    :          13
NAs       :          16
not-NA    :          770
not-0-NA  :          63
sum       :          235
range     : [ 0 ] ... [ 26 ]
examples  : [2], [0], [9], [0], [0], [0], [1], [0], [0], [0] ...

```

lns_corp_mdf_27 (textlines, linelinkage)

Number of lines with corpus code 27 which have changed from last version to this - see lns_corp_27 also wds_mdf for more information.


```

class      :      numeric
unique     :          5
NAs        :          16
not-NA     :         770
not-0-NA   :          8
sum        :          17
range      : [ 0 ] ... [ 7 ]
examples   : [NA], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_mdf_28 (textlines, linelinkage)

Number of lines with corpus code 28 which have changed from last version to this - see lns_corp_28 also wds_mdf for more information.

```

class      :      numeric
unique     :          6
NAs        :          16
not-NA     :         770
not-0-NA   :          6
sum        :          80
range      : [ 0 ] ... [ 17 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_mdf_29 (textlines, linelinkage)

Number of lines with corpus code 29 which have changed from last version to this - see lns_corp_29 also wds_mdf for more information.

```

class      :      numeric
unique     :          17
NAs        :          16
not-NA     :         770
not-0-NA   :          50
sum        :         271
range      : [ 0 ] ... [ 25 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_mdf_31 (textlines, linelinkage)

Number of lines with corpus code 31 which have changed from last version to this - see lns_corp_31 also wds_mdf for more information.

```

class      :      numeric
unique     :          9
NAs        :          16
not-NA     :         770
not-0-NA   :          11
sum        :          53
range      : [ 0 ] ... [ 16 ]
examples   : [0], [0], [0], [0], [0], [NA], [0], [0], [0], [0] ...

```

lns_corp_mdf_32 (textlines, linelinkage)

Number of lines with corpus code 32 which have changed from last version to this - see lns_corp_32 also wds_mdf for more information.

```
class      :      numeric
unique     :          11
NAs        :          16
not-NA     :         770
not-0-NA   :          21
sum        :          71
range      : [ 0 ] ... [ 12 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_mdf_33 (textlines, linelinkage)

Number of lines with corpus code 33 which have changed from last version to this - see lns_corp_33 also wds_mdf for more information.

```
class      :      numeric
unique     :           9
NAs        :          16
not-NA     :         770
not-0-NA   :          13
sum        :          48
range      : [ 0 ] ... [ 8 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_mdf_34 (textlines, linelinkage)

Number of lines with corpus code 34 which have changed from last version to this - see lns_corp_34 also wds_mdf for more information.

```
class      :      numeric
unique     :           9
NAs        :          16
not-NA     :         770
not-0-NA   :          71
sum        :         147
range      : [ 0 ] ... [ 8 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_mdf_43 (textlines, linelinkage)

Number of lines with corpus code 43 which have changed from last version to this - see lns_corp_43 also wds_mdf for more information.

```
class      :      numeric
unique     :           5
NAs        :          16
not-NA     :         770
```

```

not-0-NA :      12
sum       :      18
range     : [ 0 ] ... [ 5 ]
examples  : [0], [0], [0], [NA], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_mdf_45 (textlines, linelinkage)

Number of lines with corpus code 45 which have changed from last version to this - see lns_corp_45 also wds_mdf for more information.

```

class     :      numeric
unique    :          6
NAs       :         16
not-NA    :        770
not-0-NA  :          7
sum       :         16
range     : [ 0 ] ... [ 7 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_mdf_51 (textlines, linelinkage)

Number of lines with corpus code 51 which have changed from last version to this - see lns_corp_51 also wds_mdf for more information.

```

class     :      numeric
unique    :         24
NAs       :         16
not-NA    :        770
not-0-NA  :        134
sum       :        703
range     : [ 0 ] ... [ 25 ]
examples  : [0], [0], [0], [0], [20], [1], [0], [0], [1], [0] ...

```

lns_corp_mdf_52 (textlines, linelinkage)

Number of lines with corpus code 52 which have changed from last version to this - see lns_corp_52 also wds_mdf for more information.

```

class     :      numeric
unique    :         10
NAs       :         16
not-NA    :        770
not-0-NA  :         27
sum       :         89
range     : [ 0 ] ... [ 10 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [NA], [0], [0] ...

```

lns_corp_mdf_53 (textlines, linelinkage)

Number of lines with corpus code 53 which have changed from last version to this - see `lns_corp_53` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          21
NAs        :          16
not-NA     :          770
not-0-NA   :          152
sum        :          774
range      : [ 0 ] ... [ 30 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [3], [0], [0] ...
```

lns_corp_mdf_54 (textlines, linelinkage)

Number of lines with corpus code 54 which have changed from last version to this - see `lns_corp_54` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          12
NAs        :          16
not-NA     :          770
not-0-NA   :           56
sum        :          164
range      : [ 0 ] ... [ 12 ]
examples   : [0], [0], [0], [4], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_mdf_55 (textlines, linelinkage)

Number of lines with corpus code 55 which have changed from last version to this - see `lns_corp_55` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          12
NAs        :          16
not-NA     :          770
not-0-NA   :           90
sum        :          246
range      : [ 0 ] ... [ 15 ]
examples   : [0], [0], [0], [2], [2], [0], [0], [0], [0], [0] ...
```

lns_corp_mdf_56 (textlines, linelinkage)

Number of lines with corpus code 56 which have changed from last version to this - see `lns_corp_56` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          17
NAs        :          16
not-NA     :          770
not-0-NA   :          110
sum        :          409
range      : [ 0 ] ... [ 29 ]
```

examples : [0], [0], [NA], [0], [0], [26], [0], [0], [0], [0] ...

lns_corp_mdf_66 (textlines, linelinkage)

Number of lines with corpus code 66 which have changed from last version to this - see lns_corp_66 also wds_mdf for more information.

```
class      :      numeric
unique     :          2
NAs        :          16
not-NA     :         770
not-0-NA   :          0
sum        :          0
range      : [ 0 ] ... [ 0 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_mdf_67 (textlines, linelinkage)

Number of lines with corpus code 67 which have changed from last version to this - see lns_corp_67 also wds_mdf for more information.

```
class      :      numeric
unique     :          5
NAs        :          16
not-NA     :         770
not-0-NA   :          5
sum        :         12
range      : [ 0 ] ... [ 6 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_mdf_68 (textlines, linelinkage)

Number of lines with corpus code 68 which have changed from last version to this - see lns_corp_68 also wds_mdf for more information.

```
class      :      numeric
unique     :         10
NAs        :          16
not-NA     :         770
not-0-NA   :          57
sum        :        129
range      : [ 0 ] ... [ 10 ]
examples   : [0], [0], [3], [0], [NA], [0], [0], [0], [0], [0] ...
```

lns_corp_mdf_71 (textlines, linelinkage)

Number of lines with corpus code 71 which have changed from last version to this - see lns_corp_71 also wds_mdf for more information.

```
class      :      numeric
unique     :          9
```

```

NAs      :      16
not-NA   :      770
not-0-NA :      33
sum      :      69
range    : [ 0 ] ... [ 7 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_mdf_72 (textlines, linelinkage)

Number of lines with corpus code 72 which have changed from last version to this - see lms_corp_72 also wds_mdf for more information.

```

class    :      numeric
unique    :          5
NAs      :      16
not-NA   :      770
not-0-NA :      15
sum      :      21
range    : [ 0 ] ... [ 3 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_mdf_73 (textlines, linelinkage)

Number of lines with corpus code 73 which have changed from last version to this - see lms_corp_73 also wds_mdf for more information.

```

class    :      numeric
unique    :          9
NAs      :      16
not-NA   :      770
not-0-NA :      11
sum      :      42
range    : [ 0 ] ... [ 14 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_mdf_111 (textlines, linelinkage)

Number of lines with corpus code 111 which have changed from last version to this - see lms_corp_111 also wds_mdf for more information.

```

class    :      numeric
unique    :          7
NAs      :      16
not-NA   :      770
not-0-NA :      42
sum      :      84
range    : [ 0 ] ... [ 6 ]
examples : [0], [0], [0], [0], [0], [4], [0], [0], [0], [0] ...

```

lns_corp_mdf_112 (textlines, linelinkage)

Number of lines with corpus code 112 which have changed from last version to this - see lns_corp_112 also wds_mdf for more information.

```
class      :      numeric
unique     :          11
NAs        :          16
not-NA     :          770
not-0-NA   :           59
sum         :          135
range      : [ 0 ] ... [ 12 ]
examples   : [0], [0], [0], [NA], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_mdf_113 (textlines, linelinkage)

Number of lines with corpus code 113 which have changed from last version to this - see lns_corp_113 also wds_mdf for more information.

```
class      :      numeric
unique     :          13
NAs        :          16
not-NA     :          770
not-0-NA   :           82
sum         :          231
range      : [ 0 ] ... [ 16 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [NA], [0] ...
```

lns_corp_mdf_114 (textlines, linelinkage)

Number of lines with corpus code 114 which have changed from last version to this - see lns_corp_114 also wds_mdf for more information.

```
class      :      numeric
unique     :           6
NAs        :          16
not-NA     :          770
not-0-NA   :          16
sum         :          42
range      : [ 0 ] ... [ 6 ]
examples   : [0], [0], [0], [0], [0], [0], [6], [0], [0], [0] ...
```

lns_corp_mdf_121 (textlines, linelinkage)

Number of lines with corpus code 121 which have changed from last version to this - see lns_corp_121 also wds_mdf for more information.

```
class      :      numeric
unique     :          15
NAs        :          16
not-NA     :          770
not-0-NA   :          71
```

```

sum      :      235
range    : [ 0 ] ... [ 14 ]
examples : [0], [1], [0], [0], [0], [0], [0], [NA], [0], [0] ...

```

lms_corp_mdf_122 (textlines, linelinkage)

Number of lines with corpus code 122 which have changed from last version to this - see lms_corp_122 also wds_mdf for more information.

```

class     :      numeric
unique    :          9
NAs       :         16
not-NA    :        770
not-0-NA  :         65
sum       :        137
range     : [ 0 ] ... [ 9 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_mdf_123 (textlines, linelinkage)

Number of lines with corpus code 123 which have changed from last version to this - see lms_corp_123 also wds_mdf for more information.

```

class     :      numeric
unique    :         23
NAs       :         16
not-NA    :        770
not-0-NA  :        132
sum       :        613
range     : [ 0 ] ... [ 29 ]
examples  : [0], [0], [0], [2], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_mdf_124 (textlines, linelinkage)

Number of lines with corpus code 124 which have changed from last version to this - see lms_corp_124 also wds_mdf for more information.

```

class     :      numeric
unique    :          6
NAs       :         16
not-NA    :        770
not-0-NA  :         18
sum       :         29
range     : [ 0 ] ... [ 4 ]
examples  : [0], [0], [0], [0], [NA], [0], [0], [0], [0], [0] ...

```

lms_corp_mdf_125 (textlines, linelinkage)

Number of lines with corpus code 125 which have changed from last version to this - see lms_corp_125 also wds_mdf for more information.


```

class      :      numeric
unique     :          10
NAs        :          16
not-NA     :          770
not-0-NA   :           84
sum        :          215
range      : [ 0 ] ... [ 8 ]
examples   : [0], [1], [1], [0], [1], [0], [0], [8], [0], [0] ...

```

lns_corp_mdf_131 (textlines, linelinkage)

Number of lines with corpus code 131 which have changed from last version to this - see lns_corp_131 also wds_mdf for more information.

```

class      :      numeric
unique     :           8
NAs        :          16
not-NA     :          770
not-0-NA   :           42
sum        :           80
range      : [ 0 ] ... [ 6 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_mdf_132 (textlines, linelinkage)

Number of lines with corpus code 132 which have changed from last version to this - see lns_corp_132 also wds_mdf for more information.

```

class      :      numeric
unique     :           5
NAs        :          16
not-NA     :          770
not-0-NA   :           23
sum        :           34
range      : [ 0 ] ... [ 3 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_mdf_133 (textlines, linelinkage)

Number of lines with corpus code 133 which have changed from last version to this - see lns_corp_133 also wds_mdf for more information.

```

class      :      numeric
unique     :           6
NAs        :          16
not-NA     :          770
not-0-NA   :           43
sum        :           60
range      : [ 0 ] ... [ 5 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_mdf_134 (textlines, linelinkage)

Number of lines with corpus code 134 which have changed from last version to this - see lms_corp_134 also wds_mdf for more information.

```
class      :      numeric
unique     :           10
NAs        :           16
not-NA     :          770
not-0-NA   :          104
sum        :          242
range      : [ 0 ] ... [ 9 ]
examples   : [0], [0], [0], [1], [1], [0], [0], [0], [0], [0] ...
```

lms_corp_mdf_141 (textlines, linelinkage)

Number of lines with corpus code 141 which have changed from last version to this - see lms_corp_141 also wds_mdf for more information.

```
class      :      numeric
unique     :           7
NAs        :          16
not-NA     :          770
not-0-NA   :           8
sum        :          20
range      : [ 0 ] ... [ 6 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lms_corp_mdf_142 (textlines, linelinkage)

Number of lines with corpus code 142 which have changed from last version to this - see lms_corp_142 also wds_mdf for more information.

```
class      :      numeric
unique     :           8
NAs        :          16
not-NA     :          770
not-0-NA   :          37
sum        :          80
range      : [ 0 ] ... [ 16 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lms_corp_mdf_143 (textlines, linelinkage)

Number of lines with corpus code 143 which have changed from last version to this - see lms_corp_143 also wds_mdf for more information.

```
class      :      numeric
unique     :           5
NAs        :          16
not-NA     :          770
```

```

not-0-NA :      14
sum       :      23
range     : [ 0 ] ... [ 8 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_mdf_144 (textlines, linelinkage)

Number of lines with corpus code 144 which have changed from last version to this - see lms_corp_144 also wds_mdf for more information.

```

class     :      numeric
unique    :          5
NAs       :         16
not-NA    :        770
not-0-NA  :          5
sum       :          8
range     : [ 0 ] ... [ 3 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_mdf_145 (textlines, linelinkage)

Number of lines with corpus code 145 which have changed from last version to this - see lms_corp_145 also wds_mdf for more information.

```

class     :      numeric
unique    :          5
NAs       :         16
not-NA    :        770
not-0-NA  :          4
sum       :         12
range     : [ 0 ] ... [ 7 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_mdf_241 (textlines, linelinkage)

Number of lines with corpus code 241 which have changed from last version to this - see lms_corp_241 also wds_mdf for more information.

```

class     :      numeric
unique    :          9
NAs       :         16
not-NA    :        770
not-0-NA  :         25
sum       :         65
range     : [ 0 ] ... [ 8 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_mdf_242 (textlines, linelinkage)

Number of lines with corpus code 242 which have changed from last version to this - see `lns_corp_242` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          11
NAs        :          16
not-NA     :         770
not-0-NA   :          33
sum        :          95
range      : [ 0 ] ... [ 12 ]
examples   : [0], [0], [1], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_mdf_243 (textlines, linelinkage)

Number of lines with corpus code 243 which have changed from last version to this - see `lns_corp_243` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          3
NAs        :          16
not-NA     :         770
not-0-NA   :          1
sum        :          3
range      : [ 0 ] ... [ 3 ]
examples   : [0], [0], [0], [0], [0], [NA], [0], [0], [0], [0] ...
```

lns_corp_mdf_244 (textlines, linelinkage)

Number of lines with corpus code 244 which have changed from last version to this - see `lns_corp_244` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          4
NAs        :          16
not-NA     :         770
not-0-NA   :          10
sum        :          14
range      : [ 0 ] ... [ 3 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_mdf_411 (textlines, linelinkage)

Number of lines with corpus code 411 which have changed from last version to this - see `lns_corp_411` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          8
NAs        :          16
not-NA     :         770
not-0-NA   :          18
sum        :          68
range      : [ 0 ] ... [ 6 ]
```

examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

lns_corp_mdf_412 (textlines, linelinkage)

Number of lines with corpus code 412 which have changed from last version to this - see lns_corp_412 also wds_mdf for more information.

```
class      :      numeric
unique     :          10
NAs        :          16
not-NA     :         770
not-O-NA   :          33
sum        :          84
range      : [ 0 ] ... [ 10 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_mdf_421 (textlines, linelinkage)

Number of lines with corpus code 421 which have changed from last version to this - see lns_corp_421 also wds_mdf for more information.

```
class      :      numeric
unique     :           7
NAs        :          16
not-NA     :         770
not-O-NA   :          10
sum        :          36
range      : [ 0 ] ... [ 11 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_mdf_422 (textlines, linelinkage)

Number of lines with corpus code 422 which have changed from last version to this - see lns_corp_422 also wds_mdf for more information.

```
class      :      numeric
unique     :           6
NAs        :          16
not-NA     :         770
not-O-NA   :           8
sum        :          25
range      : [ 0 ] ... [ 6 ]
examples   : [0], [0], [NA], [0], [3], [0], [0], [0], [0], [0] ...
```

lns_corp_mdf_441 (textlines, linelinkage)

Number of lines with corpus code 441 which have changed from last version to this - see lns_corp_441 also wds_mdf for more information.

```
class      :      numeric
unique     :           2
```

```

NAs      :      16
not-NA   :      770
not-0-NA :       0
sum       :       0
range    : [ 0 ] ... [ 0 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_mdf_442 (textlines, linelinkage)

Number of lines with corpus code 442 which have changed from last version to this - see lms_corp_442 also wds_mdf for more information.

```

class     :      numeric
unique    :       4
NAs       :      16
not-NA    :      770
not-0-NA  :       5
sum        :       7
range     : [ 0 ] ... [ 2 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_mdf_611 (textlines, linelinkage)

Number of lines with corpus code 611 which have changed from last version to this - see lms_corp_611 also wds_mdf for more information.

```

class     :      numeric
unique    :      25
NAs       :      16
not-NA    :      770
not-0-NA  :      143
sum        :      741
range     : [ 0 ] ... [ 49 ]
examples  : [26], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_mdf_612 (textlines, linelinkage)

Number of lines with corpus code 612 which have changed from last version to this - see lms_corp_612 also wds_mdf for more information.

```

class     :      numeric
unique    :      15
NAs       :      16
not-NA    :      770
not-0-NA  :      69
sum        :      270
range     : [ 0 ] ... [ 27 ]
examples  : [0], [0], [0], [0], [0], [1], [0], [0], [0], [0] ...

```

lns_corp_mdf_613 (textlines, linelinkage)

Number of lines with corpus code 613 which have changed from last version to this - see lns_corp_613 also wds_mdf for more information.

```
class      :      numeric
unique     :          14
NAs        :          16
not-NA     :         770
not-0-NA   :          86
sum        :         255
range      : [ 0 ] ... [ 21 ]
examples   : [0], [3], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_mdf_631 (textlines, linelinkage)

Number of lines with corpus code 631 which have changed from last version to this - see lns_corp_631 also wds_mdf for more information.

```
class      :      numeric
unique     :           7
NAs        :          16
not-NA     :         770
not-0-NA   :          32
sum        :          56
range      : [ 0 ] ... [ 5 ]
examples   : [0], [0], [0], [0], [0], [0], [1], [NA], [0], [0] ...
```

lns_corp_mdf_632 (textlines, linelinkage)

Number of lines with corpus code 632 which have changed from last version to this - see lns_corp_632 also wds_mdf for more information.

```
class      :      numeric
unique     :          28
NAs        :          16
not-NA     :         770
not-0-NA   :         220
sum        :          1 122
range      : [ 0 ] ... [ 136 ]
examples   : [0], [0], [0], [3], [1], [0], [0], [0], [10], [0] ...
```

lns_corp_mdf_633 (textlines, linelinkage)

Number of lines with corpus code 633 which have changed from last version to this - see lns_corp_633 also wds_mdf for more information.

```
class      :      numeric
unique     :          10
NAs        :          16
not-NA     :         770
not-0-NA   :          80
```

```

sum      :      158
range    : [ 0 ] ... [ 13 ]
examples : [NA], [0], [NA], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_mdf_634 (textlines, linelinkage)

Number of lines with corpus code 634 which have changed from last version to this - see lns_corp_634 also wds_mdf for more information.

```

class     :      numeric
unique    :      14
NAs       :      16
not-NA    :      770
not-0-NA  :      97
sum       :      247
range     : [ 0 ] ... [ 13 ]
examples  : [0], [0], [0], [5], [0], [1], [0], [0], [0], [0] ...

```

lns_corp_mdf_636 (textlines, linelinkage)

Number of lines with corpus code 636 which have changed from last version to this - see lns_corp_636 also wds_mdf for more information.

```

class     :      numeric
unique    :      9
NAs       :      16
not-NA    :      770
not-0-NA  :      47
sum       :      114
range     : [ 0 ] ... [ 9 ]
examples  : [0], [0], [0], [0], [0], [NA], [0], [1], [0], [0] ...

```

lns_corp_mdf_637 (textlines, linelinkage)

Number of lines with corpus code 637 which have changed from last version to this - see lns_corp_637 also wds_mdf for more information.

```

class     :      numeric
unique    :      13
NAs       :      16
not-NA    :      770
not-0-NA  :      35
sum       :      129
range     : [ 0 ] ... [ 19 ]
examples  : [1], [0], [0], [0], [0], [1], [0], [NA], [0], [0] ...

```

lns_corp_mdf_638 (textlines, linelinkage)

Number of lines with corpus code 638 which have changed from last version to this - see lns_corp_638 also wds_mdf for more information.


```

class      :      numeric
unique     :          5
NAs        :          16
not-NA     :         770
not-0-NA   :          3
sum        :          19
range      : [ 0 ] ... [ 16 ]
examples   : [0], [0], [0], [0], [0], [16], [0], [0], [0], [0] ...

```

lns_corp_mdf_639 (textlines, linelinkage)

Number of lines with corpus code 639 which have changed from last version to this - see lns_corp_639 also wds_mdf for more information.

```

class      :      numeric
unique     :          18
NAs        :          16
not-NA     :         770
not-0-NA   :         138
sum        :         514
range      : [ 0 ] ... [ 29 ]
examples   : [0], [1], [0], [0], [0], [0], [2], [0], [0], [0] ...

```

lns_corp_mdf_641 (textlines, linelinkage)

Number of lines with corpus code 641 which have changed from last version to this - see lns_corp_641 also wds_mdf for more information.

```

class      :      numeric
unique     :           9
NAs        :          16
not-NA     :         770
not-0-NA   :          30
sum        :          64
range      : [ 0 ] ... [ 9 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_mdf_642 (textlines, linelinkage)

Number of lines with corpus code 642 which have changed from last version to this - see lns_corp_642 also wds_mdf for more information.

```

class      :      numeric
unique     :           8
NAs        :          16
not-NA     :         770
not-0-NA   :          24
sum        :          66
range      : [ 0 ] ... [ 12 ]
examples   : [1], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_mdf_643 (textlines, linelinkage)

Number of lines with corpus code 643 which have changed from last version to this - see lms_corp_643 also wds_mdf for more information.

```
class      :      numeric
unique     :          5
NAs        :          16
not-NA     :         770
not-0-NA   :          10
sum        :          14
range      : [ 0 ] ... [ 3 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lms_corp_mdf_651 (textlines, linelinkage)

Number of lines with corpus code 651 which have changed from last version to this - see lms_corp_651 also wds_mdf for more information.

```
class      :      numeric
unique     :          13
NAs        :          16
not-NA     :         770
not-0-NA   :          87
sum        :         274
range      : [ 0 ] ... [ 22 ]
examples   : [0], [0], [2], [0], [0], [0], [0], [0], [0] ...
```

lms_corp_mdf_652 (textlines, linelinkage)

Number of lines with corpus code 652 which have changed from last version to this - see lms_corp_652 also wds_mdf for more information.

```
class      :      numeric
unique     :          14
NAs        :          16
not-NA     :         770
not-0-NA   :          78
sum        :         260
range      : [ 0 ] ... [ 21 ]
examples   : [0], [0], [0], [0], [NA], [0], [0], [0], [0] ...
```

lms_corp_mdf_653 (textlines, linelinkage)

Number of lines with corpus code 653 which have changed from last version to this - see lms_corp_653 also wds_mdf for more information.

```
class      :      numeric
unique     :           6
NAs        :          16
not-NA     :         770
```

```

not-0-NA :      8
sum       :      15
range     : [ 0 ] ... [ 5 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_mdf_999 (textlines, linelinkage)

Number of lines with corpus code 999 which have changed from last version to this - see lns_corp_999 also wds_mdf for more information.

```

class     :      numeric
unique    :          2
NAs       :         16
not-NA    :        770
not-0-NA  :          0
sum       :          0
range     : [ 0 ] ... [ 0 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_mdf_6211 (textlines, linelinkage)

Number of lines with corpus code 6211 which have changed from last version to this - see lns_corp_6211 also wds_mdf for more information.

```

class     :      numeric
unique    :         13
NAs       :         16
not-NA    :        770
not-0-NA  :         74
sum       :        254
range     : [ 0 ] ... [ 20 ]
examples  : [0], [0], [1], [0], [0], [0], [0], [2], [0], [0] ...

```

lns_corp_mdf_6212 (textlines, linelinkage)

Number of lines with corpus code 6212 which have changed from last version to this - see lns_corp_6212 also wds_mdf for more information.

```

class     :      numeric
unique    :         18
NAs       :         16
not-NA    :        770
not-0-NA  :         61
sum       :        277
range     : [ 0 ] ... [ 40 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_mdf_6221 (textlines, linelinkage)

Number of lines with corpus code 6221 which have changed from last version to this - see `lns_corp_6221` also `wds_mdf` for more information.

```
class      :      numeric
unique     :           7
NAs        :          16
not-NA     :          770
not-0-NA   :           47
sum        :           78
range      : [ 0 ] ... [ 8 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [6] ...
```

lns_corp_mdf_6222 (textlines, linelinkage)

Number of lines with corpus code 6222 which have changed from last version to this - see `lns_corp_6222` also `wds_mdf` for more information.

```
class      :      numeric
unique     :           9
NAs        :          16
not-NA     :          770
not-0-NA   :           40
sum        :           71
range      : [ 0 ] ... [ 8 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_mdf_6351 (textlines, linelinkage)

Number of lines with corpus code 6351 which have changed from last version to this - see `lns_corp_6351` also `wds_mdf` for more information.

```
class      :      numeric
unique     :           4
NAs        :          16
not-NA     :          770
not-0-NA   :           14
sum        :           18
range      : [ 0 ] ... [ 5 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_mdf_6352 (textlines, linelinkage)

Number of lines with corpus code 6352 which have changed from last version to this - see `lns_corp_6352` also `wds_mdf` for more information.

```
class      :      numeric
unique     :           5
NAs        :          16
not-NA     :          770
not-0-NA   :           21
sum        :           26
range      : [ 0 ] ... [ 3 ]
```

examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

lns_corp_ins_8 (textlines, linelinkage)

Number of lines with corpus code 8 which have changed from last version to this - see lns_corp_8 also wds_mdf for more information.

```
class      :      numeric
unique     :          10
NAs        :          16
not-NA     :         770
not-0-NA   :          22
sum        :          72
range      : [ 0 ] ... [ 22 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_9 (textlines, linelinkage)

Number of lines with corpus code 9 which have changed from last version to this - see lns_corp_9 also wds_mdf for more information.

```
class      :      numeric
unique     :           9
NAs        :          16
not-NA     :         770
not-0-NA   :          33
sum        :          77
range      : [ 0 ] ... [ 12 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_10 (textlines, linelinkage)

Number of lines with corpus code 10 which have changed from last version to this - see lns_corp_10 also wds_mdf for more information.

```
class      :      numeric
unique     :          20
NAs        :          16
not-NA     :         770
not-0-NA   :          73
sum        :         426
range      : [ 0 ] ... [ 120 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_21 (textlines, linelinkage)

Number of lines with corpus code 21 which have changed from last version to this - see lns_corp_21 also wds_mdf for more information.

```
class      :      numeric
unique     :          11
```

```

NAs      :      16
not-NA   :      770
not-0-NA :      29
sum      :      111
range    : [ 0 ] ... [ 31 ]
examples : [1], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_ins_22 (textlines, linelinkage)

Number of lines with corpus code 22 which have changed from last version to this - see lns_corp_22 also wds_mdf for more information.

```

class     :      numeric
unique    :      19
NAs      :      16
not-NA   :      770
not-0-NA :      80
sum      :      352
range    : [ 0 ] ... [ 45 ]
examples : [0], [0], [1], [0], [0], [1], [0], [0], [4], [1] ...

```

lns_corp_ins_23 (textlines, linelinkage)

Number of lines with corpus code 23 which have changed from last version to this - see lns_corp_23 also wds_mdf for more information.

```

class     :      numeric
unique    :      10
NAs      :      16
not-NA   :      770
not-0-NA :      17
sum      :      70
range    : [ 0 ] ... [ 18 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_ins_25 (textlines, linelinkage)

Number of lines with corpus code 25 which have changed from last version to this - see lns_corp_25 also wds_mdf for more information.

```

class     :      numeric
unique    :      14
NAs      :      16
not-NA   :      770
not-0-NA :      28
sum      :      147
range    : [ 0 ] ... [ 25 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_ins_26 (textlines, linelinkage)

Number of lines with corpus code 26 which have changed from last version to this - see lns_corp_26 also wds_mdf for more information.

```
class      :      numeric
unique     :          13
NAs        :          16
not-NA     :         770
not-0-NA   :          30
sum        :         139
range      : [ 0 ] ... [ 24 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_27 (textlines, linelinkage)

Number of lines with corpus code 27 which have changed from last version to this - see lns_corp_27 also wds_mdf for more information.

```
class      :      numeric
unique     :           4
NAs        :          16
not-NA     :         770
not-0-NA   :           3
sum        :          11
range      : [ 0 ] ... [ 9 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_28 (textlines, linelinkage)

Number of lines with corpus code 28 which have changed from last version to this - see lns_corp_28 also wds_mdf for more information.

```
class      :      numeric
unique     :           5
NAs        :          16
not-NA     :         770
not-0-NA   :           3
sum        :          27
range      : [ 0 ] ... [ 14 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_29 (textlines, linelinkage)

Number of lines with corpus code 29 which have changed from last version to this - see lns_corp_29 also wds_mdf for more information.

```
class      :      numeric
unique     :          19
NAs        :          16
not-NA     :         770
not-0-NA   :          33
```

```

sum      :      360
range    : [ 0 ] ... [ 60 ]
examples : [0], [NA], [0], [1], [0], [0], [6], [0], [0], [0] ...

```

lns_corp_ins_31 (textlines, linelinkage)

Number of lines with corpus code 31 which have changed from last version to this - see lns_corp_31 also wds_mdf for more information.

```

class     :      numeric
unique    :          7
NAs       :         16
not-NA    :        770
not-0-NA  :          6
sum       :         33
range     : [ 0 ] ... [ 13 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_ins_32 (textlines, linelinkage)

Number of lines with corpus code 32 which have changed from last version to this - see lns_corp_32 also wds_mdf for more information.

```

class     :      numeric
unique    :          9
NAs       :         16
not-NA    :        770
not-0-NA  :          9
sum       :         56
range     : [ 0 ] ... [ 25 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_ins_33 (textlines, linelinkage)

Number of lines with corpus code 33 which have changed from last version to this - see lns_corp_33 also wds_mdf for more information.

```

class     :      numeric
unique    :          6
NAs       :         16
not-NA    :        770
not-0-NA  :          4
sum       :         14
range     : [ 0 ] ... [ 7 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_ins_34 (textlines, linelinkage)

Number of lines with corpus code 34 which have changed from last version to this - see lns_corp_34 also wds_mdf for more information.


```

class      :      numeric
unique     :          11
NAs        :          16
not-NA     :          770
not-0-NA   :          55
sum        :          143
range      : [ 0 ] ... [ 20 ]
examples   : [3], [0], [1], [0], [0], [0], [0], [2], [0], [0] ...

```

lns_corp_ins_43 (textlines, linelinkage)

Number of lines with corpus code 43 which have changed from last version to this - see lns_corp_43 also wds_mdf for more information.

```

class      :      numeric
unique     :          7
NAs        :          16
not-NA     :          770
not-0-NA   :          12
sum        :          28
range      : [ 0 ] ... [ 8 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_ins_45 (textlines, linelinkage)

Number of lines with corpus code 45 which have changed from last version to this - see lns_corp_45 also wds_mdf for more information.

```

class      :      numeric
unique     :          6
NAs        :          16
not-NA     :          770
not-0-NA   :          4
sum        :          39
range      : [ 0 ] ... [ 19 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_ins_51 (textlines, linelinkage)

Number of lines with corpus code 51 which have changed from last version to this - see lns_corp_51 also wds_mdf for more information.

```

class      :      numeric
unique     :          19
NAs        :          16
not-NA     :          770
not-0-NA   :          74
sum        :          362
range      : [ 0 ] ... [ 62 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [7], [0], [0] ...

```

lns_corp_ins_52 (textlines, linelinkage)

Number of lines with corpus code 52 which have changed from last version to this - see lns_corp_52 also wds_mdf for more information.

```
class      :      numeric
unique     :           13
NAs        :           16
not-NA     :          770
not-0-NA   :           20
sum        :          135
range      : [ 0 ] ... [ 15 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_53 (textlines, linelinkage)

Number of lines with corpus code 53 which have changed from last version to this - see lns_corp_53 also wds_mdf for more information.

```
class      :      numeric
unique     :           20
NAs        :           16
not-NA     :          770
not-0-NA   :           95
sum        :          483
range      : [ 0 ] ... [ 23 ]
examples   : [1], [0], [0], [0], [0], [0], [0], [0], [12], [0] ...
```

lns_corp_ins_54 (textlines, linelinkage)

Number of lines with corpus code 54 which have changed from last version to this - see lns_corp_54 also wds_mdf for more information.

```
class      :      numeric
unique     :           14
NAs        :           16
not-NA     :          770
not-0-NA   :           25
sum        :          169
range      : [ 0 ] ... [ 35 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_55 (textlines, linelinkage)

Number of lines with corpus code 55 which have changed from last version to this - see lns_corp_55 also wds_mdf for more information.

```
class      :      numeric
unique     :           15
NAs        :           16
not-NA     :          770
```

```

not-0-NA :          61
sum       :          236
range     : [ 0 ] ... [ 45 ]
examples  : [0], [0], [1], [0], [0], [0], [0], [0], [1], [0] ...

```

lns_corp_ins_56 (textlines, linelinkage)

Number of lines with corpus code 56 which have changed from last version to this - see lns_corp_56 also wds_mdf for more information.

```

class     :      numeric
unique    :          14
NAs       :          16
not-NA    :          770
not-0-NA  :          64
sum       :          204
range     : [ 0 ] ... [ 24 ]
examples  : [0], [1], [0], [0], [0], [0], [0], [0], [0], [24] ...

```

lns_corp_ins_66 (textlines, linelinkage)

Number of lines with corpus code 66 which have changed from last version to this - see lns_corp_66 also wds_mdf for more information.

```

class     :      numeric
unique    :           3
NAs       :          16
not-NA    :          770
not-0-NA  :           2
sum       :           2
range     : [ 0 ] ... [ 1 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_ins_67 (textlines, linelinkage)

Number of lines with corpus code 67 which have changed from last version to this - see lns_corp_67 also wds_mdf for more information.

```

class     :      numeric
unique    :           4
NAs       :          16
not-NA    :          770
not-0-NA  :           2
sum       :           7
range     : [ 0 ] ... [ 4 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_ins_68 (textlines, linelinkage)

Number of lines with corpus code 68 which have changed from last version to this - see `lns_corp_68` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          13
NAs        :          16
not-NA     :         770
not-0-NA   :          32
sum        :         128
range      : [ 0 ] ... [ 20 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_71 (textlines, linelinkage)

Number of lines with corpus code 71 which have changed from last version to this - see `lns_corp_71` also `wds_mdf` for more information.

```
class      :      numeric
unique     :           6
NAs        :          16
not-NA     :         770
not-0-NA   :          11
sum        :          32
range      : [ 0 ] ... [ 17 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_72 (textlines, linelinkage)

Number of lines with corpus code 72 which have changed from last version to this - see `lns_corp_72` also `wds_mdf` for more information.

```
class      :      numeric
unique     :           4
NAs        :          16
not-NA     :         770
not-0-NA   :           6
sum        :           7
range      : [ 0 ] ... [ 2 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_73 (textlines, linelinkage)

Number of lines with corpus code 73 which have changed from last version to this - see `lns_corp_73` also `wds_mdf` for more information.

```
class      :      numeric
unique     :           6
NAs        :          16
not-NA     :         770
not-0-NA   :           6
sum        :          33
range      : [ 0 ] ... [ 15 ]
```

examples : [NA], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

lns_corp_ins_111 (textlines, linelinkage)

Number of lines with corpus code 111 which have changed from last version to this - see lns_corp_111 also wds_mdf for more information.

class : numeric
unique : 9
NAs : 16
not-NA : 770
not-0-NA : 31
sum : 117
range : [0] ... [20]
examples : [0], [0], [0], [1], [0], [0], [0], [0], [0], [0] ...

lns_corp_ins_112 (textlines, linelinkage)

Number of lines with corpus code 112 which have changed from last version to this - see lns_corp_112 also wds_mdf for more information.

class : numeric
unique : 10
NAs : 16
not-NA : 770
not-0-NA : 31
sum : 84
range : [0] ... [13]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

lns_corp_ins_113 (textlines, linelinkage)

Number of lines with corpus code 113 which have changed from last version to this - see lns_corp_113 also wds_mdf for more information.

class : numeric
unique : 11
NAs : 16
not-NA : 770
not-0-NA : 35
sum : 112
range : [0] ... [17]
examples : [NA], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

lns_corp_ins_114 (textlines, linelinkage)

Number of lines with corpus code 114 which have changed from last version to this - see lns_corp_114 also wds_mdf for more information.

class : numeric
unique : 7

```

NAs      :      16
not-NA   :      770
not-0-NA :      13
sum      :      40
range    : [ 0 ] ... [ 8 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_ins_121 (textlines, linelinkage)

Number of lines with corpus code 121 which have changed from last version to this - see lms_corp_121 also wds_mdf for more information.

```

class    :      numeric
unique   :      14
NAs      :      16
not-NA   :      770
not-0-NA :      44
sum      :      150
range    : [ 0 ] ... [ 14 ]
examples : [0], [0], [0], [NA], [NA], [0], [0], [0], [0], [0] ...

```

lms_corp_ins_122 (textlines, linelinkage)

Number of lines with corpus code 122 which have changed from last version to this - see lms_corp_122 also wds_mdf for more information.

```

class    :      numeric
unique   :      9
NAs      :      16
not-NA   :      770
not-0-NA :      37
sum      :      87
range    : [ 0 ] ... [ 13 ]
examples : [0], [0], [0], [0], [1], [0], [0], [0], [0], [0] ...

```

lms_corp_ins_123 (textlines, linelinkage)

Number of lines with corpus code 123 which have changed from last version to this - see lms_corp_123 also wds_mdf for more information.

```

class    :      numeric
unique   :      18
NAs      :      16
not-NA   :      770
not-0-NA :      82
sum      :      275
range    : [ 0 ] ... [ 20 ]
examples : [0], [0], [0], [3], [0], [0], [0], [0], [0], [5] ...

```

lns_corp_ins_124 (textlines, linelinkage)

Number of lines with corpus code 124 which have changed from last version to this - see lns_corp_124 also wds_mdf for more information.

```
class      :      numeric
unique     :           5
NAs        :          16
not-NA     :          770
not-0-NA   :           3
sum        :           9
range      : [ 0 ] ... [ 6 ]
examples   : [0], [0], [NA], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_125 (textlines, linelinkage)

Number of lines with corpus code 125 which have changed from last version to this - see lns_corp_125 also wds_mdf for more information.

```
class      :      numeric
unique     :          10
NAs        :          16
not-NA     :          770
not-0-NA   :          38
sum        :          81
range      : [ 0 ] ... [ 9 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_131 (textlines, linelinkage)

Number of lines with corpus code 131 which have changed from last version to this - see lns_corp_131 also wds_mdf for more information.

```
class      :      numeric
unique     :           7
NAs        :          16
not-NA     :          770
not-0-NA   :          20
sum        :          39
range      : [ 0 ] ... [ 5 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_132 (textlines, linelinkage)

Number of lines with corpus code 132 which have changed from last version to this - see lns_corp_132 also wds_mdf for more information.

```
class      :      numeric
unique     :           5
NAs        :          16
not-NA     :          770
not-0-NA   :          17
```

```

sum      :      26
range    : [ 0 ] ... [ 3 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_ins_133 (textlines, linelinkage)

Number of lines with corpus code 133 which have changed from last version to this - see lns_corp_133 also wds_mdf for more information.

```

class    :      numeric
unique    :      7
NAs      :      16
not-NA    :      770
not-0-NA  :      20
sum       :      43
range     : [ 0 ] ... [ 9 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [1] ...

```

lns_corp_ins_134 (textlines, linelinkage)

Number of lines with corpus code 134 which have changed from last version to this - see lns_corp_134 also wds_mdf for more information.

```

class    :      numeric
unique    :      9
NAs      :      16
not-NA    :      770
not-0-NA  :      58
sum       :      130
range     : [ 0 ] ... [ 16 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_ins_141 (textlines, linelinkage)

Number of lines with corpus code 141 which have changed from last version to this - see lns_corp_141 also wds_mdf for more information.

```

class    :      numeric
unique    :      5
NAs      :      16
not-NA    :      770
not-0-NA  :      3
sum       :      6
range     : [ 0 ] ... [ 3 ]
examples : [0], [1], [0], [0], [NA], [0], [0], [0], [0], [NA] ...

```

lns_corp_ins_142 (textlines, linelinkage)

Number of lines with corpus code 142 which have changed from last version to this - see lns_corp_142 also wds_mdf for more information.


```

class      :      numeric
unique     :          10
NAs        :          16
not-NA     :         770
not-0-NA   :          23
sum        :          78
range      : [ 0 ] ... [ 17 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [NA], [0] ...

```

lns__corp__ins__143 (textlines, linelinkage)

Number of lines with corpus code 143 which have changed from last version to this - see lns__corp__143 also wds__mdf for more information.

```

class      :      numeric
unique     :          4
NAs        :          16
not-NA     :         770
not-0-NA   :           2
sum        :           5
range      : [ 0 ] ... [ 4 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns__corp__ins__144 (textlines, linelinkage)

Number of lines with corpus code 144 which have changed from last version to this - see lns__corp__144 also wds__mdf for more information.

```

class      :      numeric
unique     :          3
NAs        :          16
not-NA     :         770
not-0-NA   :           1
sum        :           3
range      : [ 0 ] ... [ 3 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns__corp__ins__145 (textlines, linelinkage)

Number of lines with corpus code 145 which have changed from last version to this - see lns__corp__145 also wds__mdf for more information.

```

class      :      numeric
unique     :          4
NAs        :          16
not-NA     :         770
not-0-NA   :           3
sum        :          17
range      : [ 0 ] ... [ 13 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_ins_241 (textlines, linelinkage)

Number of lines with corpus code 241 which have changed from last version to this - see lns_corp_241 also wds_mdf for more information.

```
class      :      numeric
unique     :           13
NAs        :           16
not-NA     :          770
not-0-NA   :           23
sum         :          118
range      : [ 0 ] ... [ 24 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [1] ...
```

lns_corp_ins_242 (textlines, linelinkage)

Number of lines with corpus code 242 which have changed from last version to this - see lns_corp_242 also wds_mdf for more information.

```
class      :      numeric
unique     :           11
NAs        :           16
not-NA     :          770
not-0-NA   :           21
sum         :          106
range      : [ 0 ] ... [ 15 ]
examples   : [1], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_243 (textlines, linelinkage)

Number of lines with corpus code 243 which have changed from last version to this - see lns_corp_243 also wds_mdf for more information.

```
class      :      numeric
unique     :            3
NAs        :           16
not-NA     :          770
not-0-NA   :            4
sum         :            4
range      : [ 0 ] ... [ 1 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_244 (textlines, linelinkage)

Number of lines with corpus code 244 which have changed from last version to this - see lns_corp_244 also wds_mdf for more information.

```
class      :      numeric
unique     :           10
NAs        :           16
not-NA     :          770
```

```

not-0-NA :      20
sum       :      98
range     : [ 0 ] ... [ 24 ]
examples  : [0], [0], [NA], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_ins_411 (textlines, linelinkage)

Number of lines with corpus code 411 which have changed from last version to this - see lns_corp_411 also wds_mdf for more information.

```

class     :      numeric
unique    :          7
NAs       :         16
not-NA    :        770
not-0-NA  :          7
sum       :         52
range     : [ 0 ] ... [ 28 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_ins_412 (textlines, linelinkage)

Number of lines with corpus code 412 which have changed from last version to this - see lns_corp_412 also wds_mdf for more information.

```

class     :      numeric
unique    :         10
NAs       :         16
not-NA    :        770
not-0-NA  :         19
sum       :         69
range     : [ 0 ] ... [ 13 ]
examples  : [0], [0], [0], [0], [0], [NA], [2], [0], [0], [0] ...

```

lns_corp_ins_421 (textlines, linelinkage)

Number of lines with corpus code 421 which have changed from last version to this - see lns_corp_421 also wds_mdf for more information.

```

class     :      numeric
unique    :          3
NAs       :         16
not-NA    :        770
not-0-NA  :          2
sum       :          2
range     : [ 0 ] ... [ 1 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_ins_422 (textlines, linelinkage)

Number of lines with corpus code 422 which have changed from last version to this - see `lns_corp_422` also `wds_mdf` for more information.

```
class      :      numeric
unique     :           3
NAs        :          16
not-NA     :          770
not-0-NA   :           2
sum        :           2
range      : [ 0 ] ... [ 1 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_441 (textlines, linelinkage)

Number of lines with corpus code 441 which have changed from last version to this - see `lns_corp_441` also `wds_mdf` for more information.

```
class      :      numeric
unique     :           4
NAs        :          16
not-NA     :          770
not-0-NA   :           2
sum        :           6
range      : [ 0 ] ... [ 4 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_442 (textlines, linelinkage)

Number of lines with corpus code 442 which have changed from last version to this - see `lns_corp_442` also `wds_mdf` for more information.

```
class      :      numeric
unique     :           4
NAs        :          16
not-NA     :          770
not-0-NA   :           2
sum        :           6
range      : [ 0 ] ... [ 5 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_611 (textlines, linelinkage)

Number of lines with corpus code 611 which have changed from last version to this - see `lns_corp_611` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          16
NAs        :          16
not-NA     :          770
not-0-NA   :          74
sum        :         394
range      : [ 0 ] ... [ 119 ]
```

examples : [0], [NA], [0], [1], [0], [0], [0], [0], [0], [0] ...

lns_corp_ins_612 (textlines, linelinkage)

Number of lines with corpus code 612 which have changed from last version to this - see lns_corp_612 also wds_mdf for more information.

```
class      :      numeric
unique     :          9
NAs        :          16
not-NA     :         770
not-0-NA   :          27
sum        :         115
range      : [ 0 ] ... [ 47 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [4], [0] ...
```

lns_corp_ins_613 (textlines, linelinkage)

Number of lines with corpus code 613 which have changed from last version to this - see lns_corp_613 also wds_mdf for more information.

```
class      :      numeric
unique     :          10
NAs        :          16
not-NA     :         770
not-0-NA   :          36
sum        :          88
range      : [ 0 ] ... [ 8 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_631 (textlines, linelinkage)

Number of lines with corpus code 631 which have changed from last version to this - see lns_corp_631 also wds_mdf for more information.

```
class      :      numeric
unique     :           8
NAs        :          16
not-NA     :         770
not-0-NA   :          13
sum        :          38
range      : [ 0 ] ... [ 10 ]
examples : [0], [NA], [0], [0], [0], [0], [NA], [0], [0], [0] ...
```

lns_corp_ins_632 (textlines, linelinkage)

Number of lines with corpus code 632 which have changed from last version to this - see lns_corp_632 also wds_mdf for more information.

```
class      :      numeric
unique     :          18
```

```

NAs      :      16
not-NA   :      770
not-0-NA :      107
sum      :      366
range    : [ 0 ] ... [ 32 ]
examples : [0], [0], [0], [15], [32], [0], [0], [NA], [0], [0] ...

```

lms_corp_ins_633 (textlines, linelinkage)

Number of lines with corpus code 633 which have changed from last version to this - see lms_corp_633 also wds_mdf for more information.

```

class    :      numeric
unique   :          8
NAs      :          16
not-NA   :          770
not-0-NA :          33
sum      :          62
range    : [ 0 ] ... [ 10 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_ins_634 (textlines, linelinkage)

Number of lines with corpus code 634 which have changed from last version to this - see lms_corp_634 also wds_mdf for more information.

```

class    :      numeric
unique   :          13
NAs      :          16
not-NA   :          770
not-0-NA :          59
sum      :          174
range    : [ 0 ] ... [ 18 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_ins_636 (textlines, linelinkage)

Number of lines with corpus code 636 which have changed from last version to this - see lms_corp_636 also wds_mdf for more information.

```

class    :      numeric
unique   :          10
NAs      :          16
not-NA   :          770
not-0-NA :          36
sum      :          94
range    : [ 0 ] ... [ 10 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_ins_637 (textlines, linelinkage)

Number of lines with corpus code 637 which have changed from last version to this - see lns_corp_637 also wds_mdf for more information.

```
class      :      numeric
unique     :          11
NAs        :          16
not-NA     :          770
not-0-NA   :          24
sum        :          210
range      : [ 0 ] ... [ 75 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_638 (textlines, linelinkage)

Number of lines with corpus code 638 which have changed from last version to this - see lns_corp_638 also wds_mdf for more information.

```
class      :      numeric
unique     :           6
NAs        :          16
not-NA     :          770
not-0-NA   :           8
sum        :          17
range      : [ 0 ] ... [ 5 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_639 (textlines, linelinkage)

Number of lines with corpus code 639 which have changed from last version to this - see lns_corp_639 also wds_mdf for more information.

```
class      :      numeric
unique     :          23
NAs        :          16
not-NA     :          770
not-0-NA   :          105
sum        :          622
range      : [ 0 ] ... [ 47 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_641 (textlines, linelinkage)

Number of lines with corpus code 641 which have changed from last version to this - see lns_corp_641 also wds_mdf for more information.

```
class      :      numeric
unique     :           8
NAs        :          16
not-NA     :          770
not-0-NA   :          20
```

```

sum      :      48
range    : [ 0 ] ... [ 8 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_ins_642 (textlines, linelinkage)

Number of lines with corpus code 642 which have changed from last version to this - see lns_corp_642 also wds_mdf for more information.

```

class     :      numeric
unique    :      10
NAs       :      16
not-NA    :      770
not-0-NA  :      23
sum       :      104
range     : [ 0 ] ... [ 32 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_ins_643 (textlines, linelinkage)

Number of lines with corpus code 643 which have changed from last version to this - see lns_corp_643 also wds_mdf for more information.

```

class     :      numeric
unique    :        6
NAs       :      16
not-NA    :      770
not-0-NA  :        8
sum       :      16
range     : [ 0 ] ... [ 6 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_ins_651 (textlines, linelinkage)

Number of lines with corpus code 651 which have changed from last version to this - see lns_corp_651 also wds_mdf for more information.

```

class     :      numeric
unique    :      15
NAs       :      16
not-NA    :      770
not-0-NA  :      44
sum       :      243
range     : [ 0 ] ... [ 47 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [1] ...

```

lns_corp_ins_652 (textlines, linelinkage)

Number of lines with corpus code 652 which have changed from last version to this - see lns_corp_652 also wds_mdf for more information.


```

class      :      numeric
unique     :          13
NAs        :          16
not-NA     :          770
not-0-NA   :          45
sum        :          129
range      : [ 0 ] ... [ 15 ]
examples   : [0], [0], [0], [1], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_ins_653 (textlines, linelinkage)

Number of lines with corpus code 653 which have changed from last version to this - see lns_corp_653 also wds_mdf for more information.

```

class      :      numeric
unique     :          4
NAs        :          16
not-NA     :          770
not-0-NA   :          3
sum        :          4
range      : [ 0 ] ... [ 2 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_ins_999 (textlines, linelinkage)

Number of lines with corpus code 999 which have changed from last version to this - see lns_corp_999 also wds_mdf for more information.

```

class      :      numeric
unique     :          2
NAs        :          16
not-NA     :          770
not-0-NA   :          0
sum        :          0
range      : [ 0 ] ... [ 0 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_ins_6211 (textlines, linelinkage)

Number of lines with corpus code 6211 which have changed from last version to this - see lns_corp_6211 also wds_mdf for more information.

```

class      :      numeric
unique     :          7
NAs        :          16
not-NA     :          770
not-0-NA   :          29
sum        :          83
range      : [ 0 ] ... [ 30 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_ins_6212 (textlines, linelinkage)

Number of lines with corpus code 6212 which have changed from last version to this - see lns_corp_6212 also wds_mdf for more information.

```
class      :      numeric
unique     :          10
NAs        :          16
not-NA     :          770
not-0-NA   :          35
sum         :          78
range      : [ 0 ] ... [ 9 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_6221 (textlines, linelinkage)

Number of lines with corpus code 6221 which have changed from last version to this - see lns_corp_6221 also wds_mdf for more information.

```
class      :      numeric
unique     :           5
NAs        :          16
not-NA     :          770
not-0-NA   :          21
sum         :          31
range      : [ 0 ] ... [ 3 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [1], [0] ...
```

lns_corp_ins_6222 (textlines, linelinkage)

Number of lines with corpus code 6222 which have changed from last version to this - see lns_corp_6222 also wds_mdf for more information.

```
class      :      numeric
unique     :           7
NAs        :          16
not-NA     :          770
not-0-NA   :          25
sum         :          52
range      : [ 0 ] ... [ 6 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_ins_6351 (textlines, linelinkage)

Number of lines with corpus code 6351 which have changed from last version to this - see lns_corp_6351 also wds_mdf for more information.

```
class      :      numeric
unique     :           4
NAs        :          16
not-NA     :          770
```

```

not-0-NA :          5
sum       :          7
range     : [ 0 ] ... [ 3 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_ins_6352 (textlines, linelinkage)

Number of lines with corpus code 6352 which have changed from last version to this - see lms_corp_6352 also wds_mdf for more information.

```

class     :      numeric
unique    :          7
NAs       :          16
not-NA    :          770
not-0-NA  :          17
sum       :          31
range     : [ 0 ] ... [ 5 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_del_8 (textlines, linelinkage)

Number of lines with corpus code 8 which have changed from last version to this - see lms_corp_8 also wds_mdf for more information.

```

class     :      numeric
unique    :          6
NAs       :          16
not-NA    :          770
not-0-NA  :          18
sum       :          39
range     : [ 0 ] ... [ 14 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_del_9 (textlines, linelinkage)

Number of lines with corpus code 9 which have changed from last version to this - see lms_corp_9 also wds_mdf for more information.

```

class     :      numeric
unique    :          7
NAs       :          16
not-NA    :          770
not-0-NA  :          18
sum       :          41
range     : [ 0 ] ... [ 10 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_del_10 (textlines, linelinkage)

Number of lines with corpus code 10 which have changed from last version to this - see `lns_corp_10` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          10
NAs        :          16
not-NA     :         770
not-0-NA   :          37
sum        :         112
range      : [ 0 ] ... [ 18 ]
examples   : [0], [0], [0], [0], [2], [0], [0], [0], [0], [0] ...
```

lns_corp_del_21 (textlines, linelinkage)

Number of lines with corpus code 21 which have changed from last version to this - see `lns_corp_21` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          10
NAs        :          16
not-NA     :         770
not-0-NA   :          13
sum        :          69
range      : [ 0 ] ... [ 21 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_del_22 (textlines, linelinkage)

Number of lines with corpus code 22 which have changed from last version to this - see `lns_corp_22` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          14
NAs        :          16
not-NA     :         770
not-0-NA   :          45
sum        :         212
range      : [ 0 ] ... [ 28 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [1], [1], [0] ...
```

lns_corp_del_23 (textlines, linelinkage)

Number of lines with corpus code 23 which have changed from last version to this - see `lns_corp_23` also `wds_mdf` for more information.

```
class      :      numeric
unique     :           6
NAs        :          16
not-NA     :         770
not-0-NA   :           8
sum        :          21
range      : [ 0 ] ... [ 8 ]
```

examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [NA] ...

lns_corp_del_25 (textlines, linelinkage)

Number of lines with corpus code 25 which have changed from last version to this - see lns_corp_25 also wds_mdf for more information.

```
class      :      numeric
unique     :          8
NAs        :          16
not-NA     :         770
not-0-NA   :          17
sum        :          55
range      : [ 0 ] ... [ 14 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_del_26 (textlines, linelinkage)

Number of lines with corpus code 26 which have changed from last version to this - see lns_corp_26 also wds_mdf for more information.

```
class      :      numeric
unique     :          8
NAs        :          16
not-NA     :         770
not-0-NA   :          14
sum        :          50
range      : [ 0 ] ... [ 12 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_del_27 (textlines, linelinkage)

Number of lines with corpus code 27 which have changed from last version to this - see lns_corp_27 also wds_mdf for more information.

```
class      :      numeric
unique     :          3
NAs        :          16
not-NA     :         770
not-0-NA   :           1
sum        :           1
range      : [ 0 ] ... [ 1 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_del_28 (textlines, linelinkage)

Number of lines with corpus code 28 which have changed from last version to this - see lns_corp_28 also wds_mdf for more information.

```
class      :      numeric
unique     :          4
```

```

NAs      :      16
not-NA   :      770
not-0-NA :       3
sum      :       7
range    : [ 0 ] ... [ 3 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_del_29 (textlines, linelinkage)

Number of lines with corpus code 29 which have changed from last version to this - see lns_corp_29 also wds_mdf for more information.

```

class    :      numeric
unique   :       10
NAs      :       16
not-NA   :      770
not-0-NA :       14
sum      :      64
range    : [ 0 ] ... [ 17 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_del_31 (textlines, linelinkage)

Number of lines with corpus code 31 which have changed from last version to this - see lns_corp_31 also wds_mdf for more information.

```

class    :      numeric
unique   :        4
NAs      :       16
not-NA   :      770
not-0-NA :        3
sum      :        5
range    : [ 0 ] ... [ 2 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_del_32 (textlines, linelinkage)

Number of lines with corpus code 32 which have changed from last version to this - see lns_corp_32 also wds_mdf for more information.

```

class    :      numeric
unique   :        3
NAs      :       16
not-NA   :      770
not-0-NA :        3
sum      :        3
range    : [ 0 ] ... [ 1 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_del_33 (textlines, linelinkage)

Number of lines with corpus code 33 which have changed from last version to this - see lns_corp_33 also wds_mdf for more information.

```
class      :      numeric
unique     :           4
NAs        :          16
not-NA     :          770
not-0-NA   :           2
sum        :           6
range      : [ 0 ] ... [ 5 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [NA] ...
```

lns_corp_del_34 (textlines, linelinkage)

Number of lines with corpus code 34 which have changed from last version to this - see lns_corp_34 also wds_mdf for more information.

```
class      :      numeric
unique     :           9
NAs        :          16
not-NA     :          770
not-0-NA   :          18
sum        :          48
range      : [ 0 ] ... [ 12 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [5] ...
```

lns_corp_del_43 (textlines, linelinkage)

Number of lines with corpus code 43 which have changed from last version to this - see lns_corp_43 also wds_mdf for more information.

```
class      :      numeric
unique     :           5
NAs        :          16
not-NA     :          770
not-0-NA   :           8
sum        :          12
range      : [ 0 ] ... [ 3 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_del_45 (textlines, linelinkage)

Number of lines with corpus code 45 which have changed from last version to this - see lns_corp_45 also wds_mdf for more information.

```
class      :      numeric
unique     :           4
NAs        :          16
not-NA     :          770
not-0-NA   :           2
```

```

sum      :          5
range    : [ 0 ] ... [ 4 ]
examples : [0], [NA], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_del_51 (textlines, linelinkage)

Number of lines with corpus code 51 which have changed from last version to this - see lns_corp_51 also wds_mdf for more information.

```

class     :      numeric
unique    :          12
NAs       :          16
not-NA    :          770
not-0-NA  :          52
sum       :          133
range     : [ 0 ] ... [ 13 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_del_52 (textlines, linelinkage)

Number of lines with corpus code 52 which have changed from last version to this - see lns_corp_52 also wds_mdf for more information.

```

class     :      numeric
unique    :           6
NAs       :          16
not-NA    :          770
not-0-NA  :          13
sum       :          34
range     : [ 0 ] ... [ 14 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_del_53 (textlines, linelinkage)

Number of lines with corpus code 53 which have changed from last version to this - see lns_corp_53 also wds_mdf for more information.

```

class     :      numeric
unique    :          14
NAs       :          16
not-NA    :          770
not-0-NA  :          58
sum       :          206
range     : [ 0 ] ... [ 24 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [NA], [0] ...

```

lns_corp_del_54 (textlines, linelinkage)

Number of lines with corpus code 54 which have changed from last version to this - see lns_corp_54 also wds_mdf for more information.


```

class      :      numeric
unique     :          10
NAs        :          16
not-NA     :          770
not-0-NA   :          20
sum        :          108
range      : [ 0 ] ... [ 29 ]
examples   : [0], [0], [0], [4], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_del_55 (textlines, linelinkage)

Number of lines with corpus code 55 which have changed from last version to this - see lns_corp_55 also wds_mdf for more information.

```

class      :      numeric
unique     :          10
NAs        :          16
not-NA     :          770
not-0-NA   :          24
sum        :          84
range      : [ 0 ] ... [ 15 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_del_56 (textlines, linelinkage)

Number of lines with corpus code 56 which have changed from last version to this - see lns_corp_56 also wds_mdf for more information.

```

class      :      numeric
unique     :          14
NAs        :          16
not-NA     :          770
not-0-NA   :          38
sum        :          171
range      : [ 0 ] ... [ 45 ]
examples   : [0], [0], [0], [0], [NA], [NA], [0], [0], [0], [0] ...

```

lns_corp_del_66 (textlines, linelinkage)

Number of lines with corpus code 66 which have changed from last version to this - see lns_corp_66 also wds_mdf for more information.

```

class      :      numeric
unique     :           2
NAs        :          16
not-NA     :          770
not-0-NA   :           0
sum        :           0
range      : [ 0 ] ... [ 0 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_del_67 (textlines, linelinkage)

Number of lines with corpus code 67 which have changed from last version to this - see lns_corp_67 also wds_mdf for more information.

```
class      :      numeric
unique     :           2
NAs        :          16
not-NA     :          770
not-0-NA   :           0
sum        :           0
range      : [ 0 ] ... [ 0 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_del_68 (textlines, linelinkage)

Number of lines with corpus code 68 which have changed from last version to this - see lns_corp_68 also wds_mdf for more information.

```
class      :      numeric
unique     :           9
NAs        :          16
not-NA     :          770
not-0-NA   :           26
sum        :           66
range      : [ 0 ] ... [ 13 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [NA], [0], [0] ...
```

lns_corp_del_71 (textlines, linelinkage)

Number of lines with corpus code 71 which have changed from last version to this - see lns_corp_71 also wds_mdf for more information.

```
class      :      numeric
unique     :           5
NAs        :          16
not-NA     :          770
not-0-NA   :           6
sum        :          26
range      : [ 0 ] ... [ 18 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_del_72 (textlines, linelinkage)

Number of lines with corpus code 72 which have changed from last version to this - see lns_corp_72 also wds_mdf for more information.

```
class      :      numeric
unique     :           3
NAs        :          16
not-NA     :          770
```

```

not-0-NA :          2
sum       :          2
range     : [ 0 ] ... [ 1 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_del_73 (textlines, linelinkage)

Number of lines with corpus code 73 which have changed from last version to this - see lms_corp_73 also wds_mdf for more information.

```

class     :      numeric
unique    :          5
NAs       :          16
not-NA    :          770
not-0-NA  :          3
sum       :          20
range     : [ 0 ] ... [ 15 ]
examples  : [0], [0], [0], [0], [NA], [0], [0], [0], [0], [0] ...

```

lms_corp_del_111 (textlines, linelinkage)

Number of lines with corpus code 111 which have changed from last version to this - see lms_corp_111 also wds_mdf for more information.

```

class     :      numeric
unique    :          7
NAs       :          16
not-NA    :          770
not-0-NA  :          12
sum       :          28
range     : [ 0 ] ... [ 11 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_del_112 (textlines, linelinkage)

Number of lines with corpus code 112 which have changed from last version to this - see lms_corp_112 also wds_mdf for more information.

```

class     :      numeric
unique    :          6
NAs       :          16
not-NA    :          770
not-0-NA  :          17
sum       :          33
range     : [ 0 ] ... [ 6 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_del_113 (textlines, linelinkage)

Number of lines with corpus code 113 which have changed from last version to this - see `lns_corp_113` also `wds_mdf` for more information.

```
class      :      numeric
unique     :           8
NAs        :          16
not-NA     :          770
not-0-NA   :           17
sum         :           44
range      : [ 0 ] ... [ 8 ]
examples   : [0], [0], [0], [0], [0], [0], [2], [0], [0], [0] ...
```

lns_corp_del_114 (textlines, linelinkage)

Number of lines with corpus code 114 which have changed from last version to this - see `lns_corp_114` also `wds_mdf` for more information.

```
class      :      numeric
unique     :           6
NAs        :          16
not-NA     :          770
not-0-NA   :           5
sum         :          15
range      : [ 0 ] ... [ 8 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_del_121 (textlines, linelinkage)

Number of lines with corpus code 121 which have changed from last version to this - see `lns_corp_121` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          10
NAs        :          16
not-NA     :          770
not-0-NA   :          29
sum         :          87
range      : [ 0 ] ... [ 17 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_del_122 (textlines, linelinkage)

Number of lines with corpus code 122 which have changed from last version to this - see `lns_corp_122` also `wds_mdf` for more information.

```
class      :      numeric
unique     :           9
NAs        :          16
not-NA     :          770
not-0-NA   :          24
sum         :          59
range      : [ 0 ] ... [ 11 ]
```

examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

lns_corp_del_123 (textlines, linelinkage)

Number of lines with corpus code 123 which have changed from last version to this - see lns_corp_123 also wds_mdf for more information.

```
class      :      numeric
unique     :          11
NAs       :          16
not-NA    :          770
not-O-NA  :          41
sum        :          119
range      : [ 0 ] ... [ 9 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_del_124 (textlines, linelinkage)

Number of lines with corpus code 124 which have changed from last version to this - see lns_corp_124 also wds_mdf for more information.

```
class      :      numeric
unique     :           4
NAs       :          16
not-NA    :          770
not-O-NA  :           2
sum        :          11
range      : [ 0 ] ... [ 9 ]
examples : [0], [0], [0], [0], [0], [NA], [0], [0], [0], [0] ...
```

lns_corp_del_125 (textlines, linelinkage)

Number of lines with corpus code 125 which have changed from last version to this - see lns_corp_125 also wds_mdf for more information.

```
class      :      numeric
unique     :           6
NAs       :          16
not-NA    :          770
not-O-NA  :          19
sum        :          29
range      : [ 0 ] ... [ 5 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_del_131 (textlines, linelinkage)

Number of lines with corpus code 131 which have changed from last version to this - see lns_corp_131 also wds_mdf for more information.

```
class      :      numeric
unique     :           7
```

```

NAs      :      16
not-NA   :      770
not-0-NA :       6
sum      :      21
range    : [ 0 ] ... [ 8 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_del_132 (textlines, linelinkage)

Number of lines with corpus code 132 which have changed from last version to this - see lms_corp_132 also wds_mdf for more information.

```

class    :      numeric
unique   :       5
NAs      :      16
not-NA   :      770
not-0-NA :      11
sum      :      16
range    : [ 0 ] ... [ 3 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_del_133 (textlines, linelinkage)

Number of lines with corpus code 133 which have changed from last version to this - see lms_corp_133 also wds_mdf for more information.

```

class    :      numeric
unique   :       5
NAs      :      16
not-NA   :      770
not-0-NA :       7
sum      :      13
range    : [ 0 ] ... [ 6 ]
examples : [0], [NA], [0], [0], [0], [0], [NA], [0], [0], [0] ...

```

lms_corp_del_134 (textlines, linelinkage)

Number of lines with corpus code 134 which have changed from last version to this - see lms_corp_134 also wds_mdf for more information.

```

class    :      numeric
unique   :      10
NAs      :      16
not-NA   :      770
not-0-NA :      31
sum      :      72
range    : [ 0 ] ... [ 12 ]
examples : [0], [2], [0], [0], [NA], [0], [0], [0], [0], [0] ...

```

lns_corp_del_141 (textlines, linelinkage)

Number of lines with corpus code 141 which have changed from last version to this - see lns_corp_141 also wds_mdf for more information.

```
class      :      numeric
unique     :          3
NAs        :          16
not-NA     :          770
not-0-NA   :           1
sum        :           1
range      : [ 0 ] ... [ 1 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_del_142 (textlines, linelinkage)

Number of lines with corpus code 142 which have changed from last version to this - see lns_corp_142 also wds_mdf for more information.

```
class      :      numeric
unique     :           7
NAs        :          16
not-NA     :          770
not-0-NA   :          12
sum        :          35
range      : [ 0 ] ... [ 13 ]
examples   : [0], [0], [0], [0], [0], [2], [0], [0], [0], [0] ...
```

lns_corp_del_143 (textlines, linelinkage)

Number of lines with corpus code 143 which have changed from last version to this - see lns_corp_143 also wds_mdf for more information.

```
class      :      numeric
unique     :           3
NAs        :          16
not-NA     :          770
not-0-NA   :           3
sum        :           3
range      : [ 0 ] ... [ 1 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_del_144 (textlines, linelinkage)

Number of lines with corpus code 144 which have changed from last version to this - see lns_corp_144 also wds_mdf for more information.

```
class      :      numeric
unique     :           4
NAs        :          16
not-NA     :          770
not-0-NA   :           2
```

```

sum      :          4
range    : [ 0 ] ... [ 3 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns__corp__del__145 (textlines, linelinkage)

Number of lines with corpus code 145 which have changed from last version to this - see lns__corp__145 also wds__mdf for more information.

```

class     :      numeric
unique    :          2
NAs       :          16
not-NA    :          770
not-0-NA  :          0
sum       :          0
range     : [ 0 ] ... [ 0 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns__corp__del__241 (textlines, linelinkage)

Number of lines with corpus code 241 which have changed from last version to this - see lns__corp__241 also wds__mdf for more information.

```

class     :      numeric
unique    :          5
NAs       :          16
not-NA    :          770
not-0-NA  :          6
sum       :          17
range     : [ 0 ] ... [ 6 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns__corp__del__242 (textlines, linelinkage)

Number of lines with corpus code 242 which have changed from last version to this - see lns__corp__242 also wds__mdf for more information.

```

class     :      numeric
unique    :          6
NAs       :          16
not-NA    :          770
not-0-NA  :          12
sum       :          31
range     : [ 0 ] ... [ 15 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns__corp__del__243 (textlines, linelinkage)

Number of lines with corpus code 243 which have changed from last version to this - see lns__corp__243 also wds__mdf for more information.


```

class      :      numeric
unique     :          3
NAs        :          16
not-NA     :          770
not-0-NA   :          1
sum        :          1
range      : [ 0 ] ... [ 1 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns__corp__del__244 (textlines, linelinkage)

Number of lines with corpus code 244 which have changed from last version to this - see lns__corp__244 also wds__mdf for more information.

```

class      :      numeric
unique     :          3
NAs        :          16
not-NA     :          770
not-0-NA   :          2
sum        :          2
range      : [ 0 ] ... [ 1 ]
examples   : [NA], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns__corp__del__411 (textlines, linelinkage)

Number of lines with corpus code 411 which have changed from last version to this - see lns__corp__411 also wds__mdf for more information.

```

class      :      numeric
unique     :          3
NAs        :          16
not-NA     :          770
not-0-NA   :          7
sum        :          7
range      : [ 0 ] ... [ 1 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns__corp__del__412 (textlines, linelinkage)

Number of lines with corpus code 412 which have changed from last version to this - see lns__corp__412 also wds__mdf for more information.

```

class      :      numeric
unique     :          4
NAs        :          16
not-NA     :          770
not-0-NA   :          4
sum        :          5
range      : [ 0 ] ... [ 2 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_del_421 (textlines, linelinkage)

Number of lines with corpus code 421 which have changed from last version to this - see lms_corp_421 also wds_mdf for more information.

```
class      :      numeric
unique     :          5
NAs        :          16
not-NA     :         770
not-0-NA   :          4
sum        :          8
range      : [ 0 ] ... [ 4 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lms_corp_del_422 (textlines, linelinkage)

Number of lines with corpus code 422 which have changed from last version to this - see lms_corp_422 also wds_mdf for more information.

```
class      :      numeric
unique     :          3
NAs        :          16
not-NA     :         770
not-0-NA   :          2
sum        :          2
range      : [ 0 ] ... [ 1 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lms_corp_del_441 (textlines, linelinkage)

Number of lines with corpus code 441 which have changed from last version to this - see lms_corp_441 also wds_mdf for more information.

```
class      :      numeric
unique     :          4
NAs        :          16
not-NA     :         770
not-0-NA   :          2
sum        :          6
range      : [ 0 ] ... [ 4 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lms_corp_del_442 (textlines, linelinkage)

Number of lines with corpus code 442 which have changed from last version to this - see lms_corp_442 also wds_mdf for more information.

```
class      :      numeric
unique     :          2
NAs        :          16
not-NA     :         770
```

```

not-0-NA :      0
sum       :      0
range     : [ 0 ] ... [ 0 ]
examples  : [0], [0], [0], [0], [0], [NA], [0], [0], [0], [0] ...

```

lms_corp_del_611 (textlines, linelinkage)

Number of lines with corpus code 611 which have changed from last version to this - see lms_corp_611 also wds_mdf for more information.

```

class     :      numeric
unique    :      13
NAs       :      16
not-NA    :      770
not-0-NA  :      43
sum       :      171
range     : [ 0 ] ... [ 20 ]
examples  : [0], [0], [0], [0], [1], [0], [0], [0], [0], [0] ...

```

lms_corp_del_612 (textlines, linelinkage)

Number of lines with corpus code 612 which have changed from last version to this - see lms_corp_612 also wds_mdf for more information.

```

class     :      numeric
unique    :      6
NAs       :      16
not-NA    :      770
not-0-NA  :      18
sum       :      31
range     : [ 0 ] ... [ 5 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_del_613 (textlines, linelinkage)

Number of lines with corpus code 613 which have changed from last version to this - see lms_corp_613 also wds_mdf for more information.

```

class     :      numeric
unique    :      7
NAs       :      16
not-NA    :      770
not-0-NA  :      23
sum       :      54
range     : [ 0 ] ... [ 8 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_del_631 (textlines, linelinkage)

Number of lines with corpus code 631 which have changed from last version to this - see `lns_corp_631` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          7
NAs        :          16
not-NA     :         770
not-0-NA   :          10
sum         :          26
range      : [ 0 ] ... [ 8 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_del_632 (textlines, linelinkage)

Number of lines with corpus code 632 which have changed from last version to this - see `lns_corp_632` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          14
NAs        :          16
not-NA     :         770
not-0-NA   :          73
sum         :         224
range      : [ 0 ] ... [ 18 ]
examples   : [0], [0], [0], [4], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_del_633 (textlines, linelinkage)

Number of lines with corpus code 633 which have changed from last version to this - see `lns_corp_633` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          7
NAs        :          16
not-NA     :         770
not-0-NA   :          19
sum         :          46
range      : [ 0 ] ... [ 20 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_del_634 (textlines, linelinkage)

Number of lines with corpus code 634 which have changed from last version to this - see `lns_corp_634` also `wds_mdf` for more information.

```
class      :      numeric
unique     :          9
NAs        :          16
not-NA     :         770
not-0-NA   :          25
sum         :          60
range      : [ 0 ] ... [ 12 ]
```

examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

lns_corp_del_636 (textlines, linelinkage)

Number of lines with corpus code 636 which have changed from last version to this - see lns_corp_636 also wds_mdf for more information.

```
class      :      numeric
unique     :          6
NAs        :          16
not-NA     :          770
not-0-NA   :          12
sum        :          22
range      : [ 0 ] ... [ 4 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_del_637 (textlines, linelinkage)

Number of lines with corpus code 637 which have changed from last version to this - see lns_corp_637 also wds_mdf for more information.

```
class      :      numeric
unique     :          9
NAs        :          16
not-NA     :          770
not-0-NA   :          12
sum        :          60
range      : [ 0 ] ... [ 15 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_del_638 (textlines, linelinkage)

Number of lines with corpus code 638 which have changed from last version to this - see lns_corp_638 also wds_mdf for more information.

```
class      :      numeric
unique     :          5
NAs        :          16
not-NA     :          770
not-0-NA   :          3
sum        :          10
range      : [ 0 ] ... [ 5 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_del_639 (textlines, linelinkage)

Number of lines with corpus code 639 which have changed from last version to this - see lns_corp_639 also wds_mdf for more information.

```
class      :      numeric
unique     :          15
```

```

NAs      :      16
not-NA   :      770
not-0-NA :      48
sum      :      233
range    : [ 0 ] ... [ 31 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_del_641 (textlines, linelinkage)

Number of lines with corpus code 641 which have changed from last version to this - see lms_corp_641 also wds_mdf for more information.

```

class    :      numeric
unique   :      5
NAs      :      16
not-NA   :      770
not-0-NA :      7
sum      :      12
range    : [ 0 ] ... [ 4 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_del_642 (textlines, linelinkage)

Number of lines with corpus code 642 which have changed from last version to this - see lms_corp_642 also wds_mdf for more information.

```

class    :      numeric
unique   :      6
NAs      :      16
not-NA   :      770
not-0-NA :      11
sum      :      28
range    : [ 0 ] ... [ 12 ]
examples : [0], [0], [0], [0], [1], [0], [0], [0], [12], [0] ...

```

lms_corp_del_643 (textlines, linelinkage)

Number of lines with corpus code 643 which have changed from last version to this - see lms_corp_643 also wds_mdf for more information.

```

class    :      numeric
unique   :      4
NAs      :      16
not-NA   :      770
not-0-NA :      2
sum      :      3
range    : [ 0 ] ... [ 2 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_del_651 (textlines, linelinkage)

Number of lines with corpus code 651 which have changed from last version to this - see lns_corp_651 also wds_mdf for more information.

```
class      :      numeric
unique     :           9
NAs        :          16
not-NA     :          770
not-0-NA   :           19
sum        :          124
range      : [ 0 ] ... [ 33 ]
examples   : [0], [0], [NA], [0], [0], [0], [NA], [0], [0], [0] ...
```

lns_corp_del_652 (textlines, linelinkage)

Number of lines with corpus code 652 which have changed from last version to this - see lns_corp_652 also wds_mdf for more information.

```
class      :      numeric
unique     :           8
NAs        :          16
not-NA     :          770
not-0-NA   :           26
sum        :           78
range      : [ 0 ] ... [ 35 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...
```

lns_corp_del_653 (textlines, linelinkage)

Number of lines with corpus code 653 which have changed from last version to this - see lns_corp_653 also wds_mdf for more information.

```
class      :      numeric
unique     :           4
NAs        :          16
not-NA     :          770
not-0-NA   :           2
sum        :           3
range      : [ 0 ] ... [ 2 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [NA], [NA] ...
```

lns_corp_del_999 (textlines, linelinkage)

Number of lines with corpus code 999 which have changed from last version to this - see lns_corp_999 also wds_mdf for more information.

```
class      :      numeric
unique     :           3
NAs        :          16
not-NA     :          770
not-0-NA   :           2
```

```

sum      :      2
range    : [ 0 ] ... [ 1 ]
examples : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_del_6211 (textlines, linelinkage)

Number of lines with corpus code 6211 which have changed from last version to this - see lms_corp_6211 also wds_mdf for more information.

```

class     :      numeric
unique    :      5
NAs       :      16
not-NA    :      770
not-0-NA  :      14
sum       :      20
range     : [ 0 ] ... [ 3 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_del_6212 (textlines, linelinkage)

Number of lines with corpus code 6212 which have changed from last version to this - see lms_corp_6212 also wds_mdf for more information.

```

class     :      numeric
unique    :      7
NAs       :      16
not-NA    :      770
not-0-NA  :      19
sum       :      36
range     : [ 0 ] ... [ 6 ]
examples  : [0], [0], [0], [0], [0], [NA], [0], [0], [0], [0] ...

```

lms_corp_del_6221 (textlines, linelinkage)

Number of lines with corpus code 6221 which have changed from last version to this - see lms_corp_6221 also wds_mdf for more information.

```

class     :      numeric
unique    :      5
NAs       :      16
not-NA    :      770
not-0-NA  :      5
sum       :      10
range     : [ 0 ] ... [ 4 ]
examples  : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lms_corp_del_6222 (textlines, linelinkage)

Number of lines with corpus code 6222 which have changed from last version to this - see lms_corp_6222 also wds_mdf for more information.


```

class      :      numeric
unique     :          5
NAs        :          16
not-NA     :         770
not-0-NA   :          12
sum        :          19
range      : [ 0 ] ... [ 6 ]
examples   : [0], [0], [1], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_del_6351 (textlines, linelinkage)

Number of lines with corpus code 6351 which have changed from last version to this - see lns_corp_6351 also wds_mdf for more information.

```

class      :      numeric
unique     :          4
NAs        :          16
not-NA     :         770
not-0-NA   :           3
sum        :           4
range      : [ 0 ] ... [ 2 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

lns_corp_del_6352 (textlines, linelinkage)

Number of lines with corpus code 6352 which have changed from last version to this - see lns_corp_6352 also wds_mdf for more information.

```

class      :      numeric
unique     :          4
NAs        :          16
not-NA     :         770
not-0-NA   :           6
sum        :           8
range      : [ 0 ] ... [ 3 ]
examples   : [0], [0], [0], [0], [0], [0], [0], [0], [0], [0] ...

```

8.17 external variables and extensions

tsb_agc (Tsebelis)

Tsebelis original 2002, page 182 government control of the legislative agenda measure. See ext_tsb_agc1 for further description.

```

class      :      numeric
unique     :          16
NAs        :         770
not-NA     :          16
not-0-NA   :          16
sum        :        -0.095

```

```

range      : [ -0.527 ] ... [ 0.69 ]
examples   : [NA], [NA], [NA], [NA], [NA], [NA], [NA], [NA], [NA] ...

```

ext_tsb_agc1 (Tsebelis)

This variable is based on *George Tsebelis (2002): Veto Players: How Political Institutions Work, Princeton* table 7.3 at page 182 and measures government control of the legislative agenda.

The cross section values found in the table were assigned to those SO versions that were enacted in 1985 (when the agenda control measure was gathered). To extrapolate the measure over time it was: 1) multiplied by the number of words for those 1985 versions, 2) the change in majority prone and minority prone words was added (majority words as positives, minority words as negatives) 3) these text lengths were again divided by the lengths of the 1985 versions.

Because it is unclear which numeric relation the agenda control measure and the change of pro majority / pro minority words might hold (one would need a second time point to determine that) the variable exists in three variations: `ext_tsb_agc1`, `ext_tsb_agc2` and `ext_tsb_agc4`. The numbers indicate by which factor the change in majority/minority friendly words was multiplied to give it an higher impact (1, 2, 4) thus increasing the variance of the agenda control extrapolation.

```

class      :      numeric
unique     :          64
NAs        :          71
not-NA     :         715
not-0-NA   :         715
sum        :         36.36
range      : [ -0.57 ] ... [ 0.7 ]
examples   : [-0.38], [-0.55], [-0.43], [NA], [0.69], [-0.1], [0.21], [0.69], [NA], [0.69]
...

```

ext_tsb_agc2 (Tsebelis)

See `ext_tsb_agc1`.

```

class      :      numeric
unique     :          85
NAs        :          71
not-NA     :         715
not-0-NA   :         710
sum        :         41.43
range      : [ -0.62 ] ... [ 0.7 ]
examples   : [-0.52], [0.69], [-0.21], [0.56], [0.58], [-0.41], [0.58], [-0.1], [-0.3],
[0.68] ...

```

ext_tsb_agc4 (Tsebelis)

See `ext_tsb_agc1`.

```

class      :      numeric
unique     :         104
NAs        :          71
not-NA     :         715

```

```

not-0-NA :          712
sum       :          52.01
range     : [ -0.71 ] ... [ 1.25 ]
examples  : [-0.28], [-0.44], [-0.13], [-0.35], [0.63], [-0.04], [-0.11], [0.68], [-0.11],
[ ...

```

pro_minmaj_qual (textlines, linelinkage, manual coding)

Whether or not the reform in general was pro majority (1), pro minority (-1) or neither (0), the decision was made by comparing the number of sub-paragraphs/lines changed in each direction. If there was no change in favor of majority but changes in favor of minority it was considered minority friendly and vice versa. If changes in both directions took place there the differences in the SO texts were considered.

Find below the coding of all non-trivial cases ...

$$diff = pro_maj - pro_min$$

$$ratio_pro = (pro_maj - pro_min) / (pro_maj + pro_min)$$

$$ratio_all = (pro_maj - pro_min) / (pro_maj + pro_min + pro_none)$$

t_id	pro_maj	pro_min	pro_non	pro_minmaj_qual	diff	ratio_pro	ratio_all
FRA_1994-03-12.0	29	1	134	1	28	0.93	0.17
LUX_2003-11-27.0	14	1	88	1	13	0.87	0.13
ITA_1983-11-30.0	13	1	26	1	12	0.86	0.30
DEN_1976-10-05.0	12	1	21	1	11	0.85	0.32
NED_1947-07-08.0	8	1	22	1	7	0.78	0.23
BEL_1985-04-25.0	8	1	157	1	7	0.78	0.04
NED_1994-05-17.0	21	3	347	1	18	0.75	0.05
LUX_2000-07-01.0	24	4	150	1	20	0.71	0.11
DEN_1981-06-01.0	9	2	54	1	7	0.64	0.11
SWE_2007-01-01.1	4	1	16	1	3	0.60	0.14
SWE_1949-04-06.0	10	3	53	-1	7	0.54	0.11
LUX_2007-03-15.0	6	2	43	1	4	0.50	0.08
LUX_2010-07-15.0	3	1	6	0	2	0.50	0.20
ITA_1982-01-12.0	3	1	9	0	2	0.50	0.15
SWE_1998-10-01.0	3	1	23	1	2	0.50	0.07
NED_1986-06-24.0	3	1	53	1	2	0.50	0.04
NOR_2009-10-01.4	3	1	96	1	2	0.50	0.02
ITA_1986-09-01.2	11	5	16	1	6	0.38	0.19
GER_1952-01-01.0	12	6	208	-1	6	0.33	0.03
ESP_1982-03-06.0	8	4	705	-1	4	0.33	0.01
SWE_2003-07-01.0	8	4	476	1	4	0.33	0.01
UK_2005-10-10.0	6	3	29	1	3	0.33	0.08
POR_1984-03-16.0	6	3	83	-1	3	0.33	0.03
BEL_2003-10-12.0	6	3	111	1	3	0.33	0.02
DEN_1959-04-29.0	4	2	14	1	2	0.33	0.10
ITA_1982-01-29.0	2	1	5	1	1	0.33	0.12
GER_1986-12-18.0	2	1	31	1	1	0.33	0.03
NED_1953-07-09.0	2	1	35	-1	1	0.33	0.03
BEL_1990-07-12.0	2	1	68	1	1	0.33	0.01
IRE_2010-12-02.0	2	1	135	-1	1	0.33	0.01
NED_1966-07-12.0	14	8	432	1	6	0.27	0.01

t_id	pro_maj	pro_min	pro_non	pro_minmaj_qual	diff	ratio_pro	ratio_all
BEL_1962-02-08.0	12	7	383	1	5	0.26	0.01
DEN_1997-05-27.0	5	3	69	0	2	0.25	0.03
SWE_1974-02-28.0	8	5	381	1	3	0.23	0.01
SWE_1996-01-01.0	9	6	10	0	3	0.20	0.12
BEL_1998-10-13.0	6	4	313	1	2	0.20	0.01
NED_2006-06-29.0	3	2	21	-1	1	0.20	0.04
AUT_1986-09-01.0	3	2	34	-1	1	0.20	0.03
BEL_1995-06-08.0	3	2	71	-1	1	0.20	0.01
AUT_1996-10-15.0	32	23	90	1	9	0.16	0.06
DEN_2004-01-01.0	4	3	31	1	1	0.14	0.03
SWE_1995-01-01.1	4	3	60	1	1	0.14	0.01
DEN_1966-01-01.0	10	8	69	0	2	0.11	0.02
DEN_1989-05-12.0	5	4	48	1	1	0.11	0.02
LUX_1991-01-01.0	44	40	271	-1	4	0.05	0.01
AUT_1993-09-15.0	12	12	52	1	0	0.00	0.00
BEL_1973-04-26.0	1	1	11	0	0	0.00	0.00
BEL_1982-10-26.0	1	1	13	1	0	0.00	0.00
BEL_2005-05-19.0	1	1	6	0	0	0.00	0.00
DEN_1969-10-07.0	2	2	20	0	0	0.00	0.00
DEN_1986-12-17.0	1	1	6	0	0	0.00	0.00
DEN_2004-12-16.0	1	1	20	1	0	0.00	0.00
GER_1972-10-19.0	1	1	17	-1	0	0.00	0.00
IRE_1996-10-15.0	2	2	181	0	0	0.00	0.00
ITA_1983-12-14.0	1	1	9	-1	0	0.00	0.00
LUX_1998-03-01.0	3	3	10	-1	0	0.00	0.00
NED_1952-04-01.0	2	2	14	0	0	0.00	0.00
NED_1956-05-03.0	2	2	12	-1	0	0.00	0.00
NOR_1989-10-02.0	3	3	60	1	0	0.00	0.00
NOR_1996-10-01.0	2	2	15	1	0	0.00	0.00
SWE_1988-09-01.0	2	2	12	0	0	0.00	0.00
SWE_1993-01-01.0	1	1	16	1	0	0.00	0.00
SWE_2009-12-01.0	1	1	23	0	0	0.00	0.00
UK_1991-01-29.0	1	1	4	1	0	0.00	0.00
SWE_1971-01-01.0	3	4	180	-1	-1	-0.14	-0.01
DEN_1972-10-03.0	3	4	48	0	-1	-0.14	-0.02
AUT_1989-01-01.0	25	34	156	-1	-9	-0.15	-0.04
GER_1970-05-22.0	2	3	46	-1	-1	-0.20	-0.02
NED_2004-03-31.0	2	3	39	-1	-1	-0.20	-0.02
DEN_2007-06-01.0	2	3	16	-1	-1	-0.20	-0.05
BEL_1993-10-27.0	3	5	87	-1	-2	-0.25	-0.02
AUT_1975-10-01.0	24	40	316	-1	-16	-0.25	-0.04
FRA_1969-11-30.0	9	16	151	-1	-7	-0.28	-0.04
POR_2003-01-17.0	1	2	443	-1	-1	-0.33	0.00
IRE_1997-11-13.0	1	2	161	-1	-1	-0.33	-0.01
FRA_1995-11-11.0	1	2	53	-1	-1	-0.33	-0.02
DEN_1971-10-05.0	1	2	17	0	-1	-0.33	-0.05
ITA_1971-04-30.0	7	15	539	-1	-8	-0.36	-0.01
ITA_1998-01-01.0	3	7	92	-1	-4	-0.40	-0.04
POR_1985-03-06.0	2	5	821	-1	-3	-0.43	0.00
BEL_1987-01-28.0	2	5	102	-1	-3	-0.43	-0.03
DEN_1999-05-25.0	2	5	34	-1	-3	-0.43	-0.07
DEN_1953-12-17.0	10	27	118	-1	-17	-0.46	-0.11

t_id	pro_maj	pro_min	pro_non	pro_minmaj_qual	diff	ratio_pro	ratio_all
SWE_1996-02-01.0	3	9	18	-1	-6	-0.50	-0.20
AUT_1961-09-01.0	4	13	95	-1	-9	-0.53	-0.08
DEN_1947-10-07.0	2	7	88	-1	-5	-0.56	-0.05
AUT_1998-01-01.0	1	4	78	-1	-3	-0.60	-0.04
ITA_1982-01-16.0	1	6	3	-1	-5	-0.71	-0.50
FRA_2009-06-25.0	4	34	385	-1	-30	-0.79	-0.07
GER_1980-10-01.0	1	9	253	-1	-8	-0.80	-0.03

```

class      :      numeric
unique     :          4
NAs        :          87
not-NA     :         699
not-0-NA   :         238
sum        :         -22
range      : [ -1 ] ... [ 1 ]
examples   : [NA], [0], [-1], [NA], [0], [NA], [0], [NA], [0], [0] ...

```

pro_minmaj_auto1 (textlines, linelinkage, manual coding)

Whether or not the reform in general was pro majority (1), pro minority (-1) or neither (0), the decision was made automatically by comparing the number of words changed in each direction.

```

class      :      numeric
unique     :          4
NAs        :          87
not-NA     :         699
not-0-NA   :         252
sum        :          -6
range      : [ -1 ] ... [ 1 ]
examples   : [0], [0], [0], [0], [0], [0], [-1], [1], [-1], [-1] ...

```

pro_minmaj_auto2 (textlines, linelinkage, manual coding)

Whether or not the reform in general was pro majority (1), pro minority (-1) or neither (0), the decision was made automatically by comparing the number of lines changed in each direction.

```

class      :      numeric
unique     :          4
NAs        :          87
not-NA     :         699
not-0-NA   :         234
sum        :         -2
range      : [ -1 ] ... [ 1 ]
examples   : [0], [0], [0], [-1], [-1], [0], [-1], [1], [0], [-1] ...

```

erd_cab_id (European Representative Democracy <http://www.erdda.se/>)

```

class      :      numeric
unique     :         232

```

```
NAs      :      76
not-NA   :      710
not-0-NA :      710
sum       :    827 513
range     : [ 102 ] ... [ 1723 ]
examples : [1004], [1628], [NA], [502], [1624], [1715], [234], [1306], [616], [1215] ...
```