Supplementary Materials

Characterization of Terpene Synthase from Tea Green Leafhopper Being Involved in Formation of Geraniol in Tea (*Camellia sinensis*) Leaves and Potential Effect of Geraniol on Insect-Derived Endobacteria

Ying Zhou 1,+, Xiaoyu Liu 1,+ and Ziyin Yang 1,2,*

- Guangdong Provincial Key Laboratory of Applied Botany & Key Laboratory of South China Agricultural Plant Molecular Analysis and Genetic Improvement, South China Botanical Garden, Chinese Academy of Sciences, Xingke Road 723, Tianhe District, Guangzhou 510650, China; yzhou@scbg.ac.cn (Y.Z.); 18423326041@139.com (X.L.)
- ² Center of Economic Botany, Core Botanical Gardens, Chinese Academy of Sciences, Xingke Road 723, Tianhe District, Guangzhou 510650, China
- * Correspondence: zyyang@scbg.ac.cn; Tel.: +86-20-38072989
- † These authors have contributed equally to this work.

Table S1. Primers used for gene cloning in first-round PCR.

Gene	Accession	Forward primer 5'-3'	Reverse primer 5'-3'
	number		
EoFPPS1	MH383157	AAAGTGCGGACTGGGAGG	AAAGTTATGGGAAGTTGCTG
EoFPPS2	MH383158	ATTGTGGTGAAAACCCTT	CTGTCGTTACATTCGTTAGTT
EoTPS	MH383159	TTGTAAGTTATTAAATCCAT	TTTCCATCCTTTGGTTCTGC
		CGCTAC	

Table S2. Primers used for gene cloning in second-round PCR.

Gene	Accession	Forward primer 5'-3'	Reverse primer 5'-3'
	number		
EoFPPS1	MH383157	TATCGGATCCGAATTCATGA	CCGCAAGCTTGTCGACTTAG
		GGGCTAACATGTGGAGG	CGACCAGTCATGGTCTTGA
EoFPPS2	MH383158	TATCGGATCCGAATTCATGT	CCGCAAGCTTGTCGACTTAC
		TCAGCTCTTTAAAACTCAGT	GATTCTCGTTTGTAAATCGTG
		С	
EoTPS	MH383159	TATCGGATCCGAATTCATGG	CCGCAAGCTTGTCGACTTAC
		AGGGGCTCGTCAATAACTC	TTGGTACGGTCCCAGTTG