UI5 Views, Reimagined

Devtoberfest 2026 · Type-Safe TSX for a Modern Dev Experience

http://localhost:4004/bookshop-tsx/index.html

SLIDES

■ A OPENING SLIDES	S1–S9 concept · S10: switch to VS Code (~8 min)
■ B LIVE CODING	Parts 1–10 (~50 min)
■ C CLOSING SLIDES	S13 → S14 → S15 → S16 → S17 → S18 (~5 min)

Slide	Title	Say / note
S1–2	Title + hook	
S3	Two worlds, neither complete	XML untyped · TS stops at view boundary
S4	What is JSX/TSX?	JSX = constructor calls, no React/VDOM
S5	We've done this before	TS won in controllers — now views
S6	How it works in UI5	Babel transform + runtime shim
S7	What you get	Per-prop checking, autocomplete, refactoring
S8	What you can do	15 sec teaser — built live in Parts 6–7
S9	<For> & <If>	<If> explained here (no live Part)
S10	**Time to build ← SWITCH**	**Switch to VS Code now**
S11/12	*shown live*	*Parts 1/10 = S11 · Part 4 = S12*
S13	What's not there yet	Gaps / roadmap
S14	This is your project too	Invite contributions
S15	Setup in 4 steps	How audience can start
S16	Things to watch out for	Babel v7 · AMD vs npm · as never
S17	Links & docs	Runtime repo · CodeJam · this repo
S18	Thank you ■	Q&A

GOTCHAS ■

Babel	@babel/plugin-transform-react-jsx@**^7** — pin to v7, v8 breaks the transform
AMD path	jsxImportSource: **"ui5/community/jsx/runtime"** — AMD namespace, NOT npm name
manifest	viewName: **"module:sap/demo/view/App"** — module: prefix + slash path
method	**getControllerName()** — NOT getControllerModuleName() (doesn't exist)
cast	**{ path: 'x', formatter: fn } as never** — where TS expects a string prop
V4 action	**bindContext("/submitOrder(...)")** — the (...) suffix marks it as an action

LIVE CODING — snippet prefix in violet, warning in orange

#	Step	What / config	Snippet	!
1	Show app	http://localhost:4004/bookshop-tsx · search / click / order		
1		Open apps/bookshop-tsx/.../App.tsx → no XML		
2	Scaffold	yo easy-ui5 ts-app → sap.demo / my-tsx-app / 1.153.0		
2	Wire CAP	Add my-tsx-app file: devDep to cap/bookshop/package.json + npm i		
3a	npm add	npm add @ui5-community/jsx-runtime		
3a		npm add -D @babel/plugin-transform-react-jsx@^7		**pin v7!**
3b	tsconfig	"jsx":"react-jsx"		
3b		"jsxImportSource":"ui5/community/jsx/runtime"		**AMD path!**
3b		"types":["@openui5/types","@ui5-community/jsx-runtime"]		
3c	ui5.yaml	specVersion:4.0 · YAML anchor &config · transpileDependencies:true		
3d	index.html	"ui5.community.jsx.runtime":"./resources/ui5/community/jsx/runtime/"		
3	Verify	npm run ts-typecheck → clean		
4	First TSX	Delete App.view.xml · create webapp/view/App.tsx	**ui5-view**	
4		manifest: viewName = module:sap/demo/view/App		**module: prefix!**
4		Typo demo: ttle= → red squiggle		
5	OData V4	manifest: /browse/ odataVersion:4.0 synchronizationMode:None		
6	Bindings	"{path}" · {…} as never · "{= expr }"	**ui5-parts**	
7	Table+For	items={…} columns={[…]} child = () => JSX factory	**ui5-table**	
7	ObjStatus	state bound via formatter.stockState	**ui5-objectstatus**	
7	formatter	@namespace sap.demo.model · thresholds: >=20/>0/0	**ui5-formatter**	
8	Controller	@namespace sap.demo.controller	**ui5-controller**	
8	Detail VBox	id=bookDetails visible={false} · HBox Order row · StepInput		
8	Row select	getBindingContext() → bindElement(path) → setVisible(true)	**ui5-bindelement**	
8	Search	<SearchField liveChange='.onSearch' />	**ui5-search-filter**	
9	V4 action	bindContext("/submitOrder(...)") setParameter await execute()	**ui5-v4-action**	
9		oModel.refresh() → stock updates in table		
10	Tour	bookshop-tsx App.tsx + controller side by side → back to slides		

SNIPPET REFERENCE (type prefix + Tab in VS Code)

Prefix (+ Tab)	Inserts	Step
ui5-view	Full TSX View skeleton	Part 4
ui5-controller	Controller skeleton	Part 8
ui5-table	Table + columns + <For>	Part 7
ui5-for	<For> directive alone	Part 7
ui5-parts	Composite parts binding	Part 6
ui5-objectstatus	ObjectStatus + state formatter	Part 7
ui5-formatter	Formatter module skeleton	Part 7
ui5-bindelement	onSelect + bindElement pattern	Part 8
ui5-search-filter	onSearch + Filter + ListBinding	Part 8
ui5-v4-action	bindContext + setParameter + execute	Part 9
ui5-if	<If> directive (bound)	Slide S9

Verify snippets: Cmd+Shift+P → Insert Snippet · `npm run ts-typecheck`