



U.S. MAP PRICE BOOK

September, 2013

MAILING ADDRESS

P.O. Box 830426
Richardson, Texas 75083-0426

SHIPPING ADDRESS

1000 N. Greenville Ave.
Richardson, Texas 75081-2799

TELEPHONE: 972.235.5201
TOLL-FREE: 800.331.2492
FAX: 972.231.0663

Vent-A-Hood®

TERMS AND CONDITIONS OF SALE

1. Terms:
 - a. Minimum order of \$15.00 net.
 - b. Net 30 days with approved credit.
2. Prices:
 - a. All prices are subject to change at any time without notice.
 - b. All prices are F.O.B. Vent-A-Hood® Company, Richardson, Texas.
3. Cancellation:
 - a. Hoods which are fabricated to purchase orders are non-cancelable upon acceptance by the factory.
 - b. Any change orders must be confirmed in writing to Vent-A-Hood® at the address below and are subject to our ability to conform.
4. Returns:
 - a. No merchandise may be returned without written consent and shipping instructions.
 - b. Authorized returns are subject to a 25% restocking charge and freight charges.
 - c. Special order items are not subject to return or cancellation.
5. Quick Ship:
 - a. Shaded boxed prices in this document indicate quick ship products. Quick ship products are typically stocked or manufactured within two weeks. Quick ship painted product finishes include black, gunsmoke, and white.
6. Vent-A-Hood® Warranty
 - a. Vent-A-Hood® merchandise is manufactured in accordance with Vent-A-Hood®'s high standards and carries a limited warranty.
 - b. Vent-A-Hood® Magic Lung® Warranty:

Vent-A-Hood® warrants to the original consumer-purchaser its products to be free of defects in material and workmanship for a period of five years from the date of purchase with the following limitations:

 - A. Light bulbs
 - B. Freight damage
 - C. Damage caused by faulty installation
 - D. Incidental or consequential damage
 - E. Commercial application
 - F. Misapplication or modification of or to any part of the Vent-A-Hood® product
 - c. Vent-A-Hood® K Series, M Series, and Remote Blower Warranty:

Vent-A-Hood warrants to the original consumer-purchaser its products to be free of defects in material and workmanship for a period of one year from the date of purchase with the following limitations:

 - A. Light bulbs
 - B. Freight damage
 - C. Damage caused by faulty installation
 - D. Incidental or consequential damage
 - E. Commercial application
 - F. Misapplication or modification of or to any part of the Vent-A-Hood® product
 - d. To make a warranty claim, contact the dealer where the hood was purchased. The dealer will contact the appropriate service agents. It is not necessary to register the product directly with Vent-A-Hood®.

Join Us!



Follow Us!



PICTURE INDEX - TABLE OF CONTENTS



AH12



BHP SLB/BPS LD



BHS LD



CIE H9



CIL H9



CLH 9



COH



CWE AH6-K



CWE H6-K



CWE H9



CWH



CWL H9



CWS H3




CWU H9



CXH 30



DAH 18



DAH 30




EPH 18



EPI H18




EPI TH18



EPT H18



GTH K



ICXH 30



ISDH 18



ISFH 18



ISFH 30



ISLH 18



ISLH 30



IXRH 18



IZTH



JCH A1



JCH B1




JCH C1




JCH C2




JCIH A1




JCIH B1



JCIH C1




JCWR 18



JCWR 9



JDH C1



JDH C2



JDIH C1



JDIH C2



JPH C1



JPH C2



KHS LD



NEP H18



NEP TH18



NPH 18

PICTURE INDEX - TABLE OF CONTENTS

NPH9



PDAH14-K




PDH14




PDH14-K




PRH18




PRH6-K



PRH9



PWVH18




PWVH30



PYDH18



PYH18



PYH30



SEPH18



SEPIH18



SEPITH18



SEPTH18



SLDH14



SLH18



SLH30



SLH6-K



SLH9



THPSLE/THSLE



TLH



XLH12



XRH18



XRH9



ZTH

TABLE OF CONTENTS - BY APPLICATION/HOOD TYPE

UNDER CABINET	8-11	ISLAND	55-59
PRH6-K	8	JCIH/A1	55
SLH6-K	8	JCIH/B1	56
PRH9	9	JCIH/C1	57
NPH9	10	JDIH/C1	58
SLH9	10	JDIH/C2	59
XRH9	11	ISLAND	60-77
CLH9	11	CONTEMPORARY ISLAND	60-62
WALL MOUNT	12-44	CIEH9	60
CONTEMPORARY WALL MOUNT	12-19	CILH9	61
CWEH6-K	12	IZTH	62
CWEH9	13	18" TALL ISLAND	63-66
CWLH9	14	ISFH18	63
CWUH9	15	ISLH18	64
CWSH3	16	IXRH18	65
GTH-K	17	PYH18	66
XLH12	18	12" TALL ISLAND	67
ZTH	19	COH	67
18" TALL WALL MOUNT	20-25	EURO-STYLE ISLAND	68-73
PRH18	20	PYDH18	68
NPH18	21	ISDH18	69
SLH18	22	EPIH18	70
XRH18	23	SEPIH18	71
DAH18	24	EPITH18	72
PWVH18	25	SEPITH18	73
DUCT-FREE WALL MOUNT	26-27	30" TALL ISLAND	74-77
CWEAH6-K	26	ICXH30	74
PDAH14-K	27	ISLH30	75
EURO-STYLE WALL MOUNT	29-37	PYH30	76
PDH14-K	29	LINER INSERTS	78-83
PDH14	30	WALL MOUNT	78-79
SLDH14	31	KHSLD	78
EPH18	32	BHSLD	78
NEPH18	33	BHPSLD	79
SEPH18	34	BHPSLB	79
EPTH18	35	ISLAND	80
NEPTH18	36	THSLE	80
SEPTH18	37	THPSLE	80
30" TALL WALL MOUNT	38-41	CUSTOM	81-83
CXH30	38	BH-LD	81
DAH30	39	BH-LB	81
PWVH30	40	BH-LA	82
SLH30	41	TH-LC	83
OTHER WALL MOUNT STYLES	42-44	TH-LE	83
AH12	42	OTHER ITEMS	84-95
CWH	43	BLOWER OPTIONS	84
TLH	44	REMOTE BLOWERS	84-85
DESIGNER SERIES	45-59	SPLASH PANELS	86
WALL MOUNT	45-54	WARMING LAMPS & SHELVES	87
JCH/A1	45	ACCESSORY RAIL	88
JCH/B1	46	BBQ EXTENSION	89
JCH/C1	47	LYNN SEARS DESIGN TRIMS	90-91
JCH/C2	48	BANDS, FINISHES & RAILS	92
JDH/C1	49	DECORATIVE ATTACHMENTS	93
JDH/C2	50	VENTING ACCESSORIES	94
JCWR9	51	REPLACEMENT PARTS	95
JCWR18	52		
JPH/C1	53		
JPH/C2	54		


TABLE OF CONTENTS - BY MODEL NUMBER

AH12.....	42	PRH9.....	9
BH-LA.....	82	PWVH18.....	25
BH-LB.....	81	PWVH30.....	40
BH-LD.....	81	PYDH18.....	68
BHPSLB.....	79	PYH18.....	66
BHPSLD.....	79	PYH30.....	77
BHSLD.....	78	SEPH18.....	34
CIEH9.....	60	SEPIH18.....	71
CILH9.....	61	SEPITH18.....	73
CLH9.....	11	SEPTH18.....	37
COH.....	67	SLDH14.....	31
CWEAH6-K.....	26	SLH18.....	22
CWEH6-K.....	12	SLH30.....	41
CWEH9.....	13	SLH6-K.....	8
CWH.....	43	SLH9.....	10
CWLH9.....	14	TH-LC.....	83
CWSH3.....	16	TH-LE.....	83
CWUH9.....	15	THPSLE.....	80
CXH30.....	38	THSLE.....	80
DAH18.....	24	TLH.....	44
DAH30.....	39	XLH12.....	18
EPH18.....	32	XRH18.....	23
EPIH18.....	70	XRH9.....	11
EPITH18.....	72	ZTH.....	19
EPTH18.....	35		
GTH-K.....	17		
ICXH30.....	74		
ISDH18.....	69		
ISFH18.....	63		
ISFH30.....	75		
ISLH18.....	64		
ISLH30.....	76		
IXRH18.....	65		
IZTH.....	62		
JCH/A1.....	45		
JCH/B1.....	46		
JCH/C1.....	47		
JCH/C2.....	48		
JCWR18.....	52		
JCWR9.....	51		
JDH/C1.....	49		
JDH/C2.....	50		
JPH/C1.....	53		
JPH/C2.....	54		
JCIH/A1.....	55		
JCIH/B1.....	56		
JCIH/C1.....	57		
JDIH/C1.....	58		
JDIH/C2.....	59		
KHSLD.....	78		
NEPH18.....	33		
NEPTH18.....	36		
NPH18.....	21		
NPH9.....	10		
PDAH14-K.....	27		
PDH14.....	30		
PDH14-K.....	29		
PRH6-K.....	8		
PRH18.....	20		

THE VENT-A-HOOD DIFFERENCE

1

OUR PREMIUM
MAGIC LUNG® BLOWER



CONSTANT 99%
CENTRIFUGAL
GREASE EXTRACTION

GREASE EXTRACTION


LABORATORY TESTING OF COMPETITIVE UNITS SHOWS THAT
ONLY ABOUT 30% OF THE GREASE IS COLLECTED IN THE FILTER DURING
TYPICAL RESIDENTIAL COOKING.

SCREEN/BAFFLE FILTER

MAGIC LUNG®

VS

OTHER BRANDS




THE PATENTED MAGIC LUNG® CENTRIFUGAL GREASE EXTRACTOR
COLLECTS 99% OF THE GREASE 100% OF THE TIME.

5% TO 60% VARIABLE
GREASE EXTRACTION

2

THE QUIETEST VENTILATION
AVAILABLE



300 CFM=5.4 SONES
600 CFM=6.5 SONES
900 CFM=6.3 SONES
1200 CFM=6.6 SONES

QUIET & POWERFUL


VARIABLE SPEED BLOWERS BECOME LOUDER
AND LOUDER AS CFM INCREASES.

NOISY VARIABLE
SPEED BLOWER

MAGIC LUNG®

VS

OTHER BRANDS




EACH MAGIC LUNG® BLOWER SUPPLIES 300 CFM OF
AIR FLOW—COMBINING MULTIPLE BLOWERS WILL MEET ANY AIR FLOW
REQUIREMENT WITHOUT A NOTICEABLE CHANGE IN THE NOISE LEVEL.

300 CFM=6.0 SONES
600 CFM=9.0 SONES
900 CFM=12.0 SONES
1200 CFM=15.0 SONES

3

EFFICIENT

FILTERS OBSTRUCT AIR FLOW AND SPOIL THE
COLLECTOR PROPERTIES OF THE CANOPY.




LARGE ACTIVE
CANOPY REMOVES
CONTAMINANTS

MAGIC LUNG®

VS

OTHER BRANDS




CLOSED CANOPY
RESTRICTS AIR FLOW

A RANGE HOOD EQUIPPED WITH THE MAGIC LUNG®
BLOWER SYSTEM IS A WIDE OPEN, ACTIVE COLLECTOR THAT INVITES
CONTAMINANTS IN. A PROPER COLLECTOR IS THE MOST CRITICAL
ELEMENT FOR GOOD COOKING VENTILATION AND REQUIRES
1/3 LESS AIR FLOW THAN A FILTER-STYLE RANGE HOOD.

THE VENT-A-HOOD DIFFERENCE

4

NEW E-Z CLEAN GREASE TRAY



BLOWER HOUSING SNAPS APART FOR FAST CLEANING

EASY TO CLEAN


CLEANING THE GREASE FROM BEHIND THE FILTER IS NEARLY IMPOSSIBLE. ACCESS IS LIMITED BY COMPONENTS AND SHARP PROTRUSIONS. EVEN THE MOTOR GETS GREASY.

MAGIC LUNG®

VS

OTHER BRANDS

DIFFICULT TO CLEAN




THE NEW E-Z CLEAN GREASE TRAY MAKES ROUTINE CLEANING EASIER THAN EVER. IF DESIRED, THE MAGIC LUNG® BLOWER COMES APART FOR EASY CLEANING IN SOAPY WATER OR A DISHWASHER.

GREASE ESCAPING THE FILTERS COATS THE MOTORS AND WIRING

5

FLAME HAS NO ACCESS TO SECONDARY SOURCES OF COMBUSTION



NO GREASY FILTER TO SUSTAIN A SECONDARY FIRE

FIRE SAFETY


COOKING FIRES ARE THE LEADING CAUSE OF HOME FIRES (150,000 PER YEAR - NFPA) FILTERS ARE FLAMMABLE AND CAN SUSTAIN A SECONDARY FIRE NEAR THE INLET TO THE BLOWER LEADING TO A DUCT FIRE. FIRE INSURANCE CLAIMS AGAINST FILTERED HOODS ARE COMMON.

MAGIC LUNG®

VS

OTHER BRANDS

FLAME HAS DIRECT ACCESS TO MULTIPLE SOURCES OF COMBUSTION



GREASY FILTERS AND DUCTING ARE FLAMMABLE

THE MAGIC LUNG® CONSTANT-SPEED BLOWER IS DESIGNED TO KEEP GREASE AND FLAME FROM ENTERING THE DUCT. IN OVER 75 YEARS, VENT-A-HOOD HAS NEVER RECEIVED A REPORT OF AN ATTIC OR WALL FIRE WHEN THE MAGIC LUNG® HAS BEEN IN USE.

6

WARRANTY

THE PERFORMANCE GUARANTEED MAGIC LUNG®



YEAR WARRANTY

STANDARD INDUSTRY WARRANTY



YEAR WARRANTY

MAGIC LUNG®


VS

OTHER BRANDS

WE'VE GOT YOU COVERED WITH THE BEST WARRANTY IN THE INDUSTRY. VENT-A-HOOD® HAS LONG BEEN THE MOST RESPECTED NAME IN VENTILATION. OUR PRODUCTS ARE GUARANTEED TO WORK AND WE STAND ON OVER 75 YEARS OF MANUFACTURING THE HIGHEST QUALITY VENTILATION PRODUCTS. OUR FAMILY IS DEVOTED TO YOUR SATISFACTION.

PRH6-K & SLH6-K UNDER CABINET RANGE HOODS

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 21"-24"**




MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH SINGLE BLOWER (250 CFM)				
PRH6-K24	24"	460	570	2
PRH6-K30	30"	460	570	2
PRH6-K36	36"	460	570	2
PRH6-K42	42"	540	660	3

PRODUCT FEATURES

- 250 CFM (375 EQUIVALENT)
- BACK VENT OR TOP VENT
- STANDARD SIZES ONLY, NO CUSTOMIZATIONS
- PAINTED FINISHES INCLUDE BISCUIT, BLACK, GUNSMOKE, AND WHITE

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 21"-24"**




MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH SINGLE BLOWER (250 CFM)				
SLH6-K24	24"	460	570	2
SLH6-K30	30"	460	570	2
SLH6-K36	36"	460	570	2
SLH6-K42	42"	540	660	3

PRODUCT FEATURES

- 250 CFM (375 EQUIVALENT)
- BACK VENT OR TOP VENT
- STANDARD SIZES ONLY, NO CUSTOMIZATIONS
- PAINTED FINISHES INCLUDE BISCUIT, BLACK, GUNSMOKE, AND WHITE

PRH9 UNDER CABINET RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"-27"
TRANSITION NOT INCLUDED**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	#LTS
WITH SINGLE BLOWER (300 CFM)					
PRH9-130	30"	670	850	1290	2
PRH9-136	36"	670	850	1290	2
PRH9-142	42"	780	960	1440	3
PRH9-148	48"	820	1000	1480	3
WITH DUAL BLOWER (600 CFM)					
PRH9-230	30"	990	1180	1610	2
PRH9-236	36"	990	1180	1610	2
PRH9-242	42"	1090	1290	1740	3
PRH9-248	48"	1130	1330	1780	3
WITH DUAL & SINGLE BLOWERS (900 CFM)					
PRH9-342	42"	1520	1790	2170	3
PRH9-348	48"	1560	1830	2220	3
WITH TWO DUAL BLOWERS (1200 CFM)					
PRH9-448	48"	1880	2170	2550	3


•FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

PRH9 UNDER CABINET HOOD VARIATIONS					
WIDTHS OVER 48"	PAINTED	STAINLESS	OVERLAY	STAINLESS STEEL INTERIOR ON OVERLAY HOOD SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD	
FOR EACH 6" SEGMENT	110	150	180	CUSTOM COLOR (SEE CUSTOM COLOR CHART) ADD 420	
PLUS		190		REMOTE BLOWER OPTIONS SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS	
SPECIAL WIDTH (LESS THAN 48") USE NEXT LARGEST SIZE ON PRICE LIST				TRIM OPTIONS SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS	
PLUS		190		WARMING LAMPS AND SHELVES SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS	
SPECIAL BLOWER LOCATION LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE					
ADD		190			

NPH9 & SLH9 UNDER CABINET RANGE HOODS

RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"-27"
TRANSITION NOT INCLUDED


MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
NPH9-130	30"	810	1070	1580	2
NPH9-136	36"	810	1070	1580	2
NPH9-142	42"	960	1240	1790	3
NPH9-148	48"	1010	1290	1850	3
WITH DUAL BLOWER (600 CFM)					
NPH9-230	30"	1130	1410	1900	2
NPH9-236	36"	1130	1410	1900	2
NPH9-242	42"	1280	1570	2110	3
NPH9-248	48"	1330	1620	2170	3
WITH DUAL & SINGLE BLOWERS (900 CFM)					
NPH9-342	42"	1710	2070	2540	3
NPH9-348	48"	1760	2130	2590	3
WITH TWO DUAL BLOWERS (1200 CFM)					
NPH9-448	48"	2090	2470	2920	3

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.
USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.
NPH9 UNDER CABINET HOOD VARIATIONS
WIDTHS OVER 48"

	PAINTED	STAINLESS	OVERLAY
FOR EACH 6" SEGMENT	110	150	180
PLUS		190	

SPECIAL WIDTH (LESS THAN 48")

USE NEXT LARGEST SIZE ON PRICE LIST

PLUS	190
SPECIAL BLOWER LOCATION	
LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE	

ADD

190

STAINLESS STEEL INTERIOR ON OVERLAY HOOD

SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD

CUSTOM COLOR (SEE CUSTOM COLOR CHART)

ADD 420

REMOTE BLOWER OPTIONS


SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS

TRIM OPTIONS

SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS

WARMING LAMPS AND SHELVES

SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS

RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"-27"
TRANSITION NOT INCLUDED


MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
SLH9-130	30"	810	1070	1580	2
SLH9-136	36"	810	1070	1580	2
SLH9-142	42"	960	1240	1790	3
SLH9-148	48"	1010	1290	1850	3
WITH DUAL BLOWER (600 CFM)					
SLH9-230	30"	1130	1410	1900	2
SLH9-236	36"	1130	1410	1900	2
SLH9-242	42"	1280	1570	2110	3
SLH9-248	48"	1330	1620	2170	3
WITH DUAL & SINGLE BLOWERS (900 CFM)					
SLH9-342	42"	1710	2070	2540	3
SLH9-348	48"	1760	2130	2590	3
WITH TWO DUAL BLOWERS (1200 CFM)					
SLH9-448	48"	2090	2470	2920	3

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR.

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.
USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.
SLH9 UNDER CABINET HOOD VARIATIONS
WIDTHS OVER 48"

	PAINTED	STAINLESS	OVERLAY
FOR EACH 6" SEGMENT	110	150	180
PLUS		190	

SPECIAL WIDTH (LESS THAN 48")

USE NEXT LARGEST SIZE ON PRICE LIST

PLUS	190
SPECIAL BLOWER LOCATION	
LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE	

ADD

190

STAINLESS STEEL INTERIOR ON OVERLAY HOOD

SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD

CUSTOM COLOR (SEE CUSTOM COLOR CHART)

ADD 420

REMOTE BLOWER OPTIONS

SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS

TRIM OPTIONS

SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS


WARMING LAMPS AND SHELVES

SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS

XRH9 & CLH9 UNDER CABINET RANGE HOODS

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"-27"
TRANSITION NOT INCLUDED**

Stainless steel 1" bands
are included on painted
and stainless steel models.



XRH9

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY•	#LTS
WITH SINGLE BLOWER (300 CFM)					
XRH9-130	30"	830	1100	1630	2
XRH9-136	36"	830	1100	1630	2
XRH9-142	42"	960	1240	1790	3
XRH9-148	48"	1010	1290	1850	3
WITH DUAL BLOWER (600 CFM)					
XRH9-230	30"	1150	1430	1950	2
XRH9-236	36"	1150	1430	1950	2
XRH9-242	42"	1280	1570	2110	3
XRH9-248	48"	1330	1620	2170	3
WITH DUAL & SINGLE BLOWERS (900 CFM)					
XRH9-342	42"	1710	2070	2540	3
XRH9-348	48"	1760	2130	2590	3
WITH TWO DUAL BLOWERS (1200 CFM)					
XRH9-448	48"	2090	2470	2920	3

•FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

•NO BANDS ON OVERLAY MODELS


USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

XRH9 UNDER CABINET HOOD VARIATIONS

WIDTHS OVER 48"	PAINTED	STAINLESS	OVERLAY	SPECIAL BLOWER LOCATION
FOR EACH 6" SEGMENT	110	150	180	LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE
PLUS	190			ADD 190
SPECIAL WIDTH (LESS THAN 48")				
USE NEXT LARGEST SIZE ON PRICE LIST				REMOTE BLOWER OPTIONS
PLUS	190			SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS
STAINLESS STEEL INTERIOR ON OVERLAY HOOD				
SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD				TRIM OPTIONS
CUSTOM COLOR (SEE CUSTOM COLOR CHART)				
ADD	420			BANDS, NON-STANDARD COLOR 90
				TO REMOVE BANDS 90
				SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS
				WARMING LAMPS AND SHELVES
				SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"-27"
TRANSITION NOT INCLUDED**



CLH9

MODEL NO.	WIDTH	PAINTED	#LTS
WITH SINGLE BLOWER (300 CFM)			
CLH9-130	30"	830	2
CLH9-136	36"	830	2
CLH9-142	42"	960	3
CLH9-148	48"	1010	3
WITH DUAL BLOWER (600 CFM)			
CLH9-230	30"	1150	2
CLH9-236	36"	1150	2
CLH9-242	42"	1280	3
CLH9-248	48"	1330	3
WITH DUAL & SINGLE BLOWERS (900 CFM)			
CLH9-342	42"	1710	3
CLH9-348	48"	1760	3
WITH TWO DUAL BLOWERS (1200 CFM)			
CLH9-448	48"	2090	3

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.


USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

CLH9 UNDER CABINET HOOD VARIATIONS

WIDTHS OVER 48"	PAINTED	SPECIAL BLOWER LOCATION
FOR EACH 6" SEGMENT	110	LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE
PLUS	190	ADD 190
SPECIAL WIDTH (LESS THAN 48")		
USE NEXT LARGEST SIZE ON PRICE LIST		CUSTOM COLOR (SEE CUSTOM COLOR CHART)
PLUS	190	ADD 420
WARMING LAMPS AND SHELVES		
SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS		REMOTE BLOWER OPTIONS
		SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS
		TRIM OPTIONS
		SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS

CWEH6-K CONTEMPORARY WALL MOUNT RANGE HOOD


**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"**



MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH SINGLE BLOWER (250 CFM)				
CWEH6-K30	30"	850	1080	2
CWEH6-K36	36"	850	1080	2
CWEH6-K42	42"	980	1250	3
CWEH6-K48	48"	1030	1300	3

PRODUCT FEATURES

- 250 CFM (375 EQUIVALENT)
- TOP VENT ONLY
- STANDARD SIZES ONLY, NO CUSTOMIZATIONS
- PAINTED FINISHES INCLUDE BISCUIT, BLACK, GUNSMOKE, AND WHITE
- DUCT COVER HAS A REMOVABLE FRONT PANEL



MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
WDCR-12/18	12"	490	530	7'
WDCR-12/30	12"	540	620	8'
WDCR-12/42	12"	590	710	9'

CUSTOM WALL MOUNT DUCT COVERS	
PAINTED	STAINLESS
WIDTH x HEIGHT x 0.38	0.60
PLUS	410

ANY WDCR SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.


WDCR DUCT COVERS HAVE A REMOVABLE FRONT PANEL.

FINISHED TOP	
PAINTED	STAINLESS
WIDTH x DEPTH x 0.38	0.60
PLUS	190

SLOPED TOP ON DUCT COVER	
ADD	310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	


CWEH9 CONTEMPORARY WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 27"**



**SHOWN WITH
MATCHING
SLIDE-ON
DUCT COVER
(SOLD SEPARATELY)**

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH SINGLE BLOWER (300 CFM)				
CWEH9-130	30"	1310	1820	2
CWEH9-136	36"	1330	1850	2
CWEH9-142	42"	1480	1990	3
CWEH9-148	48"	1550	2070	3
WITH DUAL BLOWER (600 CFM)				
CWEH9-230	30"	1630	2150	2
CWEH9-236	36"	1650	2190	2
CWEH9-242	42"	1800	2330	3
CWEH9-248	48"	2050	2400	3
CWEH9-254	54"	2210	2890	4




**SHOWN WITH
MATCHING
SLIDE-ON
DUCT COVERS
(SOLD SEPARATELY)**

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH DUAL & SINGLE BLOWERS (900 CFM)				
CWEH9-342	42"	2200	2810	3
CWEH9-348	48"	2450	2880	3
CWEH9-354	54"	2610	3370	4
CWEH9-360	60"	2720	3540	4
WITH TWO DUAL BLOWERS (1200 CFM)				
CWEH9-448	48"	2770	3220	3
CWEH9-454	54"	2930	3700	4
CWEH9-460	60"	3040	3870	4
CWEH9-466	66"	3180	4060	4

SPACE BETWEEN DUCT COVERS

MODEL NO. WIDTH A

CWEH9-342	4"
CWEH9-348	8"
CWEH9-354	10"
CWEH9-360	12"
CWEH9-448	10"
CWEH9-454	10"
CWEH9-460	12"
CWEH9-466	14"



MODEL NO.	WIDTH	PAINTED	STAINLESS	CL.G.
WSDC-12/12	12"	360	390	7'
WSDC-12/24	12"	410	480	8'
WSDC-12/36	12"	470	560	9'

CUSTOM WALL MOUNT DUCT COVERS

PAINTED	STAINLESS
WIDTH x HEIGHT x 0.38	0.60

PLUS 310

ANY WSDC SS DUCT COVER MORE THAN 47" TALL WILL HAVE
A VERTICAL GRAIN DIRECTION.

FINISHED TOP	PAINTED	STAINLESS
WIDTH x DEPTH x 0.38	0.60	


PLUS	190
ADD 310	

SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.


CWEH9 CONTEMPORARY WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 66"	PAINTED	STAINLESS	SPECIAL WIDTH (LESS THAN 66")	USE NEXT LARGEST SIZE ON PRICE LIST
FOR EACH 6" SEGMENT PLUS	140	200	PLUS	190

CWLH9 CONTEMPORARY WALL MOUNT RANGE HOOD

RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 27"
TRANSITION NOT INCLUDED


MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH SINGLE BLOWER (300 CFM)				
CWLH9-130	30"	1290	1790	2
CWLH9-136	36"	1300	1800	2
CWLH9-142	42"	1480	1990	3
CWLH9-148	48"	1550	2070	3
WITH DUAL BLOWER (600 CFM)				
CWLH9-236	36"	1620	2140	2
CWLH9-242	42"	1800	2330	3
CWLH9-248	48"	1830	2340	3



MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH DUAL & SINGLE BLOWERS (900 CFM)				
CWLH9-354	54"	2640	3410	4
CWLH9-360	60"	2760	3580	4
WITH TWO DUAL BLOWERS (1200 CFM)				
CWLH9-460	60"	3080	3920	4
CWLH9-466	66"	3160	4040	4

**USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS
TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.**
**USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS
TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.**
CUSTOM WALL MOUNT DUCT COVERS
PAINTED STAINLESS



 WIDTH x HEIGHT x PLUS 0.38 0.60
310

ANY WSDC SS DUCT COVER MORE THAN 47" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

FINISHED TOP
PAINTED STAINLESS

 WIDTH x DEPTH x PLUS 0.38 0.60
190

SLOPED TOP ON DUCT COVER

 ADD 310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.


MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
WSDC-12/12	12"	360	390	7'
WSDC-12/24	12"	410	480	8'
WSDC-12/36	12"	470	560	9'

MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
WSDC-26/12	26"	430	490	7'
WSDC-26/24	26"	540	680	8'
WSDC-26/36	26"	660	860	9'

MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
WSDC-34/12	34"	460	550	7'
WSDC-34/24	34"	620	790	8'
WSDC-34/36	34"	770	1040	9'

CWLH9 CONTEMPORARY WALL MOUNT HOOD VARIATIONS
WIDTHS OVER 66"

 FOR EACH 6" SEGMENT
PLUS

PAINTED STAINLESS
140 200
190

SPECIAL WIDTH (LESS THAN 66")


USE NEXT LARGEST SIZE ON PRICE LIST

PLUS 190


REMOVE GALLEY RAIL
TO REMOVE RAIL, NO CHARGE

CWUH9 CONTEMPORARY WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 27"**
TRANSITION NOT INCLUDED



MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH SINGLE BLOWER (300 CFM)				
CWUH9-130	30"	1520	2030	2
CWUH9-136	36"	1560	2080	2
CWUH9-142	42"	1720	2240	3
CWUH9-148	48"	1810	2330	3
WITH DUAL BLOWER (600 CFM)				
CWUH9-230	30"	1840	2360	2
CWUH9-236	36"	1880	2410	2
CWUH9-242	42"	2040	2570	3
CWUH9-248	48"	2310	2660	3
CWUH9-254	54"	2490	3170	4



MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
WUDC-12/12	12"	460	490	7'
WUDC-12/24	12"	520	580	8'
WUDC-12/36	12"	570	670	9'

CUSTOM WALL MOUNT DUCT COVERS	
PAINTED	STAINLESS
WIDTH x HEIGHT x PLUS	0.38 0.60 410


ANY WUDC SS DUCT COVER MORE THAN 50" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

CWUH9 CONTEMPORARY WALL MOUNT HOOD VARIATIONS


WIDTHS OVER 54" FOR EACH 6" SEGMENT PLUS	PAINTED 140 190	STAINLESS 200	SPECIAL WIDTH (LESS THAN 54") USE NEXT LARGEST SIZE ON PRICE LIST PLUS REMOVE MIRROR INSERT TO REMOVE MIRROR INSERT, NO CHARGE
---	------------------------------	-------------------------	--

CWSH3 CONTEMPORARY WALL MOUNT RANGE HOOD



**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"**



**CWSH3-1
300 CFM**



**CWSH3-2
600 CFM**

**COMBINATIONS FOR 7' CEILING APPLICATIONS**

CWSH3 HOOD CANOPY ONLY

WDHR DUCT COVER WITH BLOWER

MODEL NO.	WIDTH	STAINLESS	#LTS	MODEL NO.	WIDTH	STAINLESS	CLG.
FOR SINGLE BLOWER (300 CFM)*							
CWSH3-1/030	30"	1070	2	WDHR-100/21	14"	1370	7'
CWSH3-1/036	36"	1070	2	WDHR-100/21	14"	1370	7'
CWSH3-1/042	42"	1260	3	WDHR-100/21	14"	1370	7'
FOR DUAL BLOWER (600 CFM)*							
CWSH3-2/030	30"	1070	2	WDHR-200/21	24"	2200	7'
CWSH3-2/036	36"	1070	2	WDHR-200/21	24"	2200	7'
CWSH3-2/042	42"	1260	3	WDHR-200/21	24"	2200	7'

*BLOWERS ARE INCLUDED WITH WDHR DUCT COVERS.

COMBINATIONS FOR 8' CEILING APPLICATIONS

CWSH3 HOOD CANOPY ONLY

WDHR DUCT COVER WITH BLOWER


MODEL NO.	WIDTH	STAINLESS	#LTS	MODEL NO.	WIDTH	STAINLESS	CLG.
FOR SINGLE BLOWER (300 CFM)*							
CWSH3-1/030	30"	1070	2	WDHR-100/33	14"	1470	8'
CWSH3-1/036	36"	1070	2	WDHR-100/33	14"	1470	8'
CWSH3-1/042	42"	1260	3	WDHR-100/33	14"	1470	8'
FOR DUAL BLOWER (600 CFM)*							
CWSH3-2/030	30"	1070	2	WDHR-200/33	24"	2380	8'
CWSH3-2/036	36"	1070	2	WDHR-200/33	24"	2380	8'
CWSH3-2/042	42"	1260	3	WDHR-200/33	24"	2380	8'

*BLOWERS ARE INCLUDED WITH WDHR DUCT COVERS.

GTH-K CONTEMPORARY WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"**

MODEL NO.	WIDTH	STAINLESS	#LTS
WITH SINGLE BLOWER (250 CFM)			
GTH-K36	36"	1020	2


**PRODUCT FEATURES**

- 250 CFM (375 EQUIVALENT)
- TOP VENT ONLY
- STANDARD SIZES ONLY, NO CUSTOMIZATIONS
- STAINLESS STEEL ONLY

GTH VARIATIONS

REMOVE FIXED LENGTH SS RAIL

ADD 190



MODEL NO.	WIDTH	STAINLESS	CLG.
WGDC-12/18	12"	440	7'
WGDC-12/30	12"	530	8'
WGDC-12/42	12"	620	9'

CUSTOM WALL MOUNT DUCT COVERS**STAINLESS**

WIDTH x HEIGHT x	0.60
PLUS	310


NOTE: DUCT COVER EXTENDS 4" INTO HOOD.

NOTE: WHEN PRICING CUSTOM DUCT COVERS, INCLUDE THE 4" OF DUCT COVER THAT EXTENDS INTO TOP OF HOOD.

NOTE: MAXIMUM OVERALL AVAILABLE HEIGHT IS 60"; 56" IS THE FINISHED HEIGHT ABOVE THE TOP OF THE HOOD. WGDC DUCT COVERS WITH AN OVERALL FINISHED HEIGHT MORE THAN 48" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.


XLH12 CONTEMPORARY WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"**



HOOD SHOWN WITH FINISHED
ROUND DUCT AND TWO RXL8
ROUND DUCT COLLARS
(SOLD SEPARATELY)

MODEL NO.	WIDTH	STAINLESS	#LTS
WITH DUAL BLOWER (600 CFM)			
BRASS LIP			
XLH12-230B	30"	1830	2
XLH12-236B	36"	1850	2
WITH DUAL BLOWER (600 CFM)			
COPPER LIP			
XLH12-230C	30"	1830	2
XLH12-236C	36"	1850	2
WITH DUAL BLOWER (600 CFM)			
MIRROR STAINLESS STEEL LIP			
XLH12-230M	30"	1830	2
XLH12-236M	36"	1850	2
WITH DUAL BLOWER (600 CFM)			
STAINLESS STEEL LIP			
XLH12-230S	30"	1830	2
XLH12-236S	36"	1850	2



FINISHED ROUND DUCT
REQUIRES TWO DUCT
COLLARS (SEE BELOW)

MODEL NO.	WIDTH	STAINLESS	CLG.
WRDC-8/16	8"	250	7'
WRDC-8/28	8"	310	8'
WRDC-8/40	8"	360	9'

CUSTOM FINISHED ROUND DUCT


STAINLESS

WIDTH x HEIGHT x	0.60
PLUS	310

NOTE: FINISHED ROUND DUCT EXTENDS 3" INTO TOP OF HOOD AND 1" INTO CEILING.

NOTE: WHEN PRICING CUSTOM FINISHED ROUND DUCT, INCLUDE THE 3" THAT EXTENDS INTO TOP OF HOOD AND 1" THAT EXTENDS INTO CEILING (4" TOTAL). TOTAL OVERALL HEIGHT CANNOT EXCEED 60" (10' 8" CEILING). MODELS TALLER THAN 48" WILL HAVE A VERTICAL GRAIN DIRECTION.

NOTE: TOP END OF FINISHED ROUND DUCT IS CRIMPED TO ALLOW FOR DUCT CONNECTION IN THE CEILING (CRIMP IS NOT INCLUDED IN THE OVERALL HEIGHT OF THE FINISHED ROUND DUCT).



MODEL NO.	WIDTH	STAINLESS	CLG.
WDC-10/12	10"	370	7'
WDC-10/24	10"	440	8'
WDC-10/36	10"	510	9'

CUSTOM WALL MOUNT DUCT COVERS


STAINLESS

WIDTH x HEIGHT x	0.60
PLUS	310


ANY WDC-10 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

REMOVABLE FRONT PANEL

ADD	190
-----	-----




MODEL NO.	WIDTH	STAINLESS
RXL8	10"	180






MODEL NO.	WIDTH	STAINLESS
SXL8	10"	110

ZTH CONTEMPORARY WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION NOT INCLUDED



SHOWN WITH
MATCHING
DUCT COVER
(SOLD SEPARATELY)





USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODEL TO
COMBINE OUTLETS INTO A SINGLE 10" DUCT.

ZTH VARIATIONS

REMOVE FIXED LENGTH SS RAIL

ADD 190



MODEL NO.	WIDTH	STAINLESS	CLG.
WZDC-12/9	12"	360	7'
WZDC-12/21	12"	440	8'
WZDC-12/33	12"	530	9'

MODEL NO.	WIDTH	STAINLESS	CLG.
WZDC-28/9	28"	440	7'
WZDC-28/21	28"	640	8'
WZDC-28/33	28"	830	9'

CUSTOM WALL MOUNT DUCT COVERS STAINLESS

WIDTH x HEIGHT x 0.60
PLUS 310

NOTE: DUCT COVER EXTENDS 5-3/8" INTO HOOD.


NOTE: WHEN PRICING CUSTOM DUCT COVERS,
INCLUDE THE 5-3/8" OF DUCT COVER THAT EXTENDS
INTO TOP OF HOOD.

NOTE: MAXIMUM OVERALL AVAILABLE HEIGHT FOR
12" WIDE MODEL IS 60"; 54-5/8" IS THE FINISHED
HEIGHT ABOVE THE TOP OF THE HOOD. WZDC DUCT
COVERS WITH AN OVERALL HEIGHT MORE THAN 48"
TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

NOTE: WHEN PRICING CUSTOM DUCT COVERS,
INCLUDE THE 5-3/8" OF DUCT COVER THAT EXTENDS
INTO TOP OF HOOD.

PRH18 WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION NOT INCLUDED
27" DEEP MODEL - PRXH18



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
PRH18-130	30"	1000	1380	2080	2
PRH18-136	36"	1020	1400	2170	2
PRH18-142	42"	1150	1510	2380	3
PRH18-148	48"	1210	1600	2500	3
WITH DUAL BLOWER (600 CFM)					
PRH18-230	30"	1320	1710	2400	2
PRH18-236	36"	1340	1730	2490	2
PRH18-242	42"	1440	1850	2700	3
PRH18-248	48"	1530	1930	2820	3
PRH18-254	54"	1780	2340	3280	4
WITH DUAL & SINGLE BLOWERS (900 CFM)					
PRH18-342	42"	1870	2330	3100	3
PRH18-348	48"	1930	2410	3220	3
PRH18-354	54"	2180	2820	3680	4
PRH18-360	60"	2290	2990	3910	4
WITH TWO DUAL BLOWERS (1200 CFM)					
PRH18-448	48"	2250	2750	3540	3
PRH18-454	54"	2500	3150	4000	4
PRH18-460	60"	2620	3270	4250	4
PRH18-466	66"	2720	3410	4460	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR
FOR 27" DEEP MODEL, ORDER PRXH18 (NO ADDITIONAL COST)

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.


CUSTOM WALL MOUNT DUCT COVERS		
	PAINTED	STAINLESS
WIDTH x HEIGHT x	0.38	0.60
PLUS		0.94

ANY WDC SS DUCT COVER MORE THAN 43" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

FINISHED TOP		
	PAINTED	STAINLESS
WIDTH x DEPTH x	0.38	0.60
PLUS		0.94

REMOVABLE FRONT PANEL		
	PAINTED	STAINLESS
ADD		190
SLOPED TOP ON DUCT COVER		
ADD		310

SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-30	30"	440	520	640	8'
WDC-30/24	30"	580	730	980	9'
WDC-30/36	30"	710	950	1310	10'
WDC-36	36"	470	560	710	8'
WDC-36/24	36"	630	820	1110	9'
WDC-36/36	36"	800	1080	1510	10'
WDC-42	42"	500	610	770	8'
WDC-42/24	42"	690	910	1240	9'
WDC-42/36	42"	880	1210	1710	10'
WDC-48	48"	520	650	840	8'
WDC-48/24	48"	740	990	1380	9'
WDC-48/36	48"	960	1330	1910	10'
WDC-54	54"	550	690	910	8'
WDC-60	60"	580	730	980	8'
WDC-66	66"	610	780	1040	8'

PRH18 WALL MOUNT HOOD VARIATIONS							
WIDTHS OVER 66"	SLOPED END (REDUCES TOP WIDTH BY 6" EACH)						
FOR EACH 6" INCREMENT	PAINTED	STAINLESS	OVERLAY	PER END, ADD 310			
PLUS	140	200	250	190			
SPECIAL WIDTH (LESS THAN 66")	SPECIAL BLOWER LOCATION						
USE NEXT LARGEST SIZE ON PRICE LIST,	LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE						
PLUS	ADD 190						
SPECIAL HEIGHT (BETWEEN 9" & 18")	SPECIAL DECK (9" MINIMUM, 18" STANDARD)						
USE STANDARD 18" PRICE,	ADD 190						
PLUS	190						
DEPTH LESS THAN 24"	STAINLESS STEEL INTERIOR ON OVERLAY HOOD						
ADD 310	SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD						
DEPTH OVER 24" (EXCLUDING 27")	ADDITIONAL BLOWERS & LIGHTS						
PAINTED	STAINLESS	OVERLAY	SEE PAGE 84 FOR BLOWER OPTIONS				
WIDTH x EXTRA DEPTH x	0.89	1.32	1.79	190			
PLUS	310			190			
SLOPE, LIP, OFFSET, OR TOP VARIATION	REMOTE BLOWER OPTIONS						
PER VARIATION, ADD 310	SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS						
CLIPPED CORNER	CUSTOM COLOR (SEE CUSTOM COLOR CHART)						
PER CORNER, ADD 310	ADD 420						
TRIM OPTIONS	WARMING LAMPS AND SHELVES						
	SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS						
	SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS						

NPH18 WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION NOT INCLUDED
27" DEEP MODEL - NPXH18




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	#LTS
WITH SINGLE BLOWER (300 CFM)					
NPH18-130	30"	1340	1760	2420	2
NPH18-136	36"	1360	1780	2510	2
NPH18-142	42"	1490	1900	2720	3
NPH18-148	48"	1550	1980	2840	3
WITH DUAL BLOWER (600 CFM)					
NPH18-230	30"	1660	2040	2740	2
NPH18-236	36"	1680	2070	2830	2
NPH18-242	42"	1810	2180	3040	3
NPH18-248	48"	1870	2260	3160	3
NPH18-254	54"	2120	2680	3620	4
WITH DUAL & SINGLE BLOWERS (900 CFM)					
NPH18-342	42"	2210	2710	3440	3
NPH18-348	48"	2270	2740	3560	3
NPH18-354	54"	2520	3160	4020	4
NPH18-360	60"	2630	3330	4260	4
WITH TWO DUAL BLOWERS (1200 CFM)					
NPH18-448	48"	2590	3130	3880	3
NPH18-454	54"	2840	3500	4340	4
NPH18-460	60"	2960	3670	4590	4
NPH18-466	66"	3070	3820	4800	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR
FOR 27" DEEP MODEL, ORDER NPXH18 (NO ADDITIONAL COST)

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.


CUSTOM WALL MOUNT DUCT COVERS		
PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x	0.38	0.60
PLUS		0.94
310		
ANY WDC SS DUCT COVER MORE THAN 43" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.		
FINISHED TOP		
PAINTED	STAINLESS	OVERLAY
WIDTH x DEPTH x	0.38	0.60
PLUS		0.94
190		
REMOVABLE FRONT PANEL		
ADD		190
310		
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.		



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-30	30"	440	520	640	8'
WDC-30/24	30"	580	730	980	9'
WDC-30/36	30"	710	950	1310	10'
WDC-36	36"	470	560	710	8'
WDC-36/24	36"	630	820	1110	9'
WDC-36/36	36"	800	1080	1510	10'
WDC-42	42"	500	610	770	8'
WDC-42/24	42"	690	910	1240	9'
WDC-42/36	42"	880	1210	1710	10'
WDC-48	48"	520	650	840	8'
WDC-48/24	48"	740	990	1380	9'
WDC-48/36	48"	960	1330	1910	10'
WDC-54	54"	550	690	910	8'
WDC-60	60"	580	730	980	8'
WDC-66	66"	610	780	1040	8'

NPH18 WALL MOUNT HOOD VARIATIONS							
WIDTHS OVER 66"	PAINTED	STAINLESS	OVERLAY	SLOPED END (REDUCES TOP WIDTH BY 6" EACH)			
FOR EACH 6" INCREMENT	140	200	250	PER END, ADD	310		
PLUS		190		SPECIAL BLOWER LOCATION			
SPECIAL WIDTH (LESS THAN 66")	LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE						
USE NEXT LARGEST SIZE ON PRICE LIST,	ADD						
PLUS	190						
SPECIAL HEIGHT (BETWEEN 9" & 18")	SPECIAL DECK (9" MINIMUM, 18" STANDARD)						
USE STANDARD 18" PRICE,	ADD						
PLUS	190						
DEPTH LESS THAN 24"	STAINLESS STEEL INTERIOR ON OVERLAY HOOD						
ADD	SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD						
DEPTH OVER 24" (EXCLUDING 27")	ADDITIONAL BLOWERS & LIGHTS						
PAINTED	STAINLESS	OVERLAY	SEE PAGE 84 FOR BLOWER OPTIONS				
WIDTH x EXTRA DEPTH x	0.89	1.32	1.79	REMOTE BLOWER OPTIONS			
PLUS		310		SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS			
SLOPE, LIP, OFFSET, OR TOP VARIATION	CUSTOM COLOR (SEE CUSTOM COLOR CHART)						
PER VARIATION, ADD	ADD						
	420						
TRIM OPTIONS	WARMING LAMPS AND SHELVES						
	SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS						
	SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS						

SLH18 WALL MOUNT RANGE HOOD


RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION NOT INCLUDED
27" DEEP MODEL - SLXH18


MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
SLH18-130	30"	1340	1760	2420	2
SLH18-136	36"	1360	1780	2510	2
SLH18-142	42"	1490	1900	2720	3
SLH18-148	48"	1550	1980	2840	3
WITH DUAL BLOWER (600 CFM)					
SLH18-230	30"	1660	2040	2740	2
SLH18-236	36"	1680	2070	2830	2
SLH18-242	42"	1810	2180	3040	3
SLH18-248	48"	1870	2260	3160	3
SLH18-254	54"	2120	2680	3620	4
WITH DUAL & SINGLE BLOWERS (900 CFM)					
SLH18-342	42"	2210	2710	3440	3
SLH18-348	48"	2270	2740	3560	3
SLH18-354	54"	2520	3160	4020	4
SLH18-360	60"	2630	3330	4260	4
WITH TWO DUAL BLOWERS (1200 CFM)					
SLH18-448	48"	2590	3130	3880	3
SLH18-454	54"	2840	3500	4340	4
SLH18-460	60"	2960	3670	4590	4
SLH18-466	66"	3070	3820	4800	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR
FOR 27" DEEP MODEL, ORDER SLXH18 (NO ADDITIONAL COST)

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.
USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

CUSTOM WALL MOUNT DUCT COVERS		
	PAINTED	STAINLESS
WIDTH x HEIGHT x	0.38	0.60
PLUS		0.94
PLUS 310		
ANY WDC SS DUCT COVER MORE THAN 43" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.		
FINISHED TOP		
	PAINTED	STAINLESS
WIDTH x DEPTH x	0.38	0.60
PLUS		0.94
PLUS 190		
REMOVABLE FRONT PANEL		
ADD		190
SLOPED TOP ON DUCT COVER		
ADD		310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.		




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-30	30"	440	520	640	8'
WDC-30/24	30"	580	730	980	9'
WDC-30/36	30"	710	950	1310	10'
WDC-36	36"	470	560	710	8'
WDC-36/24	36"	630	820	1110	9'
WDC-36/36	36"	800	1080	1510	10'
WDC-42	42"	500	610	770	8'
WDC-42/24	42"	690	910	1240	9'
WDC-42/36	42"	880	1210	1710	10'
WDC-48	48"	520	650	840	8'
WDC-48/24	48"	740	990	1380	9'
WDC-48/36	48"	960	1330	1910	10'
WDC-54	54"	550	690	910	8'
WDC-60	60"	580	730	980	8'
WDC-66	66"	610	780	1040	8'

SLH18 WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 66"	PAINTED	STAINLESS	OVERLAY	SLOPED END (REDUCES TOP WIDTH BY 6" EACH, N/A ON OVERLAY) PER END, ADD 310
FOR EACH 6" INCREMENT	140	200	250	
PLUS		190		
SPECIAL WIDTH (LESS THAN 66") USE NEXT LARGEST SIZE ON PRICE LIST, PLUS 190				SPECIAL BLOWER LOCATION LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE ADD 190
SPECIAL HEIGHT (BETWEEN 9" & 18") USE STANDARD 18" PRICE, PLUS 310				SPECIAL DECK (9" MINIMUM, 18" STANDARD) ADD 190
DEPTH LESS THAN 24" ADD 310				STAINLESS STEEL INTERIOR ON OVERLAY HOOD SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD
DEPTH OVER 24" (EXCLUDING 27") PAINTED 0.89 WIDTH x EXTRA DEPTH x 1.32 PLUS 310	STAINLESS	OVERLAY		ADDITIONAL BLOWERS & LIGHTS SEE PAGE 84 FOR BLOWER OPTIONS
SLOPE, LIP, OFFSET, OR TOP VARIATION PER VARIATION, ADD 310				REMOTE BLOWER OPTIONS SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS
				CUSTOM COLOR (SEE CUSTOM COLOR CHART) ADD 420
				TRIM OPTIONS SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS
				WARMING LAMPS AND SHELVES SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS

XRH18 WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION NOT INCLUDED
27" DEEP MODEL - XRХ18



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	#LTS
WITH SINGLE BLOWER (300 CFM)					
XRH18-130	30"	1310	1680	2390	2
XRH18-136	36"	1330	1700	2480	2
XRH18-142	42"	1460	1870	2690	3
XRH18-148	48"	1530	1960	2810	3
WITH DUAL BLOWER (600 CFM)					
XRH18-230	30"	1630	2020	2710	2
XRH18-236	36"	1650	2040	2800	2
XRH18-242	42"	1780	2200	3010	3
XRH18-248	48"	1840	2290	3130	3
XRH18-254	54"	2090	2650	3590	4
WITH DUAL & SINGLE BLOWERS (900 CFM)					
XRH18-342	42"	2180	2680	3410	3
XRH18-348	48"	2240	2770	3530	3
XRH18-354	54"	2490	3130	3990	4
XRH18-360	60"	2610	3300	4230	4
WITH TWO DUAL BLOWERS (1200 CFM)					
XRH18-448	48"	2560	3100	3850	3
XRH18-454	54"	2810	3470	4310	4
XRH18-460	60"	2940	3640	4560	4
XRH18-466	66"	3040	3790	4780	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR


*NO BANDS ON OVERLAY MODELS

FOR 27" DEEP MODEL, ORDER XRХ18 (NO ADDITIONAL COST)

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

CUSTOM WALL MOUNT DUCT COVERS		
PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.38	0.60 310
ANY XDC SS DUCT COVER MORE THAN 43" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.		
FINISHED TOP		
PAINTED	STAINLESS	OVERLAY
WIDTH x DEPTH x PLUS	0.38	0.60 190
REMOVABLE FRONT PANEL		
ADD	190	
SLOPED TOP ON DUCT COVER		
ADD	310	
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.		




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
XDC-30	30"	440	520	640	8'
XDC-30/24	30"	580	730	980	9'
XDC-30/36	30"	710	950	1310	10'
XDC-36	36"	470	560	710	8'
XDC-36/24	36"	630	820	1110	9'
XDC-36/36	36"	800	1080	1510	10'
XDC-42	42"	500	610	770	8'
XDC-42/24	42"	690	910	1240	9'
XDC-42/36	42"	880	1210	1710	10'
XDC-48	48"	520	650	840	8'
XDC-48/24	48"	740	990	1380	9'
XDC-48/36	48"	960	1330	1910	10'
XDC-54	54"	550	690	910	8'
XDC-60	60"	580	730	980	8'
XDC-66	66"	610	780	1040	8'

XRH18 WALL MOUNT HOOD VARIATIONS							
WIDTHS OVER 66"		SPECIAL BLOWER LOCATION					
FOR EACH 6" INCREMENT	PAINTED 140	STAINLESS 200	OVERLAY 250	LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE			
PLUS		190		ADD	190		
SPECIAL WIDTH (LESS THAN 66")		SPECIAL DECK (9" MINIMUM, 18" STANDARD)					
USE NEXT LARGEST SIZE ON PRICE LIST,		ADD		190			
PLUS		190		STAINLESS STEEL INTERIOR ON OVERLAY HOOD			
SPECIAL HEIGHT (BETWEEN 9" & 18")		SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD					
USE STANDARD 18" PRICE,		ADDITIONAL BLOWERS & LIGHTS					
PLUS	310	SEE PAGE 84 FOR BLOWER OPTIONS					
DEPTH LESS THAN 24"		REMOTE BLOWER OPTIONS					
ADD	310	SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS					
DEPTH OVER 24" (EXCLUDING 27")		CUSTOM COLOR (SEE CUSTOM COLOR CHART)					
PAINTED 0.89	STAINLESS 1.32	OVERLAY 1.79	ADD	420			
WIDTH x EXTRA DEPTH x PLUS	310	TRIM OPTIONS					
SLOPE, LIP, OFFSET, OR TOP VARIATION		BANDS, NON-STANDARD COLOR					
PER VARIATION, ADD	310	TO REMOVE BANDS	90	90			
CONVEX END (REDUCES TOP WIDTH BY 6" EACH)		SEE PAGES 90-93 FOR ADDITIONAL FINISH AND TRIM OPTIONS					
PER END, ADD	310	WARMING LAMPS AND SHELVES					
		SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS					

DAH18 WALL MOUNT RANGE HOOD**RECOMMENDED MOUNTING HEIGHT**

FROM COOKING SURFACE: 30"

TRANSITION NOT INCLUDED




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
DAH18-130	30"	1490	1910	2580	2
DAH18-136	36"	1520	1940	2670	2
DAH18-142	42"	1650	2050	2880	3
DAH18-148	48"	1720	2140	3000	3
WITH DUAL BLOWER (600 CFM)					
DAH18-230	30"	1810	2250	2900	2
DAH18-236	36"	1840	2270	2990	2
DAH18-242	42"	1970	2390	3200	3
DAH18-248	48"	2030	2480	3320	3
DAH18-254	54"	2280	2840	3780	4
WITH DUAL & SINGLE BLOWERS (900 CFM)					
DAH18-342	42"	2370	2870	3600	3
DAH18-348	48"	2430	2960	3720	3
DAH18-354	54"	2680	3320	4180	4
DAH18-360	60"	2790	3490	4410	4
WITH TWO DUAL BLOWERS (1200 CFM)					
DAH18-448	48"	2750	3290	4040	3
DAH18-454	54"	3000	3650	4500	4
DAH18-460	60"	3120	3830	4750	4
DAH18-466	66"	3220	3980	4960	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

CUSTOM WALL MOUNT DUCT COVERS		
	PAINTED	STAINLESS
WIDTH x HEIGHT x	0.38	0.60
PLUS		0.94
310		
ANY WDC SS DUCT COVER MORE THAN 43" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.		
FINISHED TOP		
	PAINTED	STAINLESS
WIDTH x DEPTH x	0.38	0.60
PLUS		0.94
190		
REMOVABLE FRONT PANEL		
ADD		190
SLOPED TOP ON DUCT COVER		
ADD		310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.		




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-30	30"	440	520	640	8'
WDC-30/24	30"	580	730	980	9'
WDC-30/36	30"	710	950	1310	10'
WDC-36	36"	470	560	710	8'
WDC-36/24	36"	630	820	1110	9'
WDC-36/36	36"	800	1080	1510	10'
WDC-42	42"	500	610	770	8'
WDC-42/24	42"	690	910	1240	9'
WDC-42/36	42"	880	1210	1710	10'
WDC-48	48"	520	650	840	8'
WDC-48/24	48"	740	990	1380	9'
WDC-48/36	48"	960	1330	1910	10'
WDC-54	54"	550	690	910	8'
WDC-60	60"	580	730	980	8'
WDC-66	66"	610	780	1040	8'

DAH18 WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 66"	PAINTED	STAINLESS	OVERLAY	CONCAVE END (REDUCES TOP WIDTH BY 6" EACH)
FOR EACH 6" INCREMENT	140	200	250	PER END, ADD 310
PLUS		190		
SPECIAL WIDTH (LESS THAN 66")				SPECIAL BLOWER LOCATION
USE NEXT LARGEST SIZE ON PRICE LIST,				LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE
PLUS		190		ADD 190
SPECIAL HEIGHT (BETWEEN 9" & 18")				SPECIAL DECK (9" MINIMUM, 18" STANDARD)
USE STANDARD 18" PRICE,				ADD 190
PLUS		310		
DEPTH LESS THAN 24"				STAINLESS STEEL INTERIOR ON OVERLAY HOOD
ADD		310		SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD
DEPTH OVER 24"	PAINTED	STAINLESS	OVERLAY	ADDITIONAL BLOWERS & LIGHTS
WIDTH x EXTRA DEPTH x	0.89	1.32	1.79	SEE PAGE 84 FOR BLOWER OPTIONS
PLUS		310		REMOTE BLOWER OPTIONS
SLOPE, LIP, OFFSET, OR TOP VARIATION				SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS
PER VARIATION, ADD		310		CUSTOM COLOR (SEE CUSTOM COLOR CHART)
CLIPPED CORNER				ADD 420
PER CORNER, ADD		310		TRIM OPTIONS
				SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS
				WARMING LAMPS AND SHELVES
				SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS

PWVH18 WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION NOT INCLUDED




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	#LTS
WITH SINGLE BLOWER (300 CFM)					
PWVH18-130	30"	1490	1910	2580	2
PWVH18-136	36"	1520	1940	2670	2
PWVH18-142	42"	1650	2050	2880	3
PWVH18-148	48"	1720	2140	3000	3
WITH DUAL BLOWER (600 CFM)					
PWVH18-230	30"	1810	2250	2900	2
PWVH18-236	36"	1840	2270	2990	2
PWVH18-242	42"	1970	2390	3200	3
PWVH18-248	48"	2030	2480	3320	3
PWVH18-254	54"	2280	2840	3780	4
WITH DUAL & SINGLE BLOWERS (900 CFM)					
PWVH18-342	42"	2370	2870	3600	3
PWVH18-348	48"	2430	2960	3720	3
PWVH18-354	54"	2680	3320	4180	4
PWVH18-360	60"	2790	3490	4410	4
WITH TWO DUAL BLOWERS (1200 CFM)					
PWVH18-448	48"	2750	3290	4040	3
PWVH18-454	54"	3000	3650	4500	4
PWVH18-460	60"	3120	3830	4750	4
PWVH18-466	66"	3220	3980	4960	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

CUSTOM WALL MOUNT DUCT COVERS		
	PAINTED	STAINLESS
WIDTH x HEIGHT x	0.38	0.60
PLUS		
PLUS		0.94
ANY WDC SS DUCT COVER MORE THAN 43" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.		
FINISHED TOP		
	PAINTED	STAINLESS
WIDTH x DEPTH x	0.38	0.60
PLUS		
PLUS		0.94
REMOVABLE FRONT PANEL		
ADD		190
SLOPED TOP ON DUCT COVER		
ADD		310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.		




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-30	30"	440	520	640	8'
WDC-30/24	30"	580	730	980	9'
WDC-30/36	30"	710	950	1310	10'
WDC-36	36"	470	560	710	8'
WDC-36/24	36"	630	820	1110	9'
WDC-36/36	36"	800	1080	1510	10'
WDC-42	42"	500	610	770	8'
WDC-42/24	42"	690	910	1240	9'
WDC-42/36	42"	880	1210	1710	10'
WDC-48	48"	520	650	840	8'
WDC-48/24	48"	740	990	1380	9'
WDC-48/36	48"	960	1330	1910	10'
WDC-54	54"	550	690	910	8'
WDC-60	60"	580	730	980	8'
WDC-66	66"	610	780	1040	8'

PWVH18 WALL MOUNT HOOD VARIATIONS					
WIDTHS OVER 66"	SLOPED END (REDUCES TOP WIDTH BY 6" EACH)				
FOR EACH 6" INCREMENT	PER END, ADD				
PLUS	310				
SPECIAL WIDTH (LESS THAN 66")	SPECIAL BLOWER LOCATION				
USE NEXT LARGEST SIZE ON PRICE LIST,	LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE				
PLUS	ADD				
190	190				
SPECIAL HEIGHT (BETWEEN 9" & 18")	SPECIAL DECK (9" MINIMUM, 18" STANDARD)				
USE STANDARD 18" PRICE,	ADD				
PLUS	190				
DEPTH LESS THAN 24"	STAINLESS STEEL INTERIOR ON OVERLAY HOOD				
SEE STANDARD 18" PRICE,	SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD				
PLUS	ADDITIONAL BLOWERS & LIGHTS				
310	SEE PAGE 84 FOR BLOWER OPTIONS				
DEPTH OVER 24"	REMOTE BLOWER OPTIONS				
PAINTED	SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS				
WIDTH x EXTRA DEPTH x	CUSTOM COLOR (SEE CUSTOM COLOR CHART)				
0.89	ADD				
PLUS	420				
310	TRIM OPTIONS				
SLOPE, LIP, OFFSET, OR TOP VARIATION	SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS				
PER VARIATION, ADD	WARMING LAMPS AND SHELVES				
310	SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS				
CLIPPED CORNER	PER CORNER, ADD				
310	310				

CWEAH6-K ARS/DUCT-FREE RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"**




HOOD, DUCT COVER, AND ARS
FILTER KIT ARE EACH REQUIRED
FOR ONE APPLICATION

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
CWEAH6-K30	30"	750	950	2
CWEAH6-K36	36"	750	950	2
CWEAH6-K42	42"	870	1110	3
CWEAH6-K48	48"	910	1150	3

SHOWN WITH MATCHING DUCT
COVER AND ARS FILTER KIT
(SOLD SEPARATELY)

DUCT COVER HAS A
REMOVABLE FRONT PANEL
AND A FINISHED TOP




DUCT COVER HAS A
REMOVABLE FRONT PANEL
AND A FINISHED TOP

MODEL NO.	WIDTH	PAINTED	STAINLESS	CL.G.
WDCA-12/18	12"	510	550	7'
WDCA-12/30	12"	560	630	8'
WDCA-12/42	12"	610	700	9'

MODEL NO.	DESCRIPTION	PRICE
ARS-12	ARS Filter Assembly for WDCA-12	795
MODEL NO.	DESCRIPTION	PRICE
PARS-12	12" x 12" Replacement H.E. Filter Assembly	250
PARS-C	Replacement Activated Carbon Pellets - 1 Gallon	50
THE H.E. FILTER ASSEMBLY AND ACTIVATED CARBON MEDIA SHOULD BE CHANGED AS NEEDED BASED ON USAGE.		

PDAH14-K ARS/DUCT-FREE RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"**




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	#LTS
PDAH14-K30	30"	940	1300	1870	2
PDAH14-K36	36"	960	1330	1940	2
PDAH14-K42	42"	1060	1430	2120	3
PDAH14-K48	48"	1110	1480	2230	3

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

**SHOWN WITH MATCHING DUCT
COVER AND ARS FILTER KIT
(SOLD SEPARATELY)**

**DUCT COVER HAS A
REMOVABLE FRONT PANEL
AND A FINISHED TOP**

**HOOD, DUCT COVER, AND ARS
FILTER KIT ARE EACH REQUIRED
FOR ONE APPLICATION**



**DUCT COVER HAS A
REMOVABLE FRONT PANEL
AND A FINISHED TOP**

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDCA-10/22	10"	510	560	620	8'
WDCA-10/34	10"	550	620	720	9'

MODEL NO.	DESCRIPTION	PRICE
ARS-10	ARS Filter Assembly for WDCA-10	795


MODEL NO.	DESCRIPTION	PRICE
PARS-10	10" x 10" Replacement H.E. Filter Assembly	250
PARS-C	Replacement Activated Carbon Pellets - 1 Gallon	50

THE H.E. FILTER ASSEMBLY AND ACTIVATED CARBON MEDIA SHOULD BE CHANGED AS NEEDED BASED ON USAGE.

THIS PAGE INTENTIONALLY LEFT BLANK.

PDH14-K EURO-STYLE WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"**



SHOWN WITH
MATCHING
DUCT COVER
(SOLD SEPARATELY)

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

PRODUCT FEATURES

- 250 CFM (375 EQUIVALENT)
- TOP VENT ONLY

STANDARD DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-10/10	10"	340	370	400	7'
WDC-10/22	10"	390	440	510	8'
WDC-10/34	10"	440	510	620	9'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x	0.38	0.60	0.94
PLUS		310	

ANY WDC-10 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

FINISHED TOP

	PAINTED	STAINLESS	OVERLAY
WIDTH x DEPTH x	0.38	0.60	0.94
PLUS		190	

SLOPED TOP ON DUCT COVER

ADD	310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	


REMOVABLE PANEL DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDCR-10/10	10"	440	460	490	7'
WDCR-10/22	10"	480	530	600	8'
WDCR-10/34	10"	530	600	710	9'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x	0.38	0.60	0.94
PLUS		410	

ANY WDCR-10 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.




PDH14-K EURO-STYLE WALL MOUNT HOOD VARIATIONS

SPECIAL WIDTH (LESS THAN 48") USE NEXT LARGEST SIZE ON PRICE LIST, PLUS	190	STAINLESS STEEL INTERIOR ON OVERLAY HOOD SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD
DEPTH OVER 21" WIDTH x EXTRA DEPTH x PLUS	PAINTED STAINLESS OVERLAY 0.89 1.32 1.79 310	CUSTOM COLOR (SEE CUSTOM COLOR CHART) ADD
		420 TRIM OPTIONS SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS

PDH14 EURO-STYLE WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
PDH14-130	30"	1270	1760	2600	2
PDH14-136	36"	1300	1790	2710	2
PDH14-142	42"	1430	1920	2960	3
PDH14-148	48"	1490	1990	3110	3
WITH DUAL BLOWER (600 CFM)					
PDH14-236	36"	1620	2120	3070	2
PDH14-242	42"	1750	2260	3300	3
PDH14-248	48"	1810	2330	3600	3

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

STANDARD DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-10/10	10"	340	370	400	7'
WDC-10/22	10"	390	440	510	8'
WDC-10/34	10"	440	510	620	9'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x	0.38	0.60	0.94
PLUS		310	

ANY WDC-10 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

FINISHED TOP

	PAINTED	STAINLESS	OVERLAY
WIDTH x DEPTH x	0.38	0.60	0.94
PLUS		190	

SLOPED TOP ON DUCT COVER

ADD	310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	


REMOVABLE PANEL DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDCR-10/10	10"	440	460	490	7'
WDCR-10/22	10"	480	530	600	8'
WDCR-10/34	10"	530	600	710	9'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x	0.38	0.60	0.94
PLUS		410	

ANY WDCR-10 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.



PDH14 EURO-STYLE WALL MOUNT HOOD VARIATIONS

SPECIAL WIDTH (LESS THAN 48")

USE NEXT LARGEST SIZE ON PRICE LIST,
PLUS

190

DEPTH OVER 21"

WIDTH x EXTRA DEPTH x	PAINTED	STAINLESS	OVERLAY
PLUS	0.89	1.32	1.79

STAINLESS STEEL INTERIOR ON OVERLAY HOOD

SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD

CUSTOM COLOR (SEE CUSTOM COLOR CHART)


ADD 420

TRIM OPTIONS

SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS

SLDH14 EURO-STYLE WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"**



SHOWN WITH
MATCHING
DUCT COVER
(SOLD SEPARATELY)

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH SINGLE BLOWER (300 CFM)				
SLDH14-130	30"	1570	2060	2
SLDH14-136	36"	1600	2090	2
SLDH14-142	42"	1780	2290	3
SLDH14-148	48"	1850	2370	3
WITH DUAL BLOWER (600 CFM)				
SLDH14-236	36"	1920	2430	2
SLDH14-242	42"	2050	2560	3
SLDH14-248	48"	2170	2700	3

STANDARD DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
WDC-10/10	10"	340	370	7'
WDC-10/22	10"	390	440	8'
WDC-10/34	10"	440	510	9'

CUSTOM WALL MOUNT DUCT COVERS

PAINTED	STAINLESS
---------	-----------

WIDTH x HEIGHT x	0.38	0.60
PLUS		310

ANY WDC-10 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

FINISHED TOP

PAINTED	STAINLESS
---------	-----------

WIDTH x DEPTH x	0.38	0.60
PLUS		190

SLOPED TOP ON DUCT COVER

ADD	310
-----	-----

SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.

REMOVABLE PANEL DUCT COVERS


MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
WDCR-10/10	10"	440	460	7'
WDCR-10/22	10"	480	530	8'
WDCR-10/34	10"	530	600	9'

CUSTOM WALL MOUNT DUCT COVERS

PAINTED	STAINLESS
---------	-----------

WIDTH x HEIGHT x	0.38	0.60
PLUS		410

ANY WDCR-10 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.


**SLDH14 EURO-STYLE WALL MOUNT HOOD VARIATIONS**

SPECIAL WIDTH (LESS THAN 48") USE NEXT LARGEST SIZE ON PRICE LIST, PLUS	DEPTH OVER 21" PAINTED WIDTH x EXTRA DEPTH x PLUS
CUSTOM COLOR (SEE CUSTOM COLOR CHART) ADD	TRIM OPTIONS SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS

EPH18 EURO-STYLE WALL MOUNT RANGE HOOD**RECOMMENDED MOUNTING HEIGHT**

FROM COOKING SURFACE: 30"

27" DEEP MODEL - EPXH18



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH DUAL BLOWER (600 CFM)					
EPH18-236	36"	1960	2480	3420	2
EPH18-242	42"	2090	2620	3670	3
EPH18-248	48"	2160	2690	3820	3

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR
FOR 27" DEEP MODEL, ORDER EPXH18 (NO ADDITIONAL COST)

STANDARD DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-12/12	12"	360	390	440	8'
WDC-12/24	12"	410	480	570	9'
WDC-12/36	12"	470	560	710	10'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x	0.38	0.60	0.94
PLUS		310	

ANY WDC-12 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

FINISHED TOP

	PAINTED	STAINLESS	OVERLAY
WIDTH x DEPTH x	0.38	0.60	0.94
PLUS		190	

SLOPED TOP ON DUCT COVER

ADD	310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	


REMOVABLE PANEL DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDCR-12/12	12"	450	480	530	8'
WDCR-12/24	12"	510	570	670	9'
WDCR-12/36	12"	560	660	800	10'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x	0.38	0.60	0.94
PLUS		410	


ANY WDCR-12 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

**EPH18 EURO-STYLE WALL MOUNT HOOD VARIATIONS**

WIDTHS OVER 48"	PAINTED	STAINLESS	OVERLAY	DEPTH OVER 24" (EXCLUDING 27")	PAINTED	STAINLESS	OVERLAY
FOR EACH 6" INCREMENT	140	200	250	WIDTH x EXTRA DEPTH x	0.89	1.32	1.79
PLUS		190		PLUS		310	
SPECIAL WIDTH (LESS THAN 48")				CUSTOM COLOR (SEE CUSTOM COLOR CHART)			
USE NEXT LARGEST SIZE ON PRICE LIST,				ADD		420	
PLUS		190		TRIM OPTIONS			
STAINLESS STEEL INTERIOR ON OVERLAY HOOD				SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS			
SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD							

NEPH18 EURO-STYLE WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
27" DEEP MODEL - NEPXH18



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	#LTS
WITH DUAL BLOWER (600 CFM)					
NEPH18-236	36"	2200	2660	3610	2
NEPH18-242	42"	2330	2800	3960	3
NEPH18-248	48"	2400	2910	4010	3

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR
FOR 27" DEEP MODEL, ORDER NEPXH18 (NO ADDITIONAL COST)

STANDARD DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-12/12	12"	360	390	440	8'
WDC-12/24	12"	410	480	570	9'
WDC-12/36	12"	470	560	710	10'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x	0.38	0.60	0.94
PLUS		310	

ANY WDC-12 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

FINISHED TOP

	PAINTED	STAINLESS	OVERLAY
WIDTH x DEPTH x	0.38	0.60	0.94
PLUS		190	

SLOPED TOP ON DUCT COVER

ADD	310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	


REMOVABLE PANEL DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDCR-12/12	12"	450	480	530	8'
WDCR-12/24	12"	510	570	670	9'
WDCR-12/36	12"	560	660	800	10'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x	0.38	0.60	0.94
PLUS		410	

ANY WDCR-12 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.




NEPH18 EURO-STYLE WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 48"	PAINTED	STAINLESS	OVERLAY	DEPTH OVER 24" (EXCLUDING 27")	PAINTED	STAINLESS	OVERLAY
FOR EACH 6" INCREMENT	140	200	250	WIDTH x EXTRA DEPTH x	0.89	1.32	1.79
PLUS		190		PLUS		310	
SPECIAL WIDTH (LESS THAN 48")				CUSTOM COLOR (SEE CUSTOM COLOR CHART)			
USE NEXT LARGEST SIZE ON PRICE LIST,				ADD		420	
PLUS		190		TRIM OPTIONS			
STAINLESS STEEL INTERIOR ON OVERLAY HOOD				SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS			
SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD							

SEPH18 EURO-STYLE WALL MOUNT RANGE HOOD**RECOMMENDED MOUNTING HEIGHT**

FROM COOKING SURFACE: 30"

27" DEEP MODEL - SEPXH18



MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH DUAL BLOWER (600 CFM)				
SEPH18-236	36"	2330	2790	2
SEPH18-242	42"	2460	2920	3
SEPH18-248	48"	2530	2990	3

FOR 27" DEEP MODEL, ORDER SEPXH18 (NO ADDITIONAL COST)

STANDARD DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	CL.G.
WDC-12/12	12"	360	390	8'
WDC-12/24	12"	410	480	9'
WDC-12/36	12"	470	560	10'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS
WIDTH x HEIGHT x	0.38	0.60
PLUS	310	

ANY WDC-12 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

FINISHED TOP

	PAINTED	STAINLESS
WIDTH x DEPTH x	0.38	0.60
PLUS	190	

SLOPED TOP ON DUCT COVER

ADD	310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	


REMOVABLE PANEL DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	CL.G.
WDCR-12/12	12"	450	480	8'
WDCR-12/24	12"	510	570	9'
WDCR-12/36	12"	560	660	10'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS
WIDTH x HEIGHT x	0.38	0.60
PLUS	410	

ANY WDCR-12 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.


**SEPH18 EURO-STYLE WALL MOUNT HOOD VARIATIONS**

WIDTHS OVER 48"	PAINTED	STAINLESS	DEPTH OVER 24" (EXCLUDING 27")	PAINTED	STAINLESS
FOR EACH 6" INCREMENT	140	200	WIDTH x EXTRA DEPTH x	0.89	1.32
PLUS	190		PLUS	310	
SPECIAL WIDTH (LESS THAN 48")			CUSTOM COLOR (SEE CUSTOM COLOR CHART)		
USE NEXT LARGEST SIZE ON PRICE LIST,			ADD	420	
PLUS	190		TRIM OPTIONS		
			SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS		

EPTH18 EURO-STYLE WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED IN HOOD
27" DEEP MODEL - EPXTH18

SHOWN WITH
MATCHING
DUCT COVER
(SOLD SEPARATELY)



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS	INCL..
WITH DUAL & SINGLE BLOWERS (900 CFM)						
EPTH18-342	42"	2960	3530	4540	3	VP562
EPTH18-348	48"	3030	3600	4690	3	VP562
EPTH18-354	54"	3300	4100	5140	4	VP562
EPTH18-360	60"	3430	4280	5380	4	VP562
EPTH18-366	66"	3550	4470	5620	4	VP562
WITH TWO DUAL BLOWERS (1200 CFM)						
EPTH18-454	54"	3620	4430	5460	4	VP563
EPTH18-460	60"	3750	4620	5720	4	VP563
EPTH18-466	66"	3870	4800	5960	4	VP563

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR
FOR 27" DEEP MODEL, ORDER EPXTH18 (NO ADDITIONAL COST)

STANDARD DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-26/12	26"	420	490	600	8'
WDC-26/24	26"	540	680	890	9'
WDC-26/36	26"	660	860	1180	10'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x	0.38	0.60	0.94
PLUS		310	

ANY WDC-26 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

FINISHED TOP

	PAINTED	STAINLESS	OVERLAY
WIDTH x DEPTH x	0.38	0.60	0.94
PLUS		190	

SLOPED TOP ON DUCT COVER

ADD	310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	


REMOVABLE PANEL DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDCR-26/12	26"	520	580	690	8'
WDCR-26/24	26"	640	770	980	9'
WDCR-26/36	26"	750	950	1270	10'

CUSTOM WALL MOUNT DUCT COVERS

WIDTH x HEIGHT x	PAINTED	STAINLESS	OVERLAY
PLUS	0.38	0.60	0.94

ANY WDCR-26 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.




EPTH18 EURO-STYLE WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 66" FOR EACH 6" INCREMENT PLUS	PAINTED 140 200 190	STAINLESS 250	DEPTH OVER 24" (EXCLUDING 27") WIDTH x EXTRA DEPTH x PLUS	PAINTED 0.89 1.32 310	STAINLESS 1.79	OVERLAY 310
SPECIAL WIDTH (LESS THAN 66") USE NEXT LARGEST SIZE ON PRICE LIST, PLUS						
STAINLESS STEEL INTERIOR ON OVERLAY HOOD SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD						
CUSTOM COLOR (SEE CUSTOM COLOR CHART) ADD						
TRIM OPTIONS SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS						

NEPTH18 EURO-STYLE WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED IN HOOD
27" DEEP MODEL - NEPXTH18

SHOWN WITH
MATCHING
DUCT COVER
(SOLD SEPARATELY)



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS	INCL.
WITH DUAL & SINGLE BLOWERS (900 CFM)						
NEPTH18-342	42"	3150	3800	4730	3	VP562
NEPTH18-348	48"	3220	3870	4880	3	VP562
NEPTH18-354	54"	3490	4290	5330	4	VP562
NEPTH18-360	60"	3610	4470	5570	4	VP562
NEPTH18-366	66"	3740	4650	5810	4	VP562
WITH TWO DUAL BLOWERS (1200 CFM)						
NEPTH18-454	54"	3810	4620	5650	4	VP563
NEPTH18-460	60"	3930	4800	5890	4	VP563
NEPTH18-466	66"	4060	4990	6130	4	VP563

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR
FOR 27" DEEP MODEL, ORDER NEPXTH18 (NO ADDITIONAL COST)

STANDARD DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-26/12	26"	420	490	600	8'
WDC-26/24	26"	540	680	890	9'
WDC-26/36	26"	660	860	1180	10'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x	0.38	0.60	0.94
PLUS		310	

ANY WDC-26 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

FINISHED TOP

	PAINTED	STAINLESS	OVERLAY
WIDTH x DEPTH x	0.38	0.60	0.94
PLUS		190	

SLOPED TOP ON DUCT COVER

ADD	310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	


REMOVABLE PANEL DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDCR-26/12	26"	520	580	690	8'
WDCR-26/24	26"	640	770	980	9'
WDCR-26/36	26"	750	950	1270	10'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x	0.38	0.60	0.94
PLUS		410	

ANY WDCR-26 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.




NEPTH18 EURO-STYLE WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 66"	PAINTED	STAINLESS	OVERLAY	DEPTH OVER 24" (EXCLUDING 27")	PAINTED	STAINLESS	OVERLAY
FOR EACH 6" INCREMENT	140	200	250	WIDTH x EXTRA DEPTH x	0.89	1.32	1.79
PLUS		190		PLUS		310	
SPECIAL WIDTH (LESS THAN 66") USE NEXT LARGEST SIZE ON PRICE LIST, PLUS				CUSTOM COLOR (SEE CUSTOM COLOR CHART) ADD		420	
STAINLESS STEEL INTERIOR ON OVERLAY HOOD SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD				TRIM OPTIONS SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS			

SEPTH18 EURO-STYLE WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED IN HOOD
27" DEEP MODEL - SEPXT18

SHOWN WITH
MATCHING
DUCT COVER
(SOLD SEPARATELY)



MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS	INCL.
WITH DUAL & SINGLE BLOWERS (900 CFM)					
SEPTH18-342	42"	3280	4110	3	VP562
SEPTH18-348	48"	3550	4190	3	VP562
SEPTH18-354	54"	3800	4600	4	VP562
SEPTH18-360	60"	3930	4780	4	VP562
SEPTH18-366	66"	4050	4970	4	VP562
WITH TWO DUAL BLOWERS (1200 CFM)					
SEPTH18-454	54"	4120	4930	4	VP563
SEPTH18-460	60"	4230	5120	4	VP563
SEPTH18-466	66"	4360	5300	4	VP563
FOR 27" DEEP MODEL, ORDER SEPXT18 (NO ADDITIONAL COST)					

STANDARD DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
WDC-26/12	26"	420	490	8'
WDC-26/24	26"	540	680	9'
WDC-26/36	26"	660	860	10'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS
WIDTH x HEIGHT x	0.38	0.60
PLUS	310	

ANY WDC-26 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

FINISHED TOP

	PAINTED	STAINLESS
WIDTH x DEPTH x	0.38	0.60
PLUS	190	

SLOPED TOP ON DUCT COVER

ADD	310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	


REMOVABLE PANEL DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
WDCR-26/12	26"	520	580	8'
WDCR-26/24	26"	640	770	9'
WDCR-26/36	26"	750	950	10'

CUSTOM WALL MOUNT DUCT COVERS


	PAINTED	STAINLESS
WIDTH x HEIGHT x	0.38	0.60
PLUS	410	

ANY WDCR-26 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.



SEPTH18 EURO-STYLE WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 66"	PAINTED	STAINLESS	DEPTH OVER 24" (EXCLUDING 27")	PAINTED	STAINLESS
FOR EACH 6" INCREMENT	140	200	WIDTH x EXTRA DEPTH x	0.89	1.32
PLUS	190		PLUS	310	
SPECIAL WIDTH (LESS THAN 48")			CUSTOM COLOR (SEE CUSTOM COLOR CHART)		
USE NEXT LARGEST SIZE ON PRICE LIST,			ADD	420	
PLUS	190		TRIM OPTIONS		
			SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS		

CXH30 WALL MOUNT RANGE HOOD**RECOMMENDED MOUNTING HEIGHT****FROM COOKING SURFACE: 30"****TRANSITION NOT INCLUDED**


MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
CXH30-130	30"	1900	2570	3610	2
CXH30-136	36"	2000	2710	3870	2
CXH30-142	42"	2200	2950	4260	3
CXH30-148	48"	2340	3130	4560	3
WITH DUAL BLOWER (600 CFM)					
CXH30-230	30"	2220	2910	3930	2
CXH30-236	36"	2320	3050	4190	2
CXH30-242	42"	2520	3290	4580	3
CXH30-248	48"	2660	3460	4880	3
CXH30-254	54"	3030	4010	5600	4
WITH DUAL & SINGLE BLOWERS (900 CFM)					
CXH30-342	42"	2920	3770	4980	3
CXH30-348	48"	3060	3940	5280	3
CXH30-354	54"	3430	4490	6000	4
CXH30-360	60"	3630	4780	6420	4
WITH TWO DUAL BLOWERS (1200 CFM)					
CXH30-448	48"	3680	4280	5600	3
CXH30-454	54"	3750	4830	6320	4
CXH30-460	60"	3950	5110	6740	4
CXH30-466	66"	4140	5390	7150	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

CUSTOM WALL MOUNT DUCT COVERS		
	PAINTED	STAINLESS
WIDTH x HEIGHT x PLUS	0.38	0.60
		0.94
310		
ANY WDC SS DUCT COVER MORE THAN 43" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.		
FINISHED TOP		
	PAINTED	STAINLESS
WIDTH x DEPTH x PLUS	0.38	0.60
		0.94
190		
REMOVABLE FRONT PANEL		
ADD	190	
SLOPED TOP ON DUCT COVER		
ADD	310	
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.		




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-30	30"	440	520	640	9'
WDC-30/24	30"	580	730	980	10'
WDC-30/36	30"	710	950	1310	11'
WDC-36	36"	470	560	710	9'
WDC-36/24	36"	630	820	1110	10'
WDC-36/36	36"	800	1080	1510	11'
WDC-42	42"	500	610	770	9'
WDC-42/24	42"	690	910	1240	10'
WDC-42/36	42"	880	1210	1710	11'
WDC-48	48"	520	650	840	9'
WDC-48/24	48"	740	990	1380	10'
WDC-48/36	48"	960	1330	1910	11'
WDC-54	54"	550	690	910	9'
WDC-60	60"	580	730	980	9'
WDC-66	66"	610	780	1040	9'

CXH30 WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 66"	PAINTED	STAINLESS	OVERLAY	CLIPPED CORNER (MODELS WITH CONVEX ENDS ONLY)
FOR EACH 6" INCREMENT	140	200	250	PER CORNER, ADD 310
PLUS		190		
SPECIAL WIDTH (LESS THAN 66")				CONVEX END (REDUCES TOP WIDTH BY 6" EACH)
USE NEXT LARGEST SIZE ON PRICE LIST,				PER END, ADD 310
PLUS		190		
SPECIAL HEIGHT (BETWEEN 18" & 30")				SPECIAL BLOWER LOCATION
USE STANDARD 30" PRICE,				LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE
PLUS		310		ADD 190
HEIGHT OVER 30"	PAINTED	STAINLESS	OVERLAY	SPECIAL DECK (9" MINIMUM, 18" STANDARD)
WIDTH x EXTRA HEIGHT x	0.89	1.32	1.79	ADD 190
PLUS		310		
DEPTH LESS THAN 24"				STAINLESS STEEL INTERIOR ON OVERLAY HOOD
ADD		310		SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD
DEPTH OVER 24"	PAINTED	STAINLESS	OVERLAY	ADDITIONAL BLOWERS & LIGHTS
WIDTH x EXTRA DEPTH x	0.89	1.32	1.79	SEE PAGE 84 FOR BLOWER OPTIONS
PLUS		310		
SLOPE, LIP, OFFSET, OR TOP VARIATION				REMOTE BLOWER OPTIONS
PER VARIATION, ADD		310		SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS
				CUSTOM COLOR (SEE CUSTOM COLOR CHART)
	ADD			ADD 420
				TRIM OPTIONS
				SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS
				WARMING LAMPS AND SHELVES
				SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS

DAH30 WALL MOUNT RANGE HOOD


RECOMMENDED MOUNTING HEIGHT**FROM COOKING SURFACE: 30"****TRANSITION NOT INCLUDED**

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	#LTS
WITH SINGLE BLOWER (300 CFM)					
DAH30-130	30"	1900	2570	3610	2
DAH30-136	36"	2000	2710	3870	2
DAH30-142	42"	2200	2950	4260	3
DAH30-148	48"	2340	3130	4560	3
WITH DUAL BLOWER (600 CFM)					
DAH30-230	30"	2220	2910	3930	2
DAH30-236	36"	2320	3050	4190	2
DAH30-242	42"	2520	3290	4580	3
DAH30-248	48"	2660	3460	4880	3
DAH30-254	54"	3030	4010	5600	4
WITH DUAL & SINGLE BLOWERS (900 CFM)					
DAH30-342	42"	2920	3770	4980	3
DAH30-348	48"	3060	3940	5280	3
DAH30-354	54"	3430	4490	6000	4
DAH30-360	60"	3630	4780	6420	4
WITH TWO DUAL BLOWERS (1200 CFM)					
DAH30-448	48"	3680	4280	5600	3
DAH30-454	54"	3750	4830	6320	4
DAH30-460	60"	3950	5110	6740	4
DAH30-466	66"	4140	5390	7150	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.**USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.**


CUSTOM WALL MOUNT DUCT COVERS		
	PAINTED	STAINLESS
WIDTH x HEIGHT x	0.38	0.60
PLUS		0.94
ANY WDC SS DUCT COVER MORE THAN 43" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.		
FINISHED TOP		
	PAINTED	STAINLESS
WIDTH x DEPTH x	0.38	0.60
PLUS		0.94
WDC-30 WDC-30/24 WDC-30/36 WDC-36 WDC-36/24 WDC-36/36 WDC-42 WDC-42/24 WDC-42/36 WDC-48 WDC-48/24 WDC-48/36 WDC-54 WDC-60 WDC-66		
REMOVABLE FRONT PANEL		
ADD	190	
SLOPED TOP ON DUCT COVER		
ADD	310	
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.		



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-30	30"	440	520	640	9'
WDC-30/24	30"	580	730	980	10'
WDC-30/36	30"	710	950	1310	11'
WDC-36	36"	470	560	710	9'
WDC-36/24	36"	630	820	1110	10'
WDC-36/36	36"	800	1080	1510	11'
WDC-42	42"	500	610	770	9'
WDC-42/24	42"	690	910	1240	10'
WDC-42/36	42"	880	1210	1710	11'
WDC-48	48"	520	650	840	9'
WDC-48/24	48"	740	990	1380	10'
WDC-48/36	48"	960	1330	1910	11'
WDC-54	54"	550	690	910	9'
WDC-60	60"	580	730	980	9'
WDC-66	66"	610	780	1040	9'

DAH30 WALL MOUNT HOOD VARIATIONS					
WIDTHS OVER 66"					
FOR EACH 6" INCREMENT	PAINTED	STAINLESS	OVERLAY	CLIPPED CORNER PER CORNER, ADD	310
PLUS	140	200	250	CONCAVE END (REDUCES TOP WIDTH BY 6" EACH) PER END, ADD	310
SPECIAL WIDTH (LESS THAN 66") USE NEXT LARGEST SIZE ON PRICE LIST, PLUS				SPECIAL BLOWER LOCATION LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE ADD	190
SPECIAL HEIGHT (BETWEEN 18" & 30") USE STANDARD 30" PRICE, PLUS				SPECIAL DECK (9" MINIMUM, 18" STANDARD) ADD	190
HEIGHT OVER 30"				STAINLESS STEEL INTERIOR ON OVERLAY HOOD SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD	
WIDTH x EXTRA HEIGHT x	PAINTED	STAINLESS	OVERLAY	ADDITIONAL BLOWERS & LIGHTS SEE PAGE 84 FOR BLOWER OPTIONS	
PLUS	0.89	1.32	1.79	REMOTE BLOWER OPTIONS SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS	
DEPTH LESS THAN 24"				CUSTOM COLOR (SEE CUSTOM COLOR CHART) ADD	420
ADD		310		TRIM OPTIONS SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS	
DEPTH OVER 24"				WARMING LAMPS AND SHELVES SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS	
WIDTH x EXTRA DEPTH x	PAINTED	STAINLESS	OVERLAY	PER VARIATION, ADD	310
PLUS	0.89	1.32	1.79		
SLOPE, LIP, OFFSET, OR TOP VARIATION PER VARIATION, ADD					

PWVH30 WALL MOUNT RANGE HOOD

RECOMMENDED MOUNTING HEIGHT**FROM COOKING SURFACE: 30"****TRANSITION NOT INCLUDED**


MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
PWVH30-130	30"	1900	2570	3610	2
PWVH30-136	36"	2000	2710	3870	2
PWVH30-142	42"	2200	2950	4260	3
PWVH30-148	48"	2340	3130	4560	3
WITH DUAL BLOWER (600 CFM)					
PWVH30-230	30"	2220	2910	3930	2
PWVH30-236	36"	2320	3050	4190	2
PWVH30-242	42"	2520	3290	4580	3
PWVH30-248	48"	2660	3460	4880	3
PWVH30-254	54"	3030	4010	5600	4
WITH DUAL & SINGLE BLOWERS (900 CFM)					
PWVH30-342	42"	2920	3770	4980	3
PWVH30-348	48"	3060	3940	5280	3
PWVH30-354	54"	3430	4490	6000	4
PWVH30-360	60"	3630	4780	6420	4
WITH TWO DUAL BLOWERS (1200 CFM)					
PWVH30-448	48"	3680	4280	5600	3
PWVH30-454	54"	3750	4830	6320	4
PWVH30-460	60"	3950	5110	6740	4
PWVH30-466	66"	4140	5390	7150	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

CUSTOM WALL MOUNT DUCT COVERS		
	PAINTED	STAINLESS
WIDTH x HEIGHT x	0.38	0.60
PLUS	310	0.94
ANY WDC SS DUCT COVER MORE THAN 43" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.		
FINISHED TOP		
	PAINTED	STAINLESS
WIDTH x DEPTH x	0.38	0.60
PLUS	190	0.94
REMOVABLE FRONT PANEL		
ADD	190	
SLOPED TOP ON DUCT COVER		
ADD	310	
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.		




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-30	30"	440	520	640	9'
WDC-30/24	30"	580	730	980	10'
WDC-30/36	30"	710	950	1310	11'
WDC-36	36"	470	560	710	9'
WDC-36/24	36"	630	820	1110	10'
WDC-36/36	36"	800	1080	1510	11'
WDC-42	42"	500	610	770	9'
WDC-42/24	42"	690	910	1240	10'
WDC-42/36	42"	880	1210	1710	11'
WDC-48	48"	520	650	840	9'
WDC-48/24	48"	740	990	1380	10'
WDC-48/36	48"	960	1330	1910	11'
WDC-54	54"	550	690	910	9'
WDC-60	60"	580	730	980	9'
WDC-66	66"	610	780	1040	9'

PWVH30 WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 66"	PAINTED	STAINLESS	OVERLAY	CLIPPED CORNER PER CORNER, ADD
FOR EACH 6" INCREMENT	140	200	250	310
PLUS		190		
SPECIAL WIDTH (LESS THAN 66") USE NEXT LARGEST SIZE ON PRICE LIST, PLUS				SLOPED END (REDUCES TOP WIDTH BY 6" EACH) PER END, ADD
				310
SPECIAL HEIGHT (BETWEEN 18" & 30") USE STANDARD 30" PRICE, PLUS				SPECIAL BLOWER LOCATION LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE ADD
				190
HEIGHT OVER 30"	PAINTED	STAINLESS	OVERLAY	SPECIAL DECK (9" MINIMUM, 18" STANDARD) ADD
WIDTH x EXTRA HEIGHT x	0.89	1.32	1.79	190
PLUS		310		STAINLESS STEEL INTERIOR ON OVERLAY HOOD SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD
DEPTH LESS THAN 24"				ADDITIONAL BLOWERS & LIGHTS SEE PAGE 84 FOR BLOWER OPTIONS
ADD		310		REMOTE BLOWER OPTIONS SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS
DEPTH OVER 24"	PAINTED	STAINLESS	OVERLAY	CUSTOM COLOR (SEE CUSTOM COLOR CHART) ADD
WIDTH x EXTRA DEPTH x	0.89	1.32	1.79	420
PLUS		310		TRIM OPTIONS SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS
SLOPE, LIP, OFFSET, OR TOP VARIATION PER VARIATION, ADD		310		WARMING LAMPS AND SHELVES SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS

SLH30 WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION NOT INCLUDED




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	#LTS
WITH SINGLE BLOWER (300 CFM)					
SLH30-130	30"	1900	2570	3610	2
SLH30-136	36"	2000	2710	3870	2
SLH30-142	42"	2200	2950	4260	3
SLH30-148	48"	2340	3130	4560	3
WITH DUAL BLOWER (600 CFM)					
SLH30-230	30"	2220	2910	3930	2
SLH30-236	36"	2320	3050	4190	2
SLH30-242	42"	2520	3290	4580	3
SLH30-248	48"	2660	3460	4880	3
SLH30-254	54"	3030	4010	5600	4
WITH DUAL & SINGLE BLOWERS (900 CFM)					
SLH30-342	42"	2920	3770	4980	3
SLH30-348	48"	3060	3940	5280	3
SLH30-354	54"	3430	4490	6000	4
SLH30-360	60"	3630	4780	6420	4
WITH TWO DUAL BLOWERS (1200 CFM)					
SLH30-448	48"	3680	4280	5600	3
SLH30-454	54"	3750	4830	6320	4
SLH30-460	60"	3950	5110	6740	4
SLH30-466	66"	4140	5390	7150	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

CUSTOM WALL MOUNT DUCT COVERS		
	PAINTED	STAINLESS
WIDTH x HEIGHT x	0.38	0.60
PLUS		0.94
ANY WDC SS DUCT COVER MORE THAN 43" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.		
FINISHED TOP		
	PAINTED	STAINLESS
WIDTH x DEPTH x	0.38	0.60
PLUS		0.94
WDC-30 WDC-30/24 WDC-30/36 WDC-36 WDC-36/24 WDC-36/36 WDC-42 WDC-42/24 WDC-42/36 WDC-48 WDC-48/24 WDC-48/36 WDC-54 WDC-60 WDC-66		
REMOVABLE FRONT PANEL		
ADD	190	
SLOPED TOP ON DUCT COVER		
ADD	310	
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.		




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-30	30"	440	520	640	9'
WDC-30/24	30"	580	730	980	10'
WDC-30/36	30"	710	950	1310	11'
WDC-36	36"	470	560	710	9'
WDC-36/24	36"	630	820	1110	10'
WDC-36/36	36"	800	1080	1510	11'
WDC-42	42"	500	610	770	9'
WDC-42/24	42"	690	910	1240	10'
WDC-42/36	42"	880	1210	1710	11'
WDC-48	48"	520	650	840	9'
WDC-48/24	48"	740	990	1380	10'
WDC-48/36	48"	960	1330	1910	11'
WDC-54	54"	550	690	910	9'
WDC-60	60"	580	730	980	9'
WDC-66	66"	610	780	1040	9'

SLH30 WALL MOUNT HOOD VARIATIONS									
WIDTHS OVER 66"		SLOPE, LIP, OFFSET, OR TOP VARIATION							
FOR EACH 6" INCREMENT		PER VARIATION, ADD							
140		310							
PLUS		190							
SPECIAL WIDTH (LESS THAN 66")									
USE NEXT LARGEST SIZE ON PRICE LIST,									
PLUS									
190									
SPECIAL HEIGHT (BETWEEN 18" & 30")									
USE STANDARD 30" PRICE,									
PLUS									
310									
HEIGHT OVER 30"									
PAINTED		SPECIAL DECK (9" MINIMUM, 18" STANDARD)							
0.89		ADD							
1.32		190							
1.79									
WIDTH x EXTRA HEIGHT x									
PLUS									
310									
DEPTH LESS THAN 24"									
ADD									
310									
DEPTH OVER 24"									
PAINTED		STAINLESS STEEL INTERIOR ON OVERLAY HOOD							
0.89		SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD							
1.32									
310									
ADDITIONAL BLOWERS & LIGHTS									
SEE PAGE 84 FOR BLOWER OPTIONS									
REMOTE BLOWER OPTIONS									
SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS									
CUSTOM COLOR (SEE CUSTOM COLOR CHART)									
ADD									
420									
TRIM OPTIONS									
SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS									
WARMING LAMPS AND SHELVES									
SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS									

AH12 RETRO-STYLE WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 33"**



MODEL NO. WIDTH PAINTED #LTS


WITH SINGLE BLOWER (300 CFM)

AH12-130	30"	1340	2
AH12-136	36"	1360	2
AH12-142	42"	1490	3
AH12-148	48"	1550	3

WITH DUAL BLOWER (600 CFM)

AH12-236	36"	1680	2
AH12-242	42"	1810	3
AH12-248	48"	1870	3

HOOD INCLUDES TWO SIDE WING PANELS AND SPLASH PANEL 30" TALL X WIDTH OF HOOD.



MODEL NO.	WIDTH	PAINTED	CLG.
ARDC-6/6	6"	60	7'
ARDC-6/18	6"	80	8'
ARDC-6/30	6"	100	9'
ARDC-8/6	8"	60	7'
ARDC-8/18	8"	100	8'
ARDC-8/30	8"	120	9'

CUSTOM FINISHED ROUND DUCT


PAINTED

WIDTH x HEIGHT x 0.38
PLUS 310

NOTE: FINISHED ROUND DUCT EXTENDS 2" INTO TOP OF HOOD AND 1" INTO CEILING.

NOTE: WHEN PRICING CUSTOM FINISHED ROUND DUCT, INCLUDE THE 2" THAT EXTENDS INTO TOP OF HOOD AND 1" THAT EXTENDS INTO CEILING (3" TOTAL). TOTAL OVERALL HEIGHT CANNOT EXCEED 60" (10' 8" CEILING).

NOTE: TOP END OF FINISHED ROUND DUCT IS CRIMPED TO ALLOW FOR DUCT CONNECTION IN THE CEILING (CRIMP IS NOT INCLUDED IN THE OVERALL HEIGHT OF THE FINISHED ROUND DUCT).



MODEL NO.	WIDTH	PAINTED
ARC6	6"	17
ARC8	8"	17

AH12 RETRO-STYLE WALL MOUNT HOOD VARIATIONS

SPECIAL WIDTH (LESS THAN 48")
USE NEXT LARGEST SIZE ON PRICE LIST,
PLUS


310

CUSTOM COLOR (SEE CUSTOM COLOR CHART)
ADD

420

CWH WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION NOT INCLUDED



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	#LTS
WITH SINGLE BLOWER (300 CFM)					
CWH-130	30"	1310	1820	2480	2
CWH-136	36"	1330	1850	2580	2
CWH-142	42"	1480	1990	2820	3
CWH-148	48"	1550	2070	2960	3
WITH DUAL BLOWER (600 CFM)					
CWH-230	30"	1630	2120	2800	2
CWH-236	36"	1650	2140	2900	2
CWH-242	42"	1800	2330	3140	3
CWH-248	48"	2050	2400	3280	3
CWH-254	54"	2210	2890	3780	4
WITH DUAL & SINGLE BLOWERS (900 CFM)					
CWH-342	42"	2200	2810	3540	3
CWH-348	48"	2450	2880	3680	3
CWH-354	54"	2610	3370	4180	4
CWH-360	60"	2720	3540	4430	4
WITH TWO DUAL BLOWERS (1200 CFM)					
CWH-448	48"	2770	3220	4000	3
CWH-454	54"	2930	3700	4500	4
CWH-460	60"	3040	3870	4750	4
CWH-466	66"	3180	4060	4990	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR


USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.


CWH WALL MOUNT HOOD VARIATIONS					
WIDTHS OVER 66" FOR EACH 6" INCREMENT PLUS	PAINTED 140 200 190	STAINLESS 200 190	OVERLAY 250	ROUNDED CORNER NO OFFSETS OR LIP, MINIMUM 4 INCH RADIUS PER CORNER, ADD	350
SPECIAL WIDTH (LESS THAN 66") USE NEXT LARGEST SIZE ON PRICE LIST, PLUS	190			SPECIAL BLOWER LOCATION LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE ADD	190
SPECIAL HEIGHT (BETWEEN 9" & 12") USE STANDARD PRICE, PLUS	310			SPECIAL DECK (9" MINIMUM) ADD	190
HEIGHT OVER 12" WIDTH x EXTRA HEIGHT x PLUS	PAINTED 0.89 1.32 310	STAINLESS 1.32 1.79	OVERLAY	STAINLESS STEEL INTERIOR ON OVERLAY HOOD SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD	
DEPTH LESS THAN 24" ADD	310			ADDITIONAL BLOWERS & LIGHTS SEE PAGE 84 FOR BLOWER OPTIONS	
DEPTH OVER 24" WIDTH x EXTRA DEPTH x PLUS	PAINTED 0.89 1.32 310	STAINLESS 1.32 1.79	OVERLAY	REMOTE BLOWER OPTIONS SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS	
LIP AND OFFSET 1, 2 OR 3 SIDES, ADD	310			CUSTOM COLOR (SEE CUSTOM COLOR CHART) ADD	420
				TRIM OPTIONS SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS	
				WARMING LAMPS AND SHELVES SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS	

TLH WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 23 3/4"**



MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH SINGLE BLOWER (300 CFM)				
TLH-130	30"	1330	1800	2
TLH-136	36"	1360	1820	2
TLH-142	42"	1450	1920	3
TLH-148	48"	1510	1990	3
WITH DUAL BLOWER (600 CFM)				
TLH-230	30"	1650	2130	2
TLH-236	36"	1680	2160	2
TLH-242	42"	1770	2250	3
TLH-248	48"	1830	2320	3



TLH WALL MOUNT HOOD VARIATIONS

SPECIAL WIDTH (LESS THAN 48")

ADD 190

CUSTOM TILT OUT

HEIGHT (36" MAX), WIDTH, DEPTH OR COMBO VARIATION

HINGE AT TOP

ADD 190


ADD 370

CUSTOM COLOR (SEE CUSTOM COLOR CHART)

ADD 420

JCH/A1 DESIGNER SERIES WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED IN HOOD




MODEL NO.	WIDTH	TOP W.	PAINTED	STAINLESS	OVERLAY•	#LTS
WITH SINGLE BLOWER (300 CFM)						
JCH136/A1	36"	18"	1700	2100	2770	2
JCH142/A1	42"	24"	1820	2200	2970	3
JCH148/A1	48"	30"	1890	2290	3080	3
WITH DUAL BLOWER (600 CFM)						
JCH236/A1	36"	18"	2010	2420	3080	2
JCH242/A1	42"	24"	2130	2530	3280	3
JCH248/A1	48"	30"	2190	2610	3400	3
WITH DUAL & SINGLE BLOWERS (900 CFM)*						
JCH348/A1	48"	30"	2680	3180	3880	3
JCH354/A1	54"	36"	2910	3520	4310	4
JCH360/A1	60"	42"	3020	3670	4540	4
WITH TWO DUAL BLOWERS (1200 CFM)+						
JCH454/A1	54"	36"	3220	3840	4620	4
JCH460/A1	60"	42"	3340	4010	4860	4
JCH466/A1	66"	48"	3430	4150	5060	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

*VP562 TRANSITION TO 10" ROUND INCLUDED WITH 900 CFM MODELS

+VP563 TRANSITION TO 12" ROUND INCLUDED WITH 1200 CFM MODELS



MODEL NO.	WIDTH	TOP W.	PAINTED	STAINLESS	OVERLAY•	CLG.
CDC-18/12/18	18"	12"	710	780	880	8'
CDC-18/12/30	18"	12"	1030	1150	1330	9'
CDC-18/12/42	18"	12"	1110	1280	1540	10'
CDC-24/12/18	24"	18"	750	840	980	8'
CDC-24/12/30	24"	12"	1100	1260	1500	9'
CDC-24/12/42	24"	12"	1210	1430	1780	10'
CDC-30/12/18	30"	24"	790	900	1080	8'
CDC-30/12/30	30"	12"	1170	1370	1670	9'
CDC-30/12/42	30"	12"	1310	1590	2020	10'
CDC-36/12/18	36"	30"	830	970	1180	8'
CDC-36/12/30	36"	18"	1240	1480	1840	9'
CDC-36/12/42	36"	18"	1410	1740	2260	10'
CDC-42/12/18	42"	36"	870	1030	1270	8'
CDC-42/12/30	42"	24"	1310	1590	2020	9'
CDC-42/12/42	42"	18"	1510	1900	2490	10'
CDC-48/12/18	48"	42"	910	1090	1370	8'
CDC-48/12/30	48"	30"	1380	1700	2190	9'
CDC-48/12/42	48"	24"	1610	2050	2730	10'

*TRIM REQUIRED ON MODELS EXCEEDING 35" WIDTH AND 30" HEIGHT

JCH/A1 AS SEEN IN ADVERTISING LITERATURE




CFM	WIDTH					
	36"	42"	48"	54"	60"	66"
300 CFM	\$5,390.00	\$5,690.00	\$5,900.00			
600 CFM	\$5,700.00	\$6,000.00	\$6,220.00			
900 CFM			\$6,700.00	\$7,230.00	\$7,550.00	
1200 CFM				\$7,540.00	\$7,870.00	\$8,170.00

Pricing includes matching duct cover for 8' ceiling.

Priced as shown with light antiqued hammered copper and antiqued trim.

JCH/B1 DESIGNER SERIES WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED IN HOOD



MODEL NO.	WIDTH	TOP W.	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)						
JCH136/B1	36"	18"	1700	2100	2770	2
JCH142/B1	42"	24"	1820	2200	2970	3
JCH148/B1	48"	30"	1890	2290	3080	3
WITH DUAL BLOWER (600 CFM)						
JCH236/B1	36"	18"	2010	2420	3080	2
JCH242/B1	42"	24"	2130	2530	3280	3
JCH248/B1	48"	30"	2190	2610	3400	3
WITH DUAL & SINGLE BLOWERS (900 CFM)*						
JCH348/B1	48"	30"	2680	3180	3880	3
JCH354/B1	54"	36"	2910	3520	4310	4
JCH360/B1	60"	42"	3020	3670	4540	4
WITH TWO DUAL BLOWERS (1200 CFM)+						
JCH454/B1	54"	36"	3220	3840	4620	4
JCH460/B1	60"	42"	3340	4010	4860	4
JCH466/B1	66"	48"	3430	4150	5060	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

+VP562 TRANSITION TO 10" ROUND INCLUDED WITH 900 CFM MODELS

+VP563 TRANSITION TO 12" ROUND INCLUDED WITH 1200 CFM MODELS

MODEL NO.	WIDTH	TOP W.	PAINTED	STAINLESS	OVERLAY*	CLG.
CDC-18/12/12	18"	12"	710	780	880	8'
CDC-18/12/24	18"	12"	1030	1150	1330	9'
CDC-18/12/36	18"	12"	1110	1280	1540	10'
CDC-24/12/12	24"	18"	750	840	980	8'
CDC-24/12/24	24"	12"	1100	1260	1500	9'
CDC-24/12/36	24"	12"	1210	1430	1780	10'
CDC-30/12/12	30"	24"	790	900	1080	8'
CDC-30/12/24	30"	12"	1170	1370	1670	9'
CDC-30/12/36	30"	12"	1310	1590	2020	10'
CDC-36/12/12	36"	30"	830	970	1180	8'
CDC-36/12/24	36"	18"	1240	1480	1840	9'
CDC-36/12/36	36"	18"	1410	1740	2260	10'
CDC-42/12/12	42"	36"	870	1030	1270	8'
CDC-42/12/24	42"	24"	1310	1590	2020	9'
CDC-42/12/36	42"	18"	1510	1900	2490	10'
CDC-48/12/12	48"	42"	910	1090	1370	8'
CDC-48/12/24	48"	30"	1380	1700	2190	9'
CDC-48/12/36	48"	24"	1610	2050	2730	10'

*TRIM REQUIRED ON MODELS EXCEEDING 35" WIDTH AND 30" HEIGHT


JCH/B1 AS SEEN IN ADVERTISING LITERATURE

CFM	WIDTH					
	36"	42"	48"	54"	60"	66"
300 CFM	\$5,858.00	\$6,070.20	\$6,272.40			
600 CFM	\$6,178.00	\$6,400.20	\$6,592.40			
900 CFM			\$7,162.40	\$7,624.60	\$7,886.80	
1200 CFM				\$7,944.60	\$8,226.80	\$8,479.00

Pricing includes matching duct cover for 8' ceiling.
Priced as shown with stainless steel finish and pewter trim.

JCH/C1 DESIGNER SERIES WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION NOT INCLUDED




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
JCH136/C1	36"	2470	3140	4220	2
JCH142/C1	42"	2660	3360	4590	3
JCH148/C1	48"	2790	3530	4870	3
WITH DUAL BLOWER (600 CFM)					
JCH236/C1	36"	2790	3460	4530	2
JCH242/C1	42"	2970	3690	4900	3
JCH248/C1	48"	3100	3850	5180	3
WITH DUAL & SINGLE BLOWERS (900 CFM)*					
JCH348/C1	48"	3490	4320	5570	3
JCH354/C1	54"	3840	4830	6240	4
JCH360/C1	60"	4020	5100	6630	4
WITH TWO DUAL BLOWERS (1200 CFM)+					
JCH454/C1	54"	4150	5160	6550	4
JCH460/C1	60"	4330	5420	6940	4
JCH466/C1	66"	4510	5690	7330	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

USE VP562 (OPTIONAL) ON 900 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 (OPTIONAL) ON 1200 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 12" DUCT.



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDCC4-18/12	18"	680	730	800	9'
WDCC4-18/24	18"	760	860	1000	10'
WDCC4-24/12	24"	710	770	870	9'
WDCC4-24/24	24"	820	940	1140	10'
WDCC4-30/12	30"	730	810	940	9'
WDCC4-30/24	30"	870	1030	1280	10'
WDCC4-36/12	36"	760	860	1000	9'
WDCC4-36/24	36"	930	1120	1410	10'
WDCC4-42/12	42"	790	900	1070	9'
WDCC4-42/24	42"	990	1210	1550	10'
WDCC4-48/12	48"	820	940	1140	9'
WDCC4-48/24	48"	1040	1300	1690	10'

JCH/C1 AS SEEN IN ADVERTISING LITERATURE




CFM	WIDTH					
	36"	42"	48"	54"	60"	66"
300 CFM	\$3,455.40	\$3,680.20	\$3,845.00			
600 CFM	\$3,775.40	\$4,150.20	\$4,155.00			
900 CFM			\$4,705.00	\$4,929.80	\$5,144.60	
1200 CFM				\$5,239.80	\$5,454.60	\$5,669.40

Priced as shown with oil rubbed bronze finish and antiqued copper trim.


USE VP562 (OPTIONAL) ON 900 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 (OPTIONAL) ON 1200 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 12" DUCT.

JCH/C2 DESIGNER SERIES WALL MOUNT RANGE HOOD**RECOMMENDED MOUNTING HEIGHT****FROM COOKING SURFACE: 30"****TRANSITION NOT INCLUDED**

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
JCH136/C2	36"	2330	2990	4070	2
JCH142/C2	42"	2510	3220	4440	3
JCH148/C2	48"	2640	3380	4720	3
WITH DUAL BLOWER (600 CFM)					
JCH236/C2	36"	2640	3320	4380	2
JCH242/C2	42"	2820	3540	4750	3
JCH248/C2	48"	2950	3710	5030	3
WITH DUAL & SINGLE BLOWERS (900 CFM)*					
JCH348/C2	48"	3340	4170	5420	3
JCH354/C2	54"	3690	4690	6090	4
JCH360/C2	60"	3870	4950	6490	4
WITH TWO DUAL BLOWERS (1200 CFM)+					
JCH454/C2	54"	4000	5010	6400	4
JCH460/C2	60"	4180	5280	6800	4
JCH466/C2	66"	4360	5540	7180	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

USE VP562 (OPTIONAL) ON 900 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 10" DUCT.USE VP563 (OPTIONAL) ON 1200 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 12" DUCT.

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CL.G.
WDC-18/12	18"	400	450	520	9'
WDC-18/24	18"	480	580	720	10'
WDC-24/12	24"	430	490	590	9'
WDC-24/24	24"	540	670	860	10'
WDC-30/12	30"	440	520	640	9'
WDC-30/24	30"	580	730	980	10'
WDC-36/12	36"	470	560	710	9'
WDC-36/24	36"	630	820	1110	10'
WDC-42/12	42"	500	610	770	9'
WDC-42/24	42"	690	910	1240	10'
WDC-48/12	48"	520	650	840	9'
WDC-48/24	48"	740	990	1380	10'

JCH/C2 AS SEEN IN ADVERTISING LITERATURE


CFM	WIDTH					
	36"	42"	48"	54"	60"	66"
300 CFM	\$4,093.60	\$4,291.00	\$4,438.40			
600 CFM	\$4,403.60	\$4,601.00	\$4,748.40			
900 CFM			\$5,138.40	\$5,505.80	\$5,703.20	
1200 CFM				\$5,815.80	\$6,013.20	\$6,210.60

Priced as shown with pewter finish and silvervein trim.

USE VP562 (OPTIONAL) ON 900 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 10" DUCT.USE VP563 (OPTIONAL) ON 1200 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 12" DUCT.

JDH/C1 DESIGNER SERIES WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED IN HOOD




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	#LTS
WITH SINGLE BLOWER (300 CFM)					
JDH136/C1	36"	2330	2990	4070	2
JDH142/C1	42"	2510	3220	4440	3
JDH148/C1	48"	2640	3380	4720	3
WITH DUAL BLOWER (600 CFM)					
JDH236/C1	36"	2640	3320	4380	2
JDH242/C1	42"	2820	3540	4750	3
JDH248/C1	48"	2950	3710	5030	3
WITH DUAL & SINGLE BLOWERS (900 CFM)*					
JDH348/C1	48"	3440	4270	5520	3
JDH354/C1	54"	3790	4790	6190	4
JDH360/C1	60"	3970	5050	6590	4
WITH TWO DUAL BLOWERS (1200 CFM)+					
JDH454/C1	54"	4100	5110	6500	4
JDH460/C1	60"	4280	5380	6900	4
JDH466/C1	66"	4460	5640	7280	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

+VP562 TRANSITION TO 10" ROUND INCLUDED WITH 900 CFM MODELS

+VP563 TRANSITION TO 12" ROUND INCLUDED WITH 1200 CFM MODELS



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-12/12	12"	360	390	440	9'
WDC-12/24	12"	410	480	570	10'
WDC-15/12	15"	380	420	480	9'
WDC-15/24	15"	450	530	660	10'
WDC-21/12	21"	410	470	550	9'
WDC-21/24	21"	510	620	790	10'
WDC-27/12	27"	440	510	620	9'
WDC-27/24	27"	570	710	930	10'
WDC-33/12	33"	470	560	690	9'
WDC-33/24	33"	620	800	1070	10'
WDC-39/12	39"	500	600	760	9'
WDC-39/24	39"	680	880	1200	10'

JDH/C1 AS SEEN IN ADVERTISING LITERATURE




CFM	WIDTH					
	36"	42"	48"	54"	60"	66"
300 CFM	\$5,582.00	\$6,015.00	\$6,358.00			
600 CFM	\$5,892.00	\$6,325.00	\$6,668.00			
900 CFM			\$7,158.00	\$7,891.00	\$8,354.00	
1200 CFM				\$8,201.00	\$8,664.00	\$9,107.00

Priced as shown with antiqued hammered copper finish and trim.

JDH/C2 DESIGNER SERIES WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED IN HOOD




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
JDH136/C2	36"	2330	2990	4070	2
JDH142/C2	42"	2510	3220	4440	3
JDH148/C2	48"	2640	3380	4720	3
WITH DUAL BLOWER (600 CFM)					
JDH236/C2	36"	2640	3320	4380	2
JDH242/C2	42"	2820	3540	4750	3
JDH248/C2	48"	2950	3710	5030	3
WITH DUAL & SINGLE BLOWERS (900 CFM)*					
JDH348/C2	48"	3440	4270	5520	3
JDH354/C2	54"	3790	4790	6190	4
JDH360/C2	60"	3970	5050	6590	4
WITH TWO DUAL BLOWERS (1200 CFM)+					
JDH454/C2	54"	4100	5110	6500	4
JDH460/C2	60"	4280	5380	6900	4
JDH466/C2	66"	4460	5640	7280	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

*VP562 TRANSITION TO 10" ROUND INCLUDED WITH 900 CFM MODELS

+VP563 TRANSITION TO 12" ROUND INCLUDED WITH 1200 CFM MODELS



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CL.G.
WDC-18/12	18"	400	450	520	9'
WDC-18/24	18"	480	580	720	10'
WDC-24/12	24"	430	490	590	9'
WDC-24/24	24"	540	670	860	10'
WDC-30/12	30"	440	520	640	9'
WDC-30/24	30"	580	730	980	10'
WDC-36/12	36"	470	560	710	9'
WDC-36/24	36"	630	820	1110	10'
WDC-42/12	42"	500	610	770	9'
WDC-42/24	42"	690	910	1240	10'
WDC-48/12	48"	520	650	840	9'
WDC-48/24	48"	740	990	1380	10'


JDH/C2 AS SEEN IN ADVERTISING LITERATURE

CFM	WIDTH					
	36"	42"	48"	54"	60"	66"
300 CFM	\$3,719.40	\$4,006.10	\$4,222.80			
600 CFM	\$4,049.40	\$4,326.10	\$4,552.80			
900 CFM			\$5,112.80	\$5,689.50	\$6,006.20	
1200 CFM				\$6,009.50	\$6,336.20	\$6,652.90

Priced as shown with stainless steel finish and mirror stainless trim.

JCWR9 DESIGNER SERIES UNDER CABINET HOOD


**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"-27"
TRANSITION NOT INCLUDED**



MODEL NO.	WIDTH	STAINLESS	#LTS
WITR SINGLE BLOWER (300 CFM)			
JCWR9-130	30"	1420	2
JCWR9-136	36"	1430	2
JCWR9-142	42"	1580	3
JCWR9-148	48"	1640	3
WITR DUAL BLOWER (600 CFM)			
JCWR9-230	30"	1740	2
JCWR9-236	36"	1760	2
JCWR9-242	42"	1900	3
JCWR9-248	48"	1970	3
WITR DUAL & SINGLE BLOWERS (900 CFM)			
JCWR9-342	42"	2390	3
JCWR9-348	48"	2460	3
WITR TWO DUAL BLOWERS (1200 CFM)			
JCWR9-448	48"	2790	3

USE VP562 (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

JCWR18 DESIGNER SERIES WALL MOUNT RANGE HOOD**RECOMMENDED MOUNTING HEIGHT****FROM COOKING SURFACE: 30"****TRANSITION NOT INCLUDED**

MODEL NO.	WIDTH	STAINLESS	#LTS
------------------	--------------	------------------	-------------

WITH SINGLE BLOWER (300 CFM)

JCWR18-130	30"	2090	2
JCWR18-136	36"	2140	2
JCWR18-142	42"	2290	3
JCWR18-148	48"	2370	3

WITR18- DUAL BLOWER (600 CFM)

JCWR18-230	30"	2420	2
JCWR18-236	36"	2460	2
JCWR18-242	42"	2610	3
JCWR18-248	48"	2700	3
JCWR18-254	54"	3170	4

WITR18- DUAL & SINGLE BLOWERS (900 CFM)

JCWR18-342	42"	3080	3
JCWR18-348	48"	3160	3
JCWR18-354	54"	3640	4
JCWR18-360	60"	3810	4


WITR18- TWO DUAL BLOWERS (1200 CFM)

JCWR18-448	48"	3490	3
JCWR18-454	54"	3960	4
JCWR18-460	60"	4130	4
JCWR18-466	66"	4150	4

USE VP562 (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.**USE VP563 (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.**

JPH/C1 DESIGNER SERIES WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION NOT INCLUDED




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
JPH136/C1	36"	2330	2990	4070	2
JPH142/C1	42"	2510	3220	4440	3
JPH148/C1	48"	2640	3380	4720	3
WITH DUAL BLOWER (600 CFM)					
JPH236/C1	36"	2640	3320	4380	2
JPH242/C1	42"	2820	3540	4750	3
JPH248/C1	48"	2950	3710	5030	3
WITH DUAL & SINGLE BLOWERS (900 CFM)*					
JPH348/C1	48"	3340	4170	5420	3
JPH354/C1	54"	3690	4690	6090	4
JPH360/C1	60"	3870	4950	6490	4
WITH TWO DUAL BLOWERS (1200 CFM)*					
JPH454/C1	54"	4000	5010	6400	4
JPH460/C1	60"	4180	5280	6800	4
JPH466/C1	66"	4360	5540	7180	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

**USE VP562 (OPTIONAL) ON 900 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 10" DUCT.**

**USE VP563 (OPTIONAL) ON 1200 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 12" DUCT.**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-24/12	24"	430	490	590	9'
WDC-24/24	24"	540	670	860	10'
WDC-30/12	30"	440	520	640	9'
WDC-30/24	30"	580	730	980	10'
WDC-36/12	36"	470	560	710	9'
WDC-36/24	36"	630	820	1110	10'
WDC-42/12	42"	500	610	770	9'
WDC-42/24	42"	690	910	1240	10'
WDC-48/12	48"	520	650	840	9'
WDC-48/24	48"	740	990	1380	10'
WDC-54/12	54"	550	690	910	9'
WDC-54/24	54"	820	1100	1540	10'

JPH/C1 AS SEEN IN ADVERTISING LITERATURE



CFM	WIDTH					
	36"	42"	48"	54"	60"	66"
300 CFM	\$3,567.20	\$3,782.00	\$3,946.80			
600 CFM	\$3,877.20	\$4,092.00	\$4,256.80			
900 CFM			\$4,646.80	\$5,031.60	\$5,246.40	
1200 CFM				\$5,341.60	\$5,556.40	\$5,771.20


Priced as shown with white finish and mirror stainless steel trim.

**USE VP562 (OPTIONAL) ON 900 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 10" DUCT.**

**USE VP563 (OPTIONAL) ON 1200 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 12" DUCT.**

JPH/C2 DESIGNER SERIES WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION NOT INCLUDED




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
JPH136/C2	36"	2330	2990	4070	2
JPH142/C2	42"	2510	3220	4440	3
JPH148/C2	48"	2640	3380	4720	3
WITH DUAL BLOWER (600 CFM)					
JPH236/C2	36"	2640	3320	4380	2
JPH242/C2	42"	2820	3540	4750	3
JPH248/C2	48"	2950	3710	5030	3
WITH DUAL & SINGLE BLOWERS (900 CFM)*					
JPH348/C2	48"	3340	4170	5420	3
JPH354/C2	54"	3690	4690	6090	4
JPH360/C2	60"	3870	4950	6490	4
WITH TWO DUAL BLOWERS (1200 CFM)+					
JPH454/C2	54"	4000	5010	6400	4
JPH460/C2	60"	4180	5280	6800	4
JPH466/C2	66"	4360	5540	7180	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

USE VP562 (OPTIONAL) ON 900 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 (OPTIONAL) ON 1200 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 12" DUCT.



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-24/12	24"	430	490	590	9'
WDC-24/24	24"	540	670	860	10'
WDC-30/12	30"	440	520	640	9'
WDC-30/24	30"	580	730	980	10'
WDC-36/12	36"	470	560	710	9'
WDC-36/24	36"	630	820	1110	10'
WDC-42/12	42"	500	610	770	9'
WDC-42/24	42"	690	910	1240	10'
WDC-48/12	48"	520	650	840	9'
WDC-48/24	48"	740	990	1380	10'
WDC-54/12	54"	550	690	910	9'
WDC-54/24	54"	820	1100	1540	10'

JPH/C2 AS SEEN IN ADVERTISING LITERATURE

CFM	WIDTH					
	36"	42"	48"	54"	60"	66"
300 CFM	\$2,573.60	\$2,771.00	\$2,918.40			
600 CFM	\$2,883.60	\$3,081.00	\$3,228.40			
900 CFM			\$3,618.40	\$3,985.80	\$4,183.20	
1200 CFM				\$4,295.80	\$4,493.20	\$4,690.60


Priced as shown with black finish and stainless steel trim.

USE VP562 (OPTIONAL) ON 900 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 (OPTIONAL) ON 1200 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 12" DUCT.

JCIH/A1 DESIGNER SERIES ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED SEPARATELY




MODEL NO.	WIDTH	TOP W.	PAINTED	STAINLESS	OVERLAY•	#LTS
WITH DUAL BLOWER (550 CFM)*						
JCIH236/A1	36"	24"	2730	3550	5050	4
JCIH424/A1	42"	30"	2820	3680	5240	4
JCIH248/A1	48"	36"	2900	3780	5380	4
JCIH254/A1	54"	42"	3140	4090	5840	4
WITH CLUSTER BLOWER (1100 CFM)+						
JCIH448/A1	48"	36"	3650	4670	6130	4
JCIH454/A1	54"	42"	3890	4980	6600	4
JCIH460/A1	60"	48"	4200	5470	7900	4
JCIH466/A1	66"	54"	4330	5640	8160	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

+VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER

+VP564 TRANSITION TO 12" ROUND INCLUDED WITH CLUSTER BLOWER




MODEL NO.	WIDTH	TOP W.	PAINTED	STAINLESS	OVERLAY•	CLG.
ICDC-24/15/18	24"	18"	1330	1400	1590	8'
ICDC-24/15/30	24"	15"	1470	1590	1910	9'
ICDC-24/15/42	24"	15"	1610	1780	2230	10'
ICDC-30/15/18	30"	24"	1380	1480	1710	8'
ICDC-30/15/30	30"	18"	1560	1710	2110	9'
ICDC-30/15/42	30"	18"	1740	1950	2510	10'
ICDC-36/15/18	36"	30"	1440	1550	1830	8'
ICDC-36/15/30	36"	24"	1650	1830	2310	9'
ICDC-36/15/42	36"	18"	1860	2120	2780	10'
ICDC-42/15/18	42"	36"	1490	1620	1950	8'
ICDC-42/15/30	42"	30"	1740	1950	2510	9'
ICDC-42/15/42	42"	24"	1980	2280	3060	10'
ICDC-48/15/18	48"	42"	1540	1690	2070	8'
ICDC-48/15/30	48"	36"	1820	2070	2700	9'
ICDC-48/15/42	48"	30"	2110	2450	3340	10'
ICDC-54/15/18	54"	48"	1590	1760	2190	8'
ICDC-54/15/30	54"	42"	1910	2190	2900	9'
ICDC-54/15/42	54"	36"	2230	2620	3610	10'

*TRIM REQUIRED ON MODELS EXCEEDING 35" WIDTH AND 30" HEIGHT

JCIH/B1 DESIGNER SERIES ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED SEPARATELY




MODEL NO.	WIDTH	TOP W.	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH DUAL BLOWER (550 CFM)*						
JCIH236/B1	36"	24"	2730	3550	5050	4
JCIH242/B1	42"	30"	2820	3680	5240	4
JCIH248/B1	48"	36"	2900	3780	5380	4
JCIH254/B1	54"	42"	3140	4090	5840	4
WITH CLUSTER BLOWER (1100 CFM)+						
JCIH448/B1	48"	36"	3650	4670	6130	4
JCIH454/B1	54"	42"	3890	4980	6600	4
JCIH460/B1	60"	48"	4200	5470	7900	4
JCIH466/B1	66"	54"	4330	5640	8160	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

+VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER

+VP564 TRANSITION TO 12" ROUND INCLUDED WITH CLUSTER BLOWER




MODEL NO.	WIDTH	TOP W.	PAINTED	STAINLESS	OVERLAY*	CLG.
ICDC-24/15/12	24"	18"	1330	1400	1590	8'
ICDC-24/15/24	24"	18"	1470	1590	1910	9'
ICDC-24/15/36	24"	15"	1610	1780	2230	10'
ICDC-30/15/12	30"	24"	1380	1480	1710	8'
ICDC-30/15/24	30"	18"	1560	1710	2110	9'
ICDC-30/15/36	30"	18"	1740	1950	2510	10'
ICDC-36/15/12	36"	30"	1440	1550	1830	8'
ICDC-36/15/24	36"	24"	1650	1830	2310	9'
ICDC-36/15/36	36"	18"	1860	2120	2780	10'
ICDC-42/15/12	42"	36"	1490	1620	1950	8'
ICDC-42/15/24	42"	30"	1740	1950	2510	9'
ICDC-42/15/36	42"	24"	1980	2280	3060	10'
ICDC-48/15/12	48"	42"	1540	1690	2070	8'
ICDC-48/15/24	48"	36"	1820	2070	2700	9'
ICDC-48/15/36	48"	30"	2110	2450	3340	10'
ICDC-54/15/12	54"	48"	1590	1760	2190	8'
ICDC-54/15/24	54"	42"	1910	2190	2900	9'
ICDC-54/15/36	54"	36"	2230	2620	3610	10'

*TRIM REQUIRED ON MODELS EXCEEDING 35" WIDTH AND 30" HEIGHT

JCIH/C1 DESIGNER SERIES ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED SEPARATELY




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	#LTS
WITH DUAL BLOWER (550 CFM)*					
JCIH236/C1	36"	3750	4740	6230	4
JCIH242/C1	42"	3910	4970	6540	4
JCIH248/C1	48"	4040	5160	6590	4
JCIH254/C1	54"	4320	5550	7350	4
WITH CLUSTER BLOWER (1100 CFM)†					
JCIH448/C1	48"	4810	6070	7350	4
JCIH454/C1	54"	5090	6450	8120	4
JCIH460/C1	60"	5360	7190	9720	4
JCIH466/C1	66"	5550	7190	9720	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER


+VP564 TRANSITION TO 12" ROUND INCLUDED WITH CLUSTER BLOWER



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
IDCC4-18/12	18"	1000	1040	1130	9'
IDCC4-18/24	18"	1110	1180	1370	10'
IDCC4-24/12	24"	1040	1080	1210	9'
IDCC4-24/24	24"	1180	1270	1530	10'
IDCC4-30/12	30"	1070	1130	1290	9'
IDCC4-30/24	30"	1250	1370	1690	10'
IDCC4-36/12	36"	1110	1180	1370	9'
IDCC4-36/24	36"	1320	1460	1840	10'
IDCC4-42/12	42"	1140	1230	1450	9'
IDCC4-42/24	42"	1390	1560	2000	10'
IDCC4-48/12	48"	1180	1270	1530	9'
IDCC4-48/24	48"	1460	1650	2160	10'

JDIH/C1 DESIGNER SERIES ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED SEPARATELY



MODEL NO. WIDTH PAINTED STAINLESS OVERLAY• #LTS


WITH DUAL BLOWER (550 CFM)*					
JDIH236/C1	36"	3750	4740	6230	4
JDIH242/C1	42"	3910	4970	6540	4
JDIH248/C1	48"	4040	5160	6590	4
JDIH254/C1	54"	4320	5550	7350	4

WITH TWO DUAL BLOWERS (1100 CFM)+					
JDIH448/C1	48"	4810	6070	7350	4
JDIH454/C1	54"	5090	6450	8120	4
JDIH460/C1	60"	5360	6930	9350	4
JDIH466/C1	66"	5550	7190	9720	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

+VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER

+VP564 TRANSITION TO 12" ROUND INCLUDED WITH CLUSTER BLOWER




MODEL NO. WIDTH PAINTED STAINLESS OVERLAY CLG.

IDCC1-24/12	24"	1040	1080	1210	9'
IDCC1-24/24	24"	1180	1270	1530	10'
IDCC1-30/12	30"	1070	1130	1290	9'
IDCC1-30/24	30"	1250	1370	1690	10'
IDCC1-36/12	36"	1110	1180	1370	9'
IDCC1-36/24	36"	1320	1460	1840	10'
IDCC1-42/12	42"	1140	1230	1450	9'
IDCC1-42/24	42"	1390	1560	2000	10'
IDCC1-48/12	48"	1180	1270	1530	9'
IDCC1-48/24	48"	1460	1650	2160	10'
IDCC1-54/12	54"	1210	1320	1610	9'
IDCC1-54/24	54"	1530	1750	2320	10'

JDIH/C2 DESIGNER SERIES ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED SEPARATELY




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	#LTS
WITH DUAL BLOWER (550 CFM)*					
JDIH236/C2	36"	3750	4740	6230	4
JDIH242/C2	42"	3910	4970	6540	4
JDIH248/C2	48"	4040	5160	6590	4
JDIH254/C2	54"	4320	5550	7350	4
WITH TWO DUAL BLOWERS (1100 CFM)*					
JDIH448/C2	48"	4810	6070	7350	4
JDIH454/C2	54"	5090	6450	8120	4
JDIH460/C2	60"	5360	6930	9350	4
JDIH466/C2	66"	5550	7190	9720	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER

+VP564 TRANSITION TO 12" ROUND INCLUDED WITH CLUSTER BLOWER



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
IDCC1-15/12	15"	980	1010	1090	9'
IDCC1-15/24	15"	1070	1130	1290	10'
IDCC1-21/12	21"	1020	1060	1170	9'
IDCC1-21/24	21"	1140	1230	1450	10'
IDCC1-27/12	27"	1050	1110	1250	9'
IDCC1-27/24	27"	1210	1320	1610	10'
IDCC1-33/12	33"	1090	1150	1330	9'
IDCC1-33/24	33"	1280	1420	1760	10'
IDCC1-39/12	39"	1120	1200	1410	9'
IDCC1-39/24	39"	1350	1510	1920	10'
IDCC1-45/12	45"	1160	1250	1490	9'
IDCC1-45/24	45"	1420	1610	2080	10'

JDIH/C2 AS SEEN IN ADVERTISING LITERATURE




CFM	WIDTH					
	36"	42"	48"	54"	60"	66"
550 CFM	\$7,724.60	\$8,113.20	\$8,241.80	\$9,080.40		
1100 CFM			\$9,001.80	\$9,850.40	\$11,159.00	\$11,607.60

Priced as shown with antiqued hammered copper finish and copper rail.

CIEH9 CONTEMPORARY ISLAND RANGE HOOD


**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION(S) INCLUDED SEPARATELY



SHOWN WITH
MATCHING
DUCT COVER
(SOLD SEPARATELY)

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH DUAL BLOWER (550 CFM)*				
CIEH9-236	36"	2600	3300	4
CIEH9-242	42"	2620	3420	4
CIEH9-248	48"	2760	3610	4
CIEH9-254	54"	2990	3910	4


*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER



SHOWN WITH
MATCHING
DUCT COVERS
(SOLD SEPARATELY)

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH TWO DUAL BLOWERS (1100 CFM)+				
CIEH9-2+260	60"	4010	5220	8
CIEH9-2+266	66"	4130	5390	8

+VP565 TRANSITION TO 8" ROUND INCLUDED WITH EACH DUAL BLOWER



CUSTOM ISLAND DUCT COVERS

PAINTED	STAINLESS
WIDTH x HEIGHT x	0.49
PLUS	0.66

ANY IDCL SS DUCT COVER MORE THAN 43" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	
ADD	190

SLOPED TOP ON DUCT COVER

ADD	310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
IDCL-14/20/9	20"	390	420	7'
IDCL-14/20/21	20"	510	580	8'
IDCL-14/20/33	20"	630	730	9'


MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
IDC-14/20/9	20"	390	420	7'
IDC-14/20/21	20"	510	580	8'
IDC-14/20/33	20"	630	730	9'
IDC-14/20/45	20"	740	890	10'

CIEH9 CONTEMPORARY ISLAND HOOD VARIATIONS

WIDTHS OVER 66"	PAINTED	STAINLESS	SPECIAL WIDTH (LESS THAN 66") USE NEXT LARGEST SIZE ON PRICE LIST
FOR EACH 6" SEGMENT PLUS	160	210	PLUS 190

CILH9 CONTEMPORARY ISLAND RANGE HOOD


**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION(S) INCLUDED SEPARATELY



SHOWN WITH
MATCHING
DUCT COVER
(SOLD SEPARATELY)

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH DUAL BLOWER (550 CFM)*				
CILH9-242	42"	2620	3420	4
CILH9-248	48"	2760	3610	4
CILH9-254	54"	2990	3910	4


*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER



SHOWN WITH
MATCHING
DUCT COVERS
(SOLD SEPARATELY)

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH TWO DUAL BLOWERS (1100 CFM)*				
CILH9-2+260	60"	4010	5220	8
CILH9-2+266	66"	4130	5390	8

+VP565 TRANSITION TO 8" ROUND INCLUDED WITH EACH DUAL BLOWER



IDCL

IDC

MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
IDCL-14/20/9	20"	390	420	7'
IDCL-14/20/21	20"	510	580	8'
IDCL-14/20/33	20"	630	730	9'

MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
IDC-14/20/9	20"	390	420	7'
IDC-14/20/21	20"	510	580	8'
IDC-14/20/33	20"	630	730	9'
IDC-14/20/45	20"	740	890	10'

CUSTOM ISLAND DUCT COVERS

PAINTED	STAINLESS
WIDTH x HEIGHT x PLUS	0.49 0.66 310

ANY IDC SS DUCT COVER MORE THAN 43" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE ADD	190
---------------------	-----


SLOPED TOP ON DUCT COVER ADD	310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

CILH9 CONTEMPORARY ISLAND HOOD VARIATIONS

WIDTHS OVER 66"	PAINTED 160	STAINLESS 210	SPECIAL WIDTH (LESS THAN 66") USE NEXT LARGEST SIZE ON PRICE LIST PLUS 190
FOR EACH 6" SEGMENT PLUS			

IZTH CONTEMPORARY ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED SEPARATELY



SHOWN WITH
MATCHING
DUCT COVER
(SOLD SEPARATELY)



IZTH VARIATIONS

REMOVE FIXED LENGTH SS RAIL
ADD 310

MODEL NO.	WIDTH	STAINLESS	#LTS
WITH DUAL BLOWER (550 CFM)*			
IZTH-242	42"	4120	4
IZTH-248	48"	4210	4
WITH CLUSTER BLOWER (1100 CFM)+			
IZTH-454	54"	5530	4
IZTH-460	60"	5950	4
IZTH-466	66"	6120	4

*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER

+VP564 TRANSITION TO 12" ROUND INCLUDED WITH CLUSTER BLOWER

**(FOR 42" AND 48" MODELS)**

MODEL NO.	WIDTH	STAINLESS	CL.G.
IZDC-18/6	18"	380	7'
IZDC-18/18	18"	520	8'
IZDC-18/30	18"	660	9'

(FOR 54", 60" & 66" MODELS)

MODEL NO.	WIDTH	STAINLESS	CL.G.
IZDC-22/6	22"	390	7'
IZDC-22/18	22"	560	8'
IZDC-22/30	22"	730	9'

NOTE: DUCT COVER WILL HAVE
A VISIBLE SEAM ON ONE SIDE.

CUSTOM ISLAND DUCT COVERS**STAINLESS**

WIDTH x HEIGHT x	0.66
PLUS	310

NOTE: DUCT COVER EXTENDS 2" INTO HOOD.



NOTE: WHEN PRICING CUSTOM DUCT COVERS, INCLUDE THE 2" OF DUCT COVER THAT EXTENDS INTO TOP OF HOOD.

NOTE: MAXIMUM OVERALL AVAILABLE HEIGHT IS 48"; 46" IS THE FINISHED HEIGHT ABOVE THE TOP OF THE HOOD.

NOTE: WHEN PRICING CUSTOM DUCT COVERS, INCLUDE THE 2" OF DUCT COVER THAT EXTENDS INTO TOP OF HOOD.

ISFH18 ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION(S) INCLUDED SEPARATELY



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	#LTS
WITH DUAL BLOWER (550 CFM)*					
ISFH18-236	36"	2600	3390	4820	4
ISFH18-242	42"	2690	3510	5000	4
ISFH18-248	48"	2760	3610	5140	4
ISFH18-254	54"	2990	3910	5580	4
WITH TWO DUAL BLOWERS (1100 CFM)+					
ISFH18-2+260	60"	4010	5220	7540	8
ISFH18-2+266	66"	4130	5390	7790	8

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

+VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER

+VP565 TRANSITION TO 8" ROUND INCLUDED WITH EACH DUAL BLOWER

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
IDC-36	24"	450	490	620	8'
IDC-42	30"	480	540	700	8'
IDC-48	36"	520	590	770	8'
IDC-54	42"	550	630	850	8'
IDC-60	48"	590	680	930	8'
IDC-66	54"	620	730	1010	8'

CUSTOM ISLAND DUCT COVERS

PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.49	0.66 310

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE ADD	190
---------------------	-----

SLOPED TOP ON DUCT COVER



ADD	310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

ISFH18 ISLAND HOOD VARIATIONS

WIDTHS OVER 66" FOR EACH 6" INCREMENT PLUS	PAINTED 160	STAINLESS 210	OVERLAY 330	VERTICAL END PER END, ADD 310
SPECIAL WIDTH (LESS THAN 66") USE NEXT LARGEST SIZE ON PRICE LIST, PLUS				
			190	SPECIAL BLOWER LOCATION LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE ADD 190
SPECIAL HEIGHT (BETWEEN 9" & 18") USE STANDARD 18" PRICE, PLUS				
		310		SPECIAL DECK (9" MINIMUM, 18" STANDARD) ADD 190
DEPTH OVER 27" WIDTH x EXTRA DEPTH x PLUS	PAINTED 1.00	STAINLESS 1.63	OVERLAY 1.98	STAINLESS STEEL INTERIOR ON OVERLAY HOOD SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD ADDITIONAL BLOWERS & LIGHTS SEE PAGE 84 FOR BLOWER OPTIONS
SLOPE, LIP, OFFSET, OR TOP VARIATION PER VARIATION, ADD				
		310		REMOTE BLOWER OPTIONS SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS
CLIPPED CORNER PER CORNER, ADD				
		310		CUSTOM COLOR (SEE CUSTOM COLOR CHART) ADD 420
TRIM OPTIONS SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS				

ISLH18 ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION(S) INCLUDED SEPARATELY



MODEL NO. WIDTH PAINTED STAINLESS #LTS

WITH DUAL BLOWER (550 CFM)*

ISLH18-236	36"	2600	3390	4
ISLH18-242	42"	2620	3420	4
ISLH18-248	48"	2690	3510	4
ISLH18-254	54"	2910	3790	4

WITH TWO DUAL BLOWERS (1100 CFM)+

ISLH18-2+260	60"	4010	5220	8
ISLH18-2+266	66"	4130	5390	8

*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER

+VP565 TRANSITION TO 8" ROUND INCLUDED WITH EACH DUAL BLOWER

MODEL NO. WIDTH PAINTED STAINLESS CLG.

IDC-36	24"	450	490	8'
IDC-42	30"	480	540	8'
IDC-48	36"	520	590	8'
IDC-54	42"	550	630	8'
IDC-60	48"	590	680	8'
IDC-66	54"	620	730	8'

CUSTOM ISLAND DUCT COVERS

PAINTED	STAINLESS
WIDTH x HEIGHT x 0.49	0.66
PLUS	310

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	
ADD	190

SLOPED TOP ON DUCT COVER

ADD	310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

ISLH18 ISLAND HOOD VARIATIONS


WIDHTS OVER 66"	PAINTED	STAINLESS	SLOPE, LIP, OFFSET, OR TOP VARIATION PER VARIATION, ADD	310
FOR EACH 6" INCREMENT	160	210		
PLUS	190			
SPECIAL WIDTH (LESS THAN 66") USE NEXT LARGEST SIZE ON PRICE LIST, PLUS			LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE ADD	190
SPECIAL HEIGHT (BETWEEN 9" & 18") USE STANDARD 18" PRICE, PLUS			SPECIAL DECK (9" MINIMUM, 18" STANDARD) ADD	190
DEPTH OVER 27"	PAINTED	STAINLESS	ADDITIONAL BLOWERS & LIGHTS SEE PAGE 84 FOR BLOWER OPTIONS	
WIDTH x EXTRA DEPTH x	1.00	1.63		
PLUS	310		REMOTE BLOWER OPTIONS SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS	

CUSTOM COLOR (SEE CUSTOM COLOR CHART)

ADD	420
TRIM OPTIONS SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS	

IXRH18 ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION(S) INCLUDED SEPARATELY




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	#LTS
WITH DUAL BLOWER (550 CFM)*					
IXRH18-236	36"	2600	3390	4820	4
IXRH18-242	42"	2690	3510	5000	4
IXRH18-248	48"	2760	3610	5140	4
IXRH18-254	54"	2990	3910	5580	4
WITH TWO DUAL BLOWERS (1100 CFM)+					
IXRH18-2+260	60"	4010	5220	7540	8
IXRH18-2+266	66"	4130	5390	7790	8

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

+NO BANDS ON OVERLAY MODELS

*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER

+VP565 TRANSITION TO 8" ROUND INCLUDED WITH EACH DUAL BLOWER



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
XIDC-36	24"	450	490	620	8'
XIDC-42	30"	480	540	700	8'
XIDC-48	36"	520	590	770	8'
XIDC-54	42"	550	630	850	8'
XIDC-60	48"	590	680	930	8'
XIDC-66	54"	620	730	1010	8'

CUSTOM ISLAND DUCT COVERS

PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.49	0.66 310

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	
ADD	190

SLOPED TOP ON DUCT COVER


ADD	310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

IXRH18 ISLAND HOOD VARIATIONS

WIDTHS OVER 66" FOR EACH 6" INCREMENT PLUS	PAINTED 160 190	STAINLESS 210	OVERLAY 330	SPECIAL BLOWER LOCATION LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE ADD 190
SPECIAL WIDTH (LESS THAN 66") USE NEXT LARGEST SIZE ON PRICE LIST, PLUS				
SPECIAL HEIGHT (BETWEEN 9" & 18") USE STANDARD 18" PRICE, PLUS	310			SPECIAL DECK (9" MINIMUM, 18" STANDARD) ADD 190
DEPTH OVER 27" WIDTH x EXTRA DEPTH x PLUS				
1.00 310	1.63	1.98		STAINLESS STEEL INTERIOR ON OVERLAY HOOD SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD
SLOPE, LIP, OFFSET, OR TOP VARIATION PER VARIATION, ADD				
310				ADDITIONAL BLOWERS & LIGHTS SEE PAGE 84 FOR BLOWER OPTIONS
				REMOTE BLOWER OPTIONS SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS
				CUSTOM COLOR (SEE CUSTOM COLOR CHART) ADD 420
				TRIM OPTIONS BANDS, NON-STANDARD COLOR TO REMOVE BANDS SEE PAGES 90-93 FOR ADDITIONAL FINISH AND TRIM OPTIONS
				90 90

PYH18 ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION(S) INCLUDED SEPARATELY




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH DUAL BLOWER (550 CFM)*					
PYH18-236	36"	2600	3390	4820	4
PYH18-242	42"	2690	3510	5000	4
PYH18-248	48"	2760	3610	5140	4
PYH18-254	54"	2990	3910	5580	4
WITH TWO DUAL BLOWERS (1100 CFM)*					
PYH18-2+260	60"	4010	5220	7540	8
PYH18-2+266	66"	4130	5390	7790	8

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER

+VP565 TRANSITION TO 8" ROUND INCLUDED WITH EACH DUAL BLOWER



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
IDC-36	24"	450	490	620	8'
IDC-42	30"	480	540	700	8'
IDC-48	36"	520	590	770	8'
IDC-54	42"	550	630	850	8'
IDC-60	48"	590	680	930	8'
IDC-66	54"	620	730	1010	8'

CUSTOM ISLAND DUCT COVERS

PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x 0.49	0.66	1.10

PLUS
ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	ADD	190
ADD		190


SLOPED TOP ON DUCT COVER

ADD	310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

PYH18 ISLAND HOOD VARIATIONS

WIDTHS OVER 66" FOR EACH 6" INCREMENT PLUS	PAINTED 160	STAINLESS 210	OVERLAY 330	VERTICAL END PER END, ADD 310
SPECIAL WIDTH (LESS THAN 66") USE NEXT LARGEST SIZE ON PRICE LIST, PLUS			190	SPECIAL BLOWER LOCATION LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE ADD 190
SPECIAL HEIGHT (BETWEEN 9" & 18") USE STANDARD 18" PRICE, PLUS		190		SPECIAL DECK (9" MINIMUM, 18" STANDARD) ADD 190
DEPTH OVER 27" WIDTH x EXTRA DEPTH x PLUS	PAINTED 1.00	STAINLESS 1.63	OVERLAY 1.98	STAINLESS STEEL INTERIOR ON OVERLAY HOOD SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD ADDITIONAL BLOWERS & LIGHTS SEE PAGE 84 FOR BLOWER OPTIONS
SLOPE, LIP, OFFSET, OR TOP VARIATION PER VARIATION, ADD		310		REMOTE BLOWER OPTIONS SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS
CLIPPED CORNER PER CORNER, ADD		310		CUSTOM COLOR (SEE CUSTOM COLOR CHART) ADD 420
				TRIM OPTIONS SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS


COH ISLAND RANGE HOOD

RECOMMENDED MOUNTING HEIGHT**FROM COOKING SURFACE: 30"****TRANSITION(S) INCLUDED SEPARATELY**

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY•	#LTS
WITH DUAL BLOWER (550 CFM)*					
COH-236	36"	2600	3390	4820	4
COH-242	42"	2690	3510	5000	4
COH-248	48"	2760	3610	5140	4
COH-254	54"	2990	3910	5580	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY•	#LTS
WITH TWO DUAL BLOWERS (1100 CFM)+					
COH-2+260	60"	4010	5220	7540	8
COH-2+266	66"	4130	5390	7790	8


*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

+VP565 TRANSITION TO 8" ROUND INCLUDED WITH EACH DUAL BLOWER

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
IDC-14/20/18	20"	480	540	700	8'

CUSTOM ISLAND DUCT COVERS		
PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.49 310	0.66 1.10


ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.



REMOVABLE PANEL	
SPECIFY SIDE ADD	190
SLOPED TOP ON DUCT COVER ADD	310

COH ISLAND HOOD VARIATIONS					
WIDTHS OVER 66"		SLOPE, LIP, OFFSET, OR TOP VARIATION			
FOR EACH 6" INCREMENT	PAINTED 160	STAINLESS 210	OVERLAY 330		PER VARIATION, ADD 310
PLUS					
SPECIAL WIDTH (LESS THAN 66")		ROUNDED CORNER			
USE NEXT LARGEST SIZE ON PRICE LIST, PLUS					NO OFFSETS OR LIP, MINIMUM 4 INCH RADIUS PER CORNER, ADD 190
SPECIAL HEIGHT (BETWEEN 9" & 12")		SPECIAL DECK (9" MINIMUM)			
USE STANDARD 12" PRICE, PLUS					ADD 190
DEPTH OVER 27"		STAINLESS STEEL INTERIOR ON OVERLAY HOOD			
WIDTH x EXTRA DEPTH x PLUS	PAINTED 1.00	STAINLESS 1.63	OVERLAY 1.98		SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD
SPECIAL BLOWER LOCATION		ADDITIONAL BLOWERS & LIGHTS			
LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE ADD					SEE PAGE 84 FOR BLOWER OPTIONS
REMOTE BLOWER OPTIONS		REMOTE BLOWER OPTIONS			
					SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS
CUSTOM COLOR (SEE CUSTOM COLOR CHART)		CUSTOM COLOR (SEE CUSTOM COLOR CHART)			
					ADD 420
TRIM OPTIONS		TRIM OPTIONS			
					SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS


PYDH18 EURO-STYLE ISLAND RANGE HOOD

RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION INCLUDED SEPARATELY


MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH DUAL BLOWER (550 CFM)*					
PYDH18-236	36"	2530	3300	4820	4
PYDH18-242	42"	2620	3420	5000	4
PYDH18-248	48"	2760	3610	5140	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
IDC-12/12	12"	380	400	460	8'
IDC-12/24	12"	450	490	620	9'
IDC-12/36	12"	520	590	770	10'

CUSTOM ISLAND DUCT COVERS

PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x 0.49	0.66	1.10
PLUS	310	

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	
ADD	190

SLOPED TOP ON DUCT COVER

ADD	310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

PYDH18 EURO-STYLE ISLAND HOOD VARIATIONS
SPECIAL WIDTH (LESS THAN 48")

USE NEXT LARGEST SIZE ON PRICE LIST,

PLUS 190

DEPTH OVER 27"

PAINTED	STAINLESS	OVERLAY
WIDTH x EXTRA DEPTH x 1.00	1.63	1.98
PLUS	310	

STAINLESS STEEL INTERIOR ON OVERLAY HOOD

SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD

REMOTE BLOWER OPTIONS

SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS

CUSTOM COLOR (SEE CUSTOM COLOR CHART)


ADD 420

TRIM OPTIONS

SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS


ISDH18 EURO-STYLE ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED SEPARATELY



MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH DUAL BLOWER (550 CFM)*				
ISDH18-236	36"	2920	3710	4
ISDH18-242	42"	3010	3830	4
ISDH18-248	48"	3080	3920	4

*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER



MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
IDC-12/12	12"	380	400	8'
IDC-12/24	12"	450	490	9'
IDC-12/36	12"	520	590	10'

CUSTOM ISLAND DUCT COVERS

PAINTED	STAINLESS
WIDTH x HEIGHT x PLUS	0.49 310

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	
ADD	190

SLOPED TOP ON DUCT COVER

ADD	310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

ISDH18 EURO-STYLE ISLAND HOOD VARIATIONS

SPECIAL WIDTH (LESS THAN 48")
USE NEXT LARGEST SIZE ON PRICE LIST,
PLUS

190

DEPTH OVER 27"

WIDTH x EXTRA DEPTH x PLUS	PAINTED 1.00	STAINLESS 1.63
	310	

REMOTE BLOWER OPTIONS

SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS

CUSTOM COLOR (SEE CUSTOM COLOR CHART)

ADD

420


TRIM OPTIONS

SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS

EPIH18 EURO-STYLE ISLAND RANGE HOOD**RECOMMENDED MOUNTING HEIGHT**

FROM COOKING SURFACE: 30"


TRANSITION INCLUDED SEPARATELY



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH DUAL BLOWER (550 CFM)*					
EPIH18-236	36"	2600	3300	4820	4
EPIH18-242	42"	2690	3420	5000	4
EPIH18-248	48"	2760	3610	5140	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
IDC-12/12	12"	380	400	460	8'
IDC-12/24	12"	450	490	620	9'
IDC-12/36	12"	520	590	770	10'

CUSTOM ISLAND DUCT COVERS

PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x 0.49	0.66	1.10
PLUS	310	

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	
ADD	190

SLOPED TOP ON DUCT COVER

ADD	310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

EPIH18 EURO-STYLE ISLAND HOOD VARIATIONS**SPECIAL WIDTH (LESS THAN 48")**

USE NEXT LARGEST SIZE ON PRICE LIST,

PLUS 190

DEPTH OVER 30"

PAINTED	STAINLESS	OVERLAY
WIDTH x EXTRA DEPTH x 1.00	1.63	1.98
PLUS	310	

STAINLESS STEEL INTERIOR ON OVERLAY HOOD

SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD

REMOTE BLOWER OPTIONS

SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS

CUSTOM COLOR (SEE CUSTOM COLOR CHART)


ADD 420

TRIM OPTIONS

SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS


SEPIH18 EURO-STYLE ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED SEPARATELY



MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH DUAL BLOWER (550 CFM)*				
SEPIH18-236	36"	2920	3600	4
SEPIH18-242	42"	3010	3720	4
SEPIH18-248	48"	3080	3810	4

*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER



MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
IDC-12/12	12"	380	400	8'
IDC-12/24	12"	450	490	9'
IDC-12/36	12"	520	590	10'

CUSTOM ISLAND DUCT COVERS

PAINTED	STAINLESS
WIDTH x HEIGHT x	0.49
PLUS	310

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	
ADD	190

SLOPED TOP ON DUCT COVER

ADD	310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

SEPIH18 EURO-STYLE ISLAND HOOD VARIATIONS

SPECIAL WIDTH (LESS THAN 48")
USE NEXT LARGEST SIZE ON PRICE LIST,
PLUS 190

DEPTH OVER 30"
PAINTED STAINLESS
WIDTH x EXTRA DEPTH x 1.00 1.63
PLUS 310

REMOTE BLOWER OPTIONS

SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS

CUSTOM COLOR (SEE CUSTOM COLOR CHART)

ADD 420


TRIM OPTIONS

SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS

EPITH18 EURO-STYLE ISLAND RANGE HOOD**RECOMMENDED MOUNTING HEIGHT**

FROM COOKING SURFACE: 30"


TRANSITION INCLUDED SEPARATELY



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH CLUSTER BLOWER (1100 CFM)+					
EPITH18-448	48"	3550	4440	5930	4
EPITH18-454	54"	3890	4820	6440	4
EPITH18-460	60"	4040	5150	6770	4
EPITH18-466	66"	4200	5360	7110	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

+VP564 TRANSITION TO 12" ROUND INCLUDED WITH CLUSTER BLOWER



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
IDC-15/12	15"	390	420	500	8'
IDC-15/24	15"	480	540	700	9'
IDC-15/36	15"	570	660	890	10'

CUSTOM ISLAND DUCT COVERS

PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.49 310	0.66 1.10

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	
ADD	190

SLOPED TOP ON DUCT COVER

ADD	310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

EPITH18 EURO-STYLE ISLAND HOOD VARIATIONS**WIDTHS OVER 66"**

PAINTED	STAINLESS	OVERLAY
FOR EACH 6" INCREMENT PLUS	160 190	210 330

DEPTH OVER 30"

PAINTED	STAINLESS	OVERLAY
WIDTH x EXTRA DEPTH x PLUS	1.00	1.63 1.98

SPECIAL WIDTH (LESS THAN 66")

USE NEXT LARGEST SIZE ON PRICE LIST,
PLUS

190

REMOTE BLOWER OPTIONS

SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS

CUSTOM COLOR (SEE CUSTOM COLOR CHART)


ADD 420

TRIM OPTIONS


SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS

SEPITH18 EURO-STYLE ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED SEPARATELY



MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH CLUSTER BLOWER (1100 CFM)*				
SEPITH18-448	48"	3870	4850	4
SEPITH18-454	54"	4210	5250	4
SEPITH18-460	60"	4360	5460	4
SEPITH18-466	66"	4510	5680	4
+VP564 TRANSITION TO 12" ROUND INCLUDED WITH CLUSTER BLOWER				



MODEL NO.	WIDTH	PAINTED	STAINLESS	CL.G.
IDC-15/12	15"	390	420	8'
IDC-15/24	15"	480	540	9'
IDC-15/36	15"	570	660	10'

CUSTOM ISLAND DUCT COVERS

PAINTED	STAINLESS
WIDTH x HEIGHT x	0.49
PLUS	310

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	
ADD	190

SLOPED TOP ON DUCT COVER


ADD	310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

SEPITH18 EURO-STYLE ISLAND HOOD VARIATIONS

WIDTHS OVER 66" FOR EACH 6" INCREMENT PLUS	PAINTED 160 190	STAINLESS 210	DEPTH OVER 30" WIDTH x EXTRA DEPTH x PLUS	PAINTED 1.00	STAINLESS 1.63 310
SPECIAL WIDTH (LESS THAN 66") USE NEXT LARGEST SIZE ON PRICE LIST, PLUS	190		CUSTOM COLOR (SEE CUSTOM COLOR CHART) ADD	420	
REMOTE BLOWER OPTIONS SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS			TRIM OPTIONS SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS		


ICXH30 ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION(S) INCLUDED IN HOOD



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS	INCL.
WITH DUAL BLOWER (550 CFM)						
ICXH30-236	36"	3350	4410	6010	4	VP565
ICXH30-242	42"	3520	4650	6330	4	VP565
ICXH30-248	48"	3660	4860	6390	4	VP565
ICXH30-254	54"	3960	5270	7200	4	VP565
WITH TWO DUAL BLOWERS (1100 CFM)						
ICXH30-2+260	60"	5050	6710	9310	8	VP565 (2)
ICXH30-2+266	66"	5240	6990	9710	8	VP565 (2)

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
IDC-36	24"	450	490	620	9'
IDC-42	30"	480	540	700	9'
IDC-48	36"	520	590	770	9'
IDC-54	42"	550	630	850	9'
IDC-60	48"	590	680	930	9'
IDC-66	54"	620	730	1010	9'

CUSTOM ISLAND DUCT COVERS

PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.49 310	0.66 1.10

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	ADD	190
PLUS		

SLOPED TOP ON DUCT COVER


ADD	310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

ICXH30 ISLAND HOOD VARIATIONS

WIDTHS OVER 66" FOR EACH 6" INCREMENT PLUS	PAINTED 160 190	STAINLESS 210 190	OVERLAY 330	SLOPE, LIP, OFFSET, OR TOP VARIATION PER VARIATION, ADD 310
SPECIAL WIDTH (LESS THAN 66") USE NEXT LARGEST SIZE ON PRICE LIST, PLUS			190	CLIPPED CORNER PER CORNER, ADD 310
SPECIAL HEIGHT (BETWEEN 18" & 30") USE STANDARD 30" PRICE, PLUS			310	SPECIAL BLOWER LOCATION LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE ADD 190
HEIGHT OVER 30" WIDTH x EXTRA HEIGHT x PLUS	PAINTED 1.00 310	STAINLESS 1.63	OVERLAY 1.98	SPECIAL DECK (9" MINIMUM, 18" STANDARD) ADD 190
DEPTH OVER 27" WIDTH x EXTRA DEPTH x PLUS	PAINTED 1.00 310	STAINLESS 1.63	OVERLAY 1.98	STAINLESS STEEL INTERIOR ON OVERLAY HOOD SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD
				ADDITIONAL BLOWERS & LIGHTS SEE PAGE 84 FOR BLOWER OPTIONS
				REMOTE BLOWER OPTIONS SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS
				CUSTOM COLOR (SEE CUSTOM COLOR CHART) ADD 420
				TRIM OPTIONS SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS


ISFH30 ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION(S) INCLUDED IN HOOD



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS	INCL.
WITH DUAL BLOWER (550 CFM)						
ISFH30-236	36"	3350	4410	6010	4	VP565
ISFH30-242	42"	3520	4650	6330	4	VP565
ISFH30-248	48"	3660	4860	6390	4	VP565
ISFH30-254	54"	3960	5270	7200	4	VP565
WITH TWO DUAL BLOWERS (1100 CFM)						
ISFH30-2+260	60"	5050	6710	9310	8	VP565 (2)
ISFH30-2+266	66"	5240	6990	9710	8	VP565 (2)

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
IDC-36	24"	450	490	620	9'
IDC-42	30"	480	540	700	9'
IDC-48	36"	520	590	770	9'
IDC-54	42"	550	630	850	9'
IDC-60	48"	590	680	930	9'
IDC-66	54"	620	730	1010	9'

CUSTOM ISLAND DUCT COVERS

PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x 0.49	0.66	1.10
PLUS 310		

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL



SPECIFY SIDE	
ADD	190

SLOPED TOP ON DUCT COVER

ADD	310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

ISFH30 ISLAND HOOD VARIATIONS

WIDTHS OVER 66"	PAINTED	STAINLESS	OVERLAY	CLIPPED CORNER
FOR EACH 6" INCREMENT	160	210	330	PER CORNER, ADD 310
PLUS		190		PER END, ADD 310
SPECIAL WIDTH (LESS THAN 66") USE NEXT LARGEST SIZE ON PRICE LIST, PLUS				SPECIAL BLOWER LOCATION LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE ADD 190
SPECIAL HEIGHT (BETWEEN 18" & 30") USE STANDARD 30" PRICE, PLUS				SPECIAL DECK (9" MINIMUM, 18" STANDARD) ADD 190
HEIGHT OVER 30"	PAINTED	STAINLESS	OVERLAY	STAINLESS STEEL INTERIOR ON OVERLAY HOOD SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD
WIDTH x EXTRA HEIGHT x 1.00	1.00	1.63	1.98	ADDITIONAL BLOWERS & LIGHTS SEE PAGE 84 FOR BLOWER OPTIONS
PLUS		310		REMOTE BLOWER OPTIONS SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS
DEPTH OVER 27"	PAINTED	STAINLESS	OVERLAY	CUSTOM COLOR (SEE CUSTOM COLOR CHART) ADD 420
WIDTH x EXTRA DEPTH x 1.00	1.00	1.63	1.98	TRIM OPTIONS SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS
SLOPE, LIP, OFFSET, OR TOP VARIATION PER VARIATION, ADD		310		

ISLH30 ISLAND RANGE HOOD**RECOMMENDED MOUNTING HEIGHT****FROM COOKING SURFACE: 30"****TRANSITION(S) INCLUDED IN HOOD**

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS	INCL.
WITH DUAL BLOWER (550 CFM)					
ISLH30-236	36"	3670	4460	4	VP565
ISLH30-242	42"	3830	4960	4	VP565
ISLH30-248	48"	3980	5170	4	VP565
ISLH30-254	54"	4280	5590	4	VP565
WITH TWO DUAL BLOWERS (1100 CFM)					
ISLH30-2+260	60"	5360	7020	8	VP565 (2)
ISLH30-2+266	66"	5560	7310	8	VP565 (2)

MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
IDC-36	24"	450	490	9'
IDC-42	30"	480	540	9'
IDC-48	36"	520	590	9'
IDC-54	42"	550	630	9'
IDC-60	48"	590	680	9'
IDC-66	54"	620	730	9'

CUSTOM ISLAND DUCT COVERS

PAINTED	STAINLESS
WIDTH x HEIGHT x PLUS	0.49 310
0.66	

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	
ADD	190

SLOPED TOP ON DUCT COVER

ADD	310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

ISLH30 ISLAND HOOD VARIATIONS**WIDTHS OVER 66"**

FOR EACH 6" INCREMENT	PAINTED	STAINLESS
PLUS	160	210

SLOPE, LIP, OFFSET, OR TOP VARIATION

PER VARIATION, ADD 310

SPECIAL WIDTH (LESS THAN 66")USE NEXT LARGEST SIZE ON PRICE LIST,
PLUS 190**SPECIAL BLOWER LOCATION**

LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE

ADD 190

SPECIAL HEIGHT (BETWEEN 18" & 30")USE STANDARD 30" PRICE,
PLUS 310**SPECIAL DECK (9" MINIMUM, 18" STANDARD)**

ADD 190

HEIGHT OVER 30"

WIDTH x EXTRA HEIGHT x	PAINTED	STAINLESS
PLUS	1.00	1.63

ADDITIONAL BLOWERS & LIGHTS

SEE PAGE 84 FOR BLOWER OPTIONS

DEPTH OVER 27"

WIDTH x EXTRA DEPTH x	PAINTED	STAINLESS
PLUS	1.00	1.63

REMOTE BLOWER OPTIONS

SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS

CUSTOM COLOR (SEE CUSTOM COLOR CHART)


ADD 420

TRIM OPTIONS

SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS


PYH30 ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION(S) INCLUDED IN HOOD



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS	INCL.
WITH DUAL BLOWER (550 CFM)						
PYH30-236	36"	3350	4410	6010	4	VP565
PYH30-242	42"	3520	4650	6330	4	VP565
PYH30-248	48"	3660	4860	6390	4	VP565
PYH30-254	54"	3960	5270	7200	4	VP565
WITH TWO DUAL BLOWERS (1100 CFM)						
PYH30-2+260	60"	5050	6710	9310	8	VP565 (2)
PYH30-2+266	66"	5240	6990	9710	8	VP565 (2)

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
IDC-36	24"	450	490	620	9'
IDC-42	30"	480	540	700	9'
IDC-48	36"	520	590	770	9'
IDC-54	42"	550	630	850	9'
IDC-60	48"	590	680	930	9'
IDC-66	54"	620	730	1010	9'

CUSTOM ISLAND DUCT COVERS

PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x 0.49	0.66	1.10
PLUS	310	

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	
ADD	190


SLOPED TOP ON DUCT COVER

ADD	310
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

PYH30 ISLAND HOOD VARIATIONS

WIDTHS OVER 66"	PAINTED	STAINLESS	OVERLAY	CLIPPED CORNER
FOR EACH 6" INCREMENT	160	210	330	PER CORNER, ADD 310
PLUS		190		PER END, ADD 310
SPECIAL WIDTH (LESS THAN 66") USE NEXT LARGEST SIZE ON PRICE LIST, PLUS			190	SPECIAL BLOWER LOCATION LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE
SPECIAL HEIGHT (BETWEEN 18" & 30") USE STANDARD 30" PRICE, PLUS		310		ADD 190 SPECIAL DECK (9" MINIMUM, 18" STANDARD) ADD 190
HEIGHT OVER 30"	PAINTED	STAINLESS	OVERLAY	STAINLESS STEEL INTERIOR ON OVERLAY HOOD SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD
WIDTH x EXTRA HEIGHT x 1.00	1.63	1.98		ADDITIONAL BLOWERS & LIGHTS SEE PAGE 84 FOR BLOWER OPTIONS
PLUS	310			REMOTE BLOWER OPTIONS SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS
DEPTH OVER 27"	PAINTED	STAINLESS	OVERLAY	CUSTOM COLOR (SEE CUSTOM COLOR CHART) ADD 420
WIDTH x EXTRA DEPTH x 1.00	1.63	1.98		TRIM OPTIONS SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS
PLUS	310			
SLOPE, LIP, OFFSET, OR TOP VARIATION PER VARIATION, ADD		310		


KHSLD & BHSLD WALL MOUNT LINER INSERTS

RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 21"-24"
TRIM KIT NOT INCLUDED


MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH SINGLE BLOWER (250 CFM)				
KH28SLD	28 3/8"	440	540	2
KH34SLD	34 3/8"	440	540	2
KH40SLD	40 3/8"	520	630	2

OPTIONAL TRIM KITS

MODEL NO.	WIDTH	PAINTED	STAINLESS
TKK28SLD	28 3/8"	18.00	18.00
TKK34SLD	34 3/8"	18.00	18.00
TKK40SLD	40 3/8"	19.00	19.00

RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"-27"
TRANSITION NOT INCLUDED
TRIM KIT INCLUDED

PRODUCT FEATURES

- 250 CFM (375 EQUIVALENT)
- BACK VENT OR TOP VENT
- STANDARD SIZES ONLY, NO CUSTOMIZATIONS
- PAINTED FINISHES INCLUDE BISCUIT, BLACK, GUNSMOKE, AND WHITE


MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH SINGLE BLOWER (300 CFM)				
BH128SLD	28 3/8"	700	940	2
BH134SLD	34 3/8"	700	940	2
BH140SLD	40 3/8"	790	1030	2
WITH DUAL BLOWER (600 CFM)				
BH228SLD	28 3/8"	1020	1270	2
BH234SLD	34 3/8"	1020	1270	2
BH240SLD	40 3/8"	1110	1360	2
BH246SLD	46 3/8"	1210	1470	3
WITH DUAL & SINGLE BLOWERS (900 CFM)				
BH346SLD	46 3/8"	1610	1950	3

**NO VARIATIONS
NO HEAT LAMPS**

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODEL TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

BHPSLD & BHPSLB WALL MOUNT LINER INSERTS

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 27"-30"**
TRANSITION NOT INCLUDED
TRIM KIT INCLUDED




MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH DUAL BLOWER (600 CFM)				
BH228PSLD	28 3/8"	1040	1280	2
BH234PSLD	34 3/8"	1040	1280	2
BH240PSLD	40 3/8"	1120	1370	2
BH246PSLD	46 3/8"	1220	1470	3
BH252PSLD	52 3/8"	1430	1820	3
WITH DUAL & SINGLE BLOWERS (900 CFM)				
BH346PSLD	46 3/8"	1620	1950	3
BH352PSLD	52 3/8"	1830	2300	3
BH358PSLD	58 3/8"	2060	2600	4
WITH TWO DUAL BLOWERS (1200 CFM)				
BH452PSLD	52 3/8"	2150	2630	3
BH458PSLD	58 3/8"	2380	2930	4
BH464PSLD	64 3/8"	2510	3120	4

**NO VARIATIONS
NO HEAT LAMPS**

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.
USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.


**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 27"-30"**
TRANSITION NOT INCLUDED
TRIM KIT INCLUDED



MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH DUAL & SINGLE BLOWERS (900 CFM)				
BH340PSLB	40 3/8"	1520	1850	3
WITH TWO DUAL BLOWERS (1200 CFM)				
BH446PSLB	46 3/8"	1940	2280	3


**NO VARIATIONS
NO HEAT LAMPS**

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.
USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

THSLE & THPSLE ISLAND LINER INSERTS**RECOMMENDED MOUNTING HEIGHT****FROM COOKING SURFACE: 30"****TRANSITION INCLUDED SEPARATELY****TRIM KIT INCLUDED**


MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH DUAL BLOWER (550 CFM)*				
TH236SLE	36"	1720	2140	4
TH242SLE	42"	1760	2200	4
TH248SLE	48"	1800	2240	4

*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER

RECOMMENDED MOUNTING HEIGHT**FROM COOKING SURFACE: 30"****TRANSITION INCLUDED SEPARATELY****TRIM KIT INCLUDED**

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH CLUSTER BLOWER (1100 CFM)*				
TH448PSLE	48"	2830	3860	4
TH454PSLE	54"	2940	4000	4
TH460PSLE	60"	3000	4130	4
TH466PSLE	66"	3060	4210	4

+VP564 TRANSITION TO 12" ROUND INCLUDED WITH CLUSTER BLOWER

BH-LD & BH-LB CUSTOM WALL MOUNT LINER INSERTS

**MINIMUM TOP WIDTH FOR 300 SERIES IS 40-3/8".
MINIMUM TOP WIDTH FOR 400 SERIES IS 46-3/8"**

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS
TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.


USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS
TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH SINGLE BLOWER (300 CFM)				
BH100LD-A	24"-36"	1300	1700	2
WITH DUAL BLOWER (600 CFM)				
BH200LD-A	24"-36"	1620	2040	2
BH200LD-B	36"-48"	1800	2230	*
BH200LD-C	48"-54"	2040	2590	*
WITH DUAL & SINGLE BLOWERS (900 CFM)				
BH300LD-D	42"-54"	2440	3070	*
WITH TWO DUAL BLOWERS (1200 CFM)				
BH400LD-E	48"-66"	2980	3710	*
*2 LIGHTS FOR HOODS 24"-41", 3 LIGHTS FOR HOODS 42"-53", 4 LIGHTS FOR HOODS 54"-66"				

TRIM KIT INCLUDED

**DIMENSIONS BELOW ARE AVAILABLE
AT NO ADDITIONAL COST.**

BOTTOM DEPTH:	16" - 24"
HEIGHT:	12"
TOP DEPTH:	12"
LIP:	3"



USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS
TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS
TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.


MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH SINGLE BLOWER (300 CFM)				
BH100LB-A	24"-36"	1000	1400	2
WITH DUAL BLOWER (600 CFM)				
BH200LB-A	24"-36"	1320	1730	2
BH200LB-B	36"-48"	1500	1930	*
BH200LB-C	48"-54"	1740	2280	*
WITH DUAL & SINGLE BLOWERS (900 CFM)				
BH300LB-D	42"-54"	2140	2760	*
WITH TWO DUAL BLOWERS (1200 CFM)				
BH400LB-E	48"-66"	2680	3410	*
*2 LIGHTS FOR HOODS 24"-41", 3 LIGHTS FOR HOODS 42"-53", 4 LIGHTS FOR HOODS 54"-66"				

TRIM KIT INCLUDED

**DIMENSIONS BELOW ARE AVAILABLE
AT NO ADDITIONAL COST.**

BOTTOM DEPTH:	16" - 24"
HEIGHT:	12"
TOP DEPTH:	12"
LIP:	3"

CUSTOM WALL MOUNT LINER INSERT VARIATIONS				
WIDTHS OVER 66"	PAINTED	STAINLESS	LIP (OTHER THAN 3" STANDARD)	
FOR EACH 6" INCREMENT	140	200	ADD	310
PLUS		190	ADD	310
SPECIAL HEIGHT (OTHER THAN 12" STANDARD)			SPECIAL TOP DEPTH (12" MINIMUM)	
9" MINIMUM, 18" MAXIMUM			ADD	310
ADD			ADDITIONAL BLOWERS & LIGHTS	
			SEE PAGE 84 FOR BLOWER OPTIONS	
DEPTH OVER 24"	PAINTED	STAINLESS	REMOTE BLOWER OPTIONS	
WIDTH x EXTRA DEPTH x	0.89	1.32	SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS	
PLUS		310	CUSTOM COLOR (SEE CUSTOM COLOR CHART)	
			ADD	420
			WARMING LAMPS AND SHELVES	
			SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS	

BH-LA CUSTOM WALL MOUNT LINER INSERT

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH SINGLE BLOWER (300 CFM)				
BH100LA-A	24"-36"	1600	2010	2
WITH DUAL BLOWER (600 CFM)				
BH200LA-A	24"-36"	1920	2340	2
BH200LA-B	36"-48"	2100	2540	*
BH200LA-C	48"-54"	2340	2890	*
WITH DUAL & SINGLE BLOWERS (900 CFM)				
BH300LA-D	42"-54"	2740	3370	*
WITH TWO DUAL BLOWERS (1200 CFM)				
BH400LA-E	48"-66"	3280	4010	*
*2 LIGHTS FOR HOODS 24"-41", 3 LIGHTS FOR HOODS 42"-53", 4 LIGHTS FOR HOODS 54"-66"				



TRIM KIT INCLUDED

**DIMENSIONS BELOW ARE AVAILABLE
AT NO ADDITIONAL COST.**

BOTTOM DEPTH:	16" - 24"
HEIGHT:	12"
TOP DEPTH:	12"
LIP:	3"


**USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS
TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.**

**USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS
TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.**

**CUSTOM WALL MOUNT LINER INSERT VARIATIONS**

WIDTHS OVER 66"	PAINTED	STAINLESS	LIP (OTHER THAN 3" STANDARD)	
FOR EACH 6" INCREMENT	140	200	ADD	310
PLUS		190	SPECIAL TOP DEPTH (12" MINIMUM)	
SPECIAL HEIGHT (OTHER THAN 12" STANDARD)			ADD	310
9" MINIMUM, 18" MAXIMUM			ADDITIONAL BLOWERS & LIGHTS	
ADD			SEE PAGE 84 FOR BLOWER OPTIONS	
DEPTH OVER 24"	PAINTED	STAINLESS	REMOTE BLOWER OPTIONS	
WIDTH x EXTRA DEPTH x	0.89	1.32	SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS	
PLUS		310	CUSTOM COLOR (SEE CUSTOM COLOR CHART)	
			ADD	420
			WARMING LAMPS AND SHELVES	
			SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS	

TH-LC & TH-LE CUSTOM ISLAND LINER INSERTS



MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
-----------	-------	---------	-----------	------

WITH DUAL BLOWER (550 CFM)*	24"-36"	2300	2940	4
TH200LC-A	24"-36"	2300	2940	4
TH200LC-B	36"-48"	2440	3120	4

TH200LC-C	48"-54"	2630	3370	4
-----------	---------	------	------	---

WITH TWO DUAL BLOWERS (1100 CFM)+	48"-66"	3760	4820	*
-----------------------------------	---------	------	------	---

EACH DUAL BLOWER REQUIRES 24" MINIMUM TOP WIDTH.

#VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER

+VP565 TRANSITION TO 8" ROUND INCLUDED WITH EACH DUAL

BLOWER


*4 LIGHTS FOR HOODS 48"-59", 8 LIGHTS FOR HOODS 60"-66"

A CLUSTER BLOWER (1100 CFM) IS AVAILABLE ON MODELS WITH A MINIMUM TOP SIZE OF 24" WIDE X 24" DEEP. CONTACT THE FACTORY FOR ADDITIONAL DETAILS.

TRIM KIT INCLUDED

DIMENSIONS BELOW ARE AVAILABLE AT NO ADDITIONAL COST.

BOTTOM DEPTH:	27"
HEIGHT:	12"
TOP DEPTH:	12" LESS THAN BOTTOM DEPTH
LIP:	3"



MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
-----------	-------	---------	-----------	------

WITH DUAL BLOWER (550 CFM)*	24"-36"	2300	2940	4
TH200LE-A	24"-36"	2300	2940	4
TH200LE-B	36"-48"	2440	3120	4

TH200LE-C	48"-54"	2630	3370	4
-----------	---------	------	------	---

WITH TWO DUAL BLOWERS (1100 CFM)+	48"-66"	3760	4820	*
-----------------------------------	---------	------	------	---

EACH DUAL BLOWER REQUIRES 24" MINIMUM TOP WIDTH.

#VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER

+VP565 TRANSITION TO 8" ROUND INCLUDED WITH EACH DUAL

BLOWER

*4 LIGHTS FOR HOODS 48"-59", 8 LIGHTS FOR HOODS 60"-66"

A CLUSTER BLOWER (1100 CFM) IS AVAILABLE ON MODELS WITH A MINIMUM TOP SIZE OF 24" WIDE X 24" DEEP. CONTACT THE FACTORY FOR ADDITIONAL DETAILS.

TRIM KIT INCLUDED

DIMENSIONS BELOW ARE AVAILABLE AT NO ADDITIONAL COST.

BOTTOM DEPTH:	27"
HEIGHT:	12"
TOP WIDTH:	12" LESS THAN BOTTOM WIDTH
TOP DEPTH:	12" LESS THAN BOTTOM DEPTH
LIP:	3"

CUSTOM ISLAND LINER INSERT VARIATIONS

WIDTHS OVER 66"	PAINTED	STAINLESS	LIP (OTHER THAN 3" STANDARD)	
FOR EACH 6" INCREMENT PLUS	160	210 190	ADD	310
SPECIAL HEIGHT (OTHER THAN 12" STANDARD)			SPECIAL TOP WIDTH OR DEPTH	
9" MINIMUM, 18" MAXIMUM ADD			ADD	310
DEPTH OVER 27"	PAINTED	STAINLESS	REMOTE BLOWER OPTIONS	
WIDTH x EXTRA DEPTH x PLUS	1.00	1.63 310	SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS	
			CUSTOM COLOR (SEE CUSTOM COLOR CHART)	
			ADD	420

BLOWER OPTIONS & REMOTE BLOWERS

You may need to add a blower to hoods to increase CFM, depending on the cooking equipment being used. To add a blower to a hood, you need to have enough top space inside of the hood to do so. A Single Blower requires 16" of space, a Dual Blower requires 24" of space, an Island Dual Blower requires 12" D x 23 1/2" W, and an Island Cluster Blower requires 24" D x 24" W.

ADDING BLOWERS

Model	Volts	Amps	Hz	RPM	*CFM	**Equiv CFM	Painted	Stainless Steel
Single Blower	120	1.5	60	1550	300	450	400	480
Dual Blower	120	2.9	60	1550	600	900	720	830
Island Dual Blower	120	2.9	60	1550	550	900	790	930
Island Cluster Blower	120	5.8	60	1550	1100	1800	1580	1860
RM1000	120	3.2	60	1100	945	N/A	950	
RM1500	120	5.0	60	1130	1500	N/A	1050	

SensaSource® - Our patented speed control system that allows the blower to be turned to half speed for light cooking but automatically returns to high speed when heat rise is detected. This feature is standard on all Magic Lung® and K Series models with halogen lighting.

SensaSource®

Upgrade to S/S-2 SensaSource® control for both motors on dual blower (one sensor per B200 unit) 80

* CFM rating is based on 0.0" static pressure (resistance in the ducting turns, roof caps, etc.) CFM rating will change as static pressure is increased. Static pressure increases due to ducting and length of duct run.

** Equivalent CFM refers to the fact that the Magic Lung® uses centrifugal filtration units, while others use conventional filters. Apply this guideline when comparing blower units made by other manufacturers.

There are certain customers who will want a remote blower range hood despite the benefits of the Magic Lung blower system. The following steps will help you when pricing remote blower hoods.

1. Specify how many and which filters you will be using. B20 SS filters are for wall mount or under cabinet installations and T20 SS filters are for island installations. We recommend one B20 SS or T20 SS for each 22" of hood top width.
2. Specify the size and number of remote blowers you will need. The RM1000 is equivalent to a B200 or T200 blower. The RM1500 is 50% larger.
3. For each remote blower, you will need to add an accessory kit. The accessory kit includes a variable speed blower controller, halogen lights, back draft dampers, and a 10" duct collar.

DEDUCTING BLOWERS FOR REMOTE BLOWER MODELS

**BLOWER PRICING BELOW IS FOR USE IN CALCULATING
DEDUCTIONS FOR REMOTE BLOWERS ONLY.**

MODEL	PAINTED	STAINLESS
B100 (SINGLE BLOWER)	400	480
B200 (DUAL BLOWER)	720	830
T200 (ISLAND DUAL BLOWER)	790	930
T400 (ISLAND CLUSTER BLOWER)	1580	1860
SPECIAL COLLAR	185	

REMOTE BLOWERS & ACCESSORIES


HOOD SELECTION/PRICING WITH REMOTE BLOWERS

1. CHOOSE THE BASE MODEL HOOD THAT IS TO BE EQUIPPED WITH A REMOTE BLOWER.
2. DEDUCT THE PRICE OF THE INTERNAL BLOWER(S) FROM THE HOOD (SEE PREVIOUS PAGE).
3. ADD THE APPROPRIATE ACCESSORY KIT (SEE RIGHT).
4. ADD THE APPROPRIATE FILTERS (SEE BELOW).
5. ADD THE APPROPRIATE REMOTE BLOWER UNIT(S) (SEE BELOW).

ACCESSORY KIT PARTS

SOLID STATE (VARIABLE SPEED) MOTOR

CONTROL WALL SWITCH (P1500W) 68



WALL MOUNT SIDE VIEW

B20 SS (PER FILTER) 300
(SPECIFY ONE B20 SS FOR EACH 22" OF HOOD TOP WIDTH)

HALOGEN LIGHT KITS

INCLUDES HALOGEN LIGHTS, TWO-STAGE LIGHT SWITCH, SOLID STATE MOTOR CONTROL SWITCH (VARIABLE SPEED) AND 10" DAMPER ASSEMBLY INSTALLED IN HOOD.


ACC.KIT-W-H2 (2 HALO LIGHTS/WALL MT)	355
ACC.KIT-W-H3 (3 HALO LIGHTS/WALL MT)	440
ACC.KIT-W-H4 (4 HALO LIGHTS/WALL MT)	525
ACC.KIT-I-H4 (4 HALO LIGHTS/ISLAND)	740
ACC.KIT-I-H8 (8 HALO LIGHTS/ISLAND)	1075

ACCESSORY KIT PARTS *WHEN ORDERED WITH HOOD*

TO ADD MOTOR CONTROL WALL SWITCH ASSEMBLY

ADD (P1500R) 16


ISLAND BAFFLE FILTER



ISLAND SIDE VIEW


T20 SS (PER PAIR OF FILTERS) 600
(SPECIFY ONE PAIR OF T20 SS FOR EACH 22" OF HOOD TOP WIDTH)

REMOTE BLOWERS



RM1000 REMOTE BLOWER

950



RM1500 REMOTE BLOWER

1050

SPLASH PANELS**STANDARD SPLASH PANELS**

PANEL SIZE	PAINTED	STAINLESS
30" W x 24" T	45	75
36" W x 24" T	55	90
42" W x 24" T	65	105
48" W x 24" T	70	120

PANEL SIZE	PAINTED	STAINLESS
30" W x 30" T	55	95
36" W x 30" T	65	115
42" W x 30" T	80	130
48" W x 30" T	90	150

SPECIAL SIZES (SPECIFY IF HEMS AND/OR HOLES ARE REQUIRED)

PER SQ INCH 0.10 0.15





HEMS AND HOLES ARE INCLUDED ON STANDARD SIZES, PRICE AS A CUSTOM PANEL IF HEMS AND/OR HOLES ARE NOT REQUIRED.

OVERLAY & PATTERNED SPLASH PANELS

PANEL SIZE	PAINTED	STAINLESS	OVERLAY
30" W x 24" T Pat.	125	155	260
36" W x 24" T Pat.	135	170	295
42" W x 24" T Pat.	145	185	330
48" W x 24" T Pat.	150	200	370

PANEL SIZE	PAINTED	STAINLESS	OVERLAY
30" W x 30" T Pat.	135	175	305
36" W x 30" T Pat.	145	195	350
42" W x 30" T Pat.	160	210	395
48" W x 30" T Pat.	170	230	440

SPECIAL SIZES (SPECIFY IF HEMS AND/OR HOLES ARE REQUIRED)

PER SQ INCH 0.10 0.15 0.25
PLUS 80**CHECKERBOARD****DIAMOND**

HEMS AND HOLES ARE INCLUDED ON STANDARD SIZES, PRICE AS A CUSTOM PANEL IF HEMS AND/OR HOLES ARE NOT REQUIRED.


OTHER SPLASH PANEL OPTIONS**ORDERING NOTES AND OPTIONS:**

PAINTED SPLASH PANELS MUST HAVE AT LEAST ONE HOLE IN THEM TO ALLOW FOR PAINTING.

FOR CUT-OUTS OR SPECIAL BREAKS, ADD	21
CRATING CHARGE FOR PANELS TOO LARGE	
TO PACKAGE WITH HOOD, ADD	35
MINIMUM CHARGE ON SMALL PANELS	21

WARMING LAMPS & SHELVES


WARMING BAR



FOR USE IN HOODS 18" OR TALLER.
NOT AVAILABLE ON HOODS WITH DECKS BELOW 18".
BULBS NOT INCLUDED.
WBAR ASSEMBLY IS STANDARD ON NPH18.

MODEL NO.	PRICE
WBAR	INCLUDES 2 LIGHTS 310
FOR ADDITIONAL LIGHTS, ADD PLUS, PER LIGHT	310 185


WARMING LAMP HOUSING



FOR USE IN HOODS UNDER 18" TALL.
8" TOP DIMENSION REQUIRED PER FIXTURE.
BULBS NOT INCLUDED.

MODEL NO.	PRICE PER LIGHT
WL-1	185

WARMING SHELF




TWO FOLD DOWN SHELVES ON A BACKSPLASH.
MOUNTED ON A 3 1/2" DEEP LEDGE.
EACH SHELF IS 10" DEEP x 14" WIDE.
STAINLESS BACKSPLASH IS 15" TALL.

MODEL NO.	WIDTH	PRICE
WS030	30"	370
WS036	36"	405
WS042	42"	435
WS048	48"	475
WS054	54"	505
WS060	60"	540
WS066	66"	570
WS072	72"	610

MODEL NO.	DESCRIPTION	PRICE
P1415	Additional Shelf	185
WS0 WITH NON-STANDARD WIDTH		PRICE
USE NEXT LARGEST SIZE ON PRICE LIST PLUS		185


ACCESSORY RAIL**MODEL WR0**

WR0 kit installed on hood includes mounting hardware, accessory rail, two hanger brackets, and two warming shelves with spice racks.



MODEL NO.	WIDTH	PRICE
WR030	30"	330
WR036	36"	335
WR042	42"	335
WR048	48"	345
WR054	54"	345
WR060	60"	345
WR066	66"	345
WR072	72"	405
UP TO 120"		405


SPECIAL WIDTH: USE NEXT LARGEST SIZE.

**MODEL WR0L**


For use with liner inserts. Specify exact width between cabinets. Use next largest size price for WR0 listed to the right. Kit includes mounting end caps, accessory rail, two hanger brackets, and two warming shelves with spice racks.

Hood must be at least 30" wide to allow sufficient space for two hanging brackets.


The minimum for hoods with the SL lip is 32" due to the decorative features of the SL lip.

ADDITIONAL SHELVES/SPICE RACKS

WSR-1 shown in warming shelf position.



WSR-1 shown in spice rack position.




WSH-1
Hanging bracket for WSR-1.

MODEL NO.	DESCRIPTION	PRICE
WSR-1	Warming Shelf/Spice Rack	75
WSH-1	Hanging Bracket	42
WR0-EC	End Cap (2 Req.)	19

BBQ EXTENSION

**EXTENSION FOR ALL 18" TALL
STANDARD WALL MOUNT HOODS**




MODEL NO.	WIDTH	PAINTED	STAINLESS
BBE30	30"	340	475
BBE36	36"	355	555
BBE42	42"	365	610
BBE48	48"	380	650
BBE54	54"	395	700
BBE60	60"	410	745

PRODUCT FEATURES

- § OFFERS MAXIMUM CANOPY EXPOSURE OVER OUTDOOR GRILL APPLICATIONS
- § EXTENDS PROJECTION TO 30" OR 33" DEEP
- § FOR USE WITH PRH18, PRXH18, NPH18, NPXH18, XRH18, OR XRXH18 MODELS WHEN NOT EQUIPPED WITH A WARMING BAR.

WR ACCESSORY RAIL
FOR USE WITH BBQ EXTENSION KIT.
AVAILABLE IS SS FINISH ONLY.

MODEL NO.	PRICE
WR-30	95
WR-36	105
WR-42	105
WR-48	110
WR-54	110
WR-60	110



CUSTOM LIP TREATMENTS**CUSTOM LIP DESIGNS BY LYNN SEARS**

PER INCH	5.25
PLUS	185


**AVAILABLE IN PAINTED AND
STAINLESS STEEL FINISHES.
WILL BE ATTACHED WITH RIVETS.**

MODEL #**3" LIP DESIGNS**

2001.3



2010.3



2030.3



2060.3



2100.3

**MODEL #****4" LIP DESIGNS**

2001.4



2010.4



2030.4



2060.4





2100.4




CUSTOM LIP TREATMENTS**CUSTOM LIP DESIGNS BY LYNN SEARS**

PER INCH	5.25
PLUS	185

**AVAILABLE IN PAINTED AND
STAINLESS STEEL FINISHES.
WILL BE ATTACHED WITH RIVETS.**







MODEL #**6" LIP DESIGNS****2001.6****2010.6****2030.6****2060.6****2100.6****CUSTOM PLACARD BY LYNN SEARS**

EACH	245
------	-----

MODEL #**2032.16**



Copyright by Lynn Sears from Windward Collection, Inc.

BANDS, FINISHES, & POT RAILS

VERTICAL BANDS		LIP TREATMENT			
	18 GAUGE*		18 GAUGE*		
1/2" WIDE: EACH BAND (UP TO 30")	125	PER INCH	2.90		
1" WIDE: EACH BAND (UP TO 30")	125	1/4" THICK x 1" TALL SOLID COPPER, PER INCH, ADD	5.25 **		
2" WIDE: EACH BAND (UP TO 30")	125				
TALLER THAN 30", PER INCH PER BAND, ADD	2.90				
* 18 GAUGE VERTICAL BANDS ARE ATTACHED WITH LAMINATE. 18 GAUGE VERTICAL BANDS CAN BE ATTACHED WITH 1/4" RIVETS, 1/2" RIVETS, 3/8" HEX NUTS, 1/2" HEX NUTS, OR 3/4" PYRAMID CLAVOS BY REQUEST.		*	18 GAUGE LIP TREATMENT IS ATTACHED WITH LAMINATE. 18 GAUGE LIP TREATMENT CAN BE ATTACHED WITH 1/4" RIVETS, 1/2" RIVETS, 3/8" HEX NUTS, 1/2" HEX NUTS, OR 3/4" PYRAMID CLAVOS BY REQUEST.		
HAMMERED COPPER MATERIAL IS THINNER THAN 18 GAUGE MATERIAL. ATTACHMENTS ARE REQUIRED FOR BANDS ON HAMMERED COPPER HOODS.			HAMMERED COPPER MATERIAL IS THINNER THAN 18 GAUGE MATERIAL. ATTACHMENTS ARE REQUIRED FOR BANDS ON HAMMERED COPPER HOODS.		
		**	MUST BE ATTACHED WITH 1/2"		
			RIVETS.		
					
					
HEAVY VERTICAL BANDS		CORNER BANDS			
SOLID COPPER		CORNER BANDS FOR STRAIGHT EDGES*			
1/4" THICK x 1" WIDE, EACH (UP TO 30")	160 *	1" x 1", EACH (UP TO 30")	250		
TALLER THAN 30", PER INCH PER BAND, ADD	5.25 *	2" x 2", EACH (UP TO 30")	250		
* MUST BE ATTACHED WITH 1/2" RIVETS.		TALLER THAN 30", PER INCH PER BAND, ADD	6.30		
		CORNER BANDS FOR CONVEX/CONCAVE EDGES+			
		1" x 1", EACH (UP TO 30")	450		
		2" x 2", EACH (UP TO 30")	450		
		TALLER THAN 30", PER INCH PER BAND, ADD	11.55		
					
					
		* ATTACHED WITH LAMINATE. CAN BE ATTACHED WITH 1/4" RIVETS, 1/2" RIVETS, 3/8" HEX NUTS, 1/2" HEX NUTS, OR 3/4" PYRAMID CLAVOS BY REQUEST.			
		+ ATTACHED WITH 1/4" RIVETS. CAN BE ATTACHED WITH 1/2" RIVETS, 3/8" HEX NUTS, 1/2" HEX NUTS, OR 3/4" PYRAMID CLAVOS BY REQUEST.			
		AVAILABLE IN PAINTED FINISHES OR STAINLESS STEEL ONLY.			
		ALL CORNER BANDS ARE 18 GAUGE.			
POT RAIL	GALLEY RAIL	FIXED RAIL			
					
TUBULAR (5/8" DIAMETER)	GALLEY RAIL	FIXED LENGTH SS RAIL (EACH)			
BRASS, CHROME, OR COPPER: PER INCH* 6.55 ADDITIONAL HOOKS AVAILABLE IN SS, COPPER, OR BRASS P011: EACH 6.95	STAINLESS STEEL: PER INCH 4.95	PR21 SS (19.53") 85 PR24 SS (22.05") 95 PR27 SS (24.57") 105 PR30 SS (28.35") 120			
* For pot rail that is less than the overall width or depth of the hood, charge for full width or depth. Examples- A 24" deep hood with 3" of pot rail on a side is priced as 24" of pot rail. A 48" wide hood with 36" of pot rail on the front is priced as 48" of pot rail.					
COLORS	STANDARD	SPECIAL	CUSTOM	ANTIQUE	ANTIQUE TRIM
	BISCUIT (BT) BLACK SATIN (BL) GUNSMOKE (GS) WHITE (WH)	BLACK RIVER (BR) COPPER VEIN (CV) OIL RUBBED BRONZE (ORB) PEWTER (PTR) SILVER VEIN (SV)	RAL PAINT COLORS A custom color chart is available for custom colors.	CAN BE APPLIED TO: HAMMERED COPPER OVERLAY CHARGE FOR EACH HOOD OR DUCT COVER.	BRASS BANDS & L/T COPPER BANDS & L/T CHARGE ONCE FOR ALL TRIM ON A HOOD AND DUCT COVER ASSEMBLY.
Color Charges: ADD	NO CHARGE	185	420	630	185

BAND & LIP TREATMENT ATTACHMENT OPTIONS

1/4" RIVETS



**3D View****Side View****Top View**

1/4" RIVETS ARE STANDARD ON CONVEX/CONCAVE CORNER BANDS.

1/4" RIVETS ARE OPTIONAL ON 18 GAUGE LIP TREATMENT, 18 GAUGE VERTICAL BANDS, AND STRAIGHT CORNER BANDS. ADDITIONAL CHARGES APPLY.

1/4" RIVETS ARE AVAILABLE IN ALL BAND FINISHES (PAINTED TO MATCH).

1/2" RIVETS



**3D View****Side View****Top View**

1/2" COPPER RIVETS ARE REQUIRED ON 1/4" x 1" HEAVY VERTICAL BANDS AND LIP TREATMENT.

1/2" RIVETS ARE OPTIONAL ON 18 GAUGE LIP TREATMENT, 18 GAUGE VERTICAL BANDS, AND CORNER BANDS. ADDITIONAL CHARGES APPLY.

1/2" RIVETS ARE AVAILABLE IN ALL BAND FINISHES (PAINTED TO MATCH).



3/8" HEX NUTS

**3D View****Side View****Top View**

3/8" HEX NUTS ARE OPTIONAL ON 18 GAUGE LIP TREATMENT, 18 GAUGE VERTICAL BANDS, AND CORNER BANDS. ADDITIONAL CHARGES APPLY.

3/8" HEX NUTS ARE AVAILABLE IN ALL BAND FINISHES (BRASS, STAINLESS STEEL, OR PAINTED TO MATCH).




1/2" HEX NUTS

**3D View****Side View****Top View**

1/2" HEX NUTS ARE OPTIONAL ON 18 GAUGE LIP TREATMENT, 18 GAUGE VERTICAL BANDS, AND CORNER BANDS. ADDITIONAL CHARGES APPLY.

1/2" HEX NUTS ARE AVAILABLE IN ALL BAND FINISHES (BRASS, STAINLESS STEEL, OR PAINTED TO MATCH).

3/4" PYRAMID CLAVOS

**3D View****Side View****Top View**

3/4" PYRAMID CLAVOS ARE OPTIONAL ON 18 GAUGE LIP TREATMENT, 18 GAUGE VERTICAL BANDS, AND CORNER BANDS. ADDITIONAL CHARGES APPLY.

3/4" PYRAMID CLAVOS ARE AVAILABLE IN BRASS, COPPER, AND STAINLESS STEEL FINISHES.

3/4" PYRAMID CLAVOS CAN BE ROTATED 45 DEGREES FOR A MORE DECORATIVE APPEARANCE. NOTE: 3/4" PYRAMID CLAVOS ARE OVER 1" WIDE WHEN TURNED TO A 45 DEGREE "DIAMOND" ANGLE.

























NOTE: SECTION TITLES ARE ROUNDED FOR CONVENIENCE PURPOSES AND DO NOT REPRESENT EXACT SIZES.

STANDARD BAND & LIP TREATMENT ATTACHMENT METHODS

BAND/LIP TREATMENT	STANDARD ATTACHMENT	ADDITIONAL ATTACHMENT OPTIONS
18 Gauge Vertical Band	Laminate	1/4" Rivets, 1/2" Rivets, 3/8" Hex Nuts, 1/2" Hex Nuts, and 3/4" Pyramid Clavos
1/4" x 1" Heavy Vertical Band	1/2" Copper Rivets	N/A
18 Gauge Lip Treatment	Laminate	1/4" Rivets, 1/2" Rivets, 3/8" Hex Nuts, 1/2" Hex Nuts, and 3/4" Pyramid Clavos
1/4" x 1" Heavy Lip Treatment	1/2" Copper Rivets	N/A
Straight Corner Band	Laminate	1/4" Rivets, 1/2" Rivets, 3/8" Hex Nuts, 1/2" Hex Nuts, and 3/4" Pyramid Clavos
Convex or Concave Corner Band	1/4" Rivets	1/2" Rivets, 3/8" Hex Nuts, 1/2" Hex Nuts, and 3/4" Pyramid Clavos

Decorative attachments will be placed by the factory for best appearance. To specify locations, add per inch

VENT-A-HOOD VENTING ACCESSORIES**PRICES DO NOT INCLUDE SHIPPING & HANDLING CHARGES.**

												
MODEL	DESCRIPTION	PRICE	MODEL	DESCRIPTION	PRICE	MODEL	DESCRIPTION	PRICE	MODEL	DESCRIPTION	PRICE	
VP526	6" Round	\$47.00	VP554	10" Round	\$67.00	VP555	12" Round	\$67.00	VP538	6" x 8-1/2"	\$47.00	
VP527	7" Round	\$47.00				VP560	3-1/4" x 10"	\$34.00				
VP528	8" Round	\$47.00										
LOW PROFILE ROOF JACK (MAXIMUM 4/12 PITCH)			LOW PROFILE ROOF JACK (MAXIMUM 4/12 PITCH)			LOW PROFILE ROOF JACK (MINIMUM 4/12 PITCH)			LOW PROFILE ROOF JACK (MINIMUM 4/12 PITCH)			
				MODEL	DESCRIPTION	PRICE	MODEL	DESCRIPTION	PRICE	MODEL	DESCRIPTION	PRICE
VP539	6" Round	\$47.00	VP552	10" Round	\$101.00	VP539-HP	6" Round	\$47.00	VP552-HP	10" Round	\$101.00	
VP540	7" Round	\$47.00	VP553	12" Round	\$101.00	VP540-HP	7" Round	\$47.00	VP553-HP	12" Round	\$101.00	
VP541	8" Round	\$47.00				VP541-HP	8" Round	\$47.00				
ADJUSTABLE ELBOW			BACK/SIDE VENT ELBOW			3 1/4" x 10" BACK VENT ELBOW			3 1/4" x 10" TO 7" TRANSITION			
				MODEL	DESCRIPTION	PRICE	MODEL	DESCRIPTION	PRICE	MODEL	DESCRIPTION	PRICE
VP513	6" Round	\$14.00	VP561	8" to 6" x 8-1/2"	\$19.00	VP559	3-1/4" x 10"	\$19.00	VP521	3-1/4" x 10 to 7"	\$19.00	
VP514	7" Round	\$14.00										
VP515	8" Round	\$14.00										
MULTI-BLOWER TRANSITION			M1200 STANDARD TRANSITION			STANDARD ISLAND TRANSITION			CLUSTER BLOWER TRANSITION			
				MODEL	DESCRIPTION	PRICE	MODEL	DESCRIPTION	PRICE	MODEL	DESCRIPTION	PRICE
VP562	6" & 8" to 10"	\$101.00	VP566	M1200 Transition	\$37.00	VP565	5" x 16" to 8" Rnd	\$37.00	VP564	8" & 8" to 12"	\$37.00	
VP563	8" & 8" to 12"	\$101.00										
OFFSET L & R TRANSITION FOR ISLAND BLOWERS			SIDE VENT TRANSITION L & R FOR ISLAND BLOWERS			OFFSET KIT - ROUND			OFFSET KIT - RECTANGULAR			
				MODEL	DESCRIPTION	PRICE	MODEL	DESCRIPTION	PRICE	MODEL	DESCRIPTION	PRICE
VP542	Top Left	\$37.00	VP544	Side Left	\$37.00	VP529	6" Rnd to 7" Rnd	\$19.00	VP550	6" to 3-1/4" x 10"	\$19.00	
VP543	Top Right	\$37.00	VP545	Side Right	\$37.00							
"Y" TRANSITION			ROUND DUCT PIPE			3 1/4" RECTANGULAR DUCT PIPE			6" RECTANGULAR DUCT PIPE			
				MODEL	DESCRIPTION	PRICE	MODEL	DESCRIPTION	PRICE	MODEL	DESCRIPTION	PRICE
VP517	8" & 8" to 12"	\$42.00	VP500	6" Round	\$16.00	VP504	3-1/4" x 10"	\$16.00	VP507	6" x 8-1/2"	\$16.00	
VP518	6" & 8" to 12"	\$42.00	VP501	7" Round	\$16.00	VP505	3-1/4" x 12"	\$16.00				
VP551	6" & 8" to 10"	\$42.00	VP502	8" Round	\$16.00	VP506	3-1/4" x 16"	\$16.00				

PARTS FOR VENT-A-HOOD PRODUCTS**PRICES DO NOT INCLUDE SHIPPING & HANDLING CHARGES.**

<u>MOTORS</u>			<u>LIGHT FIXTURE COMPONENTS</u>		
<u>PART NO.</u>	<u>DESCRIPTION</u>	<u>PRICE</u>	<u>PART NO.</u>	<u>DESCRIPTION</u>	<u>PRICE</u>
P1301-1	SINGLE SPEED WHITE MOTOR (CW)	\$70.35	P1101	SP2 BALLAST (NEWER HOODS)	\$30.45
P1301-2	TWO SPEED WHITE MOTOR (CW)	\$70.35	P1103	LEFT LAMPHOLDER	\$4.20
P1302-1	BLACK MOTOR (CCW)	\$70.35	P1104	RIGHT LAMPHOLDER	\$4.20
P1315	K SERIES MOTOR	\$103.95	P1105	FS-2 STARTER	\$2.10
P1900	ADAPTER (AMP PLUG/TWO PRONG PLUG)	\$4.20	P1106	STARTER SOCKET	\$5.25
<u>BLOWER WHEELS</u>			P1122	HEAT LAMP SOCKET	\$8.40
<u>PART NO.</u>	<u>DESCRIPTION</u>	<u>PRICE</u>	P1123	PAR20 HALOGEN LAMP SOCKET	\$4.20
P1305	WHITE BLOWER WHEEL (CW)	\$18.90	P1124	GU10 HALOGEN LAMP SOCKET	\$6.85
P1306	BLACK BLOWER WHEEL (CCW)	\$18.90	<u>COMPLETE FLUORESCENT LIGHT FIXTURES</u>		
P1307	K SERIES BLOWER WHEEL	\$18.90	<u>PART NO.</u>	<u>DESCRIPTION</u>	<u>PRICE</u>
<u>BLOWER HOUSINGS</u>			INCLUDES 18" FLUORESCENT BULB (P1120) SPECIFY MODEL, COLOR, AND SIZE OF HOOD NOT AVAILABLE IN STAINLESS STEEL, USE GUNSMOKE		
<u>PART NO.</u>	<u>DESCRIPTION</u>	<u>PRICE</u>	P1016	3" LIGHT BOX (WALL MOUNT & ISLAND)	\$76.65
P1029	B100/T200 BLOWER HSG w/DAMPER	\$57.75	P1018	2" LIGHT BOX (UNDER CABINET)	\$76.65
P1029E	B100/T200 EZ CLEAN HSG w/DAMPER	\$57.75	PxxxB	Fixture with back, add	\$10.50
P1028	B200/T400 BLOWER HSG w/DAMPERS	\$111.30	P1127	FLUORESCENT LIGHT DIFFUSER	\$10.50
P1028E	B200/T400 EZ CLEAN HSG w/DAMPERS	\$111.30	<u>REPLACEMENT FILTERS</u>		
P1030	T200 REVERSE BLOWER HSG w/DAMPER	\$57.75	<u>PART NO.</u>	<u>DESCRIPTION</u>	<u>PRICE</u>
P1030E	T200 REVERSE EZ CLEAN HSG w/DAMPER	\$57.75	P1501	CV FILTER (11-1/2" DIA. X 4-1/2" T)	\$21.00
P1021	K SERIES BLOWER COVER (PAN)	\$26.25	P1502A	MESH (16" x 20" x 2")	\$63.00
<u>BLOWER SHIELDS</u>			P1502B	MESH (10" x 20" x 2")	\$50.40
<u>PART NO.</u>	<u>DESCRIPTION</u>	<u>PRICE</u>	P1506	SS BAFFLE (16" x 20" x 1-1/2")	\$157.50
P1025	B100/T200 SHIELD (ENAMEL)	\$19.95	P1506A	SS BAFFLE (10" x 20" x 1-1/2")	\$183.75
P1025E	B100/T200 EZ CLEAN SHIELD (ENAMEL)	\$19.95	P1530	M LINE BAFFLE FILTER	\$79.80
P1027	B100/T200 SHIELD (STAINLESS)	\$19.95	<u>BACK DRAFT DAMPERS</u>		
P1027E	B100/T200 EZ CLEAN SHIELD (STAINLESS)	\$19.95	<u>PART NO.</u>	<u>DESCRIPTION</u>	<u>PRICE</u>
P1024	B200/T400 SHIELD (ENAMEL)	\$26.25	P1031	NYLON POLYMER DAMPER	\$5.25
P1024E	B200/T400 EZ CLEAN SHIELD (ENAMEL)	\$26.25	P1040	B100/T200 METAL DAMPER	\$5.25
P1026	B200/T400 SHIELD (STAINLESS)	\$26.25	P1041	B200 METAL DAMPER	\$5.25
P1026E	B200/T400 EZ CLEAN SHIELD (STAINLESS)	\$26.25	P1042	K SERIES DAMPER	\$7.35
P1610P	NICKEL SHIELD SCREW	\$4.20	<u>REMOTE BLOWER COMPONENTS</u>		
<u>SWITCHES AND CONTROLS</u>			<u>PART NO.</u>	<u>DESCRIPTION</u>	<u>PRICE</u>
<u>PART NO.</u>	<u>DESCRIPTION</u>	<u>PRICE</u>	P1425	REMOTE BLOWER SPEED CONTROL (HOOD)	\$60.90
P1430	SWITCH FOR SINGLE SPEED WHITE MOTOR	\$4.20	P1510	RM1000 BLOWER WHEEL	\$36.75
P1431	SWITCH FOR SINGLE SPEED BLACK MOTOR	\$4.20	P1515	RM1000 MOTOR	\$215.25
P1432	SWITCH FOR FLUORESCENT LIGHT	\$4.20	P1520	RM1500 BLOWER WHEEL	\$36.75
P1433	SWITCH FOR TWO SPEED WHITE MOTOR	\$5.25	P1525	RM1500 MOTOR	\$246.75
P1434	SWITCH FOR HALOGEN LIGHTS	\$5.25	<u>OTHER MISCELLANEOUS ITEMS</u>		
P1409	MOMENTARY SWITCH (TILT/T LH HOODS)	\$4.20	<u>PART NO.</u>	<u>DESCRIPTION</u>	<u>PRICE</u>
P1418	DIMMER SWITCH (CAN LIGHTS)	\$31.50	P1039	FLAP STAY FOR TILT/T LH HOODS	\$29.40
P1419	ROTARY SWITCH (HEAT LIGHTS)	\$10.50	AW101	T-HANDLE, 1/8" ALLEN WRENCH	\$10.50
P1422	KNOB FOR ROTARY SWITCH (SET SCREW)	\$4.20	AW102	STANDARD, 1/8" ALLEN WRENCH	\$1.05
P1425	REMOTE BLOWER SPEED CONTROL (HOOD)	\$60.90	P1424	SENSASOURCE THERMOSTAT ASSY	\$12.60
<u>M LINE COMPONENTS</u>			SS KIT	STAINLESS STEEL SCRATCH REPAIR KIT	\$8.40
<u>PART NO.</u>	<u>DESCRIPTION</u>	<u>PRICE</u>	SS64	STAINLESS STEEL MAGIC (CAN)	\$12.60
P1440	M LINE BLOWER SWITCH	\$15.75	CP101	RED BEAR® COPPER POLISH	\$12.60
P1445	M LINE BLOWER SWITCH KNOB	\$7.35	P1316	3-1/4" x 10" COLLAR FOR K SERIES	\$10.50
P1450	M LINE LIGHT SWITCH	\$15.75	P1317	BACK PLATE FOR K SERIES	\$5.25
P1455	M LINE LIGHT SWITCH KNOB	\$7.35			
P1456	M600 WIRING HARNESS	\$47.25			
P1457	M1200 WIRING HARNESS	\$47.25			
<u>LIGHT BULBS</u>					
<u>PART NO.</u>	<u>DESCRIPTION</u>	<u>PRICE</u>			
P1110	GU10 HALOGEN BULB, 50 WATT	\$11.55			
P1120	F15/T8 FLUORESCENT BULB, 15 WATT	\$6.30			
P1130	PAR20 HALOGEN BULB, 50 WATT	\$11.55			


PRH18-M WALL MOUNT

PRH18-M WALL MOUNT HOOD

MODEL	WIDTH	DEPTH	PRICE	#LIGHTS	#FILTERS
PRH18-M30 SS	30"	24"	\$1,012	2	2
PRH18-M36 SS	36"	24"	\$1,028	2	2
PRH18-M42 SS	42"	24"	\$1,111	2	2
PRH18-M48 SS	48"	24"	\$1,174	3	3
PRH18-M54 SS	54"	24"	\$1,434	4	3
PRH18-M60 SS	60"	24"	\$1,559	4	4
PRH18-M66 SS	66"	24"	\$1,665	4	4

NOTE: BLOWER SOLD SEPARATELY

NOTE: STAINLESS STEEL BAFFLE FILTERS AND GU10 LIGHTING INCLUDED.



BLOWER OPTIONS

MODEL	CFM*	AMPS	PRICE	INCL.®	DUCT SIZE
M600	630	5.0	\$339	N/A	6" Round
M1200	1035	10.0	\$714	VP566	10" Round
WHM300*	300	5.0	\$10	N/A	6" Round

* CFM RATING IS AT 0.0" STATIC PRESSURE

@ VP566 TRANSITION IS PACKAGED SEPARATELY FROM M1200 BLOWER


* WHM300 IS A HARNESS TO BE USED WITH THE M600 WHICH LIMITS TO 300 CFM



M600 M1200

DUCT COVER OPTIONS

MODEL	WIDTH	DEPTH	PRICE	CEILING
WDCM-30 SS	30"	12"	\$382	8'
WDCM-30/24 SS	30"	12"	\$540	9'
WDCM-30/36 SS	30"	12"	\$699	10'
WDCM-36 SS	36"	12"	\$413	8'
WDCM-36/24 SS	36"	12"	\$604	9'
WDCM-36/36 SS	36"	12"	\$793	10'
WDCM-42 SS	42"	12"	\$445	8'
WDCM-42/24 SS	42"	12"	\$667	9'
WDCM-42/36 SS	42"	12"	\$888	10'
WDCM-48 SS	48"	12"	\$476	8'
WDCM-48/24 SS	48"	12"	\$730	9'
WDCM-48/36 SS	48"	12"	\$984	10'
WDCM-54 SS	54"	12"	\$508	8'
WDCM-60 SS	60"	12"	\$540	8'
WDCM-66 SS	66"	12"	\$572	8'




M SERIES BBQ EXTENSION

MODEL	WIDTH	PRICE	WR RAIL	PRICE
BBE-M30 SS	30"	\$360	WR-M30	72
BBE-M36 SS	36"	\$424	WR-M36	79
BBE-M42 SS	42"	\$464	WR-M42	79
BBE-M48 SS	48"	\$496	WR-M48	84
BBE-M54 SS	54"	\$532	WR-M54	84
BBE-M60 SS	60"	\$568	WR-M60	84

NOTE: WR RAIL SOLD SEPARATELY

NOTE: FOR USE ON PRH18-M AND PRXH18-M




PRXH 18-M WALL MOUNT

PRXH18-M WALL MOUNT HOOD

MODEL	WIDTH	DEPTH	PRICE	#LIGHTS	#FILTERS
PRXH18-M30 SS	30"	27"	\$1,012	2	2
PRXH18-M36 SS	36"	27"	\$1,028	2	2
PRXH18-M42 SS	42"	27"	\$1,111	2	2
PRXH18-M48 SS	48"	27"	\$1,174	3	3
PRXH18-M54 SS	54"	27"	\$1,434	4	3
PRXH18-M60 SS	60"	27"	\$1,559	4	4
PRXH18-M66 SS	66"	27"	\$1,665	4	4

NOTE: BLOWER SOLD SEPARATELY

NOTE: STAINLESS STEEL BAFFLE FILTERS AND GU10 LIGHTING INCLUDED.



BLOWER OPTIONS

MODEL	CFM*	AMPS	PRICE	INCL. [®]	DUCT SIZE
M600	630	5.0	\$339	N/A	6" Round
M1200	1035	10.0	\$714	VP566	10" Round
WHM300*	300	5.0	\$10	N/A	6" Round

* CFM RATING IS AT 0.0" STATIC PRESSURE

@ VP566 TRANSITION IS PACKAGED SEPARATELY FROM M1200 BLOWER


* WHM300 IS A HARNESS TO BE USED WITH THE M600 WHICH LIMITS TO 300 CFM



M 600 M 1 200

DUCT COVER OPTIONS

MODEL	WIDTH	DEPTH	PRICE	CEILING
WDCM-30 SS	30"	12"	\$382	8'
WDCM-30/24 SS	30"	12"	\$540	9'
WDCM-30/36 SS	30"	12"	\$699	10'
WDCM-36 SS	36"	12"	\$413	8'
WDCM-36/24 SS	36"	12"	\$604	9'
WDCM-36/36 SS	36"	12"	\$793	10'
WDCM-42 SS	42"	12"	\$445	8'
WDCM-42/24 SS	42"	12"	\$667	9'
WDCM-42/36 SS	42"	12"	\$888	10'
WDCM-48 SS	48"	12"	\$476	8'
WDCM-48/24 SS	48"	12"	\$730	9'
WDCM-48/36 SS	48"	12"	\$984	10'
WDCM-54 SS	54"	12"	\$508	8'
WDCM-60 SS	60"	12"	\$540	8'
WDCM-66 SS	66"	12"	\$572	8'




M SERIES BBQ EXTENSION

MODEL	WIDTH	PRICE	WR RAIL	PRICE
BBE-M30 SS	30"	\$360	WR-M30	72
BBE-M36 SS	36"	\$424	WR-M36	79
BBE-M42 SS	42"	\$464	WR-M42	79
BBE-M48 SS	48"	\$496	WR-M48	84
BBE-M54 SS	54"	\$532	WR-M54	84
BBE-M60 SS	60"	\$568	WR-M60	84

NOTE: WR RAIL SOLD SEPARATELY

NOTE: FOR USE ON PRH18-M AND PRXH18-M




PRH 18-M 30"D WALL MOUNT

PRH18-M 30" DEEP WALL MOUNT HOOD

MODEL	WIDTH	DEPTH	PRICE	#LIGHTS	#FILTERS
PRH18-M36x30 SS	36"	30"	\$1,480	2	2
PRH18-M42x30 SS	42"	30"	\$1,628	2	2
PRH18-M48x30 SS	48"	30"	\$1,741	3	3
PRH18-M54x30 SS	54"	30"	\$2,053	4	3

NOTE: BLOWER SOLD SEPARATELY

NOTE: STAINLESS STEEL BAFFLE FILTERS AND GU10 LIGHTING INCLUDED.



BLOWER OPTIONS

MODEL	CFM*	AMPS	PRICE	INCL.®	DUCT SIZE
M600	630	5.0	\$339	N/A	6" Round
M1200	1035	10.0	\$714	VP566	10" Round
WHM300*	300	5.0	\$10	N/A	6" Round

* CFM RATING IS AT 0.0" STATIC PRESSURE

@ VP566 TRANSITION IS PACKAGED SEPARATELY FROM M1200 BLOWER


* WHM300 IS A HARNESS TO BE USED WITH THE M600 WHICH LIMITS TO 300 CFM



M 600 M 1200

DUCT COVER OPTIONS

MODEL	WIDTH	DEPTH	PRICE	CEILING
WDCM-30 SS	30"	12"	\$382	8'
WDCM-30/24 SS	30"	12"	\$540	9'
WDCM-30/36 SS	30"	12"	\$699	10'
WDCM-36 SS	36"	12"	\$413	8'
WDCM-36/24 SS	36"	12"	\$604	9'
WDCM-36/36 SS	36"	12"	\$793	10'
WDCM-42 SS	42"	12"	\$445	8'
WDCM-42/24 SS	42"	12"	\$667	9'
WDCM-42/36 SS	42"	12"	\$888	10'
WDCM-48 SS	48"	12"	\$476	8'
WDCM-48/24 SS	48"	12"	\$730	9'
WDCM-48/36 SS	48"	12"	\$984	10'
WDCM-54 SS	54"	12"	\$508	8'
WDCM-60 SS	60"	12"	\$540	8'
WDCM-66 SS	66"	12"	\$572	8'




M SERIES BBQ EXTENSION

MODEL	WIDTH	PRICE	WR RAIL	PRICE
BBE-M30 SS	30"	\$360	WR-M30	72
BBE-M36 SS	36"	\$424	WR-M36	79
BBE-M42 SS	42"	\$464	WR-M42	79
BBE-M48 SS	48"	\$496	WR-M48	84
BBE-M54 SS	54"	\$532	WR-M54	84
BBE-M60 SS	60"	\$568	WR-M60	84

NOTE: WR RAIL SOLD SEPARATELY

NOTE: FOR USE ON PRH18-M AND PRXH18-M




CXH18-M WALL MOUNT

CXH18-M WALL MOUNT HOOD

MODEL	WIDTH	DEPTH	PRICE	#LIGHTS	#FILTERS
CXH18-M30 SS	30"	24"	\$1,242	2	2
CXH18-M36 SS	36"	24"	\$1,258	2	2
CXH18-M42 SS	42"	24"	\$1,341	2	2
CXH18-M48 SS	48"	24"	\$1,446	3	3
CXH18-M54 SS	54"	24"	\$1,673	4	3
CXH18-M60 SS	60"	24"	\$1,799	4	4
CXH18-M66 SS	66"	24"	\$1,957	4	4

NOTE: BLOWER SOLD SEPARATELY

NOTE: STAINLESS STEEL BAFFLE FILTERS AND GU10 LIGHTING INCLUDED.



BLOWER OPTIONS

MODEL	CFM*	AMPS	PRICE	INCL.®	DUCT SIZE
M600	630	5.0	\$339	N/A	6" Round
M1200	1035	10.0	\$714	VP566	10" Round
WHM300*	300	5.0	\$10	N/A	6" Round

* CFM RATING IS AT 0.0" STATIC PRESSURE

@ VP566 TRANSITION IS PACKAGED SEPARATELY FROM M1200 BLOWER


* WHM300 IS A HARNESS TO BE USED WITH THE M600 WHICH LIMITS TO 300 CFM



M 600 M 1 200

DUCT COVER OPTIONS

MODEL	WIDTH	DEPTH	PRICE	CEILING
XDCM-30 SS	30"	12"	\$382	8'
XDCM-30/24 SS	30"	12"	\$540	9'
XDCM-30/36 SS	30"	12"	\$699	10'
XDCM-36 SS	36"	12"	\$413	8'
XDCM-36/24 SS	36"	12"	\$604	9'
XDCM-36/36 SS	36"	12"	\$793	10'
XDCM-42 SS	42"	12"	\$445	8'
XDCM-42/24 SS	42"	12"	\$667	9'
XDCM-42/36 SS	42"	12"	\$888	10'
XDCM-48 SS	48"	12"	\$476	8'
XDCM-48/24 SS	48"	12"	\$730	9'
XDCM-48/36 SS	48"	12"	\$984	10'
XDCM-54 SS	54"	12"	\$508	8'
XDCM-60 SS	60"	12"	\$540	8'
XDCM-66 SS	66"	12"	\$572	8'




M SERIES BBQ EXTENSION

MODEL	WIDTH	PRICE	WR RAIL	PRICE
BBE-M30 SS	30"	\$360	WR-M30	72
BBE-M36 SS	36"	\$424	WR-M36	79
BBE-M42 SS	42"	\$464	WR-M42	79
BBE-M48 SS	48"	\$496	WR-M48	84
BBE-M54 SS	54"	\$532	WR-M54	84
BBE-M60 SS	60"	\$568	WR-M60	84

NOTE: WR RAIL SOLD SEPARATELY

NOTE: FOR USE ON PRH18-M AND PRXH18-M




WALL MOUNT LINERS

M-SLD WALL MOUNT LINER

MODEL	WIDTH	DEPTH	PRICE	#LIGHTS	#FILTERS
M28SLD SS	28 3/8"	19 1/4"	\$556	2	2
M34SLD SS	34 3/8"	19 1/4"	\$556	2	2
M40SLD SS	40 3/8"	19 1/4"	\$620	2	2
M46SLD SS	46 3/8"	19 1/4"	\$763	3	3
M52SLD SS	52 3/8"	19 1/4"	\$1,258	3	3
M58SLD SS	58 3/8"	19 1/4"	\$1,332	4	4
M64SLD SS	64 3/8"	19 1/4"	\$1,521	4	4

NOTE: BLOWER SOLD SEPARATELY

NOTE: STAINLESS STEEL BAFFLE FILTERS AND GU10 LIGHTING INCLUDED.




M-SLD

M-PSLD WALL MOUNT LINER

MODEL	WIDTH	DEPTH	PRICE	#LIGHTS	#FILTERS
M28PSLD SS	28 3/8"	22 1/2"	\$556	2	2
M34PSLD SS	34 3/8"	22 1/2"	\$556	2	2
M40PSLD SS	40 3/8"	22 1/2"	\$620	2	2
M46PSLD SS	46 3/8"	22 1/2"	\$763	3	3
M52PSLD SS	52 3/8"	22 1/2"	\$1,258	3	3
M58PSLD SS	58 3/8"	22 1/2"	\$1,332	4	4
M64PSLD SS	64 3/8"	22 1/2"	\$1,521	4	4

NOTE: BLOWER SOLD SEPARATELY

NOTE: STAINLESS STEEL BAFFLE FILTERS AND GU10 LIGHTING INCLUDED.



M-PSLD

BLOWER OPTIONS

MODEL	CFM*	AMPS	PRICE	INCL. @	DUCT SIZE
M600	630	5.0	\$339	N/A	6" Round
M1200	1035	10.0	\$714	VP566	10" Round
WHM300*	300	5.0	\$10	N/A	6" Round

* CFM RATING IS AT 0.0" STATIC PRESSURE

@ VP566 TRANSITION IS PACKAGED SEPARATELY FROM M1200 BLOWER

* WHM300 IS A HARNESS TO BE USED WITH THE M600 WHICH LIMITS TO 300 CFM



M600



M1200

VentA Hood®

MAILING ADDRESS

P.O. Box 830426
Richardson, Texas 75083-0426

SHIPPING ADDRESS

1000 N. Greenville Ave.
Richardson, Texas 75081-2799

TELEPHONE: 972.235.5201
TOLL-FREE: 800.331.2492
FAX: 972.231.0663