

AMERICAN RANGE

QUALITY COOKING EQUIPMENT



DESIGNED & BUILT IN USA
PROFESSIONAL COOKING EQUIPMENT

PRICE LIST 2013

Table of Contents

- **CUISINE SERIES:** All Gas Ranges with Sealed Gas Burners
 - Cuisine All Gas Ranges with Sealed Burners..... 1.0 – 1.3
- NEW** • **PERFORMER SERIES:** All Gas Ranges with Open Burners
 - Performer Gas Ranges with Open Burners 2.0 – 2.7
- **HERITAGE CLASSIC SERIES:** All Gas Ranges with Sealed Gas Burners
 - Heritage Classic All Gas Ranges with Sealed Burners..... 3.0 – 3.8
- **MEDALLION SERIES:** Dual Fuel Ranges with Self Clean Electric Ovens & Sealed Gas Burners
 - Medallion Dual Fuel Ranges Self Clean Ovens w/ Sealed Burners 4.0 – 4.7
- **TITAN SERIES:** Step-up All Gas Ranges
 - Titan Step-up Gas Ranges 5.0 – 5.3
- **TITAN SERIES:** Step-up Self Clean Dual Fuel Ranges
 - Titan Step-up Self Clean Dual Fuel Ranges 6.0 – 6.2
- **COLOR FINISH:** Color Finish Upgrade for Free Standing Ranges
 - Color Finish Upgrade for Free Standing Ranges 7.0
- **LEGACY SERIES:** Wall Ovens Single & Double, Gas & Electric French Door & Chef Door
 - Legacy Gas Wall Ovens Single & Double 8.0 – 8.1
 - Legacy Electric Wall Ovens Single & Double 8.2
 - Legacy Hybrid Wall Ovens Single & Double 8.3
- **COLOR FINISH:** Color Finish Upgrade for Wall Ovens
 - Color Finish Upgrade for Wall Ovens 9.0
- **LEGEND SERIES:** Slide-In Cook Top
 - Legend Slide-In Cook Tops 10.0 – 10.7
- NEW** • **PERFORMER SERIES:** Slide-In Cook Top
 - Performer Slide-In Cook Tops 11.0 – 11.7
- **VILLA SERIES:** Warming Drawers
 - Villa Warming Drawers 12.0 – 12.1





FEATURES

- 3 sizes of burners to serve your everyday needs:
17,000 BTU (lg), 13,000 BTU (med), 9,000 BTU (sm)
- **Stainless Steel Island Back Trim included & installed**
- Continuous and flush commercial-grade cast iron grates allow for easy transfer of pots and pans across the entire cooking surface
- Sealed burners deliver exceptional performance at every level setting and lift off to provide easy cleanup
- Sealed burners create simmer temperatures at minimum setting
- Variable infinite flame settings for all sealed top burners
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Sealed Single Piece porcelainized cook top can hold more than a gallon of spills
- Analog controls provide easy, push and turn operation ensuring child safety
- Blue LED light indicates oven functions
- Heavy metal die-cast black satin knobs with chrome bezels
- One piece durable precision frame construction oven front
- Oven front construction is a durable, precision-made one piece frame
- Innovection® System with convection fan optimizes uniform air flow
- Multiple functions include: Standard Bake, Innovection® Convection Bake, Infrared Broil and Fan mode
- Front panel switch controls oven lighting for optimal visibility
- Accommodates full size commercial sheet pan
- Two chrome plated heavy duty racks with 5 (including base) positions on heavy chrome side supports
- Porcelainized oven interior simplifies cleaning
- Extra-large viewing window in oven door
- Ceramic Infrared Broiler provides rapid searing at 1,800°F
- Quick Preheat times and uniform cooking temperatures are created with a 28,000 BTU Bake Burner
- Traditional and Convection Bake can be controlled to provide a range of 200°F to 500°F
- 3yr Warranty

ACCESSORIES & OPTIONS

- Mirror chrome finish griddle plates available in flat surface & grooved surfaces.
- 1" Island back
- 4" Stub back
- 20" High back with shelf
- Leg caps
- Curb base
- Removable griddle plate
- Grill cover
- Broiler pan
- Casters
- Wok Adapter
- Griddle cover

Available in sizes: 30" and 36"



ARR-530

Shown with optional 4" riser and leg caps.

RANGE FEATURES

- 3 sizes of burners to serve your everyday needs:
17,000 BTU (lg), 13,000 BTU (med), 9,000 BTU (sm)
- Stainless Steel Island Back Trim included & installed
- One piece durable precision frame construction oven front
- Ceramic Infrared Broiler provides rapid searing at 1,800°F
- Quick Preheat times and uniform cooking temperatures are created with a 28,000 BTU Bake Burner
- Innovection® System with convection fan optimizes uniform air flow
- Multiple functions include: Standard Bake, Innovection® Convection Bake, Infrared Broil and Fan mode
- Extra-large viewing window in oven door
- Accommodates full size commercial sheet pan
- 3yr Warranty

30" GAS RANGE
DESIGNED & BUILT IN USA
 PROFESSIONAL COOKING EQUIPMENT

Model		Description	Dealer Cost	MAP
ARR-530		Cuisine Range with 5 sealed gas burners, 30" Innovection® oven with infrared broiler: Island back included and installed.		\$ 3,699

30" ALL GAS RANGE ACCESSORIES & OPTIONS

Part Number	Description	Dealer Cost	MAP
ARR-30SIB-C	1" Fabricated Island Back		\$ 229
ARR-30IB-C	1" Welded Island Back		249
ARR-304SB-C	4" Stub Back		259
ARR-3021HBS-C	20" High Back with Shelf		650
ARR-30CB-C	Stainless Steel Curb Base		220
ARR-2LC-C	Stainless Steel Leg Caps (2)		104
ARR2CAS-C	Set of 2 Casters with adjustable height (rear mount only)		159
ARR-CUTB-12-C	12" Cutting Board		159
ARR-PGP12-C	12" Removable Heavy Duty Griddle Plate (for chrome finish add \$315)		479
R31005	Porcelainized Broiler Pan		73
ARR-WOK-C	Wok Adapter for Burner Grate		108
R31013	Extra Oven Rack		179

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L= LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
when ordering.

Electrical Requirements:
120VAC, 15 Amps, 60 Hz, Single Phase



ARR-636

Shown with optional 4" riser and leg caps.

RANGE FEATURES

- 3 sizes of burners to serve your everyday needs:
17,000 BTU (lg), 13,000 BTU (med), 9,000 BTU (sm)
- **Stainless Steel Island Back Trim included & installed**
- One piece durable precision frame construction oven front
- Ceramic Infrared Broiler provides rapid searing at 1,800°F
- Quick Preheat times and uniform cooking temperatures are created with a 28,000 BTU Bake Burner
- Innovection® System with convection fan optimizes uniform air flow
- Multiple functions include: Standard Bake, Innovection® Convection Bake, Infrared Broil and Fan mode
- Extra-large viewing window in oven door
- Accommodates full size commercial sheet pan
- 3yr Warranty

36" GAS RANGES
DESIGNED & BUILT IN USA
 PROFESSIONAL COOKING EQUIPMENT

Model		Description	Dealers Cost	MAP
ARR-636		Cuisine Range with 6 sealed gas burners, 36" Innovection® oven with infrared broiler. Island back included and installed.		\$ 4,999
ARR-436GD		Cuisine Range with 4 sealed gas burners with 11" griddle, 36" Innovection® oven with infrared broiler. Island back included and installed.		5,999
ARR-436GR		Cuisine Range with 4 sealed gas burners with 11" grill, 36" Innovection® oven with infrared broiler. Island back included and installed.		5,999

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.

L = LP Gas Example: AROFG-30L represents unit to be built for LP gas.

 Must specify elevation if over 2,000 ft.
 when ordering.

 Electrical Requirements:
 120VAC, 15 Amps, 60 Hz, Single Phase


36" GAS RANGE ACCESSORIES & OPTIONS

Part Number	Description	Dealers Cost	MAP
ARR-36SIB-C	1" Fabricated Island Back		\$ 265
ARR-36IB-C	1" Welded Island Back		299
ARR-364SB-C	4" Stub Back		325
ARR-3621HBS-C	20" High Back with Shelf		795
ARR-36CB-C	Stainless Steel Curb Base		298
ARR-2LC-C	Stainless Steel Leg Caps (2)		104
ARR2CAS-C	Set of 2 Casters with adjustable height (rear mount only)		168
ARR-CUTB-12-C	12" Cutting Board		159
ARR-GDCOV12-S-C	12" Griddle Cover		225
ARR-GRCOV12-C	12" Grill Cover		225
ARR-PGP12-C	12" Removable Heavy Duty Griddle Plate (for chrome finish add \$315)		479
ARR-PGP24-C	24" Removable Heavy Duty Griddle Plate (for chrome finish add \$420)		579
MCII-FS-C	11" Mirror Chrome Finish Flat Griddle Plate (replaces standard griddle plate)		759
MCII-GG-C	11" Mirror Chrome Finish Grooved Griddle Plate (replaces standard griddle plate)		1,179
R31005	Porcelainized Broiler Pan		73
ARR-WOK-C	Wok Adapter for Burner Grate		108
R31014	Extra Oven Rack		189

MIRROR CHROME FINISH GRIDDLE PLATES UPGRADE



MCII-FS
11" Flat



MCII-GG
11" Grooved

When ordering mirror chrome finish griddle plate,
indicate griddle plate part number of the range to be fitted.



N=Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
when ordering.

Electrical Requirements:
120VAC, 15 Amps, 60 Hz, Single Phase



Available in sizes: 30", 36," 48" and 60"

FEATURES

- 3 sizes of burners to serve your everyday needs: 25,000 BTU (lg), 18,000 BTU (med) and 12,000 BTU (sm)
- True commercial lift-off burners deliver exceptional performance at every power level and provide for easy cleaning
- **Stainless Steel Island Back Trim included & installed**
- Continuous and flush commercial-grade cast iron grates allow for easy transfer of pots and pans across the entire cooking surface
- Variable infinite flame settings for all open top burners
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Porcelainized burner pans catch spills and lift out for easy cleaning
- Removable Stainless Steel tray catches spills
- Analog controls provide easy, push and turn operation ensuring child safety
- Blue LED light indicates oven functions
- Heavy duty metal die-cast black satin knobs with chrome bezels
- One piece durable precision frame construction oven front
- Innovection® System with convection fan optimizes uniform air flow
- Multiple functions include: Standard Bake, Innovection® Convection Bake, Infrared Broil and Fan mode
- Front panel switch controls oven lighting for optimal visibility
- Accommodates full size commercial sheet pan
- Two chrome plated heavy duty racks with 5 (including base) positions on heavy chrome side supports
- Porcelainized oven interior simplifies cleaning
- Extra-large viewing window in oven door
- Ceramic Infrared Broiler provides rapid searing at 1,800°F
- Quick Preheat times and uniform cooking temperatures are created with a 28,000 BTU Bake Burner
- Traditional and Convection Bake can be controlled to provide a range of 200°F to 500°F
- Center grate included on 30" range
- 3yr Warranty

ACCESSORIES & OPTIONS

- Mirror chrome finish griddle plates available in flat surface & grooved surfaces.
- 1" Island back
- 4" Stub back
- 20" High back with shelf
- Leg caps
- Curb base
- Removable griddle plate
- Grill cover
- Broiler pan
- Casters
- Wok Adapter
- Griddle cover



ARROB-430

Shown with optional 4" riser and leg caps.

RANGE FEATURES

- 3 sizes of burners to serve your everyday needs: 25,000 BTU (lg), 18,000 BTU (med) and 12,000 BTU (sm)
- **Stainless Steel Island Back Trim included & installed**
- Ceramic Infrared Broiler provides rapid searing at 1,800°F
- Quick Preheat times and uniform cooking temperatures are created with a 28,000 BTU Bake Burner
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Innovection® System with convection fan optimizes uniform air flow
- Multiple functions include: Standard Bake, Innovection® Convection Bake, Infrared Broil and Fan mode
- Extra-large viewing window in oven door
- Accommodates full size commercial sheet pan
- Center grate included
- 3yr Warranty

30" GAS RANGE
DESIGNED & BUILT IN USA
 PROFESSIONAL COOKING EQUIPMENT

Model		Description	Dealers Cost	MAP
ARROB-430		Performer Range with 4 lift-off open gas burners, 30" Innovection® oven with infrared broiler. Island back included and installed.		\$ 3,699

30" GAS RANGE ACCESSORIES & OPTIONS

Part Number	Description	Retail	MAP
ARR-30SIB-P	1" Fabricated Island Back		\$ 229
ARR-30IB-P	1" Welded Island Back		249
ARR-304SB-P	4" Stub Back		259
ARR-3021HBS-P	20" High Back with Shelf		650
ARR-30CB-P	Stainless Steel Curb Base		220
ARR-2LC-P	Stainless Steel Leg Caps (2)		104
ARR2CAS-P	Set of 2 Casters with adjustable height (rear mount only)		168
ARR-CUTB-12-P	12" Cutting Board		159
ARR-PGP12-P	12" Removable Heavy Duty Griddle Plate (for chrome finish add \$315)		479
R31005	Procelainized Broiler Pan		73
ARR-WOK-P	Wok Adapter for Burner Grate		108
R31013	Extra Oven Rack		179

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
 when ordering.

Electrical Requirements:
 120VAC, 15 Amps, 60 Hz, Single Phase



ARROB-636

Shown with optional 4" riser and leg caps.

RANGE FEATURES

- 3 sizes of burners to serve your everyday needs:
25,000 BTU (lg), 18,000 BTU (med) and 12,000 BTU (sm)
- **Stainless Steel Island Back Trim included & installed**
- Ceramic Infrared Broiler provides rapid searing at 1,800°F
- Quick Preheat times and uniform cooking temperatures are created with a 28,000 BTU Bake Burner
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Innovection® System with convection fan optimizes uniform air flow
- Multiple functions include: Standard Bake, Innovection® Convection Bake, Infrared Broil and Fan mode
- Extra-large viewing window in oven door
- Accommodates full size commercial sheet pan
- 3yr Warranty

36" GAS RANGES

DESIGNED & BUILT IN USA
PROFESSIONAL COOKING EQUIPMENT

Model		Description	Dealers Cost	MAP
ARROB-636		Performer Range 6 lift-off open gas burners, 36" Innovection® oven with infrared broiler. Island back included and installed.		\$ 4,999
ARROB-436GD		Performer Range with 4 open gas burners with 1 1" griddle, 36" Innovection® oven with infrared broiler. Island back included and installed.		5,999
ARROB-436GR		Performer Range with 4 open gas burners with 1 1" grill, 36" Innovection® oven with infrared broiler. Island back included and installed.		5,999

N= Natural Gas
L = LP Gas

Must provide **N** or **L** after model number for type of gas needed.
Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
when ordering.

Electrical Requirements:
120 VAC, 15 Amps, 60 Hz, Single Phase

36" GAS RANGE ACCESSORIES & OPTIONS

Part Number	Description	Dealers Cost	MAP
ARR-36SIB-P	1" Fabricated Island Back		\$ 265
ARR-36IB-P	1" Welded Island Back		299
ARR-364SB-P	4" Stub Back		325
ARR-3621HBS-P	20" High Back with Shelf		795
ARR-36CB-P	Stainless Steel Curb Base		298
ARR-2LC-P	Stainless Steel Leg Caps (2)		104
ARR2-CAS-P	Set of 2 Casters with adjustable height (rear mount only)		168
ARR-CUTB-12-P	12" Cutting Board		159
ARR-GDCOV12-S-P	12" Griddle Cover		225
ARR-GRCOV12-P	12" Grill Cover		225
ARR-PGP12-P	12" Removable Heavy Duty Griddle Plate (for chrome finish add \$315)		479
ARR-PGP24-P	24" Removable Heavy Duty Griddle Plate (for chrome finish add \$420)		579
MC11-FS-P	11" Mirror Chrome Finish Flat Griddle Plate (replaces standard griddle plate)		759
MC11-GG-P	11" Mirror Chrome Finish Grooved Griddle Plate (replaces standard griddle plate)		1,179
R31005	Porcelanized Broiler Pan		73
ARR-WOK-P	Wok Adapter for Burner Grate		108
R31014	Extra Oven Rack		189

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
 when ordering.

Electrical Requirements:
 120 VAC, 15 Amps, 60 Hz, Single Phase



Shown with optional chrome griddle
with separator, 4" riser, and leg caps.

ARROB-4482GD

RANGE FEATURES

- 3 sizes of burners to serve your everyday needs: 25,000 BTU (lg), 18,000 BTU (med), 12,000 BTU (sm)
- Stainless Steel Island Back Trim included & installed
- Lights in each oven are controlled from front panel switch
- Ceramic Infrared broiler burner provides rapid searing at 1,800°F
- Quick Preheat times and uniform cooking temperatures are created with a 28,000 BTU Bake Burner
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Innovection® System fan optimizes uniform air flow
- Multiple functions include: Standard Bake, Innovection® Convection Bake, Infrared Broil and Fan mode in the 30" oven
- Extra-large viewing window in oven door
- Accommodates full size commercial sheet pan in 30" oven
- 3yr Warranty



48" GAS RANGES

DESIGNED & BUILT IN USA
 PROFESSIONAL COOKING EQUIPMENT

Model		Description	Dealers Cost	MAP
ARROB-848		Performer Range with 8 lift-off open gas burners with 18" bake oven & 30" Innovection oven with infrared broiler and convection oven.		\$7,599
ARROB-648GD		Performer Range with 6 lift-off open gas burners with 11" griddle, 18" bake oven & 30" Innovection® oven with infrared broiler and convection oven.		6,999
ARROB-648GR		Performer Range with 6 lift-off open gas burners with 11" grill, 18" bake oven & 30" Innovection® oven with infrared broiler and convection oven.		7,999
ARROB-448GDGR		Performer Range with 4 lift-off open gas burners with 11" griddle and 11" grill, 18" bake oven & 30" Innovection® oven with infrared broiler and convection oven.		8,499
ARROB-4482GD		Performer Range with 4 lift-off open gas burners with 22" griddle, 18" bake oven & 30" Innovection® oven with infrared broiler and convection oven.		8,499
ARROB-448X2GR		Performer Range with 4 lift-off open gas burners with (2) 11" grills, 18" bake oven & 30" Innovection® oven with infrared broiler and convection oven.		8,499

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
when ordering.

Electrical Requirements:
120 VAC, 15 Amps, 60 Hz, Single Phase


48" GAS RANGE ACCESSORIES & OPTIONS

Part Number	Description	Dealers Cost	MAP
ARR-48SIB-P	1" Fabricated Island Back		\$ 339
ARR-48IB-P	1" Welded Island Back		395
ARR-484SB-P	4" Stub Back		420
ARR-482IHBS-P	20" High Back with Shelf		995
ARR-48CB-P	Stainless Steel Curb Base		348
ARR-3LC-P	Stainless Steel Leg Caps (3)		126
ARR-3CAS-P	Set of 3 Casters with adjustable height (rear mount only)		198
ARR-CUTB-12-P	12" Cutting Board		159
ARR-GDCOV12-S-P	12" Griddle Cover		225
ARR-GRCOV12-P	12" Grill Cover		225
ARR-PGP12-P	12" Removable Heavy Duty Griddle Plate (for chrome finish add \$315)		479
ARR-PGP24-P	24" Removable Heavy Duty Griddle Plate (for chrome finish add \$420)		579
ARR-GDCOV24-S-P	24" Griddle Cover		295
ARR-GRCOV24-P	24" Grill Cover		295
MC11-FS-P	11" Mirror Chrome Finish Flat Griddle Plate All Flat Surface		759
MC11-GG-P	11" Mirror Chrome Finish Grooved Griddle Plate		1,179
MC22-FS-P	22" Mirror Chrome Finish Flat Griddle Plate		1,539
MC22-HG-P	22" Mirror Chrome Finish Left Half Flat & Right Half Grooved Griddle Plate		1,996
MC22-GG-P	22" Mirror Chrome Finish All Grooved Griddle Plate		2,559
MC22-SP-P	22" Mirror Chrome Finish Griddle Plate with Flavor Separator at Center		1,619
R31005	Porcelanized Broiler Pan		73
ARR-WOK-P	Wok Adapter for Burner Grate		108
R31011	Extra Oven Rack for 18" Oven		149
R31013	Extra Oven Rack for 30" Oven		179


MIRROR CHROME FINISH GRIDDLE PLATES UPGRADE




MC11-FS
11" Flat




MC11-GG
11" Grooved




MC22-FS
22" Flat



MC22-SP
22" Flavor Separator



MC22-HG
22" Flat & Grooved



MC22-GG
22" Grooved

When ordering mirror chrome finish griddle plate,
indicate griddle plate part number of the range to be fitted.



Shown with optional chrome griddle
with separator, 4" riser, and leg caps.

ARROB-660GDGR

RANGE FEATURES

- 3 sizes of burners to serve your everyday needs: 25,000 BTU (lg), 18,000 BTU (med) and 12,000 BTU (sm)
- Stainless Steel Island Back Trim included & installed
- Ceramic Infrared Broiler provides rapid searing at 1,800°F
- Quick Preheat times and uniform cooking temperatures are created with a 28,000 BTU Bake Burner
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Innovection® System with convection fan optimizes uniform air flow
- Multiple functions include: Standard Bake, Innovection® Convection Bake, Infrared Broil and Fan mode
- Extra-large viewing window in oven door
- Accommodates full size commercial sheet pan
- Center grate included
- 3yr Warranty



60" GAS RANGES

DESIGNED & BUILT IN USA
 PROFESSIONAL COOKING EQUIPMENT

Model		Description	Dealers Cost	MAP
ARROB-6602GD		Performer Range with 6 lift-off open gas burners with 22" wide griddle (2) 30" Innovection® ovens with infrared broiler and convection ovens.		\$ 11,999
ARROB-660X2GR		Performer Range with 6 lift-off open gas burners with (2) 11" wide grills (2) 30" Innovection® ovens with infrared broiler and convection ovens.		11,999
ARROB-660GDGR		Performer Range with 6 lift-off open gas burners with 11" wide griddle and 11" grill, (2) 30" Innovection® ovens with infrared broiler and convection ovens.		11,999

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
when ordering.

Electrical Requirements:
120VAC, 15 Amps, 60 Hz, Single Phase


60" GAS RANGE ACCESSORIES & OPTIONS

Part Number	Description	Dealers Cost	MAP
ARR-60SIB-P	1" Fabricated Island Back		\$ 429
ARR-60IB-P	1" Welded Island Back		495
ARR-604SB-P	4" Stub Back		650
ARR-602IHBS-P	20" High Back with Shelf		1,280
ARR-60CB-P	Stainless Steel Curb Base		419
ARR-3LC-P	Stainless Steel Leg Caps (3)		126
ARR-3CAS-P	Set of 3 Casters with adjustable height (rear mount only)		198
ARR-CUTB-12-P	12" Cutting Board		159
ARR-GDCOV12-S-P	12" Griddle Cover		225
ARR-GRCOV12-P	12" Grill Cover		225
ARR-PGP12-P	12" Removable Heavy Duty Griddle Plate (for chrome finish add \$315)		479
ARR-PGP24-P	24" Removable Heavy Duty Griddle Plate (for chrome finish add \$420)		579
ARR-GDCOV24-S-P	24" Griddle Cover		295
ARR-GRCOV24-P	24" Grill Cover		295
MC11-FS-P	11" Mirror Chrome Finish Flat Griddle Plate		759
MC11-GG-P	11" Mirror Chrome Finish Grooved Griddle Plate		1,179
MC22-FS-P	22" Mirror Chrome Finish Flat Griddle Plate		1,539
MC22-HG-P	22" Mirror Chrome Finish Left Half Flat & Right Half Grooved Griddle Plate		1,996
MC22-GG-P	22" Mirror Chrome Finish Grooved Griddle Plate		2,559
MC22-SP-P	22" Mirror Chrome Finish Griddle Plate with Flavor Separator at Center		1,619
R31005	Porcelanized Broiler Pan		73
ARR-WOK-P	Wok Adapter for Burner Grate		108
R31013	Extra Oven Rack		179


MIRROR CHROME FINISH GRIDDLE PLATES UPGRADE




MC11-FS
11" Flat




MC11-GG
11" Grooved




MC22-FS
22" Flat



MC22-SP
22" Flavor Separator



MC22-HG
22" Flat & Grooved



MC22-GG
22" Grooved

When ordering mirror chrome finish griddle plate,
indicate griddle plate part number of the range to be fitted.



N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
when ordering.

Electrical Requirements:
120VAC, 15 Amps, 60 Hz, Single Phase



FEATURES

- 3 sizes of burners to serve your everyday needs:
17,000 BTU (lg), 13,000 BTU (med), 9,000 BTU (sm)
- Continuous and flush commercial-grade cast iron grates allow for easy transfer of pots and pans across the entire cooking surface
- Sealed burners deliver exceptional performance at every level of setting and lift off to provide easy cleanup
- Sealed burners create simmer temperatures at minimum setting
- Variable infinite flame settings for all sealed top burners
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Sealed Single Piece tooled Stainless Steel cook top can hold more than a gallon of spills
- Analog controls provide easy, push and turn operation ensuring child safety
- Blue LED lights indicate flame and oven functions provided with every knob
- Heavy metal die-cast black satin knobs with chrome bezels
- Innovation® System with two convection fans optimizes uniform air flow
- Multiple functions include: Standard Bake, Innovation® Convection Bake, Infrared Broil and Fan mode
- Two lights in each oven are controlled from front panel switch
- Accommodates full size commercial sheet pan (except 24")
- Two chrome racks glide at 5 (including base) cooking levels on heavy chrome side supports
- Porcelainized oven interior simplifies cleaning
- Extra-large viewing window in oven door
- Inconel Banquet™ broiler burner provides rapid searing at 1,800°F
- Quick Preheat times and uniform cooking temperatures are created with a 30,000 BTU Bake Burner
- Traditional and Convection Bake can be controlled to provide a range of 200°F to 500°F
- **Backguard required, must order separately (not included)**
- 3yr Warranty

ACCESSORIES & OPTIONS

- Mirror chrome finish griddle plates available in flat surface & grooved surfaces.
- 1" Island back
- 4" Stub back
- 20" High back with shelf
- Leg caps
- Curb base
- Removable griddle plate
- Grill cover
- Broiler pan
- Casters
- Wok Adapter
- Griddle Cover
- Cooktop Covers

Available in sizes: 24", 30", 36", 48" and 60"



ARR-244

Shown with optional 4" riser and leg caps.

RANGE FEATURES


- 3 sizes of burners to serve your everyday needs: 17,000 BTU (lg), 13,000 BTU (med) and 9,000 BTU (sm)
- Blue LED lights indicate flame and oven functions provided with every knob
- Two lights in each oven are controlled from front panel switch
- Inconel® Banquet broiler burner provides rapid searing at 1,800°F
- Quick Preheat times and uniform cooking temperatures are created with a 30,000 BTU Bake Burner
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Innvection® System with two convection fans optimizes uniform air flow
- Multiple functions include: Standard Bake, Innvection® Convection Bake, Infrared Broil and Fan mode
- **Backguard required, must order separately (not included)**
- 3yr Warranty

24" GAS RANGE
DESIGNED & BUILT IN USA
 PROFESSIONAL COOKING EQUIPMENT

Model	Description	Dealers Cost	MAP
ARR-244	Heritage Classic Range with 4 sealed gas burners, 24" Innvection® oven with Inconel® infrared broiler.	\$ 3,699	

24" GAS RANGE ACCESSORIES & OPTIONS

Part Number	Description	Retail	MAP
ARR-24SIB-H	1" Fabricated Island Back	\$ 229	
ARR-24IB-H	1" Welded Island Back	249	
ARR-244SB-H	4" Stub Back	259	
ARR-2421HBS-H	20" High Back with Shelf	650	
ARR-24CB-H	Stainless Steel Curb Base	199	
ARR-2LC-H	Stainless Steel Leg Caps (2)	104	
ARR-2CAS-H	Set of 2 Casters with adjustable height (rear mount only)	168	
ARR-CUTB-12-H	12" Cutting Board	159	
ARR-PGP12-H	12" Removable Heavy Duty Griddle Plate (for chrome finish add \$315)	479	
R3I005	Porcelainized Broiler Pan	73	
ARR-WOK-H	Wok Adapter for Burner Grate	108	
R3I012	Extra Oven Rack	159	
ARR24CC-H	Cooktop Cover Heritage 24" 4 Burner Stainless Steel	316	

Cooktop Covers

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L= LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
 when ordering.

Electrical Requirements:
 120VAC, 15 Amps, 60 Hz, Single Phase



ARR-304

Shown with optional 4" riser and leg caps.

RANGE FEATURES


- 3 sizes of burners to serve your everyday needs:
17,000 BTU (lg), 13,000 BTU (med), 9,000 BTU (sm)
- Blue LED lights indicate flame and oven functions provided with every knob
- Two lights in each oven are controlled from front panel switch
- Inconel® Banquet broiler burner provides rapid searing at 1,800°F
- Quick Preheat times and uniform cooking temperatures are created with a 30,000 BTU Bake Burner
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Innovection® System with two convection fans optimizes cooking air flow
- Multiple functions include: Standard Bake, Innovection® Convection Bake, Infrared Broil and Fan mode
- Extra-large viewing window in oven door
- Accommodates full size commercial sheet pan
- **Backguard required, must order separately (not included)**
- 3yr Warranty

30" GAS RANGE
DESIGNED & BUILT IN USA
 PROFESSIONAL COOKING EQUIPMENT

Model	Description	Dealers Cost	MAP
ARR-304	Heritage Classic Range with 4 sealed gas burners, 30" Innovection® oven with Inconel® infrared broiler.	\$ 4,299	

30" GAS RANGE ACCESSORIES & OPTIONS

Part Number	Description	Retail	MAP
ARR-30SIB-H	1" Fabricated Island Back		\$ 229
ARR-30IB-H	1" Welded Island Back		249
ARR-304SB-H	4" Stub Back		259
ARR-3021HBS-H	20" High Back with Shelf		650
ARR-30CB-H	Stainless Steel Curb Base		220
ARR-2LC-H	Stainless Steel Leg Caps (2)		104
ARR-2CAS-H	Set of 2 Casters with adjustable height (rear mount only)		168
ARR-CUTB-12-H	12" Cutting Board		159
ARR-PGP12-H	12" Removable Heavy Duty Griddle Plate (for chrome finish add \$315)		479
R31005	Porcelainized Broiler Pan		73
ARR-WOK-H	Wok Adapter for Burner Grate		108
R31013	Extra Oven Rack		179
ARR30CC-H	Cooktop Cover Heritage 30" 4 Burner Stainless Steel Only		349

Cooktop Covers

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed. Must specify elevation if over 2,000 ft.
L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Electrical Requirements:
 120VAC, 15 Amps, 60 Hz, Single Phase



ARR-366


Shown with optional 4" riser and leg caps.

RANGE FEATURES


- 3 sizes of burners to serve your everyday needs:
17,000 BTU (lg), 13,000 BTU (med), 9,000 BTU (sm)
- Blue LED lights indicate flame and oven functions provided with every knob
- Two lights in each oven are controlled from front panel switch
- Inconel® Banquet broiler burner provides rapid searing at 1,800°F
- Quick Preheat times and uniform cooking temperatures are created with a 30,000 BTU Bake Burner
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Innovection® System with two convection fans optimizes uniform air flow
- Multiple functions include: Standard Bake, Innovection® Convection Bake, Infrared Broil and Fan mode
- Extra-large viewing window in oven door
- Accommodates full size commercial sheet pan
- **Backguard required, must order separately (not included)**
- 3yr Warranty

DESIGNED & BUILT IN USA
 PROFESSIONAL COOKING EQUIPMENT
36" GAS RANGES


Model		Description	Dealers Cost	MAP
ARR-366		Heritage Classic Range with 6 sealed gas burners, 36" Innovection® oven with Inconel® infrared broiler.		\$ 5,699
ARR-364GD		Heritage Classic Range with 4 sealed gas burners with 11" griddle 36" Innovection® oven with Inconel® infrared broiler. Available in chrome finish as an upgrade.		6,499
ARR-364GR		Heritage Classic Range with 4 sealed gas burners with 11" grill 36" Innovection® oven with Inconel® infrared broiler.		6,499

Cooktop Covers

ARR 36 LCC



ARR 36 RCC



ARR 36 CC

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.



Must specify elevation if over 2,000 ft.
when ordering.

Electrical Requirements:
120VAC, 15 Amps, 60 Hz, Single Phase

36" GAS RANGE ACCESSORIES & OPTIONS

Part Number	Description	Dealers Cost	MAP
ARR-36SIB-H	1" Fabricated Island Back		\$ 265
ARR-36IB-H	1" Welded Island Back		299
ARR-364SB-H	4" Stub Back		325
ARR-362IHBS-H	20" High Back with Shelf		795
ARR-36CB-H	Stainless Steel Curb Base		298
ARR-2LC-H	Stainless Steel Leg Caps (2)		104
ARR-2CAS-H	Set of 2 Casters with adjustable height (rear mount only)		168
ARR-CUTB-12-H	12" Cutting Board		159
ARR-GDCOV12-S-H	12" Griddle Cover		225
ARR-GRCOV12-H	12" Grill Cover		225
ARR-PGP12-H	12" Removable Heavy Duty Griddle Plate (for chrome finish add \$315)		479
ARR-PGP24-H	24" Removable Heavy Duty Griddle Plate (for chrome finish add \$420)		579
MC11-FS-H	11" Mirror Chrome Finish Flat Griddle Plate (replaces standard griddle plate)		759
MC11-GG-H	11" Mirror Chrome Finish Grooved Griddle Plate (replaces standard griddle plate)		1,179
R31005	Porcelainized Broiler Pan		73
ARR-WOK-H	Wok Adapter for Burner Grate		108
R31014	Extra Oven Rack		189
ARR36LCC-H	Cooktop Cover Heritage 36" Left Side Stainless Steel Only		285
ARR36RCC-H	Cooktop Cover Heritage 36" Right Side Stainless Steel Only		285
ARR36CC-H	Cooktop Cover Heritage 36" 6 Burner Stainless Steel Only		422

MIRROR CHROME FINISH GRIDDLE PLATES UPGRADE


 MC11-FS
 11" Flat

 MC11-GG
 11" Grooved

When ordering mirror chrome finish griddle plate,
indicate griddle plate part number of the range to be fitted.



N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L= LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
when ordering.

Electrical Requirements:
120VAC, 15 Amps, 60 Hz, Single Phase



Shown with optional chrome griddle
with separator, 4" riser, and leg caps.

ARR-4842GD

RANGE FEATURES


- 3 sizes of burners to serve your everyday needs:
17,000 BTU (lg), 13,000 BTU (med), 9,000 BTU (sm)
- Blue LED lights indicate flame and oven functions provided with every knob
- Two lights in each oven are controlled from front panel switch
- Inconel® Banquet broiler burner provides rapid searing at 1,800°F
- Quick Preheat times and uniform cooking temperatures are created with a 30,000 BTU Bake Burner
- Fail-safe system ensures re-ignition in the event the goes out even on the lowest burner setting
- Innovection® System with two convection fans optimizes uniform flow air
- Multiple functions include: Standard Bake, Innovection® Convection Bake, Infrared Broil and Fan mode
- Extra-large viewing window in oven door
- Accommodates full size commercial sheet pan
- **Backguard required, must order separately (not included)**
- 3yr Warranty

DESIGNED & BUILT IN USA
PROFESSIONAL COOKING EQUIPMENT


48" GAS RANGES

Model		Description	Dealers Cost	MAP
ARR-486GD		Heritage Classic Range with 6 sealed gas burners with 11" griddle, 18" & 30" Innovection® ovens with Inconel® infrared broiler in each oven. 18" oven is a fully functional bake and convection oven.		\$ 8,299
ARR-486GR		Heritage Classic Range with 6 sealed gas burners with 11" grill, 18" & 30" Innovection® ovens with Inconel® infrared broiler in each oven. 18" oven is a fully functional bake and convection oven.		8,299
ARR-484GDGR		Heritage Classic Range with 4 sealed gas burners with 11" griddle and 11" grill 18" & 30" Innovection® ovens with Inconel® infrared broiler in each oven. 18" oven is a fully functional bake and convection oven.		9,299
ARR-4842GD		Heritage Classic Range with 4 sealed gas burners with 22" griddle, 18" & 30" Innovection® ovens with Inconel® infrared broiler in each oven. 18" oven is a fully functional bake and convection oven.		9,999
ARR-484X2GR		Heritage Classic Range with 4 sealed gas burners with (2) 11" grills 18" & 30" Innovection® ovens with Inconel® infrared broiler in each oven. 18" oven is a fully functional bake and convection oven.		9,999


Cooktop Covers



ARR48LCC



ARR48RCC



ARR48CC

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
when ordering.

Electrical Requirements:
120 VAC, 15 Amps, 60 Hz, Single Phase

48" GAS RANGE ACCESSORIES & OPTIONS

Part Number	Description	Dealers Cost	MAP
ARR-48SIB-H	1" Fabricated Island Back		\$ 339
ARR-48IB-H	1" Welded Island Back		395
ARR-484SB-H	4" Stub Back		420
ARR-482IHBS-H	20" High Back with Shelf		995
ARR-48CB-H	Stainless Steel Curb Base		348
ARR-3LC-H	Stainless Steel Leg Caps (3)		126
ARR-3CAS-H	Set of 3 Casters with adjustable height (rear mount only)		198
ARR-CUTB-12-H	12" Cutting Board		159
ARR-GDCOV12-S-H	12" Griddle Cover		225
ARR-GRCOV12-H	12" Grill Cover		225
ARR-PGP12-H	12" Removable Heavy Duty Griddle Plate (for chrome finish add \$315)		479
ARR-PGP24-H	24" Removable Heavy Duty Griddle Plate (for chrome finish add \$420)		579
ARR-GDCOV24-S-H	24" Griddle Cover		295
ARR-GRCOV24-H	24" Grill Cover		295
MC11-FS-H	11" Mirror Chrome Finish Flat Griddle Plate All Flat Surface		759
MC11-GG-H	11" Mirror Chrome Finish Grooved Griddle Plate		1,179
MC22-FS-H	22" Mirror Chrome Finish Flat Griddle Plate		1,539
MC22-HG-H	22" Mirror Chrome Finish Left Half Flat & Right Half Grooved Griddle Plate		1,996
MC22-GG-H	22" Mirror Chrome Finish All Grooved Griddle Plate		2,559
MC22-SP-H	22" Mirror Chrome Finish Griddle Plate with Flavor Separator at Center		1,619
R31005	Porcelanized Broiler Pan		73
ARR-WOK-H	Wok Adapter for Burner Grate		108
R31011	Extra Oven Rack for 18" Oven		149
R31013	Extra Oven Rack for 30" Oven		179
ARR48LCC-H	Cooktop Cover Heritage 48" Left Side Stainless Steel Only		285
ARR48RCC-H	Cooktop Cover Heritage 48" Right Side Stainless Steel Only		285
ARR48CC-H	Cooktop Cover Heritage 48" 4 Burner Stainless Steel Only		349

N= Natural Gas Must provide N or L after model number for type of gas needed.
 L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
 when ordering.

Electrical Requirements:
 120 VAC, 15 Amps, 60 Hz, Single Phase



ARR-606GDGR


Shown with optional 4" riser and leg caps.

RANGE FEATURES


- 3 sizes of burners to serve your everyday needs:
17,000 BTU (lg), 13,000 BTU (med), 9,000 BTU (sm)
- Blue LED lights indicate flame and oven functions provided with every knob
- Two lights in each oven are controlled from front panel switch
- Inconel® Banquet broiler burner provides rapid searing at 1,800°F
- Quick Preheat times and uniform cooking temperatures are created with a 30,000 BTU Bake Burner
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Innovection® System with two convection fans optimized uniform air flow
- Multiple functions include: Standard Bake, Innovection® Convection Bake, Infrared Broil and Fan mode
- Extra-large viewing window in oven door
- Accommodates full size commercial sheet pan
- **Backguard required, must order separately (not included)**
- 3yr Warranty

60" GAS RANGES

Model		Description	Dealers Cost	MAP
ARR-606GD		Heritage Classic Range with 6 sealed gas burners with 22" wide griddle (2) 30" Innovection® ovens with Inconel® infrared broiler in each oven.		\$11,299
ARR-606X2GR		Heritage Classic Range with 6 sealed gas burners with (2) 11" wide grills (2) 30" Innovection® ovens with Inconel® infrared broiler in each oven.		11,299
ARR-606GDGR		Heritage Classic Range with 6 sealed gas burners with 11" wide griddle and 11" grill, (2) 30" Innovection® ovens with Inconel® infrared broiler in each oven.		11,299

Cooktop Covers

ARR60CC



ARR60LCC

DESIGNED & BUILT IN USA
 PROFESSIONAL COOKING EQUIPMENT

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L= LP Gas Example: AROFG-30L, represents unit to be built for LP gas.






Must specify elevation if over 2,000 ft.
 when ordering

Electrical Requirements:
 120VAC, 15 Amps, 60 Hz, Single Phase

60" GAS RANGE ACCESSORIES & OPTIONS

Part Number	Description	Dealers Cost	MAP
ARR-60SIB-H	1" Fabricated Island Back	\$ 429	
ARR-60IB-H	1" Welded Island Back	495	
ARR-604SB-H	4" Stub Back	650	
ARR-602IHBS-H	20" High Back with Shelf	1,280	
ARR-60CB-H	Stainless Steel Curb Base	419	
ARR-3LC-H	Stainless Steel Leg Caps (3)	126	
ARR-3CAS-H	Set of 3 Casters with adjustable height (rear mount only)	198	
ARR-CUTB-12-H	12" Cutting Board	159	
ARR-GDCOVI2-S-H	12" Griddle Cover	225	
ARR-GRCOVI2-H	12" Grill Cover	225	
ARR-PGP12-H	12" Removable Heavy Duty Griddle Plate (for chrome finish add \$315)	479	
ARR-PGP24-H	24" Removable Heavy Duty Griddle Plate (for chrome finish add \$420)	579	
ARR-GDCOV24-S-H	24" Griddle Cover	295	
ARR-GRCOV24-H	24" Grill Cover	295	
MC11-FS-H	11" Mirror Chrome Finish Flat Griddle Plate	759	
MC11-GG-H	11" Mirror Chrome Finish Grooved Griddle Plate	1,179	
MC22-FS-H	22" Mirror Chrome Finish Flat Griddle Plate	1,539	
MC22-HG-H	22" Mirror Chrome Finish Left Half Flat & Right Half Grooved Griddle Plate	1,996	
MC22-GG-H	22" Mirror Chrome Finish Grooved Griddle Plate	2,559	
MC22-SP-H	22" Mirror Chrome Finish Griddle Plate with Flavor Separator at Center	1,619	
R31005	Porcelanized Broiler Pan	73	
ARR-WOK-H	Wok Adapter for Burner Grate	108	
R31013	Extra Oven Rack	179	
ARR60CC-H	Cooktop Cover Heritage 60" 4 Burner Stainless Steel Only	349	
ARR60LCC-H	Cooktop Cover Heritage Left Side Stainless Steel Only	285	

MIRROR CHROME FINISH GRIDDLE PLATES UPGRADE

MC11-FS
11" FlatMC11-GG
11" GroovedMC22-FS
22" FlatMC22-SP
22" Flavor SeparatorMC22-HG
22" Flat & GroovedMC22-GG
22" Grooved

When ordering mirror chrome finish griddle plate,
indicate griddle plate part number of the range to be fitted.

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L= LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
when ordering.

Electrical Requirements:
120VAC, 15 Amps, 60 Hz, Single Phase



FEATURES

- 3 sizes of burners to serve your everyday needs:
17,000 BTU (lg), 13,000 BTU (med), 9,000 BTU (sm)
- Continuous and flush commercial-grade cast iron grates allow for easy transfer of pots and pans across the entire cooking surface
- Kitchen event timer built into the electronic control helps keep track of cooking events
- Sealed burners deliver exceptional performance at every level setting and lift off to provide easy clean-up
- Sealed burners create simmer temperatures at minimum setting
- Variable infinite flame settings for all sealed top burners
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Sealed Single Piece tooled Stainless Steel cook top can hold more than a gallon of spills
- Blue LED lights indicate flame and oven functions provided with every knob
- Heavy metal die-cast black satin knobs with chrome bezels
- Electronic keypad with blue VFD display
- Multiple functions include: Full Power modes for Standard Bake, Convection Bake, Infrared Broil, or Warm modes for Dehydrate, Crisping and Proofing
- Child lock-out function ensures safety
- Commercial grade high performance thermal insulation keeps kitchen cool
- Programmable timed self clean for effortless oven maintenance
- Two lights in each oven are controlled from front panel switch
- Accommodates full size commercial sheet pan for 36" only
- Two chrome racks glide at 5 (including base) cooking levels on heavy chrome side supports
- Commercial grade high temperature porcelainized oven interior makes for simple cleaning
- 3,500 Watt InstaglTM broiler reaches searing temperature in 3 seconds
- Straight ConvectionTM with a single high-speed convection fan, 2,200 Watt convection ring heater and proprietary, Stainless Steel air flow directors
- Infrared energy from hidden bake and broil elements shine through high transparency glass ceramic windows
- Stainless steel air flow directors provide even distribution of convection air for uniform oven temperatures
- Traditional and Convection Bake can be controlled to a range of 150°F to 550°F
- 3yr Warranty
- Backguard required, must order separately (not included)

ACCESSORIES & OPTIONS

- Mirror chrome finish griddle plates available in flat surface & grooved surfaces.
- 1" Island back
- 4" Stub back
- 20" High back with shelf
- Leg caps
- Curb base
- Removable griddle plate
- Grill cover
- Broiler pan
- Casters
- Wok Adapter
- Griddle cover
- Cooktop Covers

Available in sizes: 30", 36", 48" and 60"



ARR-304DF

Shown with optional 4" riser and leg caps.


30" DUAL FUEL RANGE

Model		Description	Dealers Cost	MAP
ARR-304DF		Medallion Range with 4 sealed gas burners, 30" electric self-clean oven and electric infrared broiler.		\$ 4,995

30" DUAL FUEL RANGE ACCESSORIES & OPTIONS

Part Number	Description	Retail	MAP
ARR-30SIB-M	1" Fabricated Island Back		\$ 229
ARR-30IB-M	1" Welded Island Back		249
ARR-304SB-M	4" Stub Back		259
ARR-3021HBS-M	20" High Back with Shelf		650
ARR-30CB-M	Stainless Steel Curb Base		220
ARR-2LC-M	Stainless Steel Leg Caps (2)		104
ARR-2CAS-M	Set of 2 Casters with adjustable height (rear mount only)		168
ARR-CUTB-12-M	12" Cutting Board		159
ARR-PGP12-M	12" Removable Heavy Duty Griddle Plate (for chrome finish add \$315)		479
R31005	Porcelanized Broiler Pan		73
ARR-WOK-M	Wok Adapter for Burner Grate		108
R31007	Extra Oven Rack		179
ARR30CC-M	Cooktop Cover Medallion 30" 4 Burner Stainless Steel Only		349

COOKTOP COVER



ARR30CC

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed. Must specify elevation if over 2,000 ft. when ordering. Electrical Requirements: 240 VAC, 25 Amps, 208 VAC, 25 Amps, Single Phase, 60 HZ

L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Medallion

Dual Fuel Self-Clean Ovens with Sealed Gas Burners

AMERICAN RANGE
QUALITY COOKING EQUIPMENT



Shown with optional 4" riser and leg caps.
ARR-366DF

RANGE FEATURES


- 3 sizes of burners to serve your everyday needs: 17,000 BTU (lg), 13,000 BTU (med), 9,000 BTU (sm)
- Kitchen event timer built into the electronic control helps keep track of cooking events
- Electronic keypad with blue VFD display
- Multiple functions include: Full Power modes for Standard Bake, Convection Bake, Infrared Broil, or Warm modes for Dehydrate, Crisping and Proofing
- Programmable timed self clean for effortless oven maintenance
- Two lights in each oven are controlled from front panel switch
- 3,500 Watt Instagrill™ broiler reaches searing temperature in 3 seconds
- Straight Convection™ with a single high-speed convection fan, 2,200 Watt convection ring heater and proprietary, Stainless Steel air flow directors
- Stainless Steel air flow directors provide even distribution of convection air for uniform oven temperatures
- Blue LED lights indicate flame and oven functions provided with every knob
- Commercial grade high performance thermal insulation keeps kitchen cool
- **Backguard required, must order separately (not included)**
- 3yr Warranty

36" DUAL FUEL RANGES


DESIGNED & BUILT IN USA
PROFESSIONAL COOKING EQUIPMENT

Model	Description	Dealers Cost	MAP
ARR-366DF		Medallion Range with 6 sealed gas burners, 36" electric self-clean oven and electric infrared broiler.	\$ 7,699
ARR-364GDDF		Medallion Range with 4 sealed gas burners with 11" griddle 36" electric self-clean oven with electric infrared broiler.	8,399
ARR-364GRDF		Medallion Range 4 sealed gas burners with 11" grill 36" electric self-clean oven with electric infrared broiler.	8,399


Cooktop Covers



ARR36LCC



ARR36RCC



ARR36CC

N= Natural Gas
L= LP Gas

Must provide **N** or **L** after model number for type of gas needed.
Example: AROFG-30L, represents unit to be built for LP gas.






Must specify elevation if over
2,000 ft. when ordering.

Electrical Requirements:
240 VAC, 25 Amps, 208 VAC, 25 Amps,
Single Phase, 60 HZ

36" DUAL FUEL RANGE ACCESSORIES & OPTIONS

Part Number	Description	Dealers Cost	MAP
ARR-36SIB-M	1" Fabricated Island Back		\$ 265
ARR-36IB-M	1" Welded Island Back		299
ARR-364SB-M	4" Stub Back		325
ARR-362IHBS-M	20" High Back with Shelf		795
ARR-36CB-M	Stainless Steel Curb Base		298
ARR-2LC-M	Stainless Steel Leg Caps (2)		104
ARR-2CAS-M	Set of 2 Casters with adjustable height (rear mount only)		168
ARR-CUTB-12-M	12" Cutting Board		159
ARR-GDCOV12-S-M	12" Griddle Cover		225
ARR-GRCOV12-M	12" Grill Cover		225
ARR-PGP12-M	12" Removable Heavy Duty Griddle Plate (for chrome finish add \$315)		479
ARR-PGP24-M	24" Removable Heavy Duty Griddle Plate (for chrome finish add \$420)		579
MC11-FS-M	11" Mirror Chrome Finish Flat Griddle Plate (replaces standard griddle plate)		759
MC11-GG-M	11" Mirror Chrome Finish Grooved Griddle Plate (replaces standard griddle plate)		1,179
R31005	Porcelainized Broiler Pan		73
ARR-WOK-M	Wok Adapter for Burner Grate		108
R31008	Extra Oven Rack		189
ARR36LCC-M	Cooktop Cover Medallion 36" Left Side Stainless Steel Only		285
ARR36RCC-M	Cooktop Cover Medallion 36" Right Side Stainless Steel Only		285
ARR36CC-M	Cooktop Cover Medallion 36" 6 Burner Stainless Steel Only		422

MIRROR CHROME FINISH GRIDDLE PLATES UPGRADE

MC11-FS
11" FlatMC11-GG
11" GroovedMC22-FS
22" FlatMC22-SP
22" Flavor SeparatorMC22-HG
22" Flat & GroovedMC22-GG
22" Grooved

When ordering mirror chrome finish griddle plate,
indicate griddle plate part number of the range to be fitted.

N= Natural Gas
L = LP Gas

Must provide **N** or **L** after model number for type of gas needed.
Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over
2,000 ft. when ordering.

Electrical Requirements:
240 VAC, 25 Amps, 208 VAC, 25 Amps,
Single Phase, 60 HZ

Medallion

Dual Fuel Self-Clean Ovens with Sealed Gas Burners

AMERICAN RANGE
QUALITY COOKING EQUIPMENT



Shown with optional chrome griddle with separator, 4" riser, and leg caps.

ARR-4842GDDF

RANGE FEATURES


- 3 sizes of burners to serve your everyday needs: 17,000 BTU (lg), 13,000 BTU (med), 9,000 BTU (sm)
- Kitchen event timer built into the electronic control helps keep track of cooking events
- Electronic keypad with blue VFD display
- Multiple functions include: Full Power modes for Standard Bake, Convection Bake, Infrared Broil, or Warm modes for Dehydrate, Crisping and Proofing
- Programmable timed self clean for effortless oven maintenance
- Two lights in each oven are controlled from front panel switch
- 3,500 Watt Instagrill™ broiler reaches searing temperature in 3 seconds
- Straight Convection™ with a single high-speed convection fan, 2,200 Watt convection ring heater and proprietary, Stainless Steel air flow directors
- Stainless Steel air flow directors provide even distribution of convection air for uniform oven temperatures
- Blue LED lights indicate flame & oven functions provided with every knob
- Commercial grade hi performance thermal insulation keeps kitchen cool
- Infrared energy from hidden bake and broil elements shine through high transparency glass ceramic windows
- **Backguard required, must order separately (not included)**
- 3yr Warranty

DESIGNED & BUILT IN USA
PROFESSIONAL COOKING EQUIPMENT

48" DUAL FUEL RANGES

Model		Description	Dealers Cost	MAP
ARR-486GDDF		Medallion Range with 6 sealed gas burners and 11" gas griddle (1) 18" gas Innovection® oven with gas Inconel® infrared broiler and (1) 30" electric self-clean oven with infrared broiler.		\$ 10,599
ARR-486GRDF		Medallion Range with 6 sealed gas burners and 11" gas grill (1) 18" gas Innovection® oven and (1) 30" electric self-clean oven with infrared broiler.		10,599
ARR-4842GDDF		Medallion Range with 4 sealed gas burners and 22" gas griddle (1) 18" gas Innovection® oven with gas Inconel® infrared broiler and (1) 30" electric self-clean oven with infrared broiler.		11,599
ARR-484X2GRDF		Medallion Range with 4 sealed gas burners and (2) 11" gas grill (1) 18" gas Innovection® oven with gas Inconel® infrared broiler and (1) 30" electric self-clean oven with infrared broiler.		11,599
ARR-484GDGRDF		Medallion Range with 4 sealed gas burners and 11" griddle (1) 18" gas Innovection® oven with gas Inconel® infrared broiler and (1) 30" electric self-clean oven with infrared broiler.		11,599

Cooktop Covers









N= Natural Gas Must provide **N** or **L** after model number for type of gas needed. Must specify elevation if over 2,000 ft. when ordering. Electrical Requirements: 240VAC, 40 Amps, 208VAC, 40 Amps, Single Phase, 60 HZ

L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

48" DUAL FUEL RANGE ACCESSORIES & OPTIONS

Part Number	Description	Dealers Cost	MAP
ARR-48SIB-M	1" Fabricated Island Back		\$ 339
ARR-48IB-M	1" Welded Island Back		395
ARR-484SB-M	4" Stub Back		420
ARR-482IHBS-M	20" High Back with Shelf		995
ARR-48CB-M	Stainless Steel Curb Base		348
ARR-3LC-M	Stainless Steel Leg Caps (3)		126
ARR-3CAS-M	Set of 3 Casters with adjustable height (rear mount only)		198
ARR-CUTB-12-M	12" Cutting Board		159
ARR-GDCOV12-S-M	12" Griddle Cover		225
ARR-GRCOV12-M	12" Grill Cover		225
ARR-PGP12-M	12" Removable Heavy Duty Griddle Plate (for chrome finish add \$315)		479
ARR-PGP24-M	24" Removable Heavy Duty Griddle Plate (for chrome finish add \$420)		579
ARR-GDCOV24-S-M	24" Griddle Cover		295
ARR-GRCOV24-M	24" Grill Cover		295
MC11-FS-M	11" Mirror Chrome Finish Flat Griddle Plate		759
MC11-GG-M	11" Mirror Chrome Finish Grooved Griddle Plate		1,179
MC22-FS-M	22" Mirror Chrome Finish Flat Griddle Plate		1,539
MC22-HG-M	22" Mirror Chrome Finish Left Half Flat & Right Half Grooved Griddle Plate		1,996
MC22-GG-M	22" Mirror Chrome Finish Grooved Griddle Plate		2,559
MC22-SP-M	22" Mirror Chrome Finish Griddle Plate with Flavor Separator at Center		1,619
R31005	Porcelanized Broiler Pan		73
ARR-WOK-M	Wok Adapter for Burner Grate		108
R31011	Extra Oven Rack for 18" Oven		149
R31007	Extra Oven Rack for 30" Oven		179
ARR48LCC-M	Cooktop Cover Medallion 48" Left Side Stainless Steel Only		285
ARR48RCC-M	Cooktop Cover Medallion 48" Right Side Stainless Steel Only		285
ARR48CC-M	Cooktop Cover Medallion 48" 4 Burner Stainless Steel Only		349

MIRROR CHROME FINISH GRIDDLE PLATES UPGRADE

MC11-FS
11" FlatMC11-GG
11" GroovedMC22-FS
22" FlatMC22-SP
22" Flavor SeparatorMC22-HG
22" Flat & GroovedMC22-GG
22" Grooved

When ordering mirror chrome finish griddle plate,
indicate griddle plate part number of the range to be fitted.



N= Natural Gas Must provide **N** or **L** after model number for type of gas needed. Must specify elevation if over 2,000 ft. when ordering.

L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Electrical Requirements:
240VAC, 40 Amps, 208VAC, 40 Amps, Single Phase, 60 HZ

Medallion

Dual Fuel Self-Clean Ovens with Sealed Gas Burners

AMERICAN RANGE
QUALITY COOKING EQUIPMENT



Shown with 4" riser and optional leg caps.

ARR-606GDGRDF

RANGE FEATURES


- 3 sizes of burners to serve your everyday needs: 17,000 BTU (lg), 13,000 BTU (med), 9,000 BTU (sm)
- Kitchen event timer built into the electronic control helps keep track of cooking events
- Electronic keypad with blue VFD display
- Multiple functions include: Full Power modes for Standard Bake, Convection Bake, Infrared Broil, or Warm modes for Dehydrate, Crisping and Proofing
- Child lock-out function ensures safety
- Programmable timed self clean for effortless oven maintenance
- Two lights in each oven are controlled from front panel switch
- 3,500 Watt Instagrill™ broiler reaches searing temperature in 3 seconds
- Straight Convection™ with a single high-speed convection fan, 2,200 Watt convection ring heater and proprietary, Stainless Steel air flow directors
- Stainless Steel air flow directors provide even distribution of convection air for uniform oven temperatures
- Blue LED lights indicate flame and oven functions provided with every knob
- Backguard required, must order separately (not included)
- 3yr Warranty

DESIGNED & BUILT IN USA
PROFESSIONAL COOKING EQUIPMENT


60" DUAL FUEL RANGES

Model		Description	Dealers Cost	MAP
ARR-6062GDDF		Medallion Range with 6 sealed gas burners with 22" gas griddle (2) 30" electric self-clean Innovection® ovens with infrared broiler in each oven.		\$13,999
ARR-606X2GRDF		Medallion Range with 6 sealed gas burners with (2) 11" gas grills (2) Innovection® ovens with infrared broiler in each oven.		13,999
ARR-606GDGRDF		Medallion Range with 6 sealed gas burners with 11" gas grill and 11" gas griddle (2) Innovection® oven with infrared broiler in each oven.		13,999

Cooktop Covers



ARR60CC



ARR60LCC

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed. Must specify elevation if over 2,000 ft. when ordering.






L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Electrical Requirements:
240VAC, 50 Amps, 208VAC, 50 Amps, Single Phase, 60 HZ

60" DUAL FUEL RANGE ACCESSORIES & OPTIONS

Part Number	Description	Dealers Cost	MAP
ARR-60SIB-M	1" Fabricated Island Back		\$ 429
ARR-60IB-M	1" Welded Island Back		495
ARR-604SB-M	4" Stub Back		650
ARR-6021HBS-M	20" High Back with Shelf		1,280
ARR-60CB-M	Stainless Steel Curb Base		419
ARR-3LC-M	Stainless Steel Leg Caps (3)		126
ARR-3CAS-M	Set of 3 Casters with adjustable height (rear mount only)		198
ARR-CUTB-12-M	12" Cutting Board		159
ARR-GDCOV12-S-M	12" Griddle Cover		225
ARR-GRCOV12-M	12" Grill Cover		225
ARR-PGP12-M	12" Removable Heavy Duty Griddle Plate (for chrome finish add \$315)		479
ARR-PGP24-M	24" Removable Heavy Duty Griddle Plate (for chrome finish add \$420)		579
ARR-GDCOV24-S-M	24" Griddle Cover		295
ARR-GRCOV24-M	24" Grill Cover		295
MC11-FS-M	11" Mirror Chrome Finish Flat Griddle Plate		759
MC11-GG-M	11" Mirror Chrome Finish Grooved Griddle Plate		1,179
MC22-FS-M	22" Mirror Chrome Finish Flat Griddle Plate		1,539
MC22-HG-M	22" Mirror Chrome Finish Left Half Flat & Right Half Grooved Griddle Plate		1,996
MC22-GG-M	22" Mirror Chrome Finish Grooved Griddle Plate		2,559
MC22-SP-M	22" Mirror Chrome Finish Griddle Plate with Flavor Separator at Center		1,619
R31005	Porcelainized Broiler Pan		73
ARR-WOK-M	Wok Adapter for Burner Grate		108
R31007	Extra Oven Rack for 30" Oven		179
ARR60CC-M	Cooktop Cover Medallion 60" 4 Burner Stainless Steel Only		349
ARR60LCC-M	Cooktop Cover Medallion Left Side Stainless Steel Only		285

MIRROR CHROME FINISH GRIDDLE PLATES UPGRADE

MC11-FS
11" FlatMC11-GG
11" GroovedMC22-FS
22" FlatMC22-SP
22" Flavor SeparatorMC22-HG
22" Flat & GroovedMC22-GG
22" Grooved

When ordering mirror chrome finish griddle plate,
indicate griddle plate part number of the range to be fitted.



N= Natural Gas Must provide **N** or **L** after model number for type of gas needed. Must specify elevation if over 2,000 ft. when ordering.
L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Electrical Requirements:
 240 VAC, 50 Amps, 208 VAC, 50 Amps, Single Phase, 60 HZ



Available in sizes: 24", 30" and 36"

FEATURES

- 3 sizes of burners to serve your everyday needs:
17,000 BTU (lg), 13,000 BTU (med), 9,000 BTU (sm)
- Step-up range provides 2 unequal levels of cooking surface
- Elevated rear burners provide easy access to sauté pans, & allow larger pots to be used consecutively
- Home chef can orchestrate multiple entrees, sauces, mirepoix and/or mise en place.
- 3 Expansive front grates, able to accommodate 16" diameter sauté pans or stock pots
- Sealed burners deliver exceptional performance at every level setting and lift off to provide easy cleanup
- Sealed burners create simmer temperatures at minimum setting
- Variable infinite flame settings for all sealed top burners
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Sealed Single Piece tooled Stainless Steel cook tops can hold more than a gallon of spills
- Analog controls provide easy, push and turn operation ensuring child safety
- Blue LED lights indicate flame and oven functions provided with every knob
- Heavy metal die-cast black satin knobs with chrome bezels
- Innovection® System with two convection fans optimize uniform air flow
- Multiple functions include: Standard Bake, Innovection® Convection Bake, Infrared Broil and Fan mode
- Two lights in each oven are controlled from front panel switch
- Full size commercial sheet pans fit in 30" and 36" oven
- Two chrome racks glide at 5 cooking levels on heavy chrome side supports
- Porcelainized oven interior simplifies cleaning
- Inconel® Banquet broiler burner provides rapid searing at 1,800°F
- Quick Preheat times and uniform cooking temperatures are created with a 30,000 BTU Bake Burner
- Traditional and Convection bake can be controlled to provide a range from 200°F to 500°F
- **Stainless Steel Island Back Trim included & installed**
- 3yr Warranty

ACCESSORIES & OPTIONS

- Leg caps
- Curb base
- Broiler pan
- Casters
- Wok Adapter



ARR-244IS

Shown with optional leg caps.

RANGE FEATURES

- 3 sizes of burners to serve your everyday needs:
17,000 BTU (lg), 13,000 BTU (med), 9,000 BTU (sm)
- Step-up range provides 2 unequal levels of cooking surface
- Elevated rear burners provide easy access to sauté pans, & allow larger pots to be used consecutively
- Blue LED lights indicate flame and oven functions for every knob
- Two lights in each oven are controlled from front panel switch
- Inconel® Banquet broiler burner provides rapid searing at 1,800°F
- Quick Preheat times and uniform cooking temperatures are created with a 30,000 BTU Bake Burner
- 3 Expansive front grates, able to accommodate 16" diameter sauté pans or stock pots
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Innovection® System with two convection fans optimizes uniform air flow (gas model)
- Stainless Steel Island Back Trim included & installed
- 3yr Warranty

24" GAS STEP UP RANGE
DESIGNED & BUILT IN USA
 PROFESSIONAL COOKING EQUIPMENT

Model	Description	Dealers Cost	MAP
ARR-244IS	Titan Range with 4 sealed gas step-up burners, 24" Innovection® oven with infrared broiler in oven. Welded island back included and installed.		\$ 3,989

24" GAS STEP UP RANGE ACCESSORIES & OPTIONS

Part Number	Description	Dealers Cost	MAP
ARR-24CB-T	Stainless Steel Curb Base		\$ 199
ARR-2LC-T	Stainless Steel Leg Caps (2)		104
ARR-2CAS-T	Set of 2 Casters with adjustable height (rear mount only)		168
R31005	Porcelanized Broiler Pan		73
ARR-WOK-T	Wok Adapter for Burner Grate		108
R31012	Extra Oven Rack		159

N=Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
 when ordering.

Electrical Requirements:
 120VAC, 15 Amps, 60 Hz, Single Phase



ARR-304IS

Shown with optional leg caps.

RANGE FEATURES

- 3 sizes of burners to serve your everyday needs:
17,000 BTU (lg), 13,000 BTU (med), 9,000 BTU (sm)
- Step-up range provides 2 unequal levels of cooking surface
- Elevated rear burners provide easy access to sauté pans, & allow larger pots to be used consecutively
- Blue LED lights indicate flame and oven functions for every knob
- Two lights in each oven are controlled from front panel switch
- Inconel® Banquet broiler burner provides rapid searing at 1,800°F
- Quick Preheat times and uniform cooking temperatures are created with a 30,000 BTU Bake Burner
- 3 Expansive front grates, able to accommodate 16" diameter sauté pans or stock pots
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Innovection® System with two convection fans optimizes uniform air flow (gas model)
- Accommodates full size commercial sheet pan
- **Stainless Steel Island Back Trim included & installed**
- 3yr Warranty

30" GAS STEP UP RANGE
DESIGNED & BUILT IN USA
 PROFESSIONAL COOKING EQUIPMENT

Model		Description	Dealers Cost	MAP
ARR-304IS		Titan Range with 4 sealed gas step-up burners, 30" Innovection® oven with infrared broiler in oven. Welded island back included and installed.		\$ 4,819

30" GAS RANGE ACCESSORIES & OPTIONS

Part Number	Description	Dealers Cost	MAP
ARR-30CB-T	Stainless Steel Curb Base		\$ 220
ARR-2LC-T	Stainless Steel Leg Caps (2)		104
ARR-2CAS-T	Set of 2 Casters with adjustable height (rear mount only)		168
R31005	Porcelainized Broiler Pan		73
ARR-WOK-T	Wok Adapter for Burner Grate		108
R31013	Extra Oven Rack		179

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
 when ordering.

Electrical Requirements:
 120VAC, 15 Amps, 60 Hz, Single Phase



ARR-366IS

Shown with optional leg caps.

RANGE FEATURES

- 3 sizes of burners to serve your everyday needs:
17,000 BTU (lg), 13,000 BTU (med), 9,000 BTU (sm)
- Step-up range provides 2 unequal levels of cooking surface
- Elevated rear burners provide easy access to sauté pans, & allow larger pots to be used consecutively
- Blue LED lights indicate flame and oven functions for every knob
- Two lights in each oven are controlled from front panel switch
- Inconel® Banquet broiler burner provides rapid searing at 1,800°F
- Quick Preheat times and uniform cooking temperatures are created with a 30,000 BTU Bake Burner
- 3 Expansive front grates, able to accommodate 16" diameter sauté pans or stock pots
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Innvection® System with two convection fans optimizes uniform air flow (gas model)
- Accommodates full size commercial sheet pan
- **Stainless Steel Island Back Trim included & installed**
- 3yr Warranty

36" GAS STEP UP RANGE
DESIGNED & BUILT IN USA
 PROFESSIONAL COOKING EQUIPMENT

Model		Description	Dealer Cost	MAP
ARR-366IS		Titan Range with 6 sealed gas step-up burners, 36" Innvection® oven with infrared broiler in oven. Welded island back included and installed.		\$ 5,879

36" GAS STEP UP RANGE ACCESSORIES & OPTIONS

Part Number	Description	Dealer Cost	MAP
ARR-36CB-T	Stainless Steel Curb Base		\$ 298
ARR-2LC-T	Stainless Steel Leg Caps (2)		104
ARR-2CAS-T	Set of 2 Casters with adjustable height (rear mount only)		168
R31005	Porcelanized Broiler Pan		73
ARR-WOK-T	Wok Adapter for Burner Grate		108
R31014	Extra Oven Rack		189

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L= LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
 when ordering.

Electrical Requirements:
 120VAC, 15 Amps, 60 Hz, Single Phase



Available in sizes: 30" and 36"

FEATURES

- 3 sizes of burners to serve your everyday needs:
17,000 BTU (lg), 13,000 BTU (med), 9,000 BTU (sm)
- Step-up range provides 2 unequal levels of cooking surface
- Elevated rear burners provide easy access to sauté pans, & allow larger pots to be used consecutively
- Home chef can orchestrate multiple entrees, sauces, mirepoix and/or mise en place
- 3 Expansive front grates, able to accommodate 16" diameter sauté pans or stock pots
- Sealed burners create simmer temperatures at minimum setting
- Variable infinite flame settings for all sealed top burners
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Sealed Single Piece tooled Stainless Steel cook tops can hold more than a gallon of spills
- Analog gas control knobs provide easy, push and turn operation ensuring child safety
- Blue LED lights indicate flame and oven functions provided with every knob
- Heavy metal die-cast black satin knobs with chrome bezels
- Electronic keypad with blue VFD display
- Multiple functions include: Full Power modes for Standard Bake, Convection Bake, Infrared Broil, or Warm modes for Dehydrate, Crisping and Proofing
- Child lock-out function ensures safety
- Commercial grade high performance thermal insulation keeps kitchen cool
- Programmable timed self clean for effortless oven maintenance
- Two lights in each oven are controlled from front panel switch
- Full size commercial sheet pans fit in 36" oven
- Two chrome racks glide at 5 cooking levels on heavy chrome side supports
- Commercial grade high temperature porcelainized oven interior makes for simple cleaning
- 3,500 Watt Instagrill™ broiler reaches searing temperature in 3 seconds
- Straight Convection™ with a single high-speed convection fan, 2,200 Watt convection ring heater and proprietary, Stainless Steel air flow directors
- Infrared energy from hidden bake and broil elements shine through high transparency glass ceramic windows
- Stainless Steel air flow directors provide even distribution of convection air; for uniform oven temperatures
- Traditional and Convection Bake can be controlled to a range of 150°F to 550°F
- **Stainless Steel Island Back Trim included & installed**
- 3yr Warranty

ACCESSORIES & OPTIONS

- Leg caps • Wok Adapter
- Curb base • Broiler pan
- Casters



Shown with optional leg caps.

ARR-304ISDF

RANGE FEATURES

- 3 sizes of burners to serve your everyday needs:
17,000 BTU (lg), 13,000 BTU (med), 9,000 BTU (sm)
- Step-up range provides 2 unequal levels of cooking surface
- Elevated rear burners provide easy access to sauté pans, & allow larger pots to be used consecutively
- Sealed gas burners simmer at below boiling with infinite setting controls
- Sealed, one-piece, Stainless Steel burner top surface
- Child safe push-and-turn top burner controls
- All top burners have flame-sensing re-ignition in the event the flame goes out
- Blue LED lights indicate flame and oven functions provided with every knob
- Welded island back included and installed
- Kitchen event timer built into the electronic control helps keep track of cooking events
- Electronic keypad with blue VFD display
- Multiple functions include: Full Power modes for Standard Bake, Convection Bake, Infrared Broil, or Warm modes for Dehydrate, Crisping and Proofing
- Child lock-out function ensures safety
- Programmable timed self clean for effortless oven maintenance
- Two lights in each oven are controlled from front panel switch
- 3,500 Watt Instagrill™ broiler reaches searing temperature in 3 seconds
- Straight Convection™ with a single high-speed convection fan, 2,200 Watt convection ring heater and proprietary, Stainless Steel air flow directors
- Stainless Steel air flow directors provide even distribution of convection air; for uniform oven temperatures
- Commercial grade high performance thermal insulation keeps kitchen cool
- Infrared energy from hidden bake and broil elements shine through high transparency glass ceramic windows
- Stainless Steel Island Back Trim included & installed
- 3yr Warranty

30" HYBRID STEP UP RANGE
DESIGNED & BUILT IN USA
 PROFESSIONAL COOKING EQUIPMENT

Model		Description	Dealer Cost	MAP
ARR-304ISDF		Titan Range with 4 step-up sealed gas burners, 30" electric self clean oven infrared broiler. Welded island back included and installed.		\$ 6,919

30" HYBRID RANGE ACCESSORIES & OPTIONS

Part Number	Description	Dealer Cost	MAP
ARR-30CB-T	Steel Curb Base		\$ 220
ARR-2LC-T	Stainless Steel Leg Caps (2)		104
ARR-2CAS-T	Set of 2 Casters with adjustable height (rear mount only)		168
R31005	Porcelanized Broiler Pan		73
ARR-WOK-T	Wok Adapter for Burner Grate		108
R31007	Extra Oven Rack		179

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L= LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
 when ordering.

Electrical Requirements:
 240 VAC, 25 Amps, 60 Hz, Single Phase



Shown with optional leg caps.

ARR-366ISDF

RANGE FEATURES

- 3 sizes of burners to serve your everyday needs:
17,000 BTU (lg), 13,000 BTU (med), 9,000 BTU (sm)
- Step-up range provides 2 unequal levels of cooking surface
- Elevated rear burners provide easy access to sauté pans, & allow larger pots to be used consecutively
- Sealed gas burners simmer at below boiling with infinite setting controls
- Sealed, one-piece, Stainless Steel burner top surface
- Child safe push-and-turn top burner controls
- All top burners have flame-sensing re-ignition in the event the flame goes out
- Blue LED lights indicate flame and oven functions provided with every knob
- Welded island back included and installed
- Accommodates full size commercial sheet pan
- Kitchen event timer built into the electronic control helps keep track of cooking events
- Electronic keypad with blue VFD display
- Multiple functions include: Full Power modes for Standard Bake, Convection Bake, Infrared Broil, or Warm modes for Dehydrate, Crisping and Proofing
- Child lock-out function ensures safety
- Programmable timed self clean for effortless oven maintenance
- Two lights in each oven are controlled from front panel switch
- 3,500 Watt Instagrill™ broiler reaches searing temperature in 3 seconds
- Straight Convection™ with a single high-speed convection fan, 2,200 Watt convection ring heater and proprietary, Stainless Steel air flow directors
- Stainless Steel air flow directors provide even distribution of convection air for uniform oven temperatures
- Commercial grade high performance thermal insulation keeps kitchen cool
- Infrared energy from hidden bake and broil elements shine through high transparency glass ceramic windows
- **Stainless Steel Island Back Trim included & installed**
- 3yr Warranty

36" HYBRID STEP UP RANGE
DESIGNED & BUILT IN USA
 PROFESSIONAL COOKING EQUIPMENT

Model		Description	Dealer Cost	MAP
ARR-366ISDF		Titan Range with 6 step-up sealed gas burners, 36" electric self clean oven with infrared broiler. Welded island back included and installed.	\$ 8,399	

36" HYBRID STEP UP RANGE ACCESSORIES & OPTIONS

Part Number	Description	Dealer Cost	MAP
ARR-36CB-T	Stainless Steel Curb Base		\$ 298
ARR-2LC-T	Stainless Steel Leg Caps (2)		104
ARR-2CAS-T	Set of 2 Casters with adjustable height (rear mount only)		168
R31005	Porcelainized Broiler Pan		73
ARR-WOK-T	Wok Adapter for Burner Grate		108
R31008	Extra Oven Rack		179

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
 when ordering.

Electrical Requirements:
 240 VAC, 25 Amps, 60 Hz, Single Phase

COLOR FINISH - Factory Installed Door Skin w/Glass & Kickplate

Description	Part #	Dealer Cost	MAP
Factory installed RAL Range Color Kit 24" - 1 door and 1 kick plate	ARR-24CK		\$ 699
Factory installed RAL Range Color Kit 30" - 1 door and 1 kick plate	ARR-30CK		699
Factory installed RAL Range Color Kit 36" - 1 door and 1 kick plate	ARR-36CK		699
Factory installed RAL Range Color Kit 48" - 2 doors and 1 kick plate	ARR-48CK		999
Factory installed RAL Range Color Kit 60" - 2 doors and 1 kick plate	ARR-60CK		1,199

COLOR FINISH - Field Install Kit / Door Skin w/Glass & Kickplate

Description	Part #	Dealer Cost	MAP
Field installed RAL Range Color Kit 24" - 1 door and 1 kick plate	ARR-24KT		\$ 999
Field installed RAL Range Color Kit 30" - 1 door and 1 kick plate	ARR-30KT		999
Field installed RAL Range Color Kit 36" - 1 door and 1 kick plate	ARR-36KT		999
Field installed RAL Range Color Kit 48" - 2 doors and 1 kick plate	ARR-48KT		1,399
Field installed RAL Range Color Kit 60" - 2 doors and 1 kick plate	ARR-60KT		1,699



FEATURES

ALL MODELS

- Blue LED lights indicate flame and oven functions
- Heavy die cast metal black satin knobs with chrome bezels
- Innvection® System with two convection fans optimizes cooking air flow
- Multiple functions include: Standard Bake, Innvection® Convection bake, Infrared Broil and Fan mode
- Two lights in each oven are controlled from front panel switch
- Two racks glide at 5 cooking levels on heavy chrome side supports
- Porcelainized oven interior simplifies cleaning
- Extra-large viewing window in oven door
- Traditional and Convection bake can be controlled to provide a range of 200°F to 500°F
- Commercial grade Stainless Steel construction with welded control panel
- Easy to use analog controls
- Classic Chef Door or commercial-style French Doors improve oven access
- Dependent French oven doors open 130° with the pull of one handle
- 3yr Warranty

GAS MODELS

- Inconel® Banquet broiler provides rapid searing at 1,800°F using 18,000 BTUs
- Quick Preheat times and uniform cooking temperatures are created with a 30,000 BTU Bake Burner
- Lower oven of gas double models features Proofing Element Burner for bread making and low temperature dehydrating

ELECTRIC MODELS

- 3,500 Watt Instagrill™ broiler reaches searing temperature in 3 seconds
- Concealed 2,200 Watt Bake Element with the IR Advantage™ reduces preheat times and creates uniform cooking temperatures

HYBRID MODELS

- Best of both worlds - gas and electric combined.



AROFSG-230

WALL OVEN FEATURES

- Innovection® System with two convection fans optimizes uniform air flow
- Two lights in each oven are controlled from front panel switch
- Inconel® Banquet broiler burner provides rapid searing at 1,800°F using 18,000 BTUs
- Classic Chef Door or commercial-style French Doors improve oven access
- Lower oven of gas double models features Proof Burner for bread making and low temperature dehydrating
- Blue LED lights indicate oven functions
- Multiple functions include: Standard Bake, Innovection® Convection Bake, Infrared Broil and Fan mode
- Extra-large viewing window in oven door
- Quick Preheat times and uniform cooking temperatures are created with a 30,000 BTU Bake Burner
- Dependent French oven doors open 130° with the pull of one handle
- Heavy die cast metal black satin knobs with chrome bezels
- 3yr Warranty

30" GAS WALL OVENS
DESIGNED & BUILT IN USA
 PROFESSIONAL COOKING EQUIPMENT

Model	Description	Dealer Cost	MAP
AROFG-30		Legacy 30" single french door gas Innovection® Wall Oven with infrared broiler.	\$ 3,899
AROSG-30		Legacy 30" single chef door gas Innovection® Wall Oven with infrared broiler.	3,499
AROFFG-230		Legacy 30" double french doors gas Innovection® Wall Ovens with infrared broiler in top oven and proofing element in bottom oven.	7,999
AROSSG-230		Legacy 30" double chef doors gas wall Innovection® Wall Ovens with infrared broiler in top oven and proofing element in bottom oven.	6,899
AROFSG-230		Legacy 30" double Wall Oven french doors on top, chef door on bottom, infrared broiler in top oven and proofing element in bottom oven.	7,599

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L= LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft. when ordering.

Electrical Requirements:
 120VAC, 15 Amps, Single Phase, 60 HZ



AROFSE-230

WALL OVEN FEATURES

- Innovaction® System with two convection fans optimizes uniform air flow
- Two lights in each oven are controlled from front panel switch
- 3,500 Watt Instagrill™ broiler reaches searing temperature in 3 seconds
- Concealed 2,200 Watt Bake Element with the IR Advantage™ reduces preheat times and creates uniform cooking temperatures
- Classic Chef Door or commercial-style French Doors improve oven access
- Blue LED lights indicate flame and oven functions
- Multiple functions include: Standard Bake, Innovaction® Convection Bake, Infrared Broil and Fan mode
- Extra-large viewing window in oven door
- Dependent French oven doors open 130° with the pull of a handle
- Heavy die cast metal black satin knobs with chrome bezels
- 3yr Warranty

30" ELECTRIC WALL OVENS
DESIGNED & BUILT IN USA
 PROFESSIONAL COOKING EQUIPMENT

Model	Description	Dealers Cost	MAP
AROFE-30		Legacy 30" single french door electric Innovaction® wall oven with infrared broiler.	\$ 3,899
AROSE-30		Legacy 30" single chef door electric Innovaction® wall oven with infrared broiler.	3,499
AROFFE-230		Legacy 30" double wall ovens with, double french doors, Innovaction® wall oven with infrared broil in each oven.	7,999
AROSSE-230		Legacy 30" double wall ovens with, chef door on top and chef door on bottom, Innovaction® wall oven with infrared broil in each oven.	6,899
AROFSE-230		Legacy 30" double wall oven french doors on top, chef door on bottom, Innovaction® wall ovens with infrared broiler in each oven.	7,599

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
 when ordering.

Electrical Requirements:
 240VAC, 40 Amps, Single Phase, 60 HZ



AROSSHGE-230

WALL OVEN FEATURES

- Best of both worlds - gas and electric combined
- Innovection® System with two convection fans optimizes uniform air flow
- Two lights in each oven are controlled from front panel switch
- Inconel® Banquet broiler burner provides rapid searing at 1,800°F
- Classic Chef Door or commercial-style French Doors improve oven access
- Blue LED lights indicate oven functions
- Multiple functions include: Standard Bake, Innovection® Convection Bake, Infrared Broil and Fan mode
- Extra-large viewing window in oven door
- Quick Preheat times and uniform cooking temperatures are created with a 30,000 BTU Bake Burner
- 3yr Warranty

30" HYBRID WALL OVENS

DESIGNED & BUILT IN USA
 PROFESSIONAL COOKING EQUIPMENT

Model	Description	Dealer Cost	MAP
AROFFHGE-230	 <p>Legacy 30" Hybrid Double Wall Oven, Gas Oven French door on top, Electric Oven French doors on bottom. Innovection® Wall Oven with gas infrared broiler on top and electric infrared broiler on bottom.</p>		\$ 7,999
AROSSHGE-230	 <p>Legacy 30" Hybrid Double Wall Oven, Gas Oven Chef door on top, Electric Oven Chef door on bottom. Innovection® Wall Oven with gas infrared broiler on top and electric infrared broiler on bottom.</p>		6,899
AROFSHGE-230	 <p>Legacy 30" Hybrid Double Wall Oven, Gas Oven French door on top, Electric Oven Chef door on bottom. Innovection® Wall Oven with gas infrared broiler on top and electric infrared broiler on bottom.</p>		7,599

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
 when ordering.

Electrical Requirements:
 240VAC, 30 Amps, Single Phase, 60 HZ

30" WALL OVEN ACCESSORIES & OPTIONS

Part Number	Description	Dealers Cost	MAP
R31005	Porcelainized Broiler Pan		\$ 73
R31015	Extra Oven Rack		189

COLOR FINISH- WALL OVEN

Description of Color	Part #	Dealers Cost	MAP
Wall oven color kit 30" single door and kick plate	ARR-30WOCK		\$ 759
Wall oven color kit 30" double door and kick plate	ARR-30DWOCK		1,359



Available in sizes: 24", 30", 36", 48" and 60"

FEATURES

- 3 sizes of burners to serve your everyday needs: 17,000 BTU (lg), 13,000 BTU (med), 9,000 BTU (sm)
- Continuous and flush commercial-grade cast iron grates allow for easy transfer of pots and pans across the cooking surface
- Sealed burners deliver exceptional performance at every level setting and lift off to provide easy cleanup
- Sealed burners create simmer temperatures at minimum setting
- Variable infinite flame settings for all sealed top burners
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Sealed Single Piece tooled Stainless Steel cook top can hold more than a gallon of spills
- Analog controls provide easy, push and turn operation ensuring child safety
- Blue LED lights indicate flame and oven functions provided with every knob
- Heavy metal die-cast black satin knobs with chrome bezels
- **Backguard required, must order separately (not included)**
- 3yr Warranty

ACCESSORIES & OPTIONS

- Mirror chrome finish griddle plates available
in flat surface & grooved surfaces
- 1" standard fabricated Island back
- 1" welded Island back
- 4" Stub back
- Removable griddle plate
- Griddle cover
- Grill cover
- Wok Adapter
- 20" High back with shelf



Shown with optional 4" riser.

ARSCT-244

24" SLIDE-IN COOKTOPS


DESIGNED & BUILT IN USA
 PROFESSIONAL COOKING EQUIPMENT

Model		Description	Dealer Cost	MAP
ARSCT-244		Legend 24" Cook Top with 4 sealed gas burners.		\$ 2,499
ARSCT-242GD		Legend 24" Cook Top with 22" wide griddle. Available in mirror chrome finish. See page 10.4.		2,799
ARSCT-24X2GR		Legend 24" Cook Top with (2) 11" grills.		2,799

24" SLIDE-IN COOKTOP ACCESSORIES & OPTIONS

Part Number	Description	Retail	MAP
ARR-24SIB-L	1" Fabricated Island Back		\$ 229
ARR-24IB-L	1" Welded Island Back		249
ARR-244SB-L	4" Stub Back		259
ARR-242IHBS-L	20" High Back with Shelf		650
ARR-PGP12-L	12" Removable Heavy Duty Griddle Plate (for chrome finish add \$315)		479
ARR-PGP24-L	24" Removable Heavy Duty Griddle Plate (for chrome finish add \$420)		579
ARR-CUTB-12-L	12" Cutting Board		159
ARR-GDCOV24-S	24" Griddle Cover		295
ARR-GRCOV24	24" Grill Cover		295
ARR-WOK-L	Wok Adapter for Burner Grate		108
ARR24CC-L	Cooktop Cover Legend 24" 4 Burner Stainless Steel		316

Cooktop Covers



N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L= LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
 when ordering.

Electrical Requirements:
 120VAC, 15 Amps, Single Phase, 60 HZ

Legend

Slide-In Cook Tops

AMERICAN RANGE
 QUALITY COOKING EQUIPMENT


Shown with optional 4" riser.

ARSCT-304

COOKTOP FEATURES

- 3 sizes of burners to serve your everyday needs:
17,000 BTU (lg), 13,000 BTU (med), 9,000 BTU (sm)
- **Backguard required, must order separately (not included)**
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Blue LED lights indicate flame for each burner
- Sealed Single Piece tooled Stainless Steel cook top can hold more than a gallon of spills
- Heavy metal die-cast black satin knobs with chrome bezels
- 3yr Warranty

DESIGNED & BUILT IN USA
 PROFESSIONAL COOKING EQUIPMENT


30" SLIDE-IN COOKTOPS

Model		Description	Dealers Cost	MAP
ARSCT-304		Legend 30" Cook Top with 4 sealed gas burners.		\$ 2,499

30" SLIDE-IN COOKTOP ACCESSORIES & OPTIONS

Part Number	Description	Dealers Cost	MAP
ARR-30SIB-L	1" Fabricated Island Back		\$ 229
ARR-30IB-L	1" Welded Island Back		249
ARR-304SB-L	4" Stub Back		259
ARR-3021HBS-L	20" High Back with Shelf		650
ARR-PGP12-L	12" Removable Heavy Duty Griddle Plate (for chrome finish add \$315)		479
ARR-CUTB-12-L	12" Cutting Board		159
ARR-WOK-L	Wok Adapter for Burner Grate		108
ARR30CC-L	Cooktop Cover Legend 30" 4 Burner Stainless Steel Only		349

Cooktop Covers



ARR30CC

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L= LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
 when ordering.

Electrical Requirements:
 120VAC, 15 Amps, Single Phase, 60 HZ



Shown with optional 4" riser.

ARSCT-366

COOK TOP FEATURES




- 3 sizes of burners to serve your everyday needs: 17,000 BTU (lg), 13,000 BTU (med), 9,000 BTU (sm)
- Backguard required, must order separately (not included)
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Blue LED lights indicate flame for each burner
- Sealed Single Piece tooled Stainless Steel cook top can hold more than a gallon of spills
- Heavy metal die-cast black satin knobs with chrome bezels
- 3yr Warranty

DESIGNED & BUILT IN USA
 PROFESSIONAL COOKING EQUIPMENT
36" SLIDE-IN COOKTOPS

Model	Description	Dealers Cost	MAP
ARSCT-366		Legend 36" CookTop with 6 sealed gas burners.	\$ 2,899
ARSCT-364GD		Legend 36" Cook Top with 4 sealed gas burners, 11" wide griddle cook top. Available in chrome as an upgrade option.	3,099
ARSCT-364GR		Legend 36" Cook Top with 4 sealed gas burners, 11" wide searing grill.	3,099

36" SLIDE-IN COOKTOP ACCESSORIES & OPTIONS

Part Number	Description	Dealers Cost	MAP
ARR-36SIB-L	1" Fabricated Island Back	\$ 265	
ARR-36IB-L	1" Welded Island Back	299	
ARR-364SB-L	4" Stub Back	325	
ARR-3621HBS-L	20" High Back with Shelf	795	
ARR-36CB-L	Stainless Steel Curb Base	298	
ARR-GDCOV12-S-L	12" Griddle Cover	225	
ARR-GRCOV12-L	12" Grill Cover	225	
ARR-PGP12-L	12" Removable Griddle Plate (for chrome finish add \$315)	479	
ARR-PGP24-L	24" Removable Griddle Plate (for chrome finish add \$420)	579	
ARR-CUTB-12-L	12" Cutting Board	159	
MCI 1-FS-L	11" Mirror Chrome Finish Flat Griddle Plate (replaces standard griddle plate)	759	
MCI 1-GG-L	11" Mirror Chrome Finish Grooved Griddle Plate (replaces standard griddle plate)	1,179	
ARR-WOK-L	Wok Adapter for Burner Grate	108	
ARR36LCC-L	Cooktop Cover Legend 36" Left Side Stainless Steel Only	285	
ARR36RCC-L	Cooktop Cover Legend 36" Right Side Stainless Steel Only	285	
ARR36CC-L	Cooktop Cover Legend 36" 6 Burner Stainless Steel Only	422	

Cooktop Covers

N = Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
 when ordering.

Electrical Requirements:
 120VAC, 15 Amps, Single Phase, 60 HZ



Shown with optional 4" riser:

ARSCT-486GD

48" SLIDE-IN COOKTOPS

Model		Description	Dealers Cost	MAP
ARSCT-488		Legend 48" Cook Top with 8 sealed burners cook top.		\$ 3,699
ARSCT-486GD		Legend 48" Cook Top with 6 sealed burners cook top with 11" griddle.		3,899
ARSCT-486GR		Legend 48" Cook Top with 6 sealed burners cook top with 11" grill.		3,899
ARSCT-4842GD		Legend 48" Cook Top with 4 sealed burners cook top with 22" griddle.		4,299
ARSCT-484X2GR		Legend 48" Cook Top with 4 sealed burners cook top with (2) 11" grills.		4,299
ARSCT-484GDGR		Legend 48" Cook Top with 4 sealed burners cook top with 11" grill & 11" griddle.		4,299

Cooktop Covers



N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L= LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

COOKTOP FEATURES

- 3 sizes of burners to serve your everyday needs:
17,000 BTU (lg), 13,000 BTU (med), 9,000 BTU (sm)
- **Backguard required, must order separately (not included)**
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Blue LED lights indicate flame for each burner
- Sealed Single Piece tooled Stainless Steel cook top can hold more than a gallon of spills
- Heavy metal die-cast black satin knobs with chrome bezels
- 3yr Warranty

DESIGNED & BUILT IN USA
 PROFESSIONAL COOKING EQUIPMENT






 Must specify elevation if over 2,000 ft.
 when ordering.

 Electrical Requirements:
 120VAC, 15 Amps, Single Phase, 60 HZ

48" SLIDE-IN COOKTOP ACCESSORIES & OPTIONS

Part Number	Description	Dealers Cost	MAP
ARR-48SIB-L	1" Fabricated Island Back		\$ 339
ARR-48IB-L	1" Welded Island Back		395
ARR-484SB-L	4" Stub Back		420
ARR-4821HBS-L	20" High Back with Shelf		995
ARR-GDCOV12-S-L	12" Griddle Cover		225
ARR-GRCOV12-L	12" Grill Cover		225
ARR-PGP12-L	12" Removable Heavy Duty Griddle Plate (for chrome finish add \$315)		479
ARR-PGP24-L	24" Removable Heavy Duty Griddle Plate (for chrome finish add \$420)		579
ARR-GDCOV24-S-L	24" Griddle Cover		295
ARR-GRCOV24-L	24" Grill Cover		295
ARR-CUTB-12-L	12" Cutting Board		159
MC11-FS-L	11" Mirror Chrome Finish Flat Griddle Plate		759
MC11-GG-L	11" Mirror Chrome Finish Grooved Griddle Plate		1,179
MC22-FS-L	22" Mirror Chrome Finish Flat Griddle Plate		1,539
MC22-HG-L	22" Mirror Chrome Finish Left Half Flat & Right Half Grooved Griddle Plate		1,996
MC22-GG-L	22" Mirror Chrome Finish Grooved Griddle Plate		2,559
MC22-SP-P	22" Mirror Chrome Finish Griddle Plate with Flavor Separator at Center		1,619
ARR-WOK-P	Wok Adapter for Burner Grate		108
ARR48L-CC-L	Cooktop Cover Legend 48" Left Side Stainless Steel Only		285
ARR48RCC-L	Cooktop Cover Legend 48" Right Side Stainless Steel Only		285
ARR48CC-L	Cooktop Cover Legend 48" 4 Burner Stainless Steel Only		349

MIRROR CHROME FINISH GRIDDLE PLATES UPGRADE

MC11-FS
11" FlatMC11-GG
11" GroovedMC22-FS
22" FlatMC22-SP
22" Flavor SeparatorMC22-HG
22" Flat & GroovedMC22-GG
22" Grooved

When ordering mirror chrome finish griddle plate,
indicate griddle plate part number of the range to be fitted.



N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
when ordering.

Electrical Requirements:
120VAC, 15 Amps, Single Phase, 60 HZ



Shown with optional 4" riser.

ARSCT-6062GD

60" SLIDE-IN COOKTOPS


Model	Description	Dealers Cost	MAP
ARSCT-606GDGR		Legend 60" Cook Top with 6 sealed burners with 11" griddle and 11" grill.	\$ 5,299
ARSCT-6062GD		Legend 60" Cook Top with 6 sealed burners with 22" wide griddle.	5,399
ARSCT-606X2GR		Legend 60" Cook Top with 6 sealed burners with (2) 11" grills.	5,399

COOKTOP FEATURES


- 3 sizes of burners to serve your everyday needs: 17,000 BTU (lg), 13,000 BTU (med), 9,000 BTU (sm)
- Backguard required, must order separately (not included)
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Blue LED lights indicate flame for each burner
- Sealed Single Piece tooled Stainless Steel cook top can hold more than a gallon of spills
- Heavy metal die-cast black satin knobs with chrome bezels
- 3yr Warranty

DESIGNED & BUILT IN USA
 PROFESSIONAL COOKING EQUIPMENT

Cooktop Covers



ARR60CC



ARR60LCC

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.






Must specify elevation if over 2,000 ft.
 when ordering.

Electrical Requirements:
 120VAC, 15 Amps, Single Phase, 60 HZ

60" SLIDE-IN COOKTOP ACCESSORIES & OPTIONS

Part Number	Description	Dealers Cost	MAP
ARR-60SIB-L	1" Fabricated Island Back		\$ 429
ARR-60IB-L	1" Welded Island Back		495
ARR-604SB-L	4" Stub Back		650
ARR-602IHBS-L	20" High Back with Shelf		1,280
ARR-GDCOV12-S-L	12" Griddle Cover		225
ARR-GRCOV12-L	12" Grill Cover		225
ARR-PGP12-L	12" Removable Heavy Duty Griddle Plate (for chrome finish add \$315)		479
ARR-PGP24-L	24" Removable Heavy Duty Griddle Plate (for chrome finish add \$420)		579
ARR-GDCOV24--L	24" Griddle Cover		295
ARR-GRCOV24-L	24" Grill Cover		295
ARR-CUTB-12-L	12" Cutting Board		159
MC11-FS-L	11" Mirror Chrome Finish Flat Griddle Plate		759
MC11-GG-L	11" Mirror Chrome Finish Grooved Griddle Plate		1,179
MC22-FS-L	22" Mirror Chrome Finish Flat Griddle Plate		1,539
MC22-HG-L	22" Mirror Chrome Finish Left Half Flat & Right Half Grooved Griddle Plate		1,996
MC22-GG-L	22" Mirror Chrome Finish Grooved Griddle Plate		2,559
MC22-SP-L	22" Mirror Chrome Finish Griddle Plate with Flavor Separator at Center		1,619
ARR-WOK-L	Wok Adapter for Burner Grate		108
ARR60CC-L	Cooktop Cover Legend 60" 4 Burner Stainless Steel Only		349
ARR60LCC-L	Cooktop Cover Legend Left Side Stainless Steel Only		285

MIRROR CHROME FINISH GRIDDLE PLATES UPGRADE


 MC11-FS
 11" Flat

 MC11-GG
 11" Grooved

 MC22-FS
 22" Flat

 MC22-SP
 22" Flavor Separator

 MC22-HG
 22" Flat & Grooved

 MC22-GG
 22" Grooved

When ordering mirror chrome finish griddle plate,
indicate griddle plate part number of the range to be fitted.



N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
when ordering.

Electrical Requirements:
120VAC, 15 Amps, Single Phase, 60 HZ



Available in sizes: 24", 30", 36", 48" and 60"

FEATURES

- 3 sizes of burners to serve your everyday needs 25,000 BTU (lg), 18,000 BTU (med) and 12,000 BTU (sm)
- **Stainless Steel Island Back Trim included & installed**
- Continuous and flush commercial-grade cast iron grates allows for easy transfer of pots and pans across the cooking surface
- True commercial lift-off burners deliver exceptional performance at every power level and provide for easy cleaning
- Variable infinite flame settings for all sealed top burners
- Porcelanized burner pans catch spills and lift out for easy cleaning
- Removable Stainless Steel tray catches spills
- Analog controls provide easy, push and turn operation ensuring child safety
- Heavy duty metal die-cast black satin knobs with chrome bezels
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Heavy metal die-cast black satin knobs with chrome bezels
- 3yr Warranty

ACCESSORIES & OPTIONS

- Mirror chrome finish griddle plates available in flat surface & grooved surfaces
- 1" fabricated Island back
- 1" welded Island back
- 4" Stub back
- Removable griddle plate
- Griddle cover
- Grill cover
- Wok Adapter
- 20" High back with shelf



Shown with optional 4" riser.

AROBSCT-424

COOK TOP FEATURES

- 3 sizes of burners to serve your everyday needs: 25,000 BTU (lg), 18,000 BTU (med) and 12,000 BTU (sm)
- **Stainless Steel Island Back Trim included & installed**
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Continuous and flush commercial-grade cast iron grates allows for easy transfer of pots and pans across the cooking surface
- Heavy metal die-cast black satin knobs with chrome bezels
- Porcelainized burner pans catch spills and lift out for easy cleaning
- 3yr Warranty

NEW

24" SLIDE-IN COOKTOPS

DESIGNED & BUILT IN USA
 PROFESSIONAL COOKING EQUIPMENT

Model		Description	Dealers Cost	MAP
AROBSCT-424		Performer 24" Cook Top with 4 open gas burners.		\$ 2,499
AROBSCT-242GD		Performer 24" Cook Top with 22" wide griddle. Available in mirror chrome finish. See page 104.		2,799
AROBSCT-24X2GR		Performer 24" Cook Top with (2) 11" grills.		2,799

24" SLIDE-IN COOKTOP ACCESSORIES & OPTIONS

Part Number	Description	Dealers Cost	MAP
ARR-24SIB-P	1" Fabricated Island Back		\$ 229
ARR-24IB-P	1" Welded Island Back		249
ARR-244SB-P	4" Stub Back		259
ARR-242IHBS-P	20" High Back with Shelf		650
ARR-PGP12-P	12" Removable Heavy Duty Griddle Plate (for chrome finish add \$315)		479
ARR-PGP24-P	24" Removable Heavy Duty Griddle Plate (for chrome finish add \$420)		579
ARR-CUTB-12-P	12" Cutting Board		159
ARR-GDCOV24-S-P	24" Griddle Cover		295
ARR-GRCOV24-P	24" Grill Cover		295
ARR-WOK-P	Wok Adapter for Burner Grate		108

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L= LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
 when ordering.

Electrical Requirements:
 120VAC, 15 Amps, Single Phase, 60 HZ



Shown with optional 4" riser.

AROBSCT-430



COOK TOP FEATURES

- 3 sizes of burners to serve your everyday needs: 25,000 BTU (lg), 18,000 BTU (med) and 12,000 BTU (sm)
- HVcZrhHZzaFacy7VX1gb'cxqYZYfi'chVazY
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Continuous and flush commercial-grade cast iron grates allows for easy transfer of pots and pans across the cooking surface
- Heavy metal die-cast black satin knobs with chrome bezels
- Porcelanized burner pans catch spills and lift out for easy cleaning
- 3yr Warranty

30" SLIDE-IN COOKTOPS

Model		Description	Dealers Cost	MAP
AROBSCT-430		Performer 30" Cook Top with 4 open gas burners.	\$ 2,499	

30" SLIDE-IN COOKTOP ACCESSORIES & OPTIONS

Part Number	Description	Dealers Cost	MAP
ARR-30SIB-P	1" Fabricated Island Back	\$ 229	
ARR-30IB-P	1" Welded Island Back	249	
ARR-304SB-P	4" Stub Back	259	
ARR-302IHBS-P	20" High Back with Shelf	650	
ARR-PGP12-P	12" Removable Heavy Duty Griddle Plate (for chrome finish add \$315)	479	
ARR-CUTB-12-P	12" Cutting Board	159	
ARR-WOK-P	Wok Adapter for Burner Grate	108	
ARR30CC-P	Cooktop Cover Performer 30" 4 Burner Stainless Steel Only	349	

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L= LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
 when ordering.

Electrical Requirements:
 120VAC, 15 Amps, Single Phase, 60 HZ



Shown with optional 4" riser.

AROBSCT-636



COOK TOP FEATURES

- 3 sizes of burners to serve your everyday needs: 25,000 BTU (lg), 18,000 BTU (med) and 12,000 BTU (sm)
- Stainless Steel Island Back Trim included and installed
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Continuous and flush commercial-grade cast iron grates allows for easy transfer of pots and pans across the cooking surface
- Heavy metal die-cast black satin knobs with chrome bezels
- Porcelainized burner pans catch spills and lift out for easy cleaning
- 3yr Warranty

36" SLIDE-IN COOKTOPS

Model	Description	Dealers Cost	MAP
AROBSCT-636		Performer 36" Cook Top with 6 open gas burners.	\$ 2,899
AROBSCT-436GD		Performer 36" Cook Top with 4 open gas burners, 11" wide griddle cook top. Available in chrome as an upgrade option.	3,099
AROBSCT-436GR		Performer 36" Cook Top with 4 open gas burners, 11" wide searing grill.	3,099

36" SLIDE-IN COOKTOP ACCESSORIES & OPTIONS

Part Number	Description	Dealers Cost	MAP
ARR-36SIB-P	1" Fabricated Island Back		\$ 265
ARR-36IB-P	1" Welded Island Back		299
ARR-364SB-P	4" Stub Back		325
ARR-362IHBS-P	20" High Back with Shelf		795
ARR-36CB-P	Stainless Steel Curb Base		298
ARR-GDCOV12-S-P	12" Griddle Cover		225
ARR-GRCOV12-P	12" Grill Cover		225
ARR-PGP12-P	12" Removable Griddle Plate (for chrome finish add \$315)		479
ARR-PGP24-P	24" Removable Griddle Plate (for chrome finish add \$420)		579
ARR-CUTB-12-P	12" Cutting Board		159
MC11-FS-P	11" Mirror Chrome Finish Flat Griddle Plate (replaces standard griddle plate)		759
MC11-GG-P	11" Mirror Chrome Finish Grooved Griddle Plate (replaces standard griddle plate)		1,179
ARR-WOK-P	Wok Adapter for Burner Grate		108
ARR36LCC-P	Cooktop Cover Performer 36" Left Side Stainless Steel Only		422

DESIGNED & BUILT IN USA
 PROFESSIONAL COOKING EQUIPMENT

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
 when ordering.

Electrical Requirements:
 120VAC, 15 Amps, Single Phase, 60 HZ



Shown with optional 4" riser.

AROBSCT-648GD

COOK TOP FEATURES

- 3 sizes of burners to serve your everyday needs: 25,000 BTU (lg), 18,000 BTU (med) and 12,000 BTU (sm)
- **Stainless Steel Island Back Trim included & installed**
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Continuous and flush commercial-grade cast iron grates allows for easy transfer of pots and pans across the cooking surface
- Heavy metal die-cast black satin knobs with chrome bezels
- Porcelainized burner pans catch spills and lift out for easy cleaning
- 3yr Warranty

NEW
DESIGNED & BUILT IN USA
PROFESSIONAL COOKING EQUIPMENT

48" SLIDE-IN COOKTOPS

Model		Description	Dealers Cost	MAP
AROBSCT-848		Performer 48" Cook Top with 8 open burners cook top.		\$ 3,699
AROBSCT-648GD		Performer 48" Cook Top with 6 open burners cook top with 11" griddle.		3,899
AROBSCT-648GR		Performer 48" Cook Top with 6 open burners cook top with 11" grill.		3,899
AROBSCT-4482GD		Performer 48" Cook Top with 4 open burners cook top with 22" griddle.		4,299
AROBSCT-448X2GR		Performer 48" Cook Top with 4 open burners cook top with (2) 11" grills.		4,299
AROBSCT-448GDGR		Performer 48" Cook Top with 4 open burners cook top with 11" grill & 11" griddle.		4,299

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L= LP Gas Example: AROFG-30L, represents unit to be built for LP gas.






Must specify elevation if over 2,000 ft.
 when ordering.

Electrical Requirements:
 120VAC, 15 Amps, Single Phase, 60 HZ

48" SLIDE-IN COOKTOP ACCESSORIES & OPTIONS

Part Number	Description	Dealers Cost	MAP
ARR-48SIB-P	1" Fabricated Island Back		\$ 339
ARR-48IB-P	1" Welded Island Back		395
ARR-484SB-P	4" Stub Back		420
ARR-482HBS-P	20" High Back with Shelf		995
ARR-GDCOV12-S-P	12" Griddle Cover		225
ARR-GRCOV12-P	12" Grill Cover		225
ARR-PGP12-P	12" Removable Heavy Duty Griddle Plate (for chrome finish add \$315)		479
ARR-PGP24-P	24" Removable Heavy Duty Griddle Plate (for chrome finish add \$420)		579
ARR-GDCOV24-S-P	24" Griddle Cover		295
ARR-GRCOV24-P	24" Grill Cover		295
ARR-CUTB-12-P	12" Cutting Board		159
MC11-FS-P	11" Mirror Chrome Finish Flat Griddle Plate		759
MC11-GG-P	11" Mirror Chrome Finish Grooved Griddle Plate		1,179
MC22-FS-P	22" Mirror Chrome Finish Flat Griddle Plate		1,539
MC22-HG-P	22" Mirror Chrome Finish Left Half Flat & Right Half Grooved Griddle Plate		1,996
MC22-GG-P	22" Mirror Chrome Finish Grooved Griddle Plate		2,559
MC22-SP-P	22" Mirror Chrome Finish Griddle Plate with Flavor Separator at Center		1,619
ARR-WOK-P	Wok Adapter for Burner Grate		108

MIRROR CHROME FINISH GRIDDLE PLATES UPGRADE


 MC11-FS
 11" Flat

 MC11-GG
 11" Grooved

 MC22-FS
 22" Flat

 MC22-SP
 22" Flavor Separator

 MC22-HG
 22" Flat & Grooved

 MC22-GG
 22" Grooved

When ordering mirror chrome finish griddle plate,
indicate griddle plate part number of the range to be fitted.



N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
when ordering.

Electrical Requirements:
120VAC, 15 Amps, Single Phase, 60 HZ



Shown with optional 4" riser.

AROBSCT-660GDGR



COOK TOP FEATURES

- 3 sizes of burners to serve your everyday needs: 25,000 BTU (lg), 18,000 BTU (med) and 12,000 BTU (sm)
- Stainless Steel Island Back Trim included & installed
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- Continuous and flush commercial-grade cast iron grates allows for easy transfer of pots and pans across the cooking surface
- Heavy metal die-cast black satin knobs with chrome bezels
- Porcelainized burner pans catch spills and lift out for easy cleaning
- 3yr Warranty

DESIGNED & BUILT IN USA
 PROFESSIONAL COOKING EQUIPMENT

60" SLIDE-IN COOKTOPS

Model		Description	Dealers Cost	MAP
AROBSCT-660GDGR		Performer 60" Cook Top with 6 open burners with 11" griddle and 11" grill.		\$ 5,299
AROBSCT-6602GD		Performer 60" Cook Top with 6 open burners with 22" wide griddle.		5,399
AROBSCT-660X2GR		Performer 60" Cook Top with 6 open burners with (2) 11" grills.		5,399

N= Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
 when ordering.

Electrical Requirements:
 120VAC, 15 Amps, Single Phase, 60 HZ


60" SLIDE-IN COOKTOP ACCESSORIES & OPTIONS

Part Number	Description	Dealers Cost	MAP
ARR-60SIB-P	1" Fabricated Island Back		\$ 429
ARR-60IB-P	1" Welded Island Back		495
ARR-604SB-P	4" Stub Back		650
ARR-602IHBS-P	20" High Back with Shelf		1,280
ARR-GDCOV12-S-P	12" Griddle Cover		225
ARR-GRCOV12-P	12" Grill Cover		225
ARR-PGP12-P	12" Removable Heavy Duty Griddle Plate (for chrome finish add \$315)		479
ARR-PGP24-P	24" Removable Heavy Duty Griddle Plate (for chrome finish add \$420)		579
ARR-GDCOV24-P	24" Griddle Cover		295
ARR-GRCOV24-P	24" Grill Cover		295
ARR-CUTB-12-P	12" Cutting Board		159
MC11-FS-P	11" Mirror Chrome Finish Flat Griddle Plate		759
MC11-GG-P	11" Mirror Chrome Finish Grooved Griddle Plate		1,179
MC22-FS-P	22" Mirror Chrome Finish Flat Griddle Plate		1,539
MC22-HG-P	22" Mirror Chrome Finish Left Half Flat & Right Half Grooved Griddle Plate		1,996
MC22-GG-P	22" Mirror Chrome Finish Grooved Griddle Plate		2,559
MC22-SP-P	22" Mirror Chrome Finish Griddle Plate with Flavor Separator at Center		1,619
ARR-WOK-P	Wok Adapter for Burner Grate		108


MIRROR CHROME FINISH GRIDDLE PLATES UPGRADE




MC11-FS
11" Flat




MC11-GG
11" Grooved




MC22-FS
22" Flat



MC22-SP
22" Flavor Separator



MC22-HG
22" Flat & Grooved



MC22-GG
22" Grooved

When ordering mirror chrome finish griddle plate,
indicate griddle plate part number of the range to be fitted.

N = Natural Gas Must provide **N** or **L** after model number for type of gas needed.
L = LP Gas Example: AROFG-30L, represents unit to be built for LP gas.

Must specify elevation if over 2,000 ft.
when ordering.

Electrical Requirements:
120VAC, 15 Amps, Single Phase, 60 HZ



FEATURES

- Electronic controls hidden behind the front panel are kitchen-design friendly
- One-touch controls presets, adjustable drawer temperatures and on-times
- Easy-to-read digital display of time and temperature simplifies programming
- Automatic shut-off at end of cycle helps save energy
- Adjust, Add and Remove function keys make memory programming easy
- Sabbath mode for up to 84 hours of hands-free operation
- Four radiant heaters take the drawer from 70°F to 140°F in 4 minutes and to 90°F in 9 minutes
- Heaters are easy to replace and unit continues to function, creating a "safe-landing" should one or more heaters fail during operation
- Two convection fans hold the drawer at a uniform temperature to +/- 1°F accuracy
- Drawer capacity is truly proportional to product width - larger models have a larger drawer (30" and 36" only)
- Best quality Triple-Play cabinet slides keeps the drawer from wobbling
- Low sides on drawer make loading and unloading easy - and clean-up a snap
- 3yr Warranty

SPECIFICATIONS

- Computer control of time and temperature
- Standard kitchen cabinets widths
- Three-slides on the drawer for increased stability
- Timed, Continuous and Sabbath modes
- Four infrared heaters, two convection fans standard in all models
- Design protected under U.S. Patent 7,166,821

Available in sizes: 27", 30" and 36"



ARR-27WD

WARMING DRAWER FEATURES

- One-touch controls presets, adjustable drawer temperatures and on-times
- Automatic shut-off at end of cycle helps save energy
- Two convection fans hold the drawer at a uniform temperature to +/- 1°F accuracy
- Drawer capacity is truly proportional to product width - larger models have a larger drawer (30" and 36" only)
- Best quality Triple-Play cabinet slides keeps the drawer from wobbling
- Easy-to-read digital display of time and temperature simplifies programming
- Low sides on drawer make loading and unloading easy - and clean-up a snap
- 3yr Warranty

DESIGNED & BUILT IN USA
 PROFESSIONAL COOKING EQUIPMENT

27", 30", 36" WARMING DRAWERS

Model		Description	Dealers Cost	MAP
ARR-27WD		Villa 27" professional Stainless Steel Warming Drawer with classic handle.		\$ 1,499
ARR-30WD		Villa 30" professional Stainless Steel Warming Drawer with classic handle.		1,699
ARR-36WD		Villa 36" professional Stainless Steel Warming Drawer with classic handle.		1,999
ARR-27IRWD		Villa 27" wide Warming Drawer with integrated drawer panel plate for attachment to your kitchen cabinet face. Install with locally supplied custom door front.		1,150
ARR-30IRWD		Villa 30" wide Warming Drawer with integrated drawer panel plate for attachment to your kitchen cabinet face. Install with locally supplied custom door front.		1,350
ARR-36IRWD		Villa 36" wide Warming Drawer with integrated drawer panel plate for attachment to your kitchen cabinet face. Install with locally supplied custom door front.		1,579

WARMING DRAWER ACCESSORIES

Part Number	Description	Retail	MAP
ARWDH-27-V	27" Door Handle Including End Caps & Stainless Steel Pull Bar		\$ 179
ARWDH-30-V	30" Door Handle Including End Caps & Stainless Steel Pull Bar		239
ARWDH-36 -V	36" Door Handle Including End Caps & Stainless Steel Pull Bar		299

Electrical Requirements:

120VAC, 15 Amps, Single Phase, 60 HZ

LIMITED EXPRESS WARRANTY

Effective June 1, 2013, American Range (hereafter AMR) hereby provides the following limited express warranty ("Warranty") to the original residential user ("Owner") for its new RESIDENTIAL Product(s) to be free from defects in material and workmanship in the normal household use for the Warranty period(s) set forth below, beginning from the date of purchase under the terms and conditions as follows:

This Warranty is applicable only on new AMR residential Products and is non-transferable. This Warranty is not applicable to AMR commercial Products. This Warranty is strictly limited to Products sold to the original Owner in the United States or Canada, and said Owner shall not be entitled to transfer this Warranty to third parties. This Warranty is also not applicable on AMR residential Products that are used for commercial purposes, including without limitation, vacation rentals, clubs, government facilities, non-profit groups, bed and breakfast facilities, and board and care facilities.

Warranty Period: In the event that Owner fails to promptly register the Product(s) with AMR within ninety (90) days of the date of purchase, the Warranty period shall be strictly limited to a period of one-year for parts and labor, from the date of purchase. Proof of purchase is required for all claims under this Warranty.

However, for all Products registered with AMR, with proof of purchase, and within ninety days from the date of purchase, the Warranty period shall be for a period of Three (3) Years from the date of purchase, subject to the terms and conditions herein.

In addition, for all Products properly registered with AMR, as set forth within this Warranty, the following parts only shall have a limited lifetime warranty, subject to the terms and conditions herein, for the life of the Product(s).

Knobs, Chrome Racks, Cast Iron Grates, aeration drip pan for Performer Series only (ARROB), Grease Can for use with grill and griddles, Sealed and Open burner heads only, and Laser Etched Control Panel Graphics.

Owner shall be responsible to pay \$25.00 per each knob (\$35.00 USD per each knob for claims from Canada), and \$35.00 per each rack, grate, drip pan, grease can, burner head, and laser etched graphic (\$45.00 USD per each such item for claims from Canada) for shipping and handling of each such ordered part (per item) to be replaced under this Warranty.

After the limited Warranty period, Owner shall be responsible for all labor costs under the limited lifetime warranty.

Exceptions to the Warranty: Rubber seals, light bulbs, and gaskets are covered for a period of ninety (90) days only. Oven glass, porcelain, and Products that are not defective, but that require adjustments for normal wear and tear are expressly excluded from this Warranty.

Warranty Claims:

In the event of a claim for repair of the Product(s), and to obtain warranty service, Owner must contact either (i) the dealer from whom the product was purchased; (ii) an authorized AMR service agent; or (iii) an AMR Residential service support at 1-888-753-9898. You will be asked to provide a model and serial number, and date of original purchase.

AMR shall provide all new replacement parts and all repair labor under the Warranty.

Under the terms of this Warranty, service must be performed by a factory authorized AMR service agent/representative, and approved in advance by AMR. AMR shall not be responsible for labor costs that have not been pre-approved, with written confirmation by AMR. All repair services shall be provided during normal business hours. AMR will not be responsible for premium time or overtime charges for labor covered under this warranty or for repairs made without AMR authorization. Such charges shall be the responsibility of the Owner.

Limitation of Warranty: AMR shall have no obligation under this Warranty as to any Product(s) which have been misapplied, mishandled, abused, misused, modified, altered, subject to improper cleaning methods, subject to harsh chemical action, modified by unauthorized service personnel, damaged by accidents, flood, fire, smoke, public unrest, earthquake, tornado, hurricane, other acts of God, Owner negligence, reasons beyond the control of AMR, failures due to improper installation, insufficient gas or electrical supply, problems due to improper ventilation, or removed/changed serial numbers. Any damage due to water, chemical, or direct contact to infrared burners will also not be covered under this Warranty. This Warranty shall be void if the Product(s) are not properly installed by a licensed plumber, and not properly calibrated for electrical and gas connectivity, gas line size, correct pressure, and properly leveled. Additionally, AMR factory recommended cleaning instructions must be followed by Owner at all times or this Warranty shall be voided by AMR.

THIS WARRANTY IS LIMITED AND MADE IN LIEU OF ANY AND ALL OTHER SUCH WARRANTIES EXPRESSED OR IMPLIED, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE LIABILITY OF AMR IS SET FORTH HEREIN THIS WARRANTY. OWNER SPECIFICALLY UNDERSTANDS AND ACKNOWLEDGES THAT THERE ARE NO WARRANTIES, EITHER EXPRESSED OR IMPLIED HEREUNDER OTHER THAN THE WARRANTIES WHICH ARE SPECIFICALLY STATED HEREIN. SAID OWNER SHALL NOT RELY ON ANY OTHER ASSERTIONS, REPRESENTATIONS OR STATEMENTS BY AMR OR ITS AGENTS, OTHER THAN THOSE SPECIFICALLY EXPRESSED IN THIS WARRANTY.

AMR'S LIABILITY ON ANY CLAIM OF ANY KIND IS EXPRESSLY LIMITED AND SHALL NOT EXCEED THE PRICE OF THE PRODUCT(S) OR PART(S) THEREOF THAT GIVE RISE TO SUCH CLAIM.

Failure by AMR to enforce any of its rights under this Warranty shall not be construed as a waiver of those rights. AMR specifically reserves the right to investigate and verify all claims to determine the validity of the claim and the claimant's qualifications under this Warranty. AMR reserves the right to refuse Warranty service in the event that AMR determines that a claimant's right to the Warranty is inapplicable under the terms and conditions herein.

AMR is not responsible for consequential or incidental damage whether arising out of breach of warranty, breach of contract, tort, or any other legal theory, including without limitation, property damage, bodily injury, loss of use, and/or lost profits.

This Warranty gives the Customer certain legal rights. The customer may also have other legal rights which vary from state to state. Some states do not allow limitations on how long an implied warranty lasts, or do not allow the exclusion or limitation of incidental or consequential damages. If such laws apply, the limitations or exclusions contained in the terms and conditions of this Warranty may not apply to all such Owners.

AMR expressly reserves the right to make changes to their Warranty policy before or after purchase by the Owner.



13592 Desmond St., Pacoima, CA 91331
818.897.0808 888.753.9898 tel
www.americanrangeresidential.com