



MODE UMRP PRICE BOOK

September, 2013



NORTHERN DIVISION

33175 Transit Ave.
Union City, California 94587
Telephone: 510.477.6864

SOUTHERN DIVISION

7050 Valley View St.
Buena Park, California 90620
Telephone: 714.523.1511

TOLL-FREE: 800.836.8246

FAX: 714.522.0875

Vent-A-Hood®

TERMS AND CONDITIONS OF SALE

1. Terms:
 - a. Minimum order of \$15.00 net.
 - b. Net 30 days with approved credit.
2. Prices:
 - a. All prices are subject to change at any time without notice.
 - b. All prices are F.O.B. Vent-A-Hood® Company, Richardson, Texas.
3. Cancellation:
 - a. Hoods which are fabricated to purchase orders are non-cancelable upon acceptance by the factory.
 - b. Any change orders must be confirmed in writing to Vent-A-Hood® at the address below and are subject to our ability to conform.

Vent-A-Hood Company
P.O. Box 830426
Richardson, TX 75083-0426
4. Returns:
 - a. No merchandise may be returned without written consent and shipping instructions.
 - b. Authorized returns are subject to a 25% restocking charge and freight charges.
 - c. Special order items are not subject to return or cancellation.
5. Quick Ship:
 - a. Shaded boxed prices in this document indicate quick ship products. Quick ship products are typically stocked or manufactured within two weeks. Quick ship painted product finishes include black, gunsmoke, and white.
6. Vent-A-Hood® Warranty
 - a. Vent-A-Hood® merchandise is manufactured in accordance with Vent-A-Hood®'s high standards and carries a limited warranty.
 - b. Vent-A-Hood® Magic Lung® Warranty:

Vent-A-Hood® warrants to the original consumer-purchaser its products to be free of defects in material and workmanship for a period of five years from the date of purchase with the following limitations:

 - A. Light bulbs
 - B. Freight damage
 - C. Damage caused by faulty installation
 - D. Incidental or consequential damage
 - E. Commercial application
 - F. Misapplication or modification of or to any part of the Vent-A-Hood® product
 - c. Vent-A-Hood® K Series, M Series, and Remote Blower Warranty:

Vent-A-Hood warrants to the original consumer-purchaser its products to be free of defects in material and workmanship for a period of one year from the date of purchase with the following limitations:

 - A. Light bulbs
 - B. Freight damage
 - C. Damage caused by faulty installation
 - D. Incidental or consequential damage
 - E. Commercial application
 - F. Misapplication or modification of or to any part of the Vent-A-Hood® product
 - d. To make a warranty claim, contact the dealer where the hood was purchased. The dealer will contact the appropriate service agents. It is not necessary to register the product directly with Vent-A-Hood®.

Join Us!



Follow Us!



PICTURE INDEX - TABLE OF CONTENTS




AH12



BHPSLB/BHPSLD



BHSLD



CIEH9



CILH9



CLH9



COH



CWEAH6-K



CWEH6-K



CWEH9



CWH




CWLH9



CWSH3




CWUH9



CXH30



DAH18



DAH30




EPH18



EPIH18




EPITH18



EPH18



GTH-K



ICXH30




ISDH18




ISFH18



ISFH30



ISLH18



ISLH30



IXRH18



IZTH



JCH/A1




JCH/B1




JCH/C1




JCH/C2



JCIH/A1



JCIH/B1



JCIH/C1



JCWR18



JCWR9



JDH/C1



JDH/C2



JDIH/C1



JDIH/C2



JPH/C1



JPH/C2



KHSLD



NEPH18



NEPTH18



NPH18

PICTURE INDEX - TABLE OF CONTENTS



NPH9



PDAH14-K




PDH14



PDH14-K




PRH18




PRH6-K



PRH9




PWVH18




PWVH30



PYDH18



PYH18



PYH30



SEPH18



SEPIH18



SEPITH18




SEPTH18



SLDH14



SLH18



SLH30



SLH6-K



SLH9



THPSLE/THSLE



TLH



XLH12



XRH18



XRH9



ZTH

TABLE OF CONTENTS - BY APPLICATION/HOOD TYPE

UNDER CABINET	8-11	ISLAND	55-59
PRH6-K	8	JCIH/A1	55
SLH6-K	8	JCIH/B1	56
PRH9	9	JCIH/C1	57
NPH9	10	JDIH/C1	58
SLH9	10	JDIH/C2	59
XRH9	11	ISLAND	60-77
CLH9	11	CONTEMPORARY ISLAND	60-62
WALL MOUNT	12-44	CIEH9	60
CONTEMPORARY WALL MOUNT	12-19	CILH9	61
CWEH6-K	12	IZTH	62
CWEH9	13	18" TALL ISLAND	63-66
CWLH9	14	ISFH18	63
CWUH9	15	ISLH18	64
CWSH3	16	IXRH18	65
GTH-K	17	PYH18	66
XLH12	18	12" TALL ISLAND	67
ZTH	19	COH	67
18" TALL WALL MOUNT	20-25	EURO-STYLE ISLAND	68-73
PRH18	20	PYDH18	68
NPH18	21	ISDH18	69
SLH18	22	EPIH18	70
XRH18	23	SEPIH18	71
DAH18	24	EPITH18	72
PWVH18	25	SEPITH18	73
DUCT-FREE WALL MOUNT	26-27	30" TALL ISLAND	74-77
CWEAH6-K	26	ICXH30	74
PDAH14-K	27	ISFH30	75
EURO-STYLE WALL MOUNT	29-37	ISLH30	76
PDH14-K	29	PYH30	77
PDH14	30	LINER INSERTS	78-83
SLDH14	31	WALL MOUNT	78-79
EPH18	32	KHSLD	78
NEPH18	33	BHSLD	78
SEPH18	34	BHPSLD	79
EPTH18	35	BHPSLB	79
NEPTH18	36	ISLAND	80
SEPTH18	37	THSLE	80
30" TALL WALL MOUNT	38-41	THPSLE	80
CXH30	38	CUSTOM	81-83
DAH30	39	BH-LD	81
PWVH30	40	BH-LB	81
SLH30	41	BH-LA	82
OTHER WALL MOUNT STYLES	42-44	TH-LC	83
AH12	42	TH-LE	83
CWH	43	OTHER ITEMS	84-95
TLH	44	BLOWER OPTIONS	84
DESIGNER SERIES	45-59	REMOTE BLOWERS	84-85
WALL MOUNT	45-54	SPLASH PANELS	86
JCH/A1	45	WARMING LAMPS & SHELVES	87
JCH/B1	46	ACCESSORY RAIL	88
JCH/C1	47	BBQ EXTENSION	89
JCH/C2	48	LYNN SEARS DESIGN TRIMS	90-91
JDH/C1	49	BANDS, FINISHES & RAILS	92
JDH/C2	50	DECORATIVE ATTACHMENTS	93
JCWR9	51	VENTING ACCESSORIES	94
JCWR18	52	REPLACEMENT PARTS	95
JPH/C1	53		
JPH/C2	54		

TABLE OF CONTENTS - BY MODEL NUMBER


AH12	42	PRH9	9
BH-LA	82	PWVH18	25
BH-LB	81	PWVH30	40
BH-LD	81	PYDH18	68
BHPSLB	79	PYH18	66
BHPSLD	79	PYH30	77
BHSLD	78	SEPH18	34
CIEH9	60	SEPIH18	71
CILH9	61	SEPITH18	73
CLH9	11	SEPTH18	37
COH	67	SLDH14	31
CWEAH6-K	26	SLH18	22
CWEH6-K	12	SLH30	41
CWEH9	13	SLH6-K	8
CWH	43	SLH9	10
CWLH9	14	TH-LC	83
CWSH3	16	TH-LE	83
CWUH9	15	THPSLE	80
CXH30	38	THSLE	80
DAH18	24	TLH	44
DAH30	39	XLH12	18
EPH18	32	XRH18	23
EPIH18	70	XRH9	11
EPITH18	72	ZTH	19
EPTH18	35		
GTH-K	17		
ICXH30	74		
ISDH18	69		
ISFH18	63		
ISFH30	75		
ISLH18	64		
ISLH30	76		
IXRH18	65		
IZTH	62		
JCH/A1	45		
JCH/B1	46		
JCH/C1	47		
JCH/C2	48		
JCWR18	52		
JCWR9	51		
JDH/C1	49		
JDH/C2	50		
JPH/C1	53		
JPH/C2	54		
JCIH/A1	55		
JCIH/B1	56		
JCIH/C1	57		
JDIH/C1	58		
JDIH/C2	59		
KHSLD	78		
NEPH18	33		
NEPTH18	36		
NPH18	21		
NPH9	10		
PDAH14-K	27		
PDH14	30		
PDH14-K	29		
PRH6-K	8		
PRH18	20		

THE VENT-A-HOOD DIFFERENCE

1

GREASE EXTRACTION

OUR PREMIUM
MAGIC LUNG® BLOWER



CONSTANT 99%
CENTRIFUGAL
GREASE EXTRACTION


LABORATORY TESTING OF COMPETITIVE UNITS SHOWS THAT ONLY ABOUT 30% OF THE GREASE IS COLLECTED IN THE FILTER DURING TYPICAL RESIDENTIAL COOKING.

MAGIC LUNG®

VS

OTHER BRANDS

SCREEN/BAFFLE FILTER




5% TO 60% VARIABLE
GREASE EXTRACTION

THE PATENTED MAGIC LUNG® CENTRIFUGAL GREASE EXTRACTOR COLLECTS 99% OF THE GREASE 100% OF THE TIME.

2

QUIET & POWERFUL

THE QUIETEST VENTILATION
AVAILABLE




VARIABLE SPEED BLOWERS BECOME LOUDER AND LOUDER AS CFM INCREASES.

MAGIC LUNG®

VS

OTHER BRANDS

NOISY VARIABLE
SPEED BLOWER



300 CFM=5.4 SONES
600 CFM=6.5 SONES
900 CFM=6.3 SONES
1200 CFM=6.6 SONES


Each MAGIC LUNG® BLOWER SUPPLIES 300 CFM OF AIR FLOW—COMBINING MULTIPLE BLOWERS WILL MEET ANY AIR FLOW REQUIREMENT WITHOUT A NOTICEABLE CHANGE IN THE NOISE LEVEL.

300 CFM=6.0 SONES
600 CFM=9.0 SONES
900 CFM=12.0 SONES
1200 CFM=15.0 SONES

3

EFFICIENT

COLLECTION



LARGE ACTIVE
CANOPY REMOVES
CONTAMINANTS


FILTERS OBSTRUCT AIR FLOW AND SPOIL THE COLLECTOR PROPERTIES OF THE CANOPY.

MAGIC LUNG®

VS

OTHER BRANDS

BARRIER



CLOSED CANOPY
RESTRICTS AIR FLOW


A RANGE HOOD EQUIPPED WITH THE MAGIC LUNG® BLOWER SYSTEM IS A WIDE OPEN, ACTIVE COLLECTOR THAT INVITES CONTAMINANTS IN. A PROPER COLLECTOR IS THE MOST CRITICAL ELEMENT FOR GOOD COOKING VENTILATION AND REQUIRES 1/3 LESS AIR FLOW THAN A FILTER-STYLE RANGE HOOD.

THE VENT-A-HOOD DIFFERENCE

4

EASY TO CLEAN

NEW E-Z CLEAN
GREASE TRAY




BLOWER HOUSING
SNAPS APART FOR
FAST CLEANING

CLEANING THE GREASE FROM BEHIND THE FILTER IS NEARLY IMPOSSIBLE. ACCESS IS LIMITED BY COMPONENTS AND SHARP PROTRUSIONS. EVEN THE MOTOR GETS GREASY.

MAGIC LUNG®

VS

OTHER BRANDS



DIFFICULT
TO CLEAN


THE NEW E-Z CLEAN GREASE TRAY MAKES ROUTINE CLEANING EASIER THAN EVER. IF DESIRED, THE MAGIC LUNG® BLOWER COMES APART FOR EASY CLEANING IN SOAPY WATER OR A DISHWASHER.

GREASE ESCAPING
THE FILTERS
COATS THE MOTORS
AND WIRING

5

FIRE SAFETY

FLAME HAS NO ACCESS
TO SECONDARY SOURCES
OF COMBUSTION




NO GREASY FILTER
TO SUSTAIN A
SECONDARY FIRE

COOKING FIRES ARE THE LEADING CAUSE OF HOME FIRES (150,000 PER YEAR - NFPA) FILTERS ARE FLAMMABLE AND CAN SUSTAIN A SECONDARY FIRE NEAR THE INLET TO THE BLOWER LEADING TO A DUCT FIRE. FIRE INSURANCE CLAIMS AGAINST FILTERED HOODS ARE COMMON.

MAGIC LUNG®

VS

OTHER BRANDS



GREASY FILTERS
AND DUCTING ARE
FLAMMABLE

THE MAGIC LUNG® CONSTANT-SPEED BLOWER IS DESIGNED TO KEEP GREASE AND FLAME FROM ENTERING THE DUCT. IN OVER 75 YEARS, VENT-A-HOOD HAS NEVER RECEIVED A REPORT OF AN ATTIC OR WALL FIRE WHEN THE MAGIC LUNG® HAS BEEN IN USE.

6

WARRANTY

THE PERFORMANCE
GUARANTEED
MAGIC LUNG®



MAGIC LUNG®

VS

OTHER BRANDS


STANDARD
INDUSTRY
WARRANTY



WE'VE GOT YOU COVERED WITH THE BEST WARRANTY IN THE INDUSTRY. VENT-A-HOOD® HAS LONG BEEN THE MOST RESPECTED NAME IN VENTILATION. OUR PRODUCTS ARE GUARANTEED TO WORK AND WE STAND ON OVER 75 YEARS OF MANUFACTURING THE HIGHEST QUALITY VENTILATION PRODUCTS. OUR FAMILY IS DEVOTED TO YOUR SATISFACTION.

PRH6-K & SLH6-K UNDER CABINET RANGE HOODS

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 21"-24"**




PRH6-K

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH SINGLE BLOWER (250 CFM)				
PRH6-K24	24"	437	541	2
PRH6-K30	30"	437	541	2
PRH6-K36	36"	437	541	2
PRH6-K42	42"	513	627	3

PRODUCT FEATURES

- 250 CFM (375 EQUIVALENT)
- BACK VENT OR TOP VENT
- STANDARD SIZES ONLY, NO CUSTOMIZATIONS
- PAINTED FINISHES INCLUDE BISCUIT, BLACK, GUNSMOKE, AND WHITE

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 21"-24"**



SLH6-K


MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH SINGLE BLOWER (250 CFM)				
SLH6-K24	24"	437	541	2
SLH6-K30	30"	437	541	2
SLH6-K36	36"	437	541	2
SLH6-K42	42"	513	627	3

PRODUCT FEATURES

- 250 CFM (375 EQUIVALENT)
- BACK VENT OR TOP VENT
- STANDARD SIZES ONLY, NO CUSTOMIZATIONS
- PAINTED FINISHES INCLUDE BISCUIT, BLACK, GUNSMOKE, AND WHITE

PRH9 UNDER CABINET RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"-27"
TRANSITION NOT INCLUDED**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
PRH9-130	30"	636	807	1225	2
PRH9-136	36"	636	807	1225	2
PRH9-142	42"	741	912	1368	3
PRH9-148	48"	779	950	1406	3
WITH DUAL BLOWER (600 CFM)					
PRH9-230	30"	940	1121	1529	2
PRH9-236	36"	940	1121	1529	2
PRH9-242	42"	1035	1225	1653	3
PRH9-248	48"	1073	1263	1691	3
WITH DUAL & SINGLE BLOWERS (900 CFM)					
PRH9-342	42"	1444	1700	2061	3
PRH9-348	48"	1482	1738	2109	3
WITH TWO DUAL BLOWERS (1200 CFM)					
PRH9-448	48"	1786	2061	2422	3

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR


USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

PRH9 UNDER CABINET HOOD VARIATIONS				
WIDTHS OVER 48"				
	PAINTED	STAINLESS	OVERLAY	
FOR EACH 6" SEGMENT	104	142	171	
PLUS		180		
SPECIAL WIDTH (LESS THAN 48")				
USE NEXT LARGEST SIZE ON PRICE LIST				
PLUS		180		
SPECIAL BLOWER LOCATION				
LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE				
ADD		180		
STAINLESS STEEL INTERIOR ON OVERLAY HOOD				
SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD				
CUSTOM COLOR (SEE CUSTOM COLOR CHART)				
ADD				399
REMOTE BLOWER OPTIONS				
SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS				
TRIM OPTIONS				
SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS				
WARMING LAMPS AND SHELVES				
SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS				

NPH9 & SLH9 UNDER CABINET RANGE HOODS

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"-27"
TRANSITION NOT INCLUDED**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
NPH9-130	30"	769	1016	1501	2
NPH9-136	36"	769	1016	1501	2
NPH9-142	42"	912	1178	1700	3
NPH9-148	48"	959	1225	1757	3
WITH DUAL BLOWER (600 CFM)					
NPH9-230	30"	1073	1339	1805	2
NPH9-236	36"	1073	1339	1805	2
NPH9-242	42"	1216	1491	2004	3
NPH9-248	48"	1263	1539	2061	3
WITH DUAL & SINGLE BLOWERS (900 CFM)					
NPH9-342	42"	1624	1966	2413	3
NPH9-348	48"	1672	2023	2460	3
WITH TWO DUAL BLOWERS (1200 CFM)					
NPH9-448	48"	1985	2346	2774	3

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.


USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

NPH9 UNDER CABINET HOOD VARIATIONS

WIDTHS OVER 48"	PAINTED	STAINLESS	OVERLAY
FOR EACH 6" SEGMENT	104	142	171
PLUS		180	
SPECIAL WIDTH (LESS THAN 48")			
USE NEXT LARGEST SIZE ON PRICE LIST			
PLUS		180	
SPECIAL BLOWER LOCATION			
LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE			
ADD		180	

STAINLESS STEEL INTERIOR ON OVERLAY HOOD
SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD
CUSTOM COLOR (SEE CUSTOM COLOR CHART)
ADD 399
REMOTE BLOWER OPTIONS
SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS
TRIM OPTIONS
SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS
WARMING LAMPS AND SHELVES
SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"-27"
TRANSITION NOT INCLUDED**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
SLH9-130	30"	769	1016	1501	2
SLH9-136	36"	769	1016	1501	2
SLH9-142	42"	912	1178	1700	3
SLH9-148	48"	959	1225	1757	3
WITH DUAL BLOWER (600 CFM)					
SLH9-230	30"	1073	1339	1805	2
SLH9-236	36"	1073	1339	1805	2
SLH9-242	42"	1216	1491	2004	3
SLH9-248	48"	1263	1539	2061	3
WITH DUAL & SINGLE BLOWERS (900 CFM)					
SLH9-342	42"	1624	1966	2413	3
SLH9-348	48"	1672	2023	2460	3
WITH TWO DUAL BLOWERS (1200 CFM)					
SLH9-448	48"	1985	2346	2774	3

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR.

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

SLH9 UNDER CABINET HOOD VARIATIONS


WIDTHS OVER 48"	PAINTED	STAINLESS	OVERLAY
FOR EACH 6" SEGMENT	104	142	171
PLUS		180	
SPECIAL WIDTH (LESS THAN 48")			
USE NEXT LARGEST SIZE ON PRICE LIST			
PLUS		180	
SPECIAL BLOWER LOCATION			
LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE			
ADD		180	

STAINLESS STEEL INTERIOR ON OVERLAY HOOD
SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD
CUSTOM COLOR (SEE CUSTOM COLOR CHART)
ADD 399
REMOTE BLOWER OPTIONS
SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS
TRIM OPTIONS
SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS
WARMING LAMPS AND SHELVES
SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS

XRH9 & CLH9 UNDER CABINET RANGE HOODS

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"-27"
TRANSITION NOT INCLUDED**

Stainless steel 1" bands
are included on painted
and stainless steel models.



XRH9

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
XRH9-130	30"	788	1045	1548	2
XRH9-136	36"	788	1045	1548	2
XRH9-142	42"	912	1178	1700	3
XRH9-148	48"	959	1225	1757	3
WITH DUAL BLOWER (600 CFM)					
XRH9-230	30"	1092	1358	1852	2
XRH9-236	36"	1092	1358	1852	2
XRH9-242	42"	1216	1491	2004	3
XRH9-248	48"	1263	1539	2061	3
WITH DUAL & SINGLE BLOWERS (900 CFM)					
XRH9-342	42"	1624	1966	2413	3
XRH9-348	48"	1672	2023	2460	3
WITH TWO DUAL BLOWERS (1200 CFM)					
XRH9-448	48"	1985	2346	2774	3


*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR
*NO BANDS ON OVERLAY MODELS

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.
USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

XRH9 UNDER CABINET HOOD VARIATIONS

WIDTHS OVER 48"				SPECIAL BLOWER LOCATION	
	PAINTED	STAINLESS	OVERLAY	LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE	
FOR EACH 6" SEGMENT	104	142	171	ADD 180	
PLUS		180		REMOTE BLOWER OPTIONS	
SPECIAL WIDTH (LESS THAN 48")				SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS	
USE NEXT LARGEST SIZE ON PRICE LIST				TRIM OPTIONS	
PLUS		180		BANDS, NON-STANDARD COLOR 85	
STAINLESS STEEL INTERIOR ON OVERLAY HOOD				TO REMOVE BANDS 85	
SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD				SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS	
CUSTOM COLOR (SEE CUSTOM COLOR CHART)				WARMING LAMPS AND SHELVES	
ADD		399		SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS	

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"-27"
TRANSITION NOT INCLUDED**



CLH9

MODEL NO.	WIDTH	PAINTED	#LTS
WITH SINGLE BLOWER (300 CFM)			
CLH9-130	30"	788	2
CLH9-136	36"	788	2
CLH9-142	42"	912	3
CLH9-148	48"	959	3
WITH DUAL BLOWER (600 CFM)			
CLH9-230	30"	1092	2
CLH9-236	36"	1092	2
CLH9-242	42"	1216	3
CLH9-248	48"	1263	3
WITH DUAL & SINGLE BLOWERS (900 CFM)			
CLH9-342	42"	1624	3
CLH9-348	48"	1672	3
WITH TWO DUAL BLOWERS (1200 CFM)			
CLH9-448	48"	1985	3


USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.
USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

CLH9 UNDER CABINET HOOD VARIATIONS

WIDTHS OVER 48"			SPECIAL BLOWER LOCATION	
	PAINTED		LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE	
FOR EACH 6" SEGMENT	104		ADD	
PLUS	180		180	
SPECIAL WIDTH (LESS THAN 48")			CUSTOM COLOR (SEE CUSTOM COLOR CHART)	
USE NEXT LARGEST SIZE ON PRICE LIST			ADD	
PLUS		180	399	
WARMING LAMPS AND SHELVES			REMOTE BLOWER OPTIONS	
SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS			SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS	
			TRIM OPTIONS	
			SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS	

CWEH6-K CONTEMPORARY WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"**




MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH SINGLE BLOWER (250 CFM)				
CWEH6-K30	30"	807	1026	2
CWEH6-K36	36"	807	1026	2
CWEH6-K42	42"	931	1187	3
CWEH6-K48	48"	978	1235	3

**DUCT COVER HAS A
REMOVABLE FRONT PANEL**

PRODUCT FEATURES

- 250 CFM (375 EQUIVALENT)
- TOP VENT ONLY
- STANDARD SIZES ONLY, NO CUSTOMIZATIONS
- PAINTED FINISHES INCLUDE BISCUIT, BLACK, GUNSMOKE, AND WHITE
- DUCT COVER HAS A REMOVABLE FRONT PANEL



MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
WDCR-12/18	12"	465	503	7'
WDCR-12/30	12"	513	589	8'
WDCR-12/42	12"	560	674	9'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS
WIDTH x HEIGHT x	0.36	0.57
PLUS	389	

ANY WDCR SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

WDCR DUCT COVERS HAVE A REMOVABLE FRONT PANEL.

FINISHED TOP


	PAINTED	STAINLESS
WIDTH x DEPTH x	0.36	0.57
PLUS	180	

SLOPED TOP ON DUCT COVER

ADD	294
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	


CWEH9 CONTEMPORARY WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 27"**



**SHOWN WITH
MATCHING
SLIDE-ON
DUCT COVER
(SOLD SEPARATELY)**

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH SINGLE BLOWER (300 CFM)				
CWEH9-130	30"	1244	1729	2
CWEH9-136	36"	1263	1757	2
CWEH9-142	42"	1406	1890	3
CWEH9-148	48"	1472	1966	3
WITH DUAL BLOWER (600 CFM)				
CWEH9-230	30"	1548	2042	2
CWEH9-236	36"	1567	2080	2
CWEH9-242	42"	1710	2213	3
CWEH9-248	48"	1947	2280	3
CWEH9-254	54"	2099	2745	4




**SHOWN WITH
MATCHING
SLIDE-ON
DUCT COVERS
(SOLD SEPARATELY)**

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH DUAL & SINGLE BLOWERS (900 CFM)				
CWEH9-342	42"	2090	2669	3
CWEH9-348	48"	2327	2736	3
CWEH9-354	54"	2479	3201	4
CWEH9-360	60"	2584	3363	4
WITH TWO DUAL BLOWERS (1200 CFM)				
CWEH9-448	48"	2631	3059	3
CWEH9-454	54"	2783	3515	4
CWEH9-460	60"	2888	3676	4
CWEH9-466	66"	3021	3857	4

SPACE BETWEEN DUCT COVERS

MODEL NO.	WIDTH A
CWEH9-342	4"
CWEH9-348	8"
CWEH9-354	10"
CWEH9-360	12"
CWEH9-448	10"
CWEH9-454	10"
CWEH9-460	12"
CWEH9-466	14"



MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
WSDC-12/12	12"	342	370	7"
WSDC-12/24	12"	389	456	8"
WSDC-12/36	12"	446	532	9"

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS
WIDTH x HEIGHT x PLUS	0.36	0.57

294

ANY WSDC SS DUCT COVER MORE THAN 47" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

FINISHED TOP

	PAINTED	STAINLESS
WIDTH x DEPTH x PLUS	0.36	0.57

180

SLOPED TOP ON DUCT COVER

ADD 294

SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.

CWEH9 CONTEMPORARY WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 66"

FOR EACH 6" SEGMENT
PLUS

	PAINTED	STAINLESS
	133	190
		180


SPECIAL WIDTH (LESS THAN 66")

USE NEXT LARGEST SIZE ON PRICE LIST
PLUS

180


CWLH9 CONTEMPORARY WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 27"
TRANSITION NOT INCLUDED**



**SHOWN WITH
MATCHING
SLIDE-ON
DUCT COVER
(SOLD SEPARATELY)**

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH SINGLE BLOWER (300 CFM)				
CWLH9-130	30"	1225	1700	2
CWLH9-136	36"	1235	1710	2
CWLH9-142	42"	1406	1890	3
CWLH9-148	48"	1472	1966	3
WITH DUAL BLOWER (600 CFM)				
CWLH9-236	36"	1539	2033	2
CWLH9-242	42"	1710	2213	3
CWLH9-248	48"	1738	2223	3



**SHOWN WITH
MATCHING
SLIDE-ON
DUCT COVER
(SOLD SEPARATELY)**

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH DUAL & SINGLE BLOWERS (900 CFM)				
CWLH9-354	54"	2508	3239	4
CWLH9-360	60"	2622	3401	4
WITH TWO DUAL BLOWERS (1200 CFM)				
CWLH9-460	60"	2926	3724	4
CWLH9-466	66"	3002	3838	4

**USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS
TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.**

**USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS
TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.**

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS
WIDTH x HEIGHT x PLUS	0.36	0.57
	294	



ANY WSDC SS DUCT COVER MORE THAN 47" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

FINISHED TOP

	PAINTED	STAINLESS
WIDTH x DEPTH x PLUS	0.36	0.57
	180	

SLOPED TOP ON DUCT COVER

ADD	294
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	



MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
WSDC-12/12	12"	342	370	7'
WSDC-12/24	12"	389	456	8'
WSDC-12/36	12"	446	532	9'

MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
WSDC-26/12	26"	408	465	7'
WSDC-26/24	26"	513	646	8'
WSDC-26/36	26"	627	817	9'

MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
WSDC-34/12	34"	437	522	7'
WSDC-34/24	34"	589	750	8'
WSDC-34/36	34"	731	988	9'

CWLH9 CONTEMPORARY WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 66"

FOR EACH 6" SEGMENT
PLUS

	PAINTED	STAINLESS
	133	190
	180	

SPECIAL WIDTH (LESS THAN 66")

USE NEXT LARGEST SIZE ON PRICE LIST
PLUS


180

REMOVE GALLEY RAIL

TO REMOVE RAIL, NO CHARGE

CWUH9 CONTEMPORARY WALL MOUNT RANGE HOOD


**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 27"
TRANSITION NOT INCLUDED**



**SHOWN WITH
MATCHING
SLIDE-ON
DUCT COVER
(SOLD SEPARATELY)**

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH SINGLE BLOWER (300 CFM)				
CWUH9-130	30"	1444	1928	2
CWUH9-136	36"	1482	1976	2
CWUH9-142	42"	1634	2128	3
CWUH9-148	48"	1719	2213	3
WITH DUAL BLOWER (600 CFM)				
CWUH9-230	30"	1748	2242	2
CWUH9-236	36"	1786	2289	2
CWUH9-242	42"	1938	2441	3
CWUH9-248	48"	2194	2527	3
CWUH9-254	54"	2365	3011	4

**FEATURES MIRROR STAINLESS INLAYS AROUND THE TOP
OF THE DUCT COVER AND THE MIDDLE OF THE HOOD.**



MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
WUDC-12/12	12"	437	465	7'
WUDC-12/24	12"	494	551	8'
WUDC-12/36	12"	541	636	9'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS
WIDTH x HEIGHT x PLUS	0.36	0.57
	389	

**ANY WUDC SS DUCT COVER MORE THAN 50" TALL WILL HAVE
A VERTICAL GRAIN DIRECTION.**

CWUH9 CONTEMPORARY WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 54"

FOR EACH 6" SEGMENT
PLUS

PAINTED	STAINLESS
133	190
180	

SPECIAL WIDTH (LESS THAN 54")

USE NEXT LARGEST SIZE ON PRICE LIST
PLUS







180

REMOVE MIRROR INSERT

TO REMOVE MIRROR INSERT, NO CHARGE

CWSH3 CONTEMPORARY WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"**



COMBINATIONS FOR 7' CEILING APPLICATIONS

CWSH3 HOOD CANOPY ONLY

WDHR DUCT COVER WITH BLOWER

MODEL NO.	WIDTH	STAINLESS	#LTS
FOR SINGLE BLOWER (300 CFM)*			
CWSH3-1/030	30"	1016	2
CWSH3-1/036	36"	1016	2
CWSH3-1/042	42"	1197	3
FOR DUAL BLOWER (600 CFM)*			
CWSH3-2/030	30"	1016	2
CWSH3-2/036	36"	1016	2
CWSH3-2/042	42"	1197	3

MODEL NO.	WIDTH	STAINLESS	CLG.
WITH SINGLE BLOWER (300 CFM)			
WDHR-100/21	14"	1301	7'
WDHR-100/21	14"	1301	7'
WDHR-100/21	14"	1301	7'
WITH DUAL BLOWER (600 CFM)			
WDHR-200/21	24"	2090	7'
WDHR-200/21	24"	2090	7'
WDHR-200/21	24"	2090	7'

*BLOWERS ARE INCLUDED WITH WDHR DUCT COVERS.

COMBINATIONS FOR 8' CEILING APPLICATIONS

CWSH3 HOOD CANOPY ONLY

WDHR DUCT COVER WITH BLOWER

MODEL NO.	WIDTH	STAINLESS	#LTS
FOR SINGLE BLOWER (300 CFM)*			
CWSH3-1/030	30"	1016	2
CWSH3-1/036	36"	1016	2
CWSH3-1/042	42"	1197	3
FOR DUAL BLOWER (600 CFM)*			
CWSH3-2/030	30"	1016	2
CWSH3-2/036	36"	1016	2
CWSH3-2/042	42"	1197	3


MODEL NO.	WIDTH	STAINLESS	CLG.
WITH SINGLE BLOWER (300 CFM)			
WDHR-100/33	14"	1396	8'
WDHR-100/33	14"	1396	8'
WDHR-100/33	14"	1396	8'
WITH DUAL BLOWER (600 CFM)			
WDHR-200/33	24"	2261	8'
WDHR-200/33	24"	2261	8'
WDHR-200/33	24"	2261	8'

*BLOWERS ARE INCLUDED WITH WDHR DUCT COVERS.

GTH-K CONTEMPORARY WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"**

MODEL NO.	WIDTH	STAINLESS	#LTS
WITH SINGLE BLOWER (250 CFM)			
GTH-K36	36"	969	2




SHOWN WITH
MATCHING
DUCT COVER
(SOLD SEPARATELY)

PRODUCT FEATURES

- 250 CFM (375 EQUIVALENT)
- TOP VENT ONLY
- STANDARD SIZES ONLY, NO CUSTOMIZATIONS
- STAINLESS STEEL ONLY

GTH VARIATIONS

REMOVE FIXED LENGTH SS RAIL	
ADD	180



MODEL NO.	WIDTH	STAINLESS	CLG.
WGDC-12/18	12"	418	7'
WGDC-12/30	12"	503	8'
WGDC-12/42	12"	589	9'

CUSTOM WALL MOUNT DUCT COVERS

STAINLESS

WIDTH x HEIGHT x	0.57
PLUS	294


NOTE: DUCT COVER EXTENDS 4" INTO HOOD.

NOTE: WHEN PRICING CUSTOM DUCT COVERS, INCLUDE THE 4" OF DUCT COVER THAT EXTENDS INTO TOP OF HOOD.

NOTE: MAXIMUM OVERALL AVAILABLE HEIGHT IS 60"; 56" IS THE FINISHED HEIGHT ABOVE THE TOP OF THE HOOD. WGDC DUCT COVERS WITH AN OVERALL FINISHED HEIGHT MORE THAN 48" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.


XLH12 CONTEMPORARY WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"**



**HOOD SHOWN WITH FINISHED
ROUND DUCT AND TWO RXL8
ROUND DUCT COLLARS
(SOLD SEPARATELY)**

MODEL NO.	WIDTH	STAINLESS	#LTS
WITH DUAL BLOWER (600 CFM)			
BRASS LIP			
XLH12-230B	30"	1738	2
XLH12-236B	36"	1757	2
WITH DUAL BLOWER (600 CFM)			
COPPER LIP			
XLH12-230C	30"	1738	2
XLH12-236C	36"	1757	2
WITH DUAL BLOWER (600 CFM)			
MIRROR STAINLESS STEEL LIP			
XLH12-230M	30"	1738	2
XLH12-236M	36"	1757	2
WITH DUAL BLOWER (600 CFM)			
STAINLESS STEEL LIP			
XLH12-230S	30"	1738	2
XLH12-236S	36"	1757	2



**FINISHED ROUND DUCT
REQUIRES TWO DUCT
COLLARS (SEE BELOW)**

MODEL NO.	WIDTH	STAINLESS	CLG.
WRDC-8/16	8"	237	7'
WRDC-8/28	8"	294	8'
WRDC-8/40	8"	342	9'


CUSTOM FINISHED ROUND DUCT STAINLESS

WIDTH x HEIGHT x
PLUS 0.57
294

NOTE: FINISHED ROUND DUCT EXTENDS 3" INTO TOP OF HOOD AND 1" INTO CEILING.

NOTE: WHEN PRICING CUSTOM FINISHED ROUND DUCT, INCLUDE THE 3" THAT EXTENDS INTO TOP OF HOOD AND 1" THAT EXTENDS INTO CEILING (4" TOTAL). TOTAL OVERALL HEIGHT CANNOT EXCEED 60" (10' 8" CEILING). MODELS TALLER THAN 48" WILL HAVE A VERTICAL GRAIN DIRECTION.

NOTE: TOP END OF FINISHED ROUND DUCT IS CRIMPED TO ALLOW FOR DUCT CONNECTION IN THE CEILING (CRIMP IS NOT INCLUDED IN THE OVERALL HEIGHT OF THE FINISHED ROUND DUCT).



MODEL NO.	WIDTH	STAINLESS	CLG.
WDC-10/12	10"	351	7'
WDC-10/24	10"	418	8'
WDC-10/36	10"	484	9'


CUSTOM WALL MOUNT DUCT COVERS STAINLESS

WIDTH x HEIGHT x
PLUS 0.57
294


ANY WDC-10 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

REMOVABLE FRONT PANEL

ADD 180



MODEL NO.	WIDTH	STAINLESS
RXL8	10"	171




MODEL NO.	WIDTH	STAINLESS
SXL8	10"	104




ZTH CONTEMPORARY WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION NOT INCLUDED**

MODEL NO.	WIDTH	STAINLESS	#LTS
WITH DUAL BLOWER (600 CFM)			
ZTH-236	36"	2717	4
ZTH-242	42"	2840	4
ZTH-248	48"	2916	4
WITH DUAL & SINGLE BLOWERS (900 CFM)			
ZTH-354	54"	4275	4





SHOWN WITH
MATCHING
DUCT COVER
(SOLD SEPARATELY)



USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODEL TO
COMBINE OUTLETS INTO A SINGLE 10" DUCT.

ZTH VARIATIONS

REMOVE FIXED LENGTH SS RAIL	
ADD	180



MODEL NO.	WIDTH	STAINLESS	CLG.
WZDC-12/9	12"	342	7'
WZDC-12/21	12"	418	8'
WZDC-12/33	12"	503	9'

MODEL NO.	WIDTH	STAINLESS	CLG.
WZDC-28/9	28"	418	7'
WZDC-28/21	28"	608	8'
WZDC-28/33	28"	788	9'

CUSTOM WALL MOUNT DUCT COVERS

	STAINLESS
WIDTH x HEIGHT x	0.57
PLUS	294

NOTE: DUCT COVER EXTENDS 5-3/8" INTO HOOD.


NOTE: WHEN PRICING CUSTOM DUCT COVERS, INCLUDE THE 5-3/8" OF DUCT COVER THAT EXTENDS INTO TOP OF HOOD.

NOTE: MAXIMUM OVERALL AVAILABLE HEIGHT FOR 12" WIDE MODEL IS 60"; 54-5/8" IS THE FINISHED HEIGHT ABOVE THE TOP OF THE HOOD. WZDC DUCT COVERS WITH AN OVERALL HEIGHT MORE THAN 48" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

NOTE: WHEN PRICING CUSTOM DUCT COVERS, INCLUDE THE 5-3/8" OF DUCT COVER THAT EXTENDS INTO TOP OF HOOD.

PRH18 WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION NOT INCLUDED
27" DEEP MODEL - PRXH18**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
PRH18-130	30"	950	1311	1976	2
PRH18-136	36"	969	1330	2061	2
PRH18-142	42"	1092	1434	2261	3
PRH18-148	48"	1149	1520	2375	3
WITH DUAL BLOWER (600 CFM)					
PRH18-230	30"	1254	1624	2280	2
PRH18-236	36"	1273	1643	2365	2
PRH18-242	42"	1368	1757	2565	3
PRH18-248	48"	1453	1833	2679	3
PRH18-254	54"	1691	2223	3116	4
WITH DUAL & SINGLE BLOWERS (900 CFM)					
PRH18-342	42"	1776	2213	2945	3
PRH18-348	48"	1833	2289	3059	3
PRH18-354	54"	2071	2679	3496	4
PRH18-360	60"	2175	2840	3714	4
WITH TWO DUAL BLOWERS (1200 CFM)					
PRH18-448	48"	2137	2612	3363	3
PRH18-454	54"	2375	2992	3800	4
PRH18-460	60"	2489	3106	4037	4
PRH18-466	66"	2584	3239	4237	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR
FOR 27" DEEP MODEL, ORDER PRXH18 (NO ADDITIONAL COST)

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.36	0.57 294	0.89

ANY WDC SS DUCT COVER MORE THAN 43" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

FINISHED TOP

	PAINTED	STAINLESS	OVERLAY
WIDTH x DEPTH x PLUS	0.36	0.57 180	0.89


REMOVABLE FRONT PANEL

ADD	180
-----	-----

SLOPED TOP ON DUCT COVER

ADD	294
-----	-----

SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-30	30"	418	494	608	8'
WDC-30/24	30"	551	693	931	9'
WDC-30/36	30"	674	902	1244	10'
WDC-36	36"	446	532	674	8'
WDC-36/24	36"	598	779	1054	9'
WDC-36/36	36"	760	1026	1434	10'
WDC-42	42"	475	579	731	8'
WDC-42/24	42"	655	864	1178	9'
WDC-42/36	42"	836	1149	1624	10'
WDC-48	48"	494	617	798	8'
WDC-48/24	48"	703	940	1311	9'
WDC-48/36	48"	912	1263	1814	10'
WDC-54	54"	522	655	864	8'
WDC-60	60"	551	693	931	8'
WDC-66	66"	579	741	988	8'

PRH18 WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 66"

	PAINTED	STAINLESS	OVERLAY
FOR EACH 6" INCREMENT PLUS	133	190 180	237

SPECIAL WIDTH (LESS THAN 66")

USE NEXT LARGEST SIZE ON PRICE LIST, PLUS 180

SPECIAL HEIGHT (BETWEEN 9" & 18")

USE STANDARD 18" PRICE, PLUS 294

DEPTH LESS THAN 24"

ADD 294

DEPTH OVER 24" (EXCLUDING 27")

	PAINTED	STAINLESS	OVERLAY
WIDTH x EXTRA DEPTH x PLUS	0.84	1.25 294	1.70

SLOPE, LIP, OFFSET, OR TOP VARIATION

PER VARIATION, ADD 294

CLIPPED CORNER

PER CORNER, ADD 294

SLOPED END (REDUCES TOP WIDTH BY 6" EACH)

PER END, ADD 294

SPECIAL BLOWER LOCATION

LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE

ADD 180

SPECIAL DECK (9" MINIMUM, 18" STANDARD)

ADD 180

STAINLESS STEEL INTERIOR ON OVERLAY HOOD

SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD

ADDITIONAL BLOWERS & LIGHTS

SEE PAGE 84 FOR BLOWER OPTIONS

REMOTE BLOWER OPTIONS

SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS

CUSTOM COLOR (SEE CUSTOM COLOR CHART)

ADD 399

TRIM OPTIONS


SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS

WARMING LAMPS AND SHELVES

SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS

NPH18 WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION NOT INCLUDED
27" DEEP MODEL - NPXH18**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
NPH18-130	30"	1273	1672	2299	2
NPH18-136	36"	1292	1691	2384	2
NPH18-142	42"	1415	1805	2584	3
NPH18-148	48"	1472	1881	2698	3
WITH DUAL BLOWER (600 CFM)					
NPH18-230	30"	1577	1938	2603	2
NPH18-236	36"	1596	1966	2688	2
NPH18-242	42"	1719	2071	2888	3
NPH18-248	48"	1776	2147	3002	3
NPH18-254	54"	2014	2546	3439	4
WITH DUAL & SINGLE BLOWERS (900 CFM)					
NPH18-342	42"	2099	2574	3268	3
NPH18-348	48"	2156	2603	3382	3
NPH18-354	54"	2394	3002	3819	4
NPH18-360	60"	2498	3163	4047	4
WITH TWO DUAL BLOWERS (1200 CFM)					
NPH18-448	48"	2460	2973	3686	3
NPH18-454	54"	2698	3325	4123	4
NPH18-460	60"	2812	3486	4360	4
NPH18-466	66"	2916	3629	4560	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR
FOR 27" DEEP MODEL, ORDER NPXH18 (NO ADDITIONAL COST)

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.36	0.57 294	0.89

ANY WDC SS DUCT COVER MORE THAN 43" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

FINISHED TOP

	PAINTED	STAINLESS	OVERLAY
WIDTH x DEPTH x PLUS	0.36	0.57 180	0.89


REMOVABLE FRONT PANEL

ADD	180
-----	-----

SLOPED TOP ON DUCT COVER

ADD	294
-----	-----

SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-30	30"	418	494	608	8'
WDC-30/24	30"	551	693	931	9'
WDC-30/36	30"	674	902	1244	10'
WDC-36	36"	446	532	674	8'
WDC-36/24	36"	598	779	1054	9'
WDC-36/36	36"	760	1026	1434	10'
WDC-42	42"	475	579	731	8'
WDC-42/24	42"	655	864	1178	9'
WDC-42/36	42"	836	1149	1624	10'
WDC-48	48"	494	617	798	8'
WDC-48/24	48"	703	940	1311	9'
WDC-48/36	48"	912	1263	1814	10'
WDC-54	54"	522	655	864	8'
WDC-60	60"	551	693	931	8'
WDC-66	66"	579	741	988	8'

NPH18 WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 66"				SLOPED END (REDUCES TOP WIDTH BY 6" EACH)
FOR EACH 6" INCREMENT	PAINTED	STAINLESS	OVERLAY	PER END, ADD
PLUS	133	190	237	294
SPECIAL WIDTH (LESS THAN 66")				SPECIAL BLOWER LOCATION
USE NEXT LARGEST SIZE ON PRICE LIST,				LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE
PLUS		180		ADD
SPECIAL HEIGHT (BETWEEN 9" & 18")				SPECIAL DECK (9" MINIMUM, 18" STANDARD)
USE STANDARD 18" PRICE,				ADD
PLUS		294		180
DEPTH LESS THAN 24"				STAINLESS STEEL INTERIOR ON OVERLAY HOOD
ADD		294		SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD
DEPTH OVER 24" (EXCLUDING 27")				ADDITIONAL BLOWERS & LIGHTS
WIDTH x EXTRA DEPTH x	PAINTED	STAINLESS	OVERLAY	SEE PAGE 84 FOR BLOWER OPTIONS
PLUS	0.84	1.25	1.70	REMOTE BLOWER OPTIONS
SLOPE, LIP, OFFSET, OR TOP VARIATION				SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS
PER VARIATION, ADD		294		CUSTOM COLOR (SEE CUSTOM COLOR CHART)
				ADD
				399
				TRIM OPTIONS
				SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS
				WARMING LAMPS AND SHELVES
				SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS

SLH18 WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION NOT INCLUDED
27" DEEP MODEL - SLXH18**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
SLH18-130	30"	1273	1672	2299	2
SLH18-136	36"	1292	1691	2384	2
SLH18-142	42"	1415	1805	2584	3
SLH18-148	48"	1472	1881	2698	3
WITH DUAL BLOWER (600 CFM)					
SLH18-230	30"	1577	1938	2603	2
SLH18-236	36"	1596	1966	2688	2
SLH18-242	42"	1719	2071	2888	3
SLH18-248	48"	1776	2147	3002	3
SLH18-254	54"	2014	2546	3439	4
WITH DUAL & SINGLE BLOWERS (900 CFM)					
SLH18-342	42"	2099	2574	3268	3
SLH18-348	48"	2156	2603	3382	3
SLH18-354	54"	2394	3002	3819	4
SLH18-360	60"	2498	3163	4047	4
WITH TWO DUAL BLOWERS (1200 CFM)					
SLH18-448	48"	2460	2973	3686	3
SLH18-454	54"	2698	3325	4123	4
SLH18-460	60"	2812	3486	4360	4
SLH18-466	66"	2916	3629	4560	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR
FOR 27" DEEP MODEL, ORDER SLXH18 (NO ADDITIONAL COST)

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.36	0.57 294	0.89

ANY WDC SS DUCT COVER MORE THAN 43" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

FINISHED TOP

	PAINTED	STAINLESS	OVERLAY
WIDTH x DEPTH x PLUS	0.36	0.57 180	0.89


REMOVABLE FRONT PANEL

ADD	180
-----	-----

SLOPED TOP ON DUCT COVER

ADD	294
-----	-----

SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-30	30"	418	494	608	8'
WDC-30/24	30"	551	693	931	9'
WDC-30/36	30"	674	902	1244	10'
WDC-36	36"	446	532	674	8'
WDC-36/24	36"	598	779	1054	9'
WDC-36/36	36"	760	1026	1434	10'
WDC-42	42"	475	579	731	8'
WDC-42/24	42"	655	864	1178	9'
WDC-42/36	42"	836	1149	1624	10'
WDC-48	48"	494	617	798	8'
WDC-48/24	48"	703	940	1311	9'
WDC-48/36	48"	912	1263	1814	10'
WDC-54	54"	522	655	864	8'
WDC-60	60"	551	693	931	8'
WDC-66	66"	579	741	988	8'

SLH18 WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 66"				SLOPED END (REDUCES TOP WIDTH BY 6" EACH, N/A ON OVERLAY)
	PAINTED	STAINLESS	OVERLAY	PER END, ADD 294
FOR EACH 6" INCREMENT PLUS	133	190 180	237	
SPECIAL WIDTH (LESS THAN 66")				SPECIAL BLOWER LOCATION
USE NEXT LARGEST SIZE ON PRICE LIST, PLUS		180		LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE
				ADD 180
SPECIAL HEIGHT (BETWEEN 9" & 18")				SPECIAL DECK (9" MINIMUM, 18" STANDARD)
USE STANDARD 18" PRICE, PLUS		294		ADD 180
DEPTH LESS THAN 24"				STAINLESS STEEL INTERIOR ON OVERLAY HOOD
ADD		294		SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD
DEPTH OVER 24" (EXCLUDING 27")				ADDITIONAL BLOWERS & LIGHTS
	PAINTED	STAINLESS	OVERLAY	SEE PAGE 84 FOR BLOWER OPTIONS
WIDTH x EXTRA DEPTH x PLUS	0.84	1.25 294	1.70	REMOTE BLOWER OPTIONS
				SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS
SLOPE, LIP, OFFSET, OR TOP VARIATION				CUSTOM COLOR (SEE CUSTOM COLOR CHART)
PER VARIATION, ADD		294		ADD 399
				TRIM OPTIONS
				SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS
				WARMING LAMPS AND SHELVES
				SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS

XRH18 WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION NOT INCLUDED
27" DEEP MODEL - XRXH18**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
XRH18-130	30"	1244	1596	2270	2
XRH18-136	36"	1263	1615	2356	2
XRH18-142	42"	1387	1776	2555	3
XRH18-148	48"	1453	1862	2669	3
WITH DUAL BLOWER (600 CFM)					
XRH18-230	30"	1548	1919	2574	2
XRH18-236	36"	1567	1938	2660	2
XRH18-242	42"	1691	2090	2859	3
XRH18-248	48"	1748	2175	2973	3
XRH18-254	54"	1985	2517	3410	4
WITH DUAL & SINGLE BLOWERS (900 CFM)					
XRH18-342	42"	2071	2546	3239	3
XRH18-348	48"	2128	2631	3353	3
XRH18-354	54"	2365	2973	3790	4
XRH18-360	60"	2479	3135	4018	4
WITH TWO DUAL BLOWERS (1200 CFM)					
XRH18-448	48"	2432	2945	3657	3
XRH18-454	54"	2669	3296	4094	4
XRH18-460	60"	2793	3458	4332	4
XRH18-466	66"	2888	3600	4541	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR
*NO BANDS ON OVERLAY MODELS
FOR 27" DEEP MODEL, ORDER XRXH18 (NO ADDITIONAL COST)

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.36	0.57 294	0.89

ANY XDC SS DUCT COVER MORE THAN 43" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

FINISHED TOP

	PAINTED	STAINLESS	OVERLAY
WIDTH x DEPTH x PLUS	0.36	0.57 180	0.89


REMOVABLE FRONT PANEL

ADD	180
-----	-----

SLOPED TOP ON DUCT COVER

ADD	294
-----	-----

SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
XDC-30	30"	418	494	608	8'
XDC-30/24	30"	551	693	931	9'
XDC-30/36	30"	674	902	1244	10'
XDC-36	36"	446	532	674	8'
XDC-36/24	36"	598	779	1054	9'
XDC-36/36	36"	760	1026	1434	10'
XDC-42	42"	475	579	731	8'
XDC-42/24	42"	655	864	1178	9'
XDC-42/36	42"	836	1149	1624	10'
XDC-48	48"	494	617	798	8'
XDC-48/24	48"	703	940	1311	9'
XDC-48/36	48"	912	1263	1814	10'
XDC-54	54"	522	655	864	8'
XDC-60	60"	551	693	931	8'
XDC-66	66"	579	741	988	8'

XRH18 WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 66"				SPECIAL BLOWER LOCATION	
FOR EACH 6" INCREMENT	PAINTED 133	STAINLESS 190	OVERLAY 237	LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE	
PLUS		180		ADD	180
SPECIAL WIDTH (LESS THAN 66")				SPECIAL DECK (9" MINIMUM, 18" STANDARD)	
USE NEXT LARGEST SIZE ON PRICE LIST,				ADD	180
PLUS				STAINLESS STEEL INTERIOR ON OVERLAY HOOD	
				SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD	
SPECIAL HEIGHT (BETWEEN 9" & 18")				ADDITIONAL BLOWERS & LIGHTS	
USE STANDARD 18" PRICE,				SEE PAGE 84 FOR BLOWER OPTIONS	
PLUS				REMOTE BLOWER OPTIONS	
				SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS	
DEPTH LESS THAN 24"				CUSTOM COLOR (SEE CUSTOM COLOR CHART)	
ADD		294		ADD	399
DEPTH OVER 24" (EXCLUDING 27")				TRIM OPTIONS	
	PAINTED	STAINLESS	OVERLAY	BANDS, NON-STANDARD COLOR	
WIDTH x EXTRA DEPTH x	0.84	1.25	1.70	85	
PLUS		294		TO REMOVE BANDS	
				85	
SLOPE, LIP, OFFSET, OR TOP VARIATION				SEE PAGES 90-93 FOR ADDITIONAL FINISH AND TRIM OPTIONS	
PER VARIATION, ADD				WARMING LAMPS AND SHELVES	
				SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS	
CONVEX END (REDUCES TOP WIDTH BY 6" EACH)					
PER END, ADD				294	

DAH18 WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION NOT INCLUDED**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
DAH18-130	30"	1415	1814	2451	2
DAH18-136	36"	1444	1843	2536	2
DAH18-142	42"	1567	1947	2736	3
DAH18-148	48"	1634	2033	2850	3
WITH DUAL BLOWER (600 CFM)					
DAH18-230	30"	1719	2137	2755	2
DAH18-236	36"	1748	2156	2840	2
DAH18-242	42"	1871	2270	3040	3
DAH18-248	48"	1928	2356	3154	3
DAH18-254	54"	2166	2698	3591	4
WITH DUAL & SINGLE BLOWERS (900 CFM)					
DAH18-342	42"	2251	2726	3420	3
DAH18-348	48"	2308	2812	3534	3
DAH18-354	54"	2546	3154	3971	4
DAH18-360	60"	2650	3315	4189	4
WITH TWO DUAL BLOWERS (1200 CFM)					
DAH18-448	48"	2612	3125	3838	3
DAH18-454	54"	2850	3467	4275	4
DAH18-460	60"	2964	3638	4512	4
DAH18-466	66"	3059	3781	4712	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.36	0.57 294	0.89

ANY WDC SS DUCT COVER MORE THAN 43" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

FINISHED TOP

	PAINTED	STAINLESS	OVERLAY
WIDTH x DEPTH x PLUS	0.36	0.57 180	0.89


REMOVABLE FRONT PANEL

ADD	180
-----	-----

SLOPED TOP ON DUCT COVER

ADD	294
-----	-----

SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-30	30"	418	494	608	8'
WDC-30/24	30"	551	693	931	9'
WDC-30/36	30"	674	902	1244	10'
WDC-36	36"	446	532	674	8'
WDC-36/24	36"	598	779	1054	9'
WDC-36/36	36"	760	1026	1434	10'
WDC-42	42"	475	579	731	8'
WDC-42/24	42"	655	864	1178	9'
WDC-42/36	42"	836	1149	1624	10'
WDC-48	48"	494	617	798	8'
WDC-48/24	48"	703	940	1311	9'
WDC-48/36	48"	912	1263	1814	10'
WDC-54	54"	522	655	864	8'
WDC-60	60"	551	693	931	8'
WDC-66	66"	579	741	988	8'

DAH18 WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 66"				CONCAVE END (REDUCES TOP WIDTH BY 6" EACH)
	PAINTED	STAINLESS	OVERLAY	PER END, ADD 294
FOR EACH 6" INCREMENT PLUS	133	190 180	237	
SPECIAL WIDTH (LESS THAN 66")				SPECIAL BLOWER LOCATION
USE NEXT LARGEST SIZE ON PRICE LIST, PLUS		180		LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE ADD 180
SPECIAL HEIGHT (BETWEEN 9" & 18")				SPECIAL DECK (9" MINIMUM, 18" STANDARD)
USE STANDARD 18" PRICE, PLUS		294		ADD 180
DEPTH LESS THAN 24"				STAINLESS STEEL INTERIOR ON OVERLAY HOOD
ADD		294		SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD
DEPTH OVER 24"				ADDITIONAL BLOWERS & LIGHTS
	PAINTED	STAINLESS	OVERLAY	SEE PAGE 84 FOR BLOWER OPTIONS
WIDTH x EXTRA DEPTH x PLUS	0.84	1.25 294	1.70	REMOTE BLOWER OPTIONS
SLOPE, LIP, OFFSET, OR TOP VARIATION				SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS
PER VARIATION, ADD		294		CUSTOM COLOR (SEE CUSTOM COLOR CHART)
CLIPPED CORNER				ADD 399
PER CORNER, ADD		294		TRIM OPTIONS
				SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS
				WARMING LAMPS AND SHELVES
				SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS

PWVH18 WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION NOT INCLUDED**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
PWVH18-130	30"	1415	1814	2451	2
PWVH18-136	36"	1444	1843	2536	2
PWVH18-142	42"	1567	1947	2736	3
PWVH18-148	48"	1634	2033	2850	3
WITH DUAL BLOWER (600 CFM)					
PWVH18-230	30"	1719	2137	2755	2
PWVH18-236	36"	1748	2156	2840	2
PWVH18-242	42"	1871	2270	3040	3
PWVH18-248	48"	1928	2356	3154	3
PWVH18-254	54"	2166	2698	3591	4
WITH DUAL & SINGLE BLOWERS (900 CFM)					
PWVH18-342	42"	2251	2726	3420	3
PWVH18-348	48"	2308	2812	3534	3
PWVH18-354	54"	2546	3154	3971	4
PWVH18-360	60"	2650	3315	4189	4
WITH TWO DUAL BLOWERS (1200 CFM)					
PWVH18-448	48"	2612	3125	3838	3
PWVH18-454	54"	2850	3467	4275	4
PWVH18-460	60"	2964	3638	4512	4
PWVH18-466	66"	3059	3781	4712	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.36	0.57 294	0.89

ANY WDC SS DUCT COVER MORE THAN 43" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

FINISHED TOP

	PAINTED	STAINLESS	OVERLAY
WIDTH x DEPTH x PLUS	0.36	0.57 180	0.89


REMOVABLE FRONT PANEL

ADD	180
-----	-----

SLOPED TOP ON DUCT COVER

ADD	294
-----	-----

SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-30	30"	418	494	608	8'
WDC-30/24	30"	551	693	931	9'
WDC-30/36	30"	674	902	1244	10'
WDC-36	36"	446	532	674	8'
WDC-36/24	36"	598	779	1054	9'
WDC-36/36	36"	760	1026	1434	10'
WDC-42	42"	475	579	731	8'
WDC-42/24	42"	655	864	1178	9'
WDC-42/36	42"	836	1149	1624	10'
WDC-48	48"	494	617	798	8'
WDC-48/24	48"	703	940	1311	9'
WDC-48/36	48"	912	1263	1814	10'
WDC-54	54"	522	655	864	8'
WDC-60	60"	551	693	931	8'
WDC-66	66"	579	741	988	8'

PWVH18 WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 66"				SLOPED END (REDUCES TOP WIDTH BY 6" EACH)	
	PAINTED	STAINLESS	OVERLAY	PER END, ADD	294
FOR EACH 6" INCREMENT PLUS	133	190 180	237	SPECIAL BLOWER LOCATION	
SPECIAL WIDTH (LESS THAN 66")				LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE	
USE NEXT LARGEST SIZE ON PRICE LIST, PLUS				ADD	180
SPECIAL HEIGHT (BETWEEN 9" & 18")				SPECIAL DECK (9" MINIMUM, 18" STANDARD)	
USE STANDARD 18" PRICE, PLUS				ADD	180
DEPTH LESS THAN 24"				STAINLESS STEEL INTERIOR ON OVERLAY HOOD	
ADD				SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD	
DEPTH OVER 24"				ADDITIONAL BLOWERS & LIGHTS	
	PAINTED	STAINLESS	OVERLAY	SEE PAGE 84 FOR BLOWER OPTIONS	
WIDTH x EXTRA DEPTH x PLUS	0.84	1.25 294	1.70	REMOTE BLOWER OPTIONS	
SLOPE, LIP, OFFSET, OR TOP VARIATION				SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS	
PER VARIATION, ADD				CUSTOM COLOR (SEE CUSTOM COLOR CHART)	
CLIPPED CORNER				ADD	399
PER CORNER, ADD				TRIM OPTIONS	
				SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS	
				WARMING LAMPS AND SHELVES	
				SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS	

CWEAH6-K ARS/DUCT-FREE RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"**




**SHOWN WITH MATCHING DUCT
COVER AND ARS FILTER KIT
(SOLD SEPARATELY)**

**DUCT COVER HAS A
REMOVABLE FRONT PANEL
AND A FINISHED TOP**

**HOOD, DUCT COVER, AND ARS
FILTER KIT ARE EACH REQUIRED
FOR ONE APPLICATION**

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
CWEAH6-K30	30"	712	902	2
CWEAH6-K36	36"	712	902	2
CWEAH6-K42	42"	826	1054	3
CWEAH6-K48	48"	864	1092	3



**DUCT COVER HAS A
REMOVABLE FRONT PANEL
AND A FINISHED TOP**

MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
WDCA-12/18	12"	484	522	7'
WDCA-12/30	12"	532	598	8'
WDCA-12/42	12"	579	665	9'

MODEL NO.	DESCRIPTION	PRICE
ARS-12	ARS Filter Assembly for WDCA-12	755

MODEL NO.	DESCRIPTION	PRICE
PARS-12	12" x 12" Replacement H.E. Filter Assembly	237
PARS-C	Replacement Activated Carbon Pellets - 1 Gallon	47


THE H.E. FILTER ASSEMBLY AND ACTIVATED CARBON MEDIA SHOULD BE CHANGED AS NEEDED BASED ON USAGE.

PDAH14-K ARS/DUCT-FREE RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"**

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
PDAH14-K30	30"	893	1235	1776	2
PDAH14-K36	36"	912	1263	1843	2
PDAH14-K42	42"	1007	1358	2014	3
PDAH14-K48	48"	1054	1406	2118	3


*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR



**SHOWN WITH MATCHING DUCT
COVER AND ARS FILTER KIT
(SOLD SEPARATELY)**

**DUCT COVER HAS A
REMOVABLE FRONT PANEL
AND A FINISHED TOP**

**HOOD, DUCT COVER, AND ARS
FILTER KIT ARE EACH REQUIRED
FOR ONE APPLICATION**



**DUCT COVER HAS A
REMOVABLE FRONT PANEL
AND A FINISHED TOP**

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDCA-10/22	10"	484	532	589	8'
WDCA-10/34	10"	522	589	684	9'

MODEL NO.	DESCRIPTION	PRICE
ARS-10	ARS Filter Assembly for WDCA-10	755

MODEL NO.	DESCRIPTION	PRICE
PARS-10	10" x 10" Replacement H.E. Filter Assembly	237
PARS-C	Replacement Activated Carbon Pellets - 1 Gallon	47

THE H.E. FILTER ASSEMBLY AND ACTIVATED CARBON MEDIA SHOULD BE CHANGED AS NEEDED BASED ON USAGE.


THIS PAGE INTENTIONALLY LEFT BLANK.

PDH14-K EURO-STYLE WALL MOUNT RANGE HOOD

RECOMMENDED MOUNTING HEIGHT FROM COOKING SURFACE: 24"

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS	INCL.
WITH SINGLE BLOWER (250 CFM)						
PDH14-K30	30"	893	1235	1776	2	VP521
PDH14-K36	36"	912	1263	1843	2	VP521
PDH14-K42	42"	1007	1358	2014	3	VP521
PDH14-K48	48"	1054	1406	2118	3	VP521

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR



PRODUCT FEATURES

- 250 CFM (375 EQUIVALENT)
- TOP VENT ONLY

STANDARD DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-10/10	10"	323	351	380	7'
WDC-10/22	10"	370	418	484	8'
WDC-10/34	10"	418	484	589	9'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.36	0.57	0.89
PLUS		294	

ANY WDC-10 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

FINISHED TOP

	PAINTED	STAINLESS	OVERLAY
WIDTH x DEPTH x PLUS	0.36	0.57	0.89
PLUS		180	

SLOPED TOP ON DUCT COVER

ADD	294
-----	-----

SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.


REMOVABLE PANEL DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDCR-10/10	10"	418	437	465	7'
WDCR-10/22	10"	456	503	570	8'
WDCR-10/34	10"	503	570	674	9'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.36	0.57	0.89
PLUS		389	

ANY WDCR-10 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.




PDH14-K EURO-STYLE WALL MOUNT HOOD VARIATIONS

SPECIAL WIDTH (LESS THAN 48") USE NEXT LARGEST SIZE ON PRICE LIST, PLUS 180				STAINLESS STEEL INTERIOR ON OVERLAY HOOD SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD	
DEPTH OVER 21"				CUSTOM COLOR (SEE CUSTOM COLOR CHART) ADD 399	
	PAINTED	STAINLESS	OVERLAY	TRIM OPTIONS	
WIDTH x EXTRA DEPTH x PLUS	0.84	1.25	1.70	SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS	
		294			

PDH14 EURO-STYLE WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
PDH14-130	30"	1206	1672	2470	2
PDH14-136	36"	1235	1700	2574	2
PDH14-142	42"	1358	1824	2812	3
PDH14-148	48"	1415	1890	2954	3
WITH DUAL BLOWER (600 CFM)					
PDH14-236	36"	1539	2014	2916	2
PDH14-242	42"	1662	2147	3135	3
PDH14-248	48"	1719	2213	3420	3

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

STANDARD DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-10/10	10"	323	351	380	7'
WDC-10/22	10"	370	418	484	8'
WDC-10/34	10"	418	484	589	9'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.36	0.57	0.89
		294	

ANY WDC-10 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

FINISHED TOP

	PAINTED	STAINLESS	OVERLAY
WIDTH x DEPTH x PLUS	0.36	0.57	0.89
		180	

SLOPED TOP ON DUCT COVER

ADD	294
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	


REMOVABLE PANEL DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDCR-10/10	10"	418	437	465	7'
WDCR-10/22	10"	456	503	570	8'
WDCR-10/34	10"	503	570	674	9'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.36	0.57	0.89
		389	

ANY WDCR-10 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.



PDH14 EURO-STYLE WALL MOUNT HOOD VARIATIONS

SPECIAL WIDTH (LESS THAN 48")

USE NEXT LARGEST SIZE ON PRICE LIST,
PLUS

180

DEPTH OVER 21"

	PAINTED	STAINLESS	OVERLAY
WIDTH x EXTRA DEPTH x PLUS	0.84	1.25	1.70
		294	

STAINLESS STEEL INTERIOR ON OVERLAY HOOD

SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD

CUSTOM COLOR (SEE CUSTOM COLOR CHART)


ADD 399

TRIM OPTIONS

SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS

SLDH14 EURO-STYLE WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"**



SHOWN WITH
MATCHING
DUCT COVER
(SOLD SEPARATELY)

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH SINGLE BLOWER (300 CFM)				
SLDH14-130	30"	1491	1957	2
SLDH14-136	36"	1520	1985	2
SLDH14-142	42"	1691	2175	3
SLDH14-148	48"	1757	2251	3
WITH DUAL BLOWER (600 CFM)				
SLDH14-236	36"	1824	2308	2
SLDH14-242	42"	1947	2432	3
SLDH14-248	48"	2061	2565	3

STANDARD DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
WDC-10/10	10"	323	351	7'
WDC-10/22	10"	370	418	8'
WDC-10/34	10"	418	484	9'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS
WIDTH x HEIGHT x	0.36	0.57
PLUS		294

ANY WDC-10 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

FINISHED TOP

	PAINTED	STAINLESS
WIDTH x DEPTH x	0.36	0.57
PLUS		180

SLOPED TOP ON DUCT COVER

ADD	294
-----	-----

SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.


REMOVABLE PANEL DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
WDCR-10/10	10"	418	437	7'
WDCR-10/22	10"	456	503	8'
WDCR-10/34	10"	503	570	9'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS
WIDTH x HEIGHT x	0.36	0.57
PLUS		389

ANY WDCR-10 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.



SLDH14 EURO-STYLE WALL MOUNT HOOD VARIATIONS

SPECIAL WIDTH (LESS THAN 48")

USE NEXT LARGEST SIZE ON PRICE LIST,
PLUS

180

CUSTOM COLOR (SEE CUSTOM COLOR CHART)

ADD

399

DEPTH OVER 21"


	PAINTED	STAINLESS
WIDTH x EXTRA DEPTH x	0.84	1.25
PLUS		294

TRIM OPTIONS

SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS

EPH18 EURO-STYLE WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
27" DEEP MODEL - EPXH18**



SHOWN WITH
MATCHING
DUCT COVER
(SOLD SEPARATELY)

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH DUAL BLOWER (600 CFM)					
EPH18-236	36"	1862	2356	3249	2
EPH18-242	42"	1985	2489	3486	3
EPH18-248	48"	2052	2555	3629	3

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR
FOR 27" DEEP MODEL, ORDER EPXH18 (NO ADDITIONAL COST)

STANDARD DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-12/12	12"	342	370	418	8'
WDC-12/24	12"	389	456	541	9'
WDC-12/36	12"	446	532	674	10'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.36	0.57	0.89
		294	

ANY WDC-12 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

FINISHED TOP

	PAINTED	STAINLESS	OVERLAY
WIDTH x DEPTH x PLUS	0.36	0.57	0.89
		180	

SLOPED TOP ON DUCT COVER

ADD	294
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	


REMOVABLE PANEL DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDCR-12/12	12"	427	456	503	8'
WDCR-12/24	12"	484	541	636	9'
WDCR-12/36	12"	532	627	760	10'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.36	0.57	0.89
		389	

ANY WDCR-12 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.



EPH18 EURO-STYLE WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 48"

	PAINTED	STAINLESS	OVERLAY
FOR EACH 6" INCREMENT	133	190	237
PLUS		180	

SPECIAL WIDTH (LESS THAN 48")

USE NEXT LARGEST SIZE ON PRICE LIST,
PLUS 180

STAINLESS STEEL INTERIOR ON OVERLAY HOOD

SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD

DEPTH OVER 24" (EXCLUDING 27")

	PAINTED	STAINLESS	OVERLAY
WIDTH x EXTRA DEPTH x PLUS	0.84	1.25	1.70
		294	

CUSTOM COLOR (SEE CUSTOM COLOR CHART)


ADD 399

TRIM OPTIONS

SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS

NEPH18 EURO-STYLE WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
27" DEEP MODEL - NEPXH18**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH DUAL BLOWER (600 CFM)					
NEPH18-236	36"	2090	2527	3429	2
NEPH18-242	42"	2213	2660	3762	3
NEPH18-248	48"	2280	2764	3809	3

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR
FOR 27" DEEP MODEL, ORDER NEPXH18 (NO ADDITIONAL COST)

STANDARD DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-12/12	12"	342	370	418	8'
WDC-12/24	12"	389	456	541	9'
WDC-12/36	12"	446	532	674	10'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.36	0.57	0.89
		294	

ANY WDC-12 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

FINISHED TOP

	PAINTED	STAINLESS	OVERLAY
WIDTH x DEPTH x PLUS	0.36	0.57	0.89
		180	

SLOPED TOP ON DUCT COVER

ADD	294
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	


REMOVABLE PANEL DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDCR-12/12	12"	427	456	503	8'
WDCR-12/24	12"	484	541	636	9'
WDCR-12/36	12"	532	627	760	10'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.36	0.57	0.89
		389	

ANY WDCR-12 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.




NEPH18 EURO-STYLE WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 48"				DEPTH OVER 24" (EXCLUDING 27")			
	PAINTED	STAINLESS	OVERLAY		PAINTED	STAINLESS	OVERLAY
FOR EACH 6" INCREMENT	133	190	237	WIDTH x EXTRA DEPTH x PLUS	0.84	1.25	1.70
		180				294	
SPECIAL WIDTH (LESS THAN 48") USE NEXT LARGEST SIZE ON PRICE LIST, PLUS				CUSTOM COLOR (SEE CUSTOM COLOR CHART) ADD			
		180				399	
STAINLESS STEEL INTERIOR ON OVERLAY HOOD SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD				TRIM OPTIONS SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS			

SEPH18 EURO-STYLE WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
27" DEEP MODEL - SEPH18**



MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH DUAL BLOWER (600 CFM)				
SEPH18-236	36"	2213	2650	2
SEPH18-242	42"	2337	2774	3
SEPH18-248	48"	2403	2840	3

FOR 27" DEEP MODEL, ORDER SEPH18 (NO ADDITIONAL COST)

STANDARD DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
WDC-12/12	12"	342	370	8'
WDC-12/24	12"	389	456	9'
WDC-12/36	12"	446	532	10'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS
WIDTH x HEIGHT x PLUS	0.36	0.57
		294

ANY WDC-12 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

FINISHED TOP

	PAINTED	STAINLESS
WIDTH x DEPTH x PLUS	0.36	0.57
		180

SLOPED TOP ON DUCT COVER

ADD	294
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	


REMOVABLE PANEL DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
WDCR-12/12	12"	427	456	8'
WDCR-12/24	12"	484	541	9'
WDCR-12/36	12"	532	627	10'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS
WIDTH x HEIGHT x PLUS	0.36	0.57
		389

ANY WDCR-12 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.



SEPH18 EURO-STYLE WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 48"

	PAINTED	STAINLESS
FOR EACH 6" INCREMENT	133	190
PLUS		180

SPECIAL WIDTH (LESS THAN 48")

USE NEXT LARGEST SIZE ON PRICE LIST,
PLUS 180

DEPTH OVER 24" (EXCLUDING 27")

	PAINTED	STAINLESS
WIDTH x EXTRA DEPTH x PLUS	0.84	1.25
		294

CUSTOM COLOR (SEE CUSTOM COLOR CHART)

ADD 399


TRIM OPTIONS

SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS

EPH18 EURO-STYLE WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION INCLUDED IN HOOD
27" DEEP MODEL - EPXTH18**

**SHOWN WITH
MATCHING
DUCT COVER
(SOLD SEPARATELY)**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS	INCL.
WITH DUAL & SINGLE BLOWERS (900 CFM)						
EPH18-342	42"	2812	3353	4313	3	VP562
EPH18-348	48"	2878	3420	4455	3	VP562
EPH18-354	54"	3135	3895	4883	4	VP562
EPH18-360	60"	3258	4066	5111	4	VP562
EPH18-366	66"	3372	4246	5339	4	VP562
WITH TWO DUAL BLOWERS (1200 CFM)						
EPH18-454	54"	3439	4208	5187	4	VP563
EPH18-460	60"	3562	4389	5434	4	VP563
EPH18-466	66"	3676	4560	5662	4	VP563

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR
FOR 27" DEEP MODEL, ORDER EPXTH18 (NO ADDITIONAL COST)

STANDARD DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-26/12	26"	399	465	570	8'
WDC-26/24	26"	513	646	845	9'
WDC-26/36	26"	627	817	1121	10'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.36	0.57	0.89
		294	

ANY WDC-26 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

FINISHED TOP

	PAINTED	STAINLESS	OVERLAY
WIDTH x DEPTH x PLUS	0.36	0.57	0.89
		180	

SLOPED TOP ON DUCT COVER

ADD 294
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.


REMOVABLE PANEL DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDCR-26/12	26"	494	551	655	8'
WDCR-26/24	26"	608	731	931	9'
WDCR-26/36	26"	712	902	1206	10'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.36	0.57	0.89
		389	

ANY WDCR-26 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.




EPH18 EURO-STYLE WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 66"				DEPTH OVER 24" (EXCLUDING 27")			
	PAINTED	STAINLESS	OVERLAY		PAINTED	STAINLESS	OVERLAY
FOR EACH 6" INCREMENT PLUS	133	190	237	WIDTH x EXTRA DEPTH x PLUS	0.84	1.25	1.70
		180				294	
SPECIAL WIDTH (LESS THAN 66") USE NEXT LARGEST SIZE ON PRICE LIST, PLUS 180				CUSTOM COLOR (SEE CUSTOM COLOR CHART) ADD 399			
STAINLESS STEEL INTERIOR ON OVERLAY HOOD SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD				TRIM OPTIONS SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS			

NEPTH18 EURO-STYLE WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
**TRANSITION INCLUDED IN HOOD
27" DEEP MODEL - NEPXTH18**

SHOWN WITH
MATCHING
DUCT COVER
(SOLD SEPARATELY)



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS	INCL.
WITH DUAL & SINGLE BLOWERS (900 CFM)						
NEPTH18-342	42"	2992	3610	4493	3	VP562
NEPTH18-348	48"	3059	3676	4636	3	VP562
NEPTH18-354	54"	3315	4075	5063	4	VP562
NEPTH18-360	60"	3429	4246	5291	4	VP562
NEPTH18-366	66"	3553	4417	5519	4	VP562
WITH TWO DUAL BLOWERS (1200 CFM)						
NEPTH18-454	54"	3619	4389	5367	4	VP563
NEPTH18-460	60"	3733	4560	5595	4	VP563
NEPTH18-466	66"	3857	4740	5823	4	VP563

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR
FOR 27" DEEP MODEL, ORDER NEPXTH18 (NO ADDITIONAL COST)

STANDARD DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-26/12	26"	399	465	570	8'
WDC-26/24	26"	513	646	845	9'
WDC-26/36	26"	627	817	1121	10'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.36	0.57 294	0.89

ANY WDC-26 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

FINISHED TOP

	PAINTED	STAINLESS	OVERLAY
WIDTH x DEPTH x PLUS	0.36	0.57 180	0.89

SLOPED TOP ON DUCT COVER

ADD 294
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.


REMOVABLE PANEL DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDCR-26/12	26"	494	551	655	8'
WDCR-26/24	26"	608	731	931	9'
WDCR-26/36	26"	712	902	1206	10'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.36	0.57 389	0.89

ANY WDCR-26 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.



NEPTH18 EURO-STYLE WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 66"	PAINTED	STAINLESS	OVERLAY
FOR EACH 6" INCREMENT	133	190	237
PLUS		180	

SPECIAL WIDTH (LESS THAN 66")
USE NEXT LARGEST SIZE ON PRICE LIST,
PLUS 180

STAINLESS STEEL INTERIOR ON OVERLAY HOOD
SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD

DEPTH OVER 24" (EXCLUDING 27")	PAINTED	STAINLESS	OVERLAY
WIDTH x EXTRA DEPTH x PLUS	0.84	1.25 294	1.70


CUSTOM COLOR (SEE CUSTOM COLOR CHART)
ADD 399

TRIM OPTIONS
SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS

SEPTH18 EURO-STYLE WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION INCLUDED IN HOOD
27" DEEP MODEL - SEPXTH18**

SHOWN WITH
MATCHING
DUCT COVER
(SOLD SEPARATELY)



MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS	INCL.
WITH DUAL & SINGLE BLOWERS (900 CFM)					
SEPTH18-342	42"	3116	3904	3	VP562
SEPTH18-348	48"	3372	3980	3	VP562
SEPTH18-354	54"	3610	4370	4	VP562
SEPTH18-360	60"	3733	4541	4	VP562
SEPTH18-366	66"	3847	4721	4	VP562
WITH TWO DUAL BLOWERS (1200 CFM)					
SEPTH18-454	54"	3914	4683	4	VP563
SEPTH18-460	60"	4018	4864	4	VP563
SEPTH18-466	66"	4142	5035	4	VP563

FOR 27" DEEP MODEL, ORDER SEPXTH18 (NO ADDITIONAL COST)

STANDARD DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
WDC-26/12	26"	399	465	8'
WDC-26/24	26"	513	646	9'
WDC-26/36	26"	627	817	10'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS
WIDTH x HEIGHT x PLUS	0.36	0.57
		294

ANY WDC-26 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.

FINISHED TOP

	PAINTED	STAINLESS
WIDTH x DEPTH x PLUS	0.36	0.57
		180

SLOPED TOP ON DUCT COVER

ADD	294
-----	-----

SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.


REMOVABLE PANEL DUCT COVERS

MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
WDCR-26/12	26"	494	551	8'
WDCR-26/24	26"	608	731	9'
WDCR-26/36	26"	712	902	10'

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS
WIDTH x HEIGHT x PLUS	0.36	0.57
		389

ANY WDCR-26 SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION.




SEPTH18 EURO-STYLE WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 66"			DEPTH OVER 24" (EXCLUDING 27")		
	PAINTED	STAINLESS		PAINTED	STAINLESS
FOR EACH 6" INCREMENT	133	190	WIDTH x EXTRA DEPTH x PLUS	0.84	1.25
					294
SPECIAL WIDTH (LESS THAN 48")			CUSTOM COLOR (SEE CUSTOM COLOR CHART)		
USE NEXT LARGEST SIZE ON PRICE LIST, PLUS			ADD		
			399		
			TRIM OPTIONS		
			SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS		

CXH30 WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION NOT INCLUDED**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
CXH30-130	30"	1805	2441	3429	2
CXH30-136	36"	1900	2574	3676	2
CXH30-142	42"	2090	2802	4047	3
CXH30-148	48"	2223	2973	4332	3
WITH DUAL BLOWER (600 CFM)					
CXH30-230	30"	2109	2764	3733	2
CXH30-236	36"	2204	2897	3980	2
CXH30-242	42"	2394	3125	4351	3
CXH30-248	48"	2527	3287	4636	3
CXH30-254	54"	2878	3809	5320	4
WITH DUAL & SINGLE BLOWERS (900 CFM)					
CXH30-342	42"	2774	3581	4731	3
CXH30-348	48"	2907	3743	5016	3
CXH30-354	54"	3258	4265	5700	4
CXH30-360	60"	3448	4541	6099	4
WITH TWO DUAL BLOWERS (1200 CFM)					
CXH30-448	48"	3496	4066	5320	3
CXH30-454	54"	3562	4588	6004	4
CXH30-460	60"	3752	4854	6403	4
CXH30-466	66"	3933	5120	6792	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.36	0.57	0.89
		294	

ANY WDC SS DUCT COVER MORE THAN 43" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

FINISHED TOP

	PAINTED	STAINLESS	OVERLAY
WIDTH x DEPTH x PLUS	0.36	0.57	0.89
		180	


REMOVABLE FRONT PANEL

ADD	180
-----	-----

SLOPED TOP ON DUCT COVER

ADD	294
-----	-----

SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-30	30"	418	494	608	9'
WDC-30/24	30"	551	693	931	10'
WDC-30/36	30"	674	902	1244	11'
WDC-36	36"	446	532	674	9'
WDC-36/24	36"	598	779	1054	10'
WDC-36/36	36"	760	1026	1434	11'
WDC-42	42"	475	579	731	9'
WDC-42/24	42"	655	864	1178	10'
WDC-42/36	42"	836	1149	1624	11'
WDC-48	48"	494	617	798	9'
WDC-48/24	48"	703	940	1311	10'
WDC-48/36	48"	912	1263	1814	11'
WDC-54	54"	522	655	864	9'
WDC-60	60"	551	693	931	9'
WDC-66	66"	579	741	988	9'

CXH30 WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 66"				CLIPPED CORNER (MODELS WITH CONVEX ENDS ONLY)	
FOR EACH 6" INCREMENT	PAINTED	STAINLESS	OVERLAY	PER CORNER, ADD	294
PLUS	133	190	237	CONVEX END (REDUCES TOP WIDTH BY 6" EACH)	
		180		PER END, ADD	294
SPECIAL WIDTH (LESS THAN 66")				SPECIAL BLOWER LOCATION	
USE NEXT LARGEST SIZE ON PRICE LIST,				LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE	
PLUS		180		ADD	180
SPECIAL HEIGHT (BETWEEN 18" & 30")				SPECIAL DECK (9" MINIMUM, 18" STANDARD)	
USE STANDARD 30" PRICE,				ADD	180
PLUS		294		STAINLESS STEEL INTERIOR ON OVERLAY HOOD	
HEIGHT OVER 30"				SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD	
WIDTH x EXTRA HEIGHT x PLUS	PAINTED	STAINLESS	OVERLAY	ADDITIONAL BLOWERS & LIGHTS	
	0.84	1.25	1.70	SEE PAGE 84 FOR BLOWER OPTIONS	
DEPTH LESS THAN 24"				REMOTE BLOWER OPTIONS	
ADD		294		SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS	
DEPTH OVER 24"				CUSTOM COLOR (SEE CUSTOM COLOR CHART)	
WIDTH x EXTRA DEPTH x PLUS	PAINTED	STAINLESS	OVERLAY	ADD	399
	0.84	1.25	1.70	TRIM OPTIONS	
SLOPE, LIP, OFFSET, OR TOP VARIATION				SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS	
PER VARIATION, ADD		294		WARMING LAMPS AND SHELVES	
				SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS	

DAH30 WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION NOT INCLUDED**




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
DAH30-130	30"	1805	2441	3429	2
DAH30-136	36"	1900	2574	3676	2
DAH30-142	42"	2090	2802	4047	3
DAH30-148	48"	2223	2973	4332	3
WITH DUAL BLOWER (600 CFM)					
DAH30-230	30"	2109	2764	3733	2
DAH30-236	36"	2204	2897	3980	2
DAH30-242	42"	2394	3125	4351	3
DAH30-248	48"	2527	3287	4636	3
DAH30-254	54"	2878	3809	5320	4
WITH DUAL & SINGLE BLOWERS (900 CFM)					
DAH30-342	42"	2774	3581	4731	3
DAH30-348	48"	2907	3743	5016	3
DAH30-354	54"	3258	4265	5700	4
DAH30-360	60"	3448	4541	6099	4
WITH TWO DUAL BLOWERS (1200 CFM)					
DAH30-448	48"	3496	4066	5320	3
DAH30-454	54"	3562	4588	6004	4
DAH30-460	60"	3752	4854	6403	4
DAH30-466	66"	3933	5120	6792	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

CUSTOM WALL MOUNT DUCT COVERS			
	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.36	0.57 294	0.89
ANY WDC SS DUCT COVER MORE THAN 43" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.			
FINISHED TOP			
	PAINTED	STAINLESS	OVERLAY
WIDTH x DEPTH x PLUS	0.36	0.57 180	0.89
REMOVABLE FRONT PANEL			
ADD		180	
SLOPED TOP ON DUCT COVER			
ADD		294	
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.			




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-30	30"	418	494	608	9'
WDC-30/24	30"	551	693	931	10'
WDC-30/36	30"	674	902	1244	11'
WDC-36	36"	446	532	674	9'
WDC-36/24	36"	598	779	1054	10'
WDC-36/36	36"	760	1026	1434	11'
WDC-42	42"	475	579	731	9'
WDC-42/24	42"	655	864	1178	10'
WDC-42/36	42"	836	1149	1624	11'
WDC-48	48"	494	617	798	9'
WDC-48/24	48"	703	940	1311	10'
WDC-48/36	48"	912	1263	1814	11'
WDC-54	54"	522	655	864	9'
WDC-60	60"	551	693	931	9'
WDC-66	66"	579	741	988	9'

DAH30 WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 66"				CLIPPED CORNER	
	PAINTED	STAINLESS	OVERLAY	PER CORNER, ADD	294
FOR EACH 6" INCREMENT PLUS	133	190 180	237	CONCAVE END (REDUCES TOP WIDTH BY 6" EACH)	
				PER END, ADD	294
SPECIAL WIDTH (LESS THAN 66")				SPECIAL BLOWER LOCATION	
USE NEXT LARGEST SIZE ON PRICE LIST, PLUS				LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE ADD	180
SPECIAL HEIGHT (BETWEEN 18" & 30")				SPECIAL DECK (9" MINIMUM, 18" STANDARD)	
USE STANDARD 30" PRICE, PLUS				ADD	180
HEIGHT OVER 30"				STAINLESS STEEL INTERIOR ON OVERLAY HOOD	
	PAINTED	STAINLESS	OVERLAY	SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD	
WIDTH x EXTRA HEIGHT x PLUS	0.84	1.25 294	1.70	ADDITIONAL BLOWERS & LIGHTS	
DEPTH LESS THAN 24"				SEE PAGE 84 FOR BLOWER OPTIONS	
ADD		294		REMOTE BLOWER OPTIONS	
DEPTH OVER 24"				SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS	
	PAINTED	STAINLESS	OVERLAY	CUSTOM COLOR (SEE CUSTOM COLOR CHART)	
WIDTH x EXTRA DEPTH x PLUS	0.84	1.25 294	1.70	ADD	399
SLOPE, LIP, OFFSET, OR TOP VARIATION				TRIM OPTIONS	
PER VARIATION, ADD				SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS	
				WARMING LAMPS AND SHELVES	
				SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS	

PWVH30 WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION NOT INCLUDED**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
PWVH30-130	30"	1805	2441	3429	2
PWVH30-136	36"	1900	2574	3676	2
PWVH30-142	42"	2090	2802	4047	3
PWVH30-148	48"	2223	2973	4332	3
WITH DUAL BLOWER (600 CFM)					
PWVH30-230	30"	2109	2764	3733	2
PWVH30-236	36"	2204	2897	3980	2
PWVH30-242	42"	2394	3125	4351	3
PWVH30-248	48"	2527	3287	4636	3
PWVH30-254	54"	2878	3809	5320	4
WITH DUAL & SINGLE BLOWERS (900 CFM)					
PWVH30-342	42"	2774	3581	4731	3
PWVH30-348	48"	2907	3743	5016	3
PWVH30-354	54"	3258	4265	5700	4
PWVH30-360	60"	3448	4541	6099	4
WITH TWO DUAL BLOWERS (1200 CFM)					
PWVH30-448	48"	3496	4066	5320	3
PWVH30-454	54"	3562	4588	6004	4
PWVH30-460	60"	3752	4854	6403	4
PWVH30-466	66"	3933	5120	6792	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

CUSTOM WALL MOUNT DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.36	0.57	0.89
		294	

ANY WDC SS DUCT COVER MORE THAN 43" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

FINISHED TOP

	PAINTED	STAINLESS	OVERLAY
WIDTH x DEPTH x PLUS	0.36	0.57	0.89
		180	


REMOVABLE FRONT PANEL

ADD	180
-----	-----

SLOPED TOP ON DUCT COVER

ADD	294
-----	-----

SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-30	30"	418	494	608	9'
WDC-30/24	30"	551	693	931	10'
WDC-30/36	30"	674	902	1244	11'
WDC-36	36"	446	532	674	9'
WDC-36/24	36"	598	779	1054	10'
WDC-36/36	36"	760	1026	1434	11'
WDC-42	42"	475	579	731	9'
WDC-42/24	42"	655	864	1178	10'
WDC-42/36	42"	836	1149	1624	11'
WDC-48	48"	494	617	798	9'
WDC-48/24	48"	703	940	1311	10'
WDC-48/36	48"	912	1263	1814	11'
WDC-54	54"	522	655	864	9'
WDC-60	60"	551	693	931	9'
WDC-66	66"	579	741	988	9'

PWVH30 WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 66"				CLIPPED CORNER	
FOR EACH 6" INCREMENT	PAINTED 133	STAINLESS 190	OVERLAY 237	PER CORNER, ADD	294
PLUS		180		SLOPED END (REDUCES TOP WIDTH BY 6" EACH)	
				PER END, ADD	294
SPECIAL WIDTH (LESS THAN 66")				SPECIAL BLOWER LOCATION	
USE NEXT LARGEST SIZE ON PRICE LIST,				LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE	
PLUS		180		ADD	180
SPECIAL HEIGHT (BETWEEN 18" & 30")				SPECIAL DECK (9" MINIMUM, 18" STANDARD)	
USE STANDARD 30" PRICE,				ADD	180
PLUS		294		STAINLESS STEEL INTERIOR ON OVERLAY HOOD	
HEIGHT OVER 30"				SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD	
WIDTH x EXTRA HEIGHT x PLUS	PAINTED 0.84	STAINLESS 1.25	OVERLAY 1.70	ADDITIONAL BLOWERS & LIGHTS	
		294		SEE PAGE 84 FOR BLOWER OPTIONS	
DEPTH LESS THAN 24"				REMOTE BLOWER OPTIONS	
ADD		294		SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS	
DEPTH OVER 24"				CUSTOM COLOR (SEE CUSTOM COLOR CHART)	
WIDTH x EXTRA DEPTH x PLUS	PAINTED 0.84	STAINLESS 1.25	OVERLAY 1.70	ADD	399
		294		TRIM OPTIONS	
SLOPE, LIP, OFFSET, OR TOP VARIATION				SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS	
PER VARIATION, ADD		294		WARMING LAMPS AND SHELVES	
				SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS	

SLH30 WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION NOT INCLUDED**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
SLH30-130	30"	1805	2441	3429	2
SLH30-136	36"	1900	2574	3676	2
SLH30-142	42"	2090	2802	4047	3
SLH30-148	48"	2223	2973	4332	3
WITH DUAL BLOWER (600 CFM)					
SLH30-230	30"	2109	2764	3733	2
SLH30-236	36"	2204	2897	3980	2
SLH30-242	42"	2394	3125	4351	3
SLH30-248	48"	2527	3287	4636	3
SLH30-254	54"	2878	3809	5320	4
WITH DUAL & SINGLE BLOWERS (900 CFM)					
SLH30-342	42"	2774	3581	4731	3
SLH30-348	48"	2907	3743	5016	3
SLH30-354	54"	3258	4265	5700	4
SLH30-360	60"	3448	4541	6099	4
WITH TWO DUAL BLOWERS (1200 CFM)					
SLH30-448	48"	3496	4066	5320	3
SLH30-454	54"	3562	4588	6004	4
SLH30-460	60"	3752	4854	6403	4
SLH30-466	66"	3933	5120	6792	4


*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

CUSTOM WALL MOUNT DUCT COVERS			
	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.36	0.57	0.89
ANY WDC SS DUCT COVER MORE THAN 43" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.		294	
FINISHED TOP			
	PAINTED	STAINLESS	OVERLAY
WIDTH x DEPTH x PLUS	0.36	0.57	0.89
		180	
REMOVABLE FRONT PANEL			
ADD			180
SLOPED TOP ON DUCT COVER			
ADD			294

SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-30	30"	418	494	608	9'
WDC-30/24	30"	551	693	931	10'
WDC-30/36	30"	674	902	1244	11'
WDC-36	36"	446	532	674	9'
WDC-36/24	36"	598	779	1054	10'
WDC-36/36	36"	760	1026	1434	11'
WDC-42	42"	475	579	731	9'
WDC-42/24	42"	655	864	1178	10'
WDC-42/36	42"	836	1149	1624	11'
WDC-48	48"	494	617	798	9'
WDC-48/24	48"	703	940	1311	10'
WDC-48/36	48"	912	1263	1814	11'
WDC-54	54"	522	655	864	9'
WDC-60	60"	551	693	931	9'
WDC-66	66"	579	741	988	9'

SLH30 WALL MOUNT HOOD VARIATIONS

WIDTHS OVER 66"				SLOPE, LIP, OFFSET, OR TOP VARIATION	
	PAINTED	STAINLESS	OVERLAY	PER VARIATION, ADD	294
FOR EACH 6" INCREMENT PLUS	133	190	237	SLOPED END (REDUCES TOP WIDTH BY 6" EACH, N/A ON OVERLAY)	
		180		PER END, ADD	294
SPECIAL WIDTH (LESS THAN 66")				SPECIAL BLOWER LOCATION	
USE NEXT LARGEST SIZE ON PRICE LIST, PLUS		180		LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE	
				ADD	180
SPECIAL HEIGHT (BETWEEN 18" & 30")				SPECIAL DECK (9" MINIMUM, 18" STANDARD)	
USE STANDARD 30" PRICE, PLUS		294		ADD	180
HEIGHT OVER 30"				STAINLESS STEEL INTERIOR ON OVERLAY HOOD	
	PAINTED	STAINLESS	OVERLAY	SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD	
WIDTH x EXTRA HEIGHT x PLUS	0.84	1.25	1.70	ADDITIONAL BLOWERS & LIGHTS	
		294		SEE PAGE 84 FOR BLOWER OPTIONS	
DEPTH LESS THAN 24"				REMOTE BLOWER OPTIONS	
ADD		294		SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS	
DEPTH OVER 24"				CUSTOM COLOR (SEE CUSTOM COLOR CHART)	
	PAINTED	STAINLESS	OVERLAY	ADD	399
WIDTH x EXTRA DEPTH x PLUS	0.84	1.25	1.70	TRIM OPTIONS	
		294		SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS	
				WARMING LAMPS AND SHELVES	
				SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS	


AH12 RETRO-STYLE WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 33"**



MODEL NO.	WIDTH	PAINTED	#LTS
WITH SINGLE BLOWER (300 CFM)			
AH12-130	30"	1273	2
AH12-136	36"	1292	2
AH12-142	42"	1415	3
AH12-148	48"	1472	3
WITH DUAL BLOWER (600 CFM)			
AH12-236	36"	1596	2
AH12-242	42"	1719	3
AH12-248	48"	1776	3

HOOD INCLUDES TWO SIDE WING PANELS AND SPLASH PANEL 30" TALL X WIDTH OF HOOD.



MODEL NO.	WIDTH	PAINTED	CLG.
ARDC-6/6	6"	57	7'
ARDC-6/18	6"	76	8'
ARDC-6/30	6"	95	9'
ARDC-8/6	8"	57	7'
ARDC-8/18	8"	95	8'
ARDC-8/30	8"	114	9'


CUSTOM FINISHED ROUND DUCT

	PAINTED
WIDTH x HEIGHT x PLUS	0.36 294

NOTE: FINISHED ROUND DUCT EXTENDS 2" INTO TOP OF HOOD AND 1" INTO CEILING.

NOTE: WHEN PRICING CUSTOM FINISHED ROUND DUCT, INCLUDE THE 2" THAT EXTENDS INTO TOP OF HOOD AND 1" THAT EXTENDS INTO CEILING (3" TOTAL). TOTAL OVERALL HEIGHT CANNOT EXCEED 60" (10' 8" CEILING).

NOTE: TOP END OF FINISHED ROUND DUCT IS CRIMPED TO ALLOW FOR DUCT CONNECTION IN THE CEILING (CRIMP IS NOT INCLUDED IN THE OVERALL HEIGHT OF THE FINISHED ROUND DUCT).



MODEL NO.	WIDTH	PAINTED
ARC6	6"	16
ARC8	8"	16

AH12 RETRO-STYLE WALL MOUNT HOOD VARIATIONS

SPECIAL WIDTH (LESS THAN 48")
USE NEXT LARGEST SIZE ON PRICE LIST,
PLUS


294

CUSTOM COLOR (SEE CUSTOM COLOR CHART)
ADD

399

CWH WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION NOT INCLUDED**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
CWH-130	30"	1244	1729	2356	2
CWH-136	36"	1263	1757	2451	2
CWH-142	42"	1406	1890	2679	3
CWH-148	48"	1472	1966	2812	3
WITH DUAL BLOWER (600 CFM)					
CWH-230	30"	1548	2014	2660	2
CWH-236	36"	1567	2033	2755	2
CWH-242	42"	1710	2213	2983	3
CWH-248	48"	1947	2280	3116	3
CWH-254	54"	2099	2745	3591	4
WITH DUAL & SINGLE BLOWERS (900 CFM)					
CWH-342	42"	2090	2669	3363	3
CWH-348	48"	2327	2736	3496	3
CWH-354	54"	2479	3201	3971	4
CWH-360	60"	2584	3363	4208	4
WITH TWO DUAL BLOWERS (1200 CFM)					
CWH-448	48"	2631	3059	3800	3
CWH-454	54"	2783	3515	4275	4
CWH-460	60"	2888	3676	4512	4
CWH-466	66"	3021	3857	4740	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR


USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.


CWH WALL MOUNT HOOD VARIATIONS				
WIDTHS OVER 66"		PAINTED	STAINLESS	OVERLAY
FOR EACH 6" INCREMENT PLUS		133	190 180	237
SPECIAL WIDTH (LESS THAN 66")				
USE NEXT LARGEST SIZE ON PRICE LIST, PLUS			180	
SPECIAL HEIGHT (BETWEEN 9" & 12")				
USE STANDARD PRICE, PLUS			294	
HEIGHT OVER 12"		PAINTED	STAINLESS	OVERLAY
WIDTH x EXTRA HEIGHT x PLUS		0.84	1.25 294	1.70
DEPTH LESS THAN 24"				
ADD			294	
DEPTH OVER 24"		PAINTED	STAINLESS	OVERLAY
WIDTH x EXTRA DEPTH x PLUS		0.84	1.25 294	1.70
LIP AND OFFSET				
1, 2 OR 3 SIDES, ADD			294	
ROUNDED CORNER				
NO OFFSETS OR LIP, MINIMUM 4 INCH RADIUS				
PER CORNER, ADD				332
SPECIAL BLOWER LOCATION				
LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE				
ADD				180
SPECIAL DECK (9" MINIMUM)				
ADD				180
STAINLESS STEEL INTERIOR ON OVERLAY HOOD				
SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD				
ADDITIONAL BLOWERS & LIGHTS				
SEE PAGE 84 FOR BLOWER OPTIONS				
REMOTE BLOWER OPTIONS				
SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS				
CUSTOM COLOR (SEE CUSTOM COLOR CHART)				
ADD				399
TRIM OPTIONS				
SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS				
WARMING LAMPS AND SHELVES				
SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS				

TLH WALL MOUNT RANGE HOOD


**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 23 3/4"**



MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH SINGLE BLOWER (300 CFM)				
TLH-130	30"	1263	1710	2
TLH-136	36"	1292	1729	2
TLH-142	42"	1377	1824	3
TLH-148	48"	1434	1890	3
WITH DUAL BLOWER (600 CFM)				
TLH-230	30"	1567	2023	2
TLH-236	36"	1596	2052	2
TLH-242	42"	1681	2137	3
TLH-248	48"	1738	2204	3



Back View of Hood




Side View

TLH WALL MOUNT HOOD VARIATIONS

SPECIAL WIDTH (LESS THAN 48")		CUSTOM TILT OUT	
ADD	180	HEIGHT (36" MAX), WIDTH, DEPTH OR COMBO VARIATION	
HINGE AT TOP		ADD	351
ADD	180	CUSTOM COLOR (SEE CUSTOM COLOR CHART)	
		ADD	399


JCH/A1 DESIGNER SERIES WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION INCLUDED IN HOOD**



MODEL NO.	WIDTH	TOP W.	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)						
JCH136/A1	36"	18"	1615	1995	2631	2
JCH142/A1	42"	24"	1729	2090	2821	3
JCH148/A1	48"	30"	1795	2175	2926	3
WITH DUAL BLOWER (600 CFM)						
JCH236/A1	36"	18"	1909	2299	2926	2
JCH242/A1	42"	24"	2023	2403	3116	3
JCH248/A1	48"	30"	2080	2479	3230	3
WITH DUAL & SINGLE BLOWERS (900 CFM)*						
JCH348/A1	48"	30"	2546	3021	3686	3
JCH354/A1	54"	36"	2764	3344	4094	4
JCH360/A1	60"	42"	2869	3486	4313	4
WITH TWO DUAL BLOWERS (1200 CFM)+						
JCH454/A1	54"	36"	3059	3648	4389	4
JCH460/A1	60"	42"	3173	3809	4617	4
JCH466/A1	66"	48"	3258	3942	4807	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR
 *VP562 TRANSITION TO 10" ROUND INCLUDED WITH 900 CFM MODELS
 +VP563 TRANSITION TO 12" ROUND INCLUDED WITH 1200 CFM MODELS



MODEL NO.	WIDTH	TOP W.	PAINTED	STAINLESS	OVERLAY*	CLG.
CDC-18/12/18	18"	12"	674	741	836	8'
CDC-18/12/30	18"	12"	978	1092	1263	9'
CDC-18/12/42	18"	12"	1054	1216	1463	10'
CDC-24/12/18	24"	18"	712	798	931	8'
CDC-24/12/30	24"	12"	1045	1197	1425	9'
CDC-24/12/42	24"	12"	1149	1358	1691	10'
CDC-30/12/18	30"	24"	750	855	1026	8'
CDC-30/12/30	30"	12"	1111	1301	1586	9'
CDC-30/12/42	30"	12"	1244	1510	1919	10'
CDC-36/12/18	36"	30"	788	921	1121	8'
CDC-36/12/30	36"	18"	1178	1406	1748	9'
CDC-36/12/42	36"	18"	1339	1653	2147	10'
CDC-42/12/18	42"	36"	826	978	1206	8'
CDC-42/12/30	42"	24"	1244	1510	1919	9'
CDC-42/12/42	42"	18"	1434	1805	2365	10'
CDC-48/12/18	48"	42"	864	1035	1301	8'
CDC-48/12/30	48"	30"	1311	1615	2080	9'
CDC-48/12/42	48"	24"	1529	1947	2593	10'

*TRIM REQUIRED ON MODELS EXCEEDING 35" WIDTH AND 30" HEIGHT

JCH/A1 AS SEEN IN ADVERTISING LITERATURE




CFM	WIDTH					
	36"	42"	48"	54"	60"	66"
300 CFM	\$5,119.00	\$5,404.00	\$5,604.00			
600 CFM	\$5,414.00	\$5,699.00	\$5,908.00			
900 CFM			\$6,364.00	\$6,867.00	\$7,171.00	
1200 CFM				\$7,162.00	\$7,475.00	\$7,760.00

Pricing includes matching duct cover for 8' ceiling.
 Priced as shown with light antiqued hammered copper and antiqued trim.

JCH/B1 DESIGNER SERIES WALL MOUNT RANGE HOOD


**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION INCLUDED IN HOOD**



**SHOWN WITH
MATCHING
DUCT COVER
(SOLD SEPARATELY)**

MODEL NO.	WIDTH	TOP W.	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)						
JCH136/B1	36"	18"	1615	1995	2631	2
JCH142/B1	42"	24"	1729	2090	2821	3
JCH148/B1	48"	30"	1795	2175	2926	3
WITH DUAL BLOWER (600 CFM)						
JCH236/B1	36"	18"	1909	2299	2926	2
JCH242/B1	42"	24"	2023	2403	3116	3
JCH248/B1	48"	30"	2080	2479	3230	3
WITH DUAL & SINGLE BLOWERS (900 CFM)*						
JCH348/B1	48"	30"	2546	3021	3686	3
JCH354/B1	54"	36"	2764	3344	4094	4
JCH360/B1	60"	42"	2869	3486	4313	4
WITH TWO DUAL BLOWERS (1200 CFM)+						
JCH454/B1	54"	36"	3059	3648	4389	4
JCH460/B1	60"	42"	3173	3809	4617	4
JCH466/B1	66"	48"	3258	3942	4807	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR
 *VP562 TRANSITION TO 10" ROUND INCLUDED WITH 900 CFM MODELS
 +VP563 TRANSITION TO 12" ROUND INCLUDED WITH 1200 CFM MODELS



MODEL NO.	WIDTH	TOP W.	PAINTED	STAINLESS	OVERLAY*	CLG.
CDC-18/12/12	18"	12"	674	741	836	8'
CDC-18/12/24	18"	12"	978	1092	1263	9'
CDC-18/12/36	18"	12"	1054	1216	1463	10'
CDC-24/12/12	24"	18"	712	798	931	8'
CDC-24/12/24	24"	12"	1045	1197	1425	9'
CDC-24/12/36	24"	12"	1149	1358	1691	10'
CDC-30/12/12	30"	24"	750	855	1026	8'
CDC-30/12/24	30"	12"	1111	1301	1586	9'
CDC-30/12/36	30"	12"	1244	1510	1919	10'
CDC-36/12/12	36"	30"	788	921	1121	8'
CDC-36/12/24	36"	18"	1178	1406	1748	9'
CDC-36/12/36	36"	18"	1339	1653	2147	10'
CDC-42/12/12	42"	36"	826	978	1206	8'
CDC-42/12/24	42"	24"	1244	1510	1919	9'
CDC-42/12/36	42"	18"	1434	1805	2365	10'
CDC-48/12/12	48"	42"	864	1035	1301	8'
CDC-48/12/24	48"	30"	1311	1615	2080	9'
CDC-48/12/36	48"	24"	1529	1947	2593	10'

*TRIM REQUIRED ON MODELS EXCEEDING 35" WIDTH AND 30" HEIGHT

JCH/B1 AS SEEN IN ADVERTISING LITERATURE




CFM	WIDTH					
	36"	42"	48"	54"	60"	66"
300 CFM	\$5,558.50	\$5,760.00	\$5,951.50			
600 CFM	\$5,862.50	\$6,073.00	\$6,255.50			
900 CFM			\$6,797.50	\$7,236.00	\$7,484.50	
1200 CFM				\$7,540.00	\$7,807.50	\$8,047.00

Pricing includes matching duct cover for 8' ceiling.
 Priced as shown with stainless steel finish and pewter trim.

JCH/C1 DESIGNER SERIES WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION NOT INCLUDED**




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
JCH136/C1	36"	2346	2983	4009	2
JCH142/C1	42"	2527	3192	4360	3
JCH148/C1	48"	2650	3353	4626	3
WITH DUAL BLOWER (600 CFM)					
JCH236/C1	36"	2650	3287	4303	2
JCH242/C1	42"	2821	3505	4655	3
JCH248/C1	48"	2945	3657	4921	3
WITH DUAL & SINGLE BLOWERS (900 CFM)*					
JCH348/C1	48"	3315	4104	5291	3
JCH354/C1	54"	3648	4588	5928	4
JCH360/C1	60"	3819	4845	6298	4
WITH TWO DUAL BLOWERS (1200 CFM)+					
JCH454/C1	54"	3942	4902	6222	4
JCH460/C1	60"	4113	5149	6593	4
JCH466/C1	66"	4284	5405	6963	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

**USE VP562 (OPTIONAL) ON 900 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 10" DUCT.**

**USE VP563 (OPTIONAL) ON 1200 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 12" DUCT.**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDCC4-18/12	18"	646	693	760	9'
WDCC4-18/24	18"	722	817	950	10'
WDCC4-24/12	24"	674	731	826	9'
WDCC4-24/24	24"	779	893	1083	10'
WDCC4-30/12	30"	693	769	893	9'
WDCC4-30/24	30"	826	978	1216	10'
WDCC4-36/12	36"	722	817	950	9'
WDCC4-36/24	36"	883	1064	1339	10'
WDCC4-42/12	42"	750	855	1016	9'
WDCC4-42/24	42"	940	1149	1472	10'
WDCC4-48/12	48"	779	893	1083	9'
WDCC4-48/24	48"	988	1235	1605	10'

JCH/C1 AS SEEN IN ADVERTISING LITERATURE



CFM	WIDTH					
	36"	42"	48"	54"	60"	66"
300 CFM	\$3,278.50	\$3,492.50	\$3,648.50			
600 CFM	\$3,582.50	\$3,938.50	\$3,943.50			
900 CFM			\$4,465.50	\$4,679.50	\$4,883.50	
1200 CFM				\$4,973.50	\$5,177.50	\$5,381.50


Priced as shown with oil rubbed bronze finish and antiqued copper trim.

**USE VP562 (OPTIONAL) ON 900 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 10" DUCT.**

**USE VP563 (OPTIONAL) ON 1200 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 12" DUCT.**

JCHIC2 DESIGNER SERIES WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION NOT INCLUDED




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
JCH136/C2	36"	2213	2840	3866	2
JCH142/C2	42"	2384	3059	4218	3
JCH148/C2	48"	2508	3211	4484	3
WITH DUAL BLOWER (600 CFM)					
JCH236/C2	36"	2508	3154	4161	2
JCH242/C2	42"	2679	3363	4512	3
JCH248/C2	48"	2802	3524	4778	3
WITH DUAL & SINGLE BLOWERS (900 CFM)*					
JCH348/C2	48"	3173	3961	5149	3
JCH354/C2	54"	3505	4455	5785	4
JCH360/C2	60"	3676	4702	6165	4
WITH TWO DUAL BLOWERS (1200 CFM)+					
JCH454/C2	54"	3800	4759	6080	4
JCH460/C2	60"	3971	5016	6460	4
JCH466/C2	66"	4142	5263	6821	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

**USE VP562 (OPTIONAL) ON 900 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 10" DUCT.**

**USE VP563 (OPTIONAL) ON 1200 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 12" DUCT.**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-18/12	18"	380	427	494	9'
WDC-18/24	18"	456	551	684	10'
WDC-24/12	24"	408	465	560	9'
WDC-24/24	24"	513	636	817	10'
WDC-30/12	30"	418	494	608	9'
WDC-30/24	30"	551	693	931	10'
WDC-36/12	36"	446	532	674	9'
WDC-36/24	36"	598	779	1054	10'
WDC-42/12	42"	475	579	731	9'
WDC-42/24	42"	655	864	1178	10'
WDC-48/12	48"	494	617	798	9'
WDC-48/24	48"	703	940	1311	10'

JCHIC2 AS SEEN IN ADVERTISING LITERATURE



CFM	WIDTH					
	36"	42"	48"	54"	60"	66"
300 CFM	\$3,884.00	\$4,071.50	\$4,212.00			
600 CFM	\$4,179.00	\$4,366.50	\$4,506.00			
900 CFM			\$4,877.00	\$5,225.50	\$5,413.00	
1200 CFM				\$5,520.50	\$5,708.00	\$5,895.50


Priced as shown with pewter finish and silvervein trim.

**USE VP562 (OPTIONAL) ON 900 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 10" DUCT.**

**USE VP563 (OPTIONAL) ON 1200 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 12" DUCT.**


JDH/C1 DESIGNER SERIES WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION INCLUDED IN HOOD**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
JDH136/C1	36"	2213	2840	3866	2
JDH142/C1	42"	2384	3059	4218	3
JDH148/C1	48"	2508	3211	4484	3
WITH DUAL BLOWER (600 CFM)					
JDH236/C1	36"	2508	3154	4161	2
JDH242/C1	42"	2679	3363	4512	3
JDH248/C1	48"	2802	3524	4778	3
WITH DUAL & SINGLE BLOWERS (900 CFM)*					
JDH348/C1	48"	3268	4056	5244	3
JDH354/C1	54"	3600	4550	5880	4
JDH360/C1	60"	3771	4797	6260	4
WITH TWO DUAL BLOWERS (1200 CFM)+					
JDH454/C1	54"	3895	4854	6175	4
JDH460/C1	60"	4066	5111	6555	4
JDH466/C1	66"	4237	5358	6916	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR
 *VP562 TRANSITION TO 10" ROUND INCLUDED WITH 900 CFM MODELS
 +VP563 TRANSITION TO 12" ROUND INCLUDED WITH 1200 CFM MODELS



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-12/12	12"	342	370	418	9'
WDC-12/24	12"	389	456	541	10'
WDC-15/12	15"	361	399	456	9'
WDC-15/24	15"	427	503	627	10'
WDC-21/12	21"	389	446	522	9'
WDC-21/24	21"	484	589	750	10'
WDC-27/12	27"	418	484	589	9'
WDC-27/24	27"	541	674	883	10'
WDC-33/12	33"	446	532	655	9'
WDC-33/24	33"	589	760	1016	10'
WDC-39/12	39"	475	570	722	9'
WDC-39/24	39"	646	836	1140	10'

JDH/C1 AS SEEN IN ADVERTISING LITERATURE




CFM	WIDTH					
	36"	42"	48"	54"	60"	66"
300 CFM	\$5,300.64	\$5,712.40	\$6,038.16			
600 CFM	\$5,595.64	\$6,006.40	\$6,332.16			
900 CFM			\$6,798.16	\$7,493.92	\$7,933.68	
1200 CFM				\$7,788.92	\$8,228.68	\$8,649.44

Priced as shown with antiqued hammered copper finish and trim.


JDH/C2 DESIGNER SERIES WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION INCLUDED IN HOOD**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
JDH136/C2	36"	2213	2840	3866	2
JDH142/C2	42"	2384	3059	4218	3
JDH148/C2	48"	2508	3211	4484	3
WITH DUAL BLOWER (600 CFM)					
JDH236/C2	36"	2508	3154	4161	2
JDH242/C2	42"	2679	3363	4512	3
JDH248/C2	48"	2802	3524	4778	3
WITH DUAL & SINGLE BLOWERS (900 CFM)*					
JDH348/C2	48"	3268	4056	5244	3
JDH354/C2	54"	3600	4550	5880	4
JDH360/C2	60"	3771	4797	6260	4
WITH TWO DUAL BLOWERS (1200 CFM)+					
JDH454/C2	54"	3895	4854	6175	4
JDH460/C2	60"	4066	5111	6555	4
JDH466/C2	66"	4237	5358	6916	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR
 *VP562 TRANSITION TO 10" ROUND INCLUDED WITH 900 CFM MODELS
 +VP563 TRANSITION TO 12" ROUND INCLUDED WITH 1200 CFM MODELS



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-18/12	18"	380	427	494	9'
WDC-18/24	18"	456	551	684	10'
WDC-24/12	24"	408	465	560	9'
WDC-24/24	24"	513	636	817	10'
WDC-30/12	30"	418	494	608	9'
WDC-30/24	30"	551	693	931	10'
WDC-36/12	36"	446	532	674	9'
WDC-36/24	36"	598	779	1054	10'
WDC-42/12	42"	475	579	731	9'
WDC-42/24	42"	655	864	1178	10'
WDC-48/12	48"	494	617	798	9'
WDC-48/24	48"	703	940	1311	10'

JDH/C2 AS SEEN IN ADVERTISING LITERATURE




CFM	WIDTH					
	36"	42"	48"	54"	60"	66"
300 CFM	\$3,530.92	\$3,803.74	\$4,009.56			
600 CFM	\$3,844.92	\$4,107.74	\$4,322.56			
900 CFM			\$4,854.56	\$5,402.38	\$5,703.20	
1200 CFM				\$5,706.38	\$6,017.20	\$6,318.02

Priced as shown with stainless steel finish and mirror stainless trim.

JCWR9 DESIGNER SERIES UNDER CABINET HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"-27"
TRANSITION NOT INCLUDED**




MODEL NO.	WIDTH	STAINLESS	#LTS
WITR SINGLE BLOWER (300 CFM)			
JCWR9-130	30"	1349	2
JCWR9-136	36"	1358	2
JCWR9-142	42"	1501	3
JCWR9-148	48"	1558	3
WITR DUAL BLOWER (600 CFM)			
JCWR9-230	30"	1653	2
JCWR9-236	36"	1672	2
JCWR9-242	42"	1805	3
JCWR9-248	48"	1871	3
WITR DUAL & SINGLE BLOWERS (900 CFM)			
JCWR9-342	42"	2270	3
JCWR9-348	48"	2337	3
WITR TWO DUAL BLOWERS (1200 CFM)			
JCWR9-448	48"	2650	3

USE VP562 (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

JCWR18 DESIGNER SERIES WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION NOT INCLUDED**




MODEL NO.	WIDTH	STAINLESS	#LTS
WITH SINGLE BLOWER (300 CFM)			
JCWR18-130	30"	1985	2
JCWR18-136	36"	2033	2
JCWR18-142	42"	2175	3
JCWR18-148	48"	2251	3
WITR18- DUAL BLOWER (600 CFM)			
JCWR18-230	30"	2299	2
JCWR18-236	36"	2337	2
JCWR18-242	42"	2479	3
JCWR18-248	48"	2565	3
JCWR18-254	54"	3011	4
WITR18- DUAL & SINGLE BLOWERS (900 CFM)			
JCWR18-342	42"	2926	3
JCWR18-348	48"	3002	3
JCWR18-354	54"	3458	4
JCWR18-360	60"	3619	4
WITR18- TWO DUAL BLOWERS (1200 CFM)			
JCWR18-448	48"	3315	3
JCWR18-454	54"	3762	4
JCWR18-460	60"	3923	4
JCWR18-466	66"	3942	4

USE VP562 (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

JPHIC1 DESIGNER SERIES WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION NOT INCLUDED**




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
JPH136/C1	36"	2213	2840	3866	2
JPH142/C1	42"	2384	3059	4218	3
JPH148/C1	48"	2508	3211	4484	3
WITH DUAL BLOWER (600 CFM)					
JPH236/C1	36"	2508	3154	4161	2
JPH242/C1	42"	2679	3363	4512	3
JPH248/C1	48"	2802	3524	4778	3
WITH DUAL & SINGLE BLOWERS (900 CFM)*					
JPH348/C1	48"	3173	3961	5149	3
JPH354/C1	54"	3505	4455	5785	4
JPH360/C1	60"	3676	4702	6165	4
WITH TWO DUAL BLOWERS (1200 CFM)+					
JPH454/C1	54"	3800	4759	6080	4
JPH460/C1	60"	3971	5016	6460	4
JPH466/C1	66"	4142	5263	6821	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

**USE VP562 (OPTIONAL) ON 900 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 10" DUCT.**

**USE VP563 (OPTIONAL) ON 1200 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 12" DUCT.**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-24/12	24"	408	465	560	9'
WDC-24/24	24"	513	636	817	10'
WDC-30/12	30"	418	494	608	9'
WDC-30/24	30"	551	693	931	10'
WDC-36/12	36"	446	532	674	9'
WDC-36/24	36"	598	779	1054	10'
WDC-42/12	42"	475	579	731	9'
WDC-42/24	42"	655	864	1178	10'
WDC-48/12	48"	494	617	798	9'
WDC-48/24	48"	703	940	1311	10'
WDC-54/12	54"	522	655	864	9'
WDC-54/24	54"	779	1045	1463	10'

JPHIC1 AS SEEN IN ADVERTISING LITERATURE



CFM	WIDTH					
	36"	42"	48"	54"	60"	66"
300 CFM	\$3,385.00	\$3,589.00	\$3,746.00			
600 CFM	\$3,680.00	\$3,884.00	\$4,040.00			
900 CFM			\$4,411.00	\$4,776.00	\$4,980.00	
1200 CFM				\$5,071.00	\$5,275.00	\$5,479.00


Priced as shown with white finish and mirror stainless steel trim.

**USE VP562 (OPTIONAL) ON 900 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 10" DUCT.**

**USE VP563 (OPTIONAL) ON 1200 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 12" DUCT.**

JPHIC2 DESIGNER SERIES WALL MOUNT RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION NOT INCLUDED**




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH SINGLE BLOWER (300 CFM)					
JPH136/C2	36"	2213	2840	3866	2
JPH142/C2	42"	2384	3059	4218	3
JPH148/C2	48"	2508	3211	4484	3
WITH DUAL BLOWER (600 CFM)					
JPH236/C2	36"	2508	3154	4161	2
JPH242/C2	42"	2679	3363	4512	3
JPH248/C2	48"	2802	3524	4778	3
WITH DUAL & SINGLE BLOWERS (900 CFM)*					
JPH348/C2	48"	3173	3961	5149	3
JPH354/C2	54"	3505	4455	5785	4
JPH360/C2	60"	3676	4702	6165	4
WITH TWO DUAL BLOWERS (1200 CFM)+					
JPH454/C2	54"	3800	4759	6080	4
JPH460/C2	60"	3971	5016	6460	4
JPH466/C2	66"	4142	5263	6821	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

**USE VP562 (OPTIONAL) ON 900 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 10" DUCT.**

**USE VP563 (OPTIONAL) ON 1200 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 12" DUCT.**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
WDC-24/12	24"	408	465	560	9'
WDC-24/24	24"	513	636	817	10'
WDC-30/12	30"	418	494	608	9'
WDC-30/24	30"	551	693	931	10'
WDC-36/12	36"	446	532	674	9'
WDC-36/24	36"	598	779	1054	10'
WDC-42/12	42"	475	579	731	9'
WDC-42/24	42"	655	864	1178	10'
WDC-48/12	48"	494	617	798	9'
WDC-48/24	48"	703	940	1311	10'
WDC-54/12	54"	522	655	864	9'
WDC-54/24	54"	779	1045	1463	10'

JPHIC2 AS SEEN IN ADVERTISING LITERATURE



CFM	WIDTH					
	36"	42"	48"	54"	60"	66"
300 CFM	\$2,444.00	\$2,631.50	\$2,772.00			
600 CFM	\$2,739.00	\$2,926.50	\$3,066.00			
900 CFM			\$3,437.00	\$3,785.50	\$3,973.00	
1200 CFM				\$4,080.50	\$4,268.00	\$4,455.50


Priced as shown with black finish and stainless steel trim.

**USE VP562 (OPTIONAL) ON 900 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 10" DUCT.**

**USE VP563 (OPTIONAL) ON 1200 CFM MODELS TO
COMBINE OUTLETS INTO A SINGLE 12" DUCT.**

JCIH/A1 DESIGNER SERIES ISLAND RANGE HOOD


**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED SEPARATELY



MODEL NO.	WIDTH	TOP W.	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH DUAL BLOWER (550 CFM)*						
JCIH236/A1	36"	24"	2593	3372	4797	4
JCIH242/A1	42"	30"	2679	3496	4978	4
JCIH248/A1	48"	36"	2755	3591	5111	4
JCIH254/A1	54"	42"	2983	3885	5548	4
WITH CLUSTER BLOWER (1100 CFM)*						
JCIH448/A1	48"	36"	3467	4436	5823	4
JCIH454/A1	54"	42"	3695	4731	6270	4
JCIH460/A1	60"	48"	3990	5196	7505	4
JCIH466/A1	66"	54"	4113	5358	7752	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR
*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER
*VP564 TRANSITION TO 12" ROUND INCLUDED WITH CLUSTER BLOWER

**SHOWN WITH
MATCHING
DUCT COVER
(SOLD SEPARATELY)**




MODEL NO.	WIDTH	TOP W.	PAINTED	STAINLESS	OVERLAY*	CLG.
ICDC-24/15/18	24"	18"	1263	1330	1510	8'
ICDC-24/15/30	24"	15"	1396	1510	1814	9'
ICDC-24/15/42	24"	15"	1529	1691	2118	10'
ICDC-30/15/18	30"	24"	1311	1406	1624	8'
ICDC-30/15/30	30"	18"	1482	1624	2004	9'
ICDC-30/15/42	30"	18"	1653	1852	2384	10'
ICDC-36/15/18	36"	30"	1368	1472	1738	8'
ICDC-36/15/30	36"	24"	1567	1738	2194	9'
ICDC-36/15/42	36"	18"	1767	2014	2641	10'
ICDC-42/15/18	42"	36"	1415	1539	1852	8'
ICDC-42/15/30	42"	30"	1653	1852	2384	9'
ICDC-42/15/42	42"	24"	1881	2166	2907	10'
ICDC-48/15/18	48"	42"	1463	1605	1966	8'
ICDC-48/15/30	48"	36"	1729	1966	2565	9'
ICDC-48/15/42	48"	30"	2004	2327	3173	10'
ICDC-54/15/18	54"	48"	1510	1672	2080	8'
ICDC-54/15/30	54"	42"	1814	2080	2755	9'
ICDC-54/15/42	54"	36"	2118	2489	3429	10'

*TRIM REQUIRED ON MODELS EXCEEDING 35" WIDTH AND 30" HEIGHT

JCIH/B1 DESIGNER SERIES ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED SEPARATELY




MODEL NO.	WIDTH	TOP W.	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH DUAL BLOWER (550 CFM)*						
JCIH236/B1	36"	24"	2593	3372	4797	4
JCIH242/B1	42"	30"	2679	3496	4978	4
JCIH248/B1	48"	36"	2755	3591	5111	4
JCIH254/B1	54"	42"	2983	3885	5548	4
WITH CLUSTER BLOWER (1100 CFM)+						
JCIH448/B1	48"	36"	3467	4436	5823	4
JCIH454/B1	54"	42"	3695	4731	6270	4
JCIH460/B1	60"	48"	3990	5196	7505	4
JCIH466/B1	66"	54"	4113	5358	7752	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER

+VP564 TRANSITION TO 12" ROUND INCLUDED WITH CLUSTER BLOWER

**SHOWN WITH
MATCHING
DUCT COVER
(SOLD SEPARATELY)**




MODEL NO.	WIDTH	TOP W.	PAINTED	STAINLESS	OVERLAY*	CLG.
ICDC-24/15/12	24"	18"	1263	1330	1510	8'
ICDC-24/15/24	24"	18"	1396	1510	1814	9'
ICDC-24/15/36	24"	15"	1529	1691	2118	10'
ICDC-30/15/12	30"	24"	1311	1406	1624	8'
ICDC-30/15/24	30"	18"	1482	1624	2004	9'
ICDC-30/15/36	30"	18"	1653	1852	2384	10'
ICDC-36/15/12	36"	30"	1368	1472	1738	8'
ICDC-36/15/24	36"	24"	1567	1738	2194	9'
ICDC-36/15/36	36"	18"	1767	2014	2641	10'
ICDC-42/15/12	42"	36"	1415	1539	1852	8'
ICDC-42/15/24	42"	30"	1653	1852	2384	9'
ICDC-42/15/36	42"	24"	1881	2166	2907	10'
ICDC-48/15/12	48"	42"	1463	1605	1966	8'
ICDC-48/15/24	48"	36"	1729	1966	2565	9'
ICDC-48/15/36	48"	30"	2004	2327	3173	10'
ICDC-54/15/12	54"	48"	1510	1672	2080	8'
ICDC-54/15/24	54"	42"	1814	2080	2755	9'
ICDC-54/15/36	54"	36"	2118	2489	3429	10'

*TRIM REQUIRED ON MODELS EXCEEDING 35" WIDTH AND 30" HEIGHT

JCIH/C1 DESIGNER SERIES ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED SEPARATELY




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH DUAL BLOWER (550 CFM)*					
JCIH236/C1	36"	3562	4503	5918	4
JCIH242/C1	42"	3714	4721	6213	4
JCIH248/C1	48"	3838	4902	6260	4
JCIH254/C1	54"	4104	5272	6982	4
WITH CLUSTER BLOWER (1100 CFM)+					
JCIH448/C1	48"	4569	5766	6982	4
JCIH454/C1	54"	4835	6127	7714	4
JCIH460/C1	60"	5092	6583	8882	4
JCIH466/C1	66"	5272	6830	9234	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER


+VP564 TRANSITION TO 12" ROUND INCLUDED WITH CLUSTER BLOWER



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
IDCC4-18/12	18"	950	988	1073	9'
IDCC4-18/24	18"	1054	1121	1301	10'
IDCC4-24/12	24"	988	1026	1149	9'
IDCC4-24/24	24"	1121	1206	1453	10'
IDCC4-30/12	30"	1016	1073	1225	9'
IDCC4-30/24	30"	1187	1301	1605	10'
IDCC4-36/12	36"	1054	1121	1301	9'
IDCC4-36/24	36"	1254	1387	1748	10'
IDCC4-42/12	42"	1083	1168	1377	9'
IDCC4-42/24	42"	1320	1482	1900	10'
IDCC4-48/12	48"	1121	1206	1453	9'
IDCC4-48/24	48"	1387	1567	2052	10'

JDIH/C1 DESIGNER SERIES ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED SEPARATELY




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH DUAL BLOWER (550 CFM)*					
JDIH236/C1	36"	3562	4503	5918	4
JDIH242/C1	42"	3714	4721	6213	4
JDIH248/C1	48"	3838	4902	6260	4
JDIH254/C1	54"	4104	5272	6982	4
WITH TWO DUAL BLOWERS (1100 CFM)+					
JDIH448/C1	48"	4569	5766	6982	4
JDIH454/C1	54"	4835	6127	7714	4
JDIH460/C1	60"	5092	6583	8882	4
JDIH466/C1	66"	5272	6830	9234	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER


+VP564 TRANSITION TO 12" ROUND INCLUDED WITH CLUSTER BLOWER



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
IDCC1-24/12	24"	988	1026	1149	9'
IDCC1-24/24	24"	1121	1206	1453	10'
IDCC1-30/12	30"	1016	1073	1225	9'
IDCC1-30/24	30"	1187	1301	1605	10'
IDCC1-36/12	36"	1054	1121	1301	9'
IDCC1-36/24	36"	1254	1387	1748	10'
IDCC1-42/12	42"	1083	1168	1377	9'
IDCC1-42/24	42"	1320	1482	1900	10'
IDCC1-48/12	48"	1121	1206	1453	9'
IDCC1-48/24	48"	1387	1567	2052	10'
IDCC1-54/12	54"	1149	1254	1529	9'
IDCC1-54/24	54"	1453	1662	2204	10'


JDIH/C2 DESIGNER SERIES ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED SEPARATELY



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH DUAL BLOWER (550 CFM)*					
JDIH236/C2	36"	3562	4503	5918	4
JDIH242/C2	42"	3714	4721	6213	4
JDIH248/C2	48"	3838	4902	6260	4
JDIH254/C2	54"	4104	5272	6982	4
WITH TWO DUAL BLOWERS (1100 CFM)+					
JDIH448/C2	48"	4569	5766	6982	4
JDIH454/C2	54"	4835	6127	7714	4
JDIH460/C2	60"	5092	6583	8882	4
JDIH466/C2	66"	5272	6830	9234	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR
*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER
+VP564 TRANSITION TO 12" ROUND INCLUDED WITH CLUSTER BLOWER



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
IDCC1-15/12	15"	931	959	1035	9'
IDCC1-15/24	15"	1016	1073	1225	10'
IDCC1-21/12	21"	969	1007	1111	9'
IDCC1-21/24	21"	1083	1168	1377	10'
IDCC1-27/12	27"	997	1054	1187	9'
IDCC1-27/24	27"	1149	1254	1529	10'
IDCC1-33/12	33"	1035	1092	1263	9'
IDCC1-33/24	33"	1216	1349	1672	10'
IDCC1-39/12	39"	1064	1140	1339	9'
IDCC1-39/24	39"	1282	1434	1824	10'
IDCC1-45/12	45"	1102	1187	1415	9'
IDCC1-45/24	45"	1349	1529	1976	10'

JDIH/C2 AS SEEN IN ADVERTISING LITERATURE




CFM	WIDTH					
	36"	42"	48"	54"	60"	66"
550 CFM	\$7,337.04	\$7,706.68	\$7,828.32	\$8,624.96		
1100 CFM			\$8,550.32	\$9,356.96	\$10,599.60	\$11,026.24

Priced as shown with antiqued hammered copper finish and copper rail.

CIEH9 CONTEMPORARY ISLAND RANGE HOOD


**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION(S) INCLUDED SEPARATELY**



**SHOWN WITH
MATCHING
DUCT COVER
(SOLD SEPARATELY)**

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH DUAL BLOWER (550 CFM)*				
CIEH9-236	36"	2470	3135	4
CIEH9-242	42"	2489	3249	4
CIEH9-248	48"	2622	3429	4
CIEH9-254	54"	2840	3714	4


*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER




**SHOWN WITH
MATCHING
DUCT COVERS
(SOLD SEPARATELY)**

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH TWO DUAL BLOWERS (1100 CFM)+				
CIEH9-2+260	60"	3809	4959	8
CIEH9-2+266	66"	3923	5120	8

+VP565 TRANSITION TO 8" ROUND INCLUDED WITH EACH DUAL BLOWER



IDCL



IDC

MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
IDCL-14/20/9	20"	370	399	7'
IDCL-14/20/21	20"	484	551	8'
IDCL-14/20/33	20"	598	693	9'

MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
IDC-14/20/9	20"	370	399	7'
IDC-14/20/21	20"	484	551	8'
IDC-14/20/33	20"	598	693	9'
IDC-14/20/45	20"	703	845	10'

CUSTOM ISLAND DUCT COVERS

	PAINTED	STAINLESS
WIDTH x HEIGHT x PLUS	0.46	0.62
	294	

ANY IDCL SS DUCT COVER MORE THAN 43" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	
ADD	180

SLOPED TOP ON DUCT COVER

ADD	294
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

CIEH9 CONTEMPORARY ISLAND HOOD VARIATIONS

WIDTHS OVER 66"


FOR EACH 6" SEGMENT	PAINTED 152	STAINLESS 199
PLUS	180	

SPECIAL WIDTH (LESS THAN 66")

USE NEXT LARGEST SIZE ON PRICE LIST	
PLUS	180

CILH9 CONTEMPORARY ISLAND RANGE HOOD


**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION(S) INCLUDED SEPARATELY



**SHOWN WITH
MATCHING
DUCT COVER
(SOLD SEPARATELY)**

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH DUAL BLOWER (550 CFM)*				
CILH9-242	42"	2489	3249	4
CILH9-248	48"	2622	3429	4
CILH9-254	54"	2840	3714	4


*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER



**SHOWN WITH
MATCHING
DUCT COVERS
(SOLD SEPARATELY)**

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH TWO DUAL BLOWERS (1100 CFM)+				
CILH9-2+260	60"	3809	4959	8
CILH9-2+266	66"	3923	5120	8

+VP565 TRANSITION TO 8" ROUND INCLUDED WITH EACH DUAL BLOWER



MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
IDCL-14/20/9	20"	370	399	7'
IDCL-14/20/21	20"	484	551	8'
IDCL-14/20/33	20"	598	693	9'

MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
IDC-14/20/9	20"	370	399	7'
IDC-14/20/21	20"	484	551	8'
IDC-14/20/33	20"	598	693	9'
IDC-14/20/45	20"	703	845	10'

CUSTOM ISLAND DUCT COVERS

	PAINTED	STAINLESS
WIDTH x HEIGHT x PLUS	0.46	0.62
	294	

ANY IDCL SS DUCT COVER MORE THAN 43" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	
ADD	180

SLOPED TOP ON DUCT COVER

ADD	294
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

CILH9 CONTEMPORARY ISLAND HOOD VARIATIONS

WIDTHS OVER 66"

FOR EACH 6" SEGMENT
PLUS

	PAINTED	STAINLESS
	152	199
	180	

SPECIAL WIDTH (LESS THAN 66")

USE NEXT LARGEST SIZE ON PRICE LIST
PLUS


180

REMOVE GALLEY RAIL

TO REMOVE RAIL, NO CHARGE

IZTH CONTEMPORARY ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED SEPARATELY




**SHOWN WITH
MATCHING
DUCT COVER
(SOLD SEPARATELY)**

IZTH VARIATIONS	
REMOVE FIXED LENGTH SS RAIL	
ADD	294


MODEL NO.	WIDTH	STAINLESS	#LTS
WITH DUAL BLOWER (550 CFM)*			
IZTH-242	42"	3914	4
IZTH-248	48"	3999	4
WITH CLUSTER BLOWER (1100 CFM)+			
IZTH-454	54"	5253	4
IZTH-460	60"	5652	4
IZTH-466	66"	5814	4

*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER
+VP564 TRANSITION TO 12" ROUND INCLUDED WITH CLUSTER BLOWER



(FOR 42" AND 48" MODELS)

MODEL NO.	WIDTH	STAINLESS	CLG.
IZDC-18/6	18"	361	7'
IZDC-18/18	18"	494	8'
IZDC-18/30	18"	627	9'



(FOR 54", 60" & 66" MODELS)

MODEL NO.	WIDTH	STAINLESS	CLG.
IZDC-22/6	22"	370	7'
IZDC-22/18	22"	532	8'
IZDC-22/30	22"	693	9'

CUSTOM ISLAND DUCT COVERS

WIDTH x HEIGHT x PLUS	STAINLESS
0.62	
294	

NOTE: DUCT COVER EXTENDS 2" INTO HOOD.

NOTE: WHEN PRICING CUSTOM DUCT COVERS, INCLUDE THE 2" OF DUCT COVER THAT EXTENDS INTO TOP OF HOOD.


NOTE: MAXIMUM OVERALL AVAILABLE HEIGHT IS 48"; 46" IS THE FINISHED HEIGHT ABOVE THE TOP OF THE HOOD.

NOTE: WHEN PRICING CUSTOM DUCT COVERS, INCLUDE THE 2" OF DUCT COVER THAT EXTENDS INTO TOP OF HOOD.

**NOTE: DUCT COVER WILL HAVE
A VISIBLE SEAM ON ONE SIDE.**

ISFH18 ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION(S) INCLUDED SEPARATELY**




MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH DUAL BLOWER (550 CFM)*					
ISFH18-236	36"	2470	3220	4579	4
ISFH18-242	42"	2555	3334	4750	4
ISFH18-248	48"	2622	3429	4883	4
ISFH18-254	54"	2840	3714	5301	4
WITH TWO DUAL BLOWERS (1100 CFM)+					
ISFH18-2+260	60"	3809	4959	7163	8
ISFH18-2+266	66"	3923	5120	7400	8

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER

+VP565 TRANSITION TO 8" ROUND INCLUDED WITH EACH DUAL BLOWER



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
IDC-36	24"	427	465	589	8'
IDC-42	30"	456	513	665	8'
IDC-48	36"	494	560	731	8'
IDC-54	42"	522	598	807	8'
IDC-60	48"	560	646	883	8'
IDC-66	54"	589	693	959	8'

CUSTOM ISLAND DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.46	0.62	1.04
		294	

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE
ADD 180


SLOPED TOP ON DUCT COVER

ADD 294
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.

ISFH18 ISLAND HOOD VARIATIONS				
WIDTHS OVER 66"				
FOR EACH 6" INCREMENT PLUS	PAINTED 152	STAINLESS 199	OVERLAY 313	
SPECIAL WIDTH (LESS THAN 66")				
USE NEXT LARGEST SIZE ON PRICE LIST, PLUS		180		
SPECIAL HEIGHT (BETWEEN 9" & 18")				
USE STANDARD 18" PRICE, PLUS		294		
DEPTH OVER 27"				
WIDTH x EXTRA DEPTH x PLUS	PAINTED 0.95	STAINLESS 1.54	OVERLAY 1.88	
SLOPE, LIP, OFFSET, OR TOP VARIATION				
PER VARIATION, ADD		294		
CLIPPED CORNER				
PER CORNER, ADD		294		
VERTICAL END				
PER END, ADD			294	
SPECIAL BLOWER LOCATION				
LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE				
ADD			180	
SPECIAL DECK (9" MINIMUM, 18" STANDARD)				
ADD			180	
STAINLESS STEEL INTERIOR ON OVERLAY HOOD				
SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD				
ADDITIONAL BLOWERS & LIGHTS				
SEE PAGE 84 FOR BLOWER OPTIONS				
REMOTE BLOWER OPTIONS				
SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS				
CUSTOM COLOR (SEE CUSTOM COLOR CHART)				
ADD			399	
TRIM OPTIONS				
SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS				


ISLH18 ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION(S) INCLUDED SEPARATELY**



MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH DUAL BLOWER (550 CFM)*				
ISLH18-236	36"	2470	3220	4
ISLH18-242	42"	2489	3249	4
ISLH18-248	48"	2555	3334	4
ISLH18-254	54"	2764	3600	4
WITH TWO DUAL BLOWERS (1100 CFM)+				
ISLH18-2+260	60"	3809	4959	8
ISLH18-2+266	66"	3923	5120	8

*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER
+VP565 TRANSITION TO 8" ROUND INCLUDED WITH EACH DUAL BLOWER



MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
IDC-36	24"	427	465	8'
IDC-42	30"	456	513	8'
IDC-48	36"	494	560	8'
IDC-54	42"	522	598	8'
IDC-60	48"	560	646	8'
IDC-66	54"	589	693	8'

CUSTOM ISLAND DUCT COVERS

	PAINTED	STAINLESS
WIDTH x HEIGHT x	0.46	0.62
PLUS		294

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	
ADD	180

SLOPED TOP ON DUCT COVER


ADD	294
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

ISLH18 ISLAND HOOD VARIATIONS

WIDTHS OVER 66"			SLOPE, LIP, OFFSET, OR TOP VARIATION	
	PAINTED	STAINLESS	PER VARIATION, ADD	294
FOR EACH 6" INCREMENT	152	199		
PLUS		180		
SPECIAL WIDTH (LESS THAN 66")			SPECIAL BLOWER LOCATION	
USE NEXT LARGEST SIZE ON PRICE LIST,			LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE	
PLUS		180	ADD	180
SPECIAL HEIGHT (BETWEEN 9" & 18")			SPECIAL DECK (9" MINIMUM, 18" STANDARD)	
USE STANDARD 18" PRICE,			ADD	180
PLUS		294		
DEPTH OVER 27"			ADDITIONAL BLOWERS & LIGHTS	
	PAINTED	STAINLESS	SEE PAGE 84 FOR BLOWER OPTIONS	
WIDTH x EXTRA DEPTH x	0.95	1.54	REMOTE BLOWER OPTIONS	
PLUS		294	SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS	
			CUSTOM COLOR (SEE CUSTOM COLOR CHART)	
			ADD	399
			TRIM OPTIONS	
			SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS	

IXRH18 ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION(S) INCLUDED SEPARATELY**



Stainless steel 1" bands
are included on painted
and stainless steel models.


MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH DUAL BLOWER (550 CFM)*					
IXRH18-236	36"	2470	3220	4579	4
IXRH18-242	42"	2555	3334	4750	4
IXRH18-248	48"	2622	3429	4883	4
IXRH18-254	54"	2840	3714	5301	4
WITH TWO DUAL BLOWERS (1100 CFM)+					
IXRH18-2+260	60"	3809	4959	7163	8
IXRH18-2+266	66"	3923	5120	7400	8

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

*NO BANDS ON OVERLAY MODELS

*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER

+VP565 TRANSITION TO 8" ROUND INCLUDED WITH EACH DUAL BLOWER



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
XIDC-36	24"	427	465	589	8'
XIDC-42	30"	456	513	665	8'
XIDC-48	36"	494	560	731	8'
XIDC-54	42"	522	598	807	8'
XIDC-60	48"	560	646	883	8'
XIDC-66	54"	589	693	959	8'

CUSTOM ISLAND DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.46	0.62	1.04
		294	

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	
ADD	180

SLOPED TOP ON DUCT COVER


ADD	294
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

IXRH18 ISLAND HOOD VARIATIONS

WIDTHS OVER 66"				SPECIAL BLOWER LOCATION	
FOR EACH 6" INCREMENT	PAINTED	STAINLESS	OVERLAY	LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE	
PLUS	152	199	313	ADD	180
SPECIAL WIDTH (LESS THAN 66")				SPECIAL DECK (9" MINIMUM, 18" STANDARD)	
USE NEXT LARGEST SIZE ON PRICE LIST, PLUS				ADD	180
SPECIAL HEIGHT (BETWEEN 9" & 18")				STAINLESS STEEL INTERIOR ON OVERLAY HOOD	
USE STANDARD 18" PRICE, PLUS				SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD	
DEPTH OVER 27"				ADDITIONAL BLOWERS & LIGHTS	
WIDTH x EXTRA DEPTH x PLUS	PAINTED	STAINLESS	OVERLAY	SEE PAGE 84 FOR BLOWER OPTIONS	
	0.95	1.54	1.88	REMOTE BLOWER OPTIONS	
SLOPE, LIP, OFFSET, OR TOP VARIATION				SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS	
PER VARIATION, ADD		294		CUSTOM COLOR (SEE CUSTOM COLOR CHART)	
				ADD	399
				TRIM OPTIONS	
				BANDS, NON-STANDARD COLOR	
				TO REMOVE BANDS	
				SEE PAGES 90-93 FOR ADDITIONAL FINISH AND TRIM OPTIONS	

PYH18 ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION(S) INCLUDED SEPARATELY**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH DUAL BLOWER (550 CFM)*					
PYH18-236	36"	2470	3220	4579	4
PYH18-242	42"	2555	3334	4750	4
PYH18-248	48"	2622	3429	4883	4
PYH18-254	54"	2840	3714	5301	4


WITH TWO DUAL BLOWERS (1100 CFM)+

PYH18-2+260	60"	3809	4959	7163	8
PYH18-2+266	66"	3923	5120	7400	8

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER

+VP565 TRANSITION TO 8" ROUND INCLUDED WITH EACH DUAL BLOWER



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
IDC-36	24"	427	465	589	8'
IDC-42	30"	456	513	665	8'
IDC-48	36"	494	560	731	8'
IDC-54	42"	522	598	807	8'
IDC-60	48"	560	646	883	8'
IDC-66	54"	589	693	959	8'

CUSTOM ISLAND DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.46	0.62	1.04
		294	

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	
ADD	180

SLOPED TOP ON DUCT COVER

ADD	294
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	


PYH18 ISLAND HOOD VARIATIONS

WIDTHS OVER 66"			
	PAINTED	STAINLESS	OVERLAY
FOR EACH 6" INCREMENT PLUS	152	199	313
SPECIAL WIDTH (LESS THAN 66")			
USE NEXT LARGEST SIZE ON PRICE LIST, PLUS		180	
SPECIAL HEIGHT (BETWEEN 9" & 18")			
USE STANDARD 18" PRICE, PLUS		294	
DEPTH OVER 27"			
	PAINTED	STAINLESS	OVERLAY
WIDTH x EXTRA DEPTH x PLUS	0.95	1.54	1.88
		294	
SLOPE, LIP, OFFSET, OR TOP VARIATION		294	
PER VARIATION, ADD			
CLIPPED CORNER		294	
PER CORNER, ADD			

VERTICAL END	
PER END, ADD	294
SPECIAL BLOWER LOCATION	
LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE	
ADD	180
SPECIAL DECK (9" MINIMUM, 18" STANDARD)	
ADD	180
STAINLESS STEEL INTERIOR ON OVERLAY HOOD	
SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD	
ADDITIONAL BLOWERS & LIGHTS	
SEE PAGE 84 FOR BLOWER OPTIONS	
REMOTE BLOWER OPTIONS	
SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS	
CUSTOM COLOR (SEE CUSTOM COLOR CHART)	
ADD	399
TRIM OPTIONS	
SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS	

COH ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION(S) INCLUDED SEPARATELY**




**SHOWN WITH
MATCHING
DUCT COVER
(SOLD SEPARATELY)**

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH DUAL BLOWER (550 CFM)*					
COH-236	36"	2470	3220	4579	4
COH-242	42"	2555	3334	4750	4
COH-248	48"	2622	3429	4883	4
COH-254	54"	2840	3714	5301	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER



**SHOWN WITH
MATCHING
DUCT COVERS
(SOLD SEPARATELY)**

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH TWO DUAL BLOWERS (1100 CFM)+					
COH-2+260	60"	3809	4959	7163	8
COH-2+266	66"	3923	5120	7400	8

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR


*VP565 TRANSITION TO 8" ROUND INCLUDED WITH EACH DUAL BLOWER

MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
IDC-14/20/18	20"	456	513	665	8"

CUSTOM ISLAND DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.46	0.62	1.04
		294	

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.



REMOVABLE PANEL


SPECIFY SIDE	
ADD	180
SLOPED TOP ON DUCT COVER	
ADD	294
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

COH ISLAND HOOD VARIATIONS

WIDTHS OVER 66"	PAINTED	STAINLESS	OVERLAY	SLOPE, LIP, OFFSET, OR TOP VARIATION
FOR EACH 6" INCREMENT PLUS	152	199	313	PER VARIATION, ADD 294
SPECIAL WIDTH (LESS THAN 66") USE NEXT LARGEST SIZE ON PRICE LIST, PLUS		180		ROUNDED CORNER NO OFFSETS OR LIP, MINIMUM 4 INCH RADIUS PER CORNER, ADD 180
SPECIAL HEIGHT (BETWEEN 9" & 12") USE STANDARD 12" PRICE, PLUS		294		SPECIAL DECK (9" MINIMUM) ADD 180
DEPTH OVER 27"	PAINTED	STAINLESS	OVERLAY	STAINLESS STEEL INTERIOR ON OVERLAY HOOD SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD
WIDTH x EXTRA DEPTH x PLUS	0.95	1.54	1.88	ADDITIONAL BLOWERS & LIGHTS SEE PAGE 84 FOR BLOWER OPTIONS
SPECIAL BLOWER LOCATION LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE ADD		180		REMOTE BLOWER OPTIONS SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS
				CUSTOM COLOR (SEE CUSTOM COLOR CHART) ADD 399
				TRIM OPTIONS SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS

PYDH18 EURO-STYLE ISLAND RANGE HOOD


**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION INCLUDED SEPARATELY**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH DUAL BLOWER (550 CFM)*					
PYDH18-236	36"	2403	3135	4579	4
PYDH18-242	42"	2489	3249	4750	4
PYDH18-248	48"	2622	3429	4883	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
IDC-12/12	12"	361	380	437	8'
IDC-12/24	12"	427	465	589	9'
IDC-12/36	12"	494	560	731	10'

CUSTOM ISLAND DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.46	0.62	1.04
		294	

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	
ADD	180

SLOPED TOP ON DUCT COVER

ADD	294
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

PYDH18 EURO-STYLE ISLAND HOOD VARIATIONS

SPECIAL WIDTH (LESS THAN 48")
USE NEXT LARGEST SIZE ON PRICE LIST,
PLUS

180

DEPTH OVER 27"

	PAINTED	STAINLESS	OVERLAY
WIDTH x EXTRA DEPTH x PLUS	0.95	1.54	1.88
		294	

STAINLESS STEEL INTERIOR ON OVERLAY HOOD

SUBTRACT **PAINTED** PRICE OF HOOD FROM **STAINLESS** PRICE OF HOOD

REMOTE BLOWER OPTIONS

SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS

CUSTOM COLOR (SEE CUSTOM COLOR CHART)

ADD 399

TRIM OPTIONS



SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS

ISDH18 EURO-STYLE ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED SEPARATELY

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH DUAL BLOWER (550 CFM)*				
ISDH18-236	36"	2774	3524	4
ISDH18-242	42"	2859	3638	4
ISDH18-248	48"	2926	3724	4

*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER



MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
IDC-12/12	12"	361	380	8'
IDC-12/24	12"	427	465	9'
IDC-12/36	12"	494	560	10'

CUSTOM ISLAND DUCT COVERS

	PAINTED	STAINLESS
WIDTH x HEIGHT x	0.46	0.62
PLUS		294

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	
ADD	180

SLOPED TOP ON DUCT COVER


ADD	294
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

ISDH18 EURO-STYLE ISLAND HOOD VARIATIONS

SPECIAL WIDTH (LESS THAN 48") USE NEXT LARGEST SIZE ON PRICE LIST, PLUS 180			REMOTE BLOWER OPTIONS SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS	
DEPTH OVER 27"			CUSTOM COLOR (SEE CUSTOM COLOR CHART) ADD 399	
	PAINTED	STAINLESS	TRIM OPTIONS SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS	
WIDTH x EXTRA DEPTH x	0.95	1.54		
PLUS	294			

EPIH18 EURO-STYLE ISLAND RANGE HOOD


**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED SEPARATELY



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH DUAL BLOWER (550 CFM)*					
EPIH18-236	36"	2470	3135	4579	4
EPIH18-242	42"	2555	3249	4750	4
EPIH18-248	48"	2622	3429	4883	4

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR

*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
IDC-12/12	12"	361	380	437	8'
IDC-12/24	12"	427	465	589	9'
IDC-12/36	12"	494	560	731	10'

CUSTOM ISLAND DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.46	0.62	1.04
		294	

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	
ADD	180

SLOPED TOP ON DUCT COVER

ADD	294
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

EPIH18 EURO-STYLE ISLAND HOOD VARIATIONS

SPECIAL WIDTH (LESS THAN 48")
USE NEXT LARGEST SIZE ON PRICE LIST,
PLUS

180

DEPTH OVER 30"

	PAINTED	STAINLESS	OVERLAY
WIDTH x EXTRA DEPTH x PLUS	0.95	1.54	1.88
		294	

STAINLESS STEEL INTERIOR ON OVERLAY HOOD

SUBTRACT **PAINTED** PRICE OF HOOD FROM **STAINLESS** PRICE OF HOOD

REMOTE BLOWER OPTIONS

SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS

CUSTOM COLOR (SEE CUSTOM COLOR CHART)

ADD 399

TRIM OPTIONS



SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS

SEPIH18 EURO-STYLE ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED SEPARATELY

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH DUAL BLOWER (550 CFM)*				
SEPIH18-236	36"	2774	3420	4
SEPIH18-242	42"	2859	3534	4
SEPIH18-248	48"	2926	3619	4

*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER



MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
IDC-12/12	12"	361	380	8'
IDC-12/24	12"	427	465	9'
IDC-12/36	12"	494	560	10'

CUSTOM ISLAND DUCT COVERS

	PAINTED	STAINLESS
WIDTH x HEIGHT x	0.46	0.62
PLUS		294

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	
ADD	180

SLOPED TOP ON DUCT COVER

ADD	294
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

SEPIH18 EURO-STYLE ISLAND HOOD VARIATIONS

SPECIAL WIDTH (LESS THAN 48")

USE NEXT LARGEST SIZE ON PRICE LIST,
PLUS 180

DEPTH OVER 30"

	PAINTED	STAINLESS
WIDTH x EXTRA DEPTH x	0.95	1.54
PLUS		294

REMOTE BLOWER OPTIONS

SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS

CUSTOM COLOR (SEE CUSTOM COLOR CHART)


ADD 399

TRIM OPTIONS


SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS

EPITH18 EURO-STYLE ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED SEPARATELY



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS
WITH CLUSTER BLOWER (1100 CFM)+					
EPITH18-448	48"	3372	4218	5633	4
EPITH18-454	54"	3695	4579	6118	4
EPITH18-460	60"	3838	4892	6431	4
EPITH18-466	66"	3990	5092	6754	4
*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR					
+VP564 TRANSITION TO 12" ROUND INCLUDED WITH CLUSTER BLOWER					



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
IDC-15/12	15"	370	399	475	8'
IDC-15/24	15"	456	513	665	9'
IDC-15/36	15"	541	627	845	10'

CUSTOM ISLAND DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x	0.46	0.62	1.04
PLUS		294	

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	
ADD	180

SLOPED TOP ON DUCT COVER

ADD	294
-----	-----

SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.

EPITH18 EURO-STYLE ISLAND HOOD VARIATIONS

WIDTHS OVER 66"	PAINTED	STAINLESS	OVERLAY
FOR EACH 6" INCREMENT	152	199	313
PLUS		180	

SPECIAL WIDTH (LESS THAN 66")	
USE NEXT LARGEST SIZE ON PRICE LIST,	
PLUS	180

STAINLESS STEEL INTERIOR ON OVERLAY HOOD	
SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD	

DEPTH OVER 30"	PAINTED	STAINLESS	OVERLAY
WIDTH x EXTRA DEPTH x	0.95	1.54	1.88
PLUS		294	

REMOTE BLOWER OPTIONS	
SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS	

CUSTOM COLOR (SEE CUSTOM COLOR CHART)	
ADD	399



TRIM OPTIONS	
SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS	

SEPITH18 EURO-STYLE ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED SEPARATELY

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH CLUSTER BLOWER (1100 CFM)+				
SEPITH18-448	48"	3676	4607	4
SEPITH18-454	54"	3999	4987	4
SEPITH18-460	60"	4142	5187	4
SEPITH18-466	66"	4284	5396	4

+VP564 TRANSITION TO 12" ROUND INCLUDED WITH CLUSTER BLOWER



MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
IDC-15/12	15"	370	399	8'
IDC-15/24	15"	456	513	9'
IDC-15/36	15"	541	627	10'

CUSTOM ISLAND DUCT COVERS

	PAINTED	STAINLESS
WIDTH x HEIGHT x	0.46	0.62
PLUS		294

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	
ADD	180

SLOPED TOP ON DUCT COVER


ADD	294
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

SEPITH18 EURO-STYLE ISLAND HOOD VARIATIONS

WIDTHS OVER 66"			DEPTH OVER 30"		
	PAINTED	STAINLESS		PAINTED	STAINLESS
FOR EACH 6" INCREMENT	152	199	WIDTH x EXTRA DEPTH x	0.95	1.54
PLUS		180	PLUS		294
SPECIAL WIDTH (LESS THAN 66")			CUSTOM COLOR (SEE CUSTOM COLOR CHART)		
USE NEXT LARGEST SIZE ON PRICE LIST,			ADD		
PLUS			399		
REMOTE BLOWER OPTIONS			TRIM OPTIONS		
SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS			SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS		


ICXH30 ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION(S) INCLUDED IN HOOD



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS	INCL.
WITH DUAL BLOWER (550 CFM)						
ICXH30-236	36"	3182	4189	5709	4	VP565
ICXH30-242	42"	3344	4417	6013	4	VP565
ICXH30-248	48"	3477	4617	6070	4	VP565
ICXH30-254	54"	3762	5006	6840	4	VP565
WITH TWO DUAL BLOWERS (1100 CFM)						
ICXH30-2+260	60"	4797	6374	8844	8	VP565 (2)
ICXH30-2+266	66"	4978	6640	9224	8	VP565 (2)

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
IDC-36	24"	427	465	589	9'
IDC-42	30"	456	513	665	9'
IDC-48	36"	494	560	731	9'
IDC-54	42"	522	598	807	9'
IDC-60	48"	560	646	883	9'
IDC-66	54"	589	693	959	9'

CUSTOM ISLAND DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.46	0.62	1.04
		294	

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	
ADD	180

SLOPED TOP ON DUCT COVER


ADD	294
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

ICXH30 ISLAND HOOD VARIATIONS

WIDTHS OVER 66"				SLOPE, LIP, OFFSET, OR TOP VARIATION	
	PAINTED	STAINLESS	OVERLAY	PER VARIATION, ADD	294
FOR EACH 6" INCREMENT	152	199	313		
PLUS		180			
SPECIAL WIDTH (LESS THAN 66")				CLIPPED CORNER	
USE NEXT LARGEST SIZE ON PRICE LIST,				PER CORNER, ADD	294
PLUS		180			
SPECIAL HEIGHT (BETWEEN 18" & 30")				SPECIAL BLOWER LOCATION	
USE STANDARD 30" PRICE,				LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE	
PLUS		294		ADD	180
HEIGHT OVER 30"				SPECIAL DECK (9" MINIMUM, 18" STANDARD)	
	PAINTED	STAINLESS	OVERLAY	ADD	180
WIDTH x EXTRA HEIGHT x PLUS	0.95	1.54	1.88		
		294			
DEPTH OVER 27"				STAINLESS STEEL INTERIOR ON OVERLAY HOOD	
	PAINTED	STAINLESS	OVERLAY	SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD	
WIDTH x EXTRA DEPTH x PLUS	0.95	1.54	1.88	ADDITIONAL BLOWERS & LIGHTS	
		294		SEE PAGE 84 FOR BLOWER OPTIONS	
				REMOTE BLOWER OPTIONS	
				SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS	
				CUSTOM COLOR (SEE CUSTOM COLOR CHART)	
				ADD	399
				TRIM OPTIONS	
				SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS	


ISFH30 ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION(S) INCLUDED IN HOOD**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS	INCL.
WITH DUAL BLOWER (550 CFM)						
ISFH30-236	36"	3182	4189	5709	4	VP565
ISFH30-242	42"	3344	4417	6013	4	VP565
ISFH30-248	48"	3477	4617	6070	4	VP565
ISFH30-254	54"	3762	5006	6840	4	VP565
WITH TWO DUAL BLOWERS (1100 CFM)						
ISFH30-2+260	60"	4797	6374	8844	8	VP565 (2)
ISFH30-2+266	66"	4978	6640	9224	8	VP565 (2)

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
IDC-36	24"	427	465	589	9'
IDC-42	30"	456	513	665	9'
IDC-48	36"	494	560	731	9'
IDC-54	42"	522	598	807	9'
IDC-60	48"	560	646	883	9'
IDC-66	54"	589	693	959	9'

CUSTOM ISLAND DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.46	0.62	1.04
		294	

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	
ADD	180


SLOPED TOP ON DUCT COVER

ADD	294
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	


ISFH30 ISLAND HOOD VARIATIONS				
WIDTHS OVER 66"	PAINTED	STAINLESS	OVERLAY	
	FOR EACH 6" INCREMENT	152	199	313
	PLUS		180	
SPECIAL WIDTH (LESS THAN 66")				
USE NEXT LARGEST SIZE ON PRICE LIST, PLUS				
		180		
SPECIAL HEIGHT (BETWEEN 18" & 30")				
USE STANDARD 30" PRICE, PLUS				
		294		
HEIGHT OVER 30"	PAINTED	STAINLESS	OVERLAY	
	WIDTH x EXTRA HEIGHT x	0.95	1.54	1.88
	PLUS		294	
DEPTH OVER 27"				
PAINTED				
STAINLESS				
OVERLAY				
WIDTH x EXTRA DEPTH x				
PLUS				
	0.95	1.54	1.88	
		294		
SLOPE, LIP, OFFSET, OR TOP VARIATION				
PER VARIATION, ADD				
		294		
CLIPPED CORNER				
PER CORNER, ADD				
				294
VERTICAL END				
PER END, ADD				
				294
SPECIAL BLOWER LOCATION				
LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE				
ADD				
				180
SPECIAL DECK (9" MINIMUM, 18" STANDARD)				
ADD				
				180
STAINLESS STEEL INTERIOR ON OVERLAY HOOD				
SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD				
ADDITIONAL BLOWERS & LIGHTS				
SEE PAGE 84 FOR BLOWER OPTIONS				
REMOTE BLOWER OPTIONS				
SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS				
CUSTOM COLOR (SEE CUSTOM COLOR CHART)				
ADD				
				399
TRIM OPTIONS				
SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS				

ISLH30 ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION(S) INCLUDED IN HOOD**



MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS	INCL.
WITH DUAL BLOWER (550 CFM)					
ISLH30-236	36"	3486	4237	4	VP565
ISLH30-242	42"	3638	4712	4	VP565
ISLH30-248	48"	3781	4911	4	VP565
ISLH30-254	54"	4066	5310	4	VP565
WITH TWO DUAL BLOWERS (1100 CFM)					
ISLH30-2+260	60"	5092	6669	8	VP565 (2)
ISLH30-2+266	66"	5282	6944	8	VP565 (2)



MODEL NO.	WIDTH	PAINTED	STAINLESS	CLG.
IDC-36	24"	427	465	9'
IDC-42	30"	456	513	9'
IDC-48	36"	494	560	9'
IDC-54	42"	522	598	9'
IDC-60	48"	560	646	9'
IDC-66	54"	589	693	9'

CUSTOM ISLAND DUCT COVERS

	PAINTED	STAINLESS
WIDTH x HEIGHT x	0.46	0.62
PLUS		294

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	
ADD	180

SLOPED TOP ON DUCT COVER

ADD	294
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	


ISLH30 ISLAND HOOD VARIATIONS

WIDTHS OVER 66"	PAINTED	STAINLESS
FOR EACH 6" INCREMENT	152	199
PLUS		180
SPECIAL WIDTH (LESS THAN 66")		
USE NEXT LARGEST SIZE ON PRICE LIST,		
PLUS		180
SPECIAL HEIGHT (BETWEEN 18" & 30")		
USE STANDARD 30" PRICE,		
PLUS		294
HEIGHT OVER 30"	PAINTED	STAINLESS
WIDTH x EXTRA HEIGHT x	0.95	1.54
PLUS		294
DEPTH OVER 27"	PAINTED	STAINLESS
WIDTH x EXTRA DEPTH x	0.95	1.54
PLUS		294

SLOPE, LIP, OFFSET, OR TOP VARIATION	
PER VARIATION, ADD	294
SPECIAL BLOWER LOCATION	
LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE	
ADD	180
SPECIAL DECK (9" MINIMUM, 18" STANDARD)	
ADD	180
ADDITIONAL BLOWERS & LIGHTS	
SEE PAGE 84 FOR BLOWER OPTIONS	
REMOTE BLOWER OPTIONS	
SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS	
CUSTOM COLOR (SEE CUSTOM COLOR CHART)	
ADD	399
TRIM OPTIONS	
SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS	


PYH30 ISLAND RANGE HOOD

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"
TRANSITION(S) INCLUDED IN HOOD**



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY*	#LTS	INCL.
WITH DUAL BLOWER (550 CFM)						
PYH30-236	36"	3182	4189	5709	4	VP565
PYH30-242	42"	3344	4417	6013	4	VP565
PYH30-248	48"	3477	4617	6070	4	VP565
PYH30-254	54"	3762	5006	6840	4	VP565
WITH TWO DUAL BLOWERS (1100 CFM)						
PYH30-2+260	60"	4797	6374	8844	8	VP565 (2)
PYH30-2+266	66"	4978	6640	9224	8	VP565 (2)

*FOR OVERLAY HOODS, SPECIFY INTERIOR COLOR



MODEL NO.	WIDTH	PAINTED	STAINLESS	OVERLAY	CLG.
IDC-36	24"	427	465	589	9'
IDC-42	30"	456	513	665	9'
IDC-48	36"	494	560	731	9'
IDC-54	42"	522	598	807	9'
IDC-60	48"	560	646	883	9'
IDC-66	54"	589	693	959	9'

CUSTOM ISLAND DUCT COVERS

	PAINTED	STAINLESS	OVERLAY
WIDTH x HEIGHT x PLUS	0.46	0.62	1.04
		294	

ANY IDC SS DUCT COVER MORE THAN 45" TALL WILL HAVE A VERTICAL GRAIN DIRECTION. CUSTOM SIZES MAY BE LIMITED BY RAW MATERIAL SIZE. CONTACT FACTORY FOR FURTHER DETAILS.

REMOVABLE PANEL

SPECIFY SIDE	
ADD	180

SLOPED TOP ON DUCT COVER


ADD	294
SPECIFY FRONT TO BACK OR LEFT TO RIGHT DIMENSIONS.	

PYH30 ISLAND HOOD VARIATIONS

WIDTHS OVER 66"				CLIPPED CORNER	
	PAINTED	STAINLESS	OVERLAY	PER CORNER, ADD	294
FOR EACH 6" INCREMENT	152	199	313		
PLUS		180			
SPECIAL WIDTH (LESS THAN 66")				SPECIAL BLOWER LOCATION	
USE NEXT LARGEST SIZE ON PRICE LIST,				LEFT TO RIGHT, SPECIFY COLLAR CENTERLINE	
PLUS				ADD	180
SPECIAL HEIGHT (BETWEEN 18" & 30")				SPECIAL DECK (9" MINIMUM, 18" STANDARD)	
USE STANDARD 30" PRICE,				ADD	180
PLUS					
HEIGHT OVER 30"				STAINLESS STEEL INTERIOR ON OVERLAY HOOD	
WIDTH x EXTRA HEIGHT x PLUS	0.95	1.54	1.88	SUBTRACT PAINTED PRICE OF HOOD FROM STAINLESS PRICE OF HOOD	
		294		ADDITIONAL BLOWERS & LIGHTS	
				SEE PAGE 84 FOR BLOWER OPTIONS	
				REMOTE BLOWER OPTIONS	
				SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS	
				CUSTOM COLOR (SEE CUSTOM COLOR CHART)	
				ADD	399
				TRIM OPTIONS	
				SEE PAGES 90-93 FOR FINISH AND TRIM OPTIONS	
DEPTH OVER 27"					
WIDTH x EXTRA DEPTH x PLUS	0.95	1.54	1.88		
		294			
SLOPE, LIP, OFFSET, OR TOP VARIATION					
PER VARIATION, ADD				294	

KHSLD & BHSLD WALL MOUNT LINER INSERTS

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 21"-24"
TRIM KIT NOT INCLUDED**



MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH SINGLE BLOWER (250 CFM)				
KH28SLD	28 3/8"	418	513	2
KH34SLD	34 3/8"	418	513	2
KH40SLD	40 3/8"	494	598	2


OPTIONAL TRIM KITS

MODEL NO.	WIDTH	PAINTED	STAINLESS
TKK28SLD	28-3/8"	17.10	17.10
TKK34SLD	34-3/8"	17.10	17.10
TKK40SLD	40-3/8"	18.05	18.05

PRODUCT FEATURES

- 250 CFM (375 EQUIVALENT)
- BACK VENT OR TOP VENT
- STANDARD SIZES ONLY, NO CUSTOMIZATIONS
- PAINTED FINISHES INCLUDE BISCUIT, BLACK, GUNSMOKE, AND WHITE

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 24"-27"
TRANSITION NOT INCLUDED
TRIM KIT INCLUDED**




MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH SINGLE BLOWER (300 CFM)				
BH128SLD	28 3/8"	665	893	2
BH134SLD	34 3/8"	665	893	2
BH140SLD	40 3/8"	750	978	2
WITH DUAL BLOWER (600 CFM)				
BH228SLD	28 3/8"	969	1206	2
BH234SLD	34 3/8"	969	1206	2
BH240SLD	40 3/8"	1054	1292	2
BH246SLD	46 3/8"	1149	1396	3
WITH DUAL & SINGLE BLOWERS (900 CFM)				
BH346SLD	46 3/8"	1529	1852	3

**NO VARIATIONS
NO HEAT LAMPS**

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODEL TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

BHPSLD & BHPSLB WALL MOUNT LINER INSERTS

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 27"-30"
TRANSITION NOT INCLUDED
TRIM KIT INCLUDED**




**NO VARIATIONS
NO HEAT LAMPS**

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.
USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH DUAL BLOWER (600 CFM)				
BH228PSLD	28 3/8"	988	1216	2
BH234PSLD	34 3/8"	988	1216	2
BH240PSLD	40 3/8"	1064	1301	2
BH246PSLD	46 3/8"	1159	1396	3
BH252PSLD	52 3/8"	1358	1729	3
WITH DUAL & SINGLE BLOWERS (900 CFM)				
BH346PSLD	46 3/8"	1539	1852	3
BH352PSLD	52 3/8"	1738	2185	3
BH358PSLD	58 3/8"	1957	2470	4
WITH TWO DUAL BLOWERS (1200 CFM)				
BH452PSLD	52 3/8"	2042	2498	3
BH458PSLD	58 3/8"	2261	2783	4
BH464PSLD	64 3/8"	2384	2964	4

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 27"-30"
TRANSITION NOT INCLUDED
TRIM KIT INCLUDED**




**NO VARIATIONS
NO HEAT LAMPS**

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.
USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH DUAL & SINGLE BLOWERS (900 CFM)				
BH340PSLB	40 3/8"	1444	1757	3
BH446PSLB	46 3/8"	1843	2166	3

THSLE & THPSLE ISLAND LINER INSERTS

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED SEPARATELY
TRIM KIT INCLUDED




**NO VARIATIONS
NO HEAT LAMPS**

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH DUAL BLOWER (550 CFM)*				
TH236SLE	36"	1634	2033	4
TH242SLE	42"	1672	2090	4
TH248SLE	48"	1710	2128	4

*VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER

**RECOMMENDED MOUNTING HEIGHT
FROM COOKING SURFACE: 30"**
TRANSITION INCLUDED SEPARATELY
TRIM KIT INCLUDED




**NO VARIATIONS
NO HEAT LAMPS**

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH CLUSTER BLOWER (1100 CFM)+				
TH448PSLE	48"	2688	3667	4
TH454PSLE	54"	2793	3800	4
TH460PSLE	60"	2850	3923	4
TH466PSLE	66"	2907	3999	4

+VP564 TRANSITION TO 12" ROUND INCLUDED WITH CLUSTER BLOWER

BH-LD & BH-LB CUSTOM WALL MOUNT LINER INSERTS



MINIMUM TOP WIDTH FOR 300 SERIES IS 40-3/8".
MINIMUM TOP WIDTH FOR 400 SERIES IS 46-3/8"

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS
 TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.


USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS
 TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH SINGLE BLOWER (300 CFM)				
BH100LD-A	24"-36"	1235	1615	2
WITH DUAL BLOWER (600 CFM)				
BH200LD-A	24"-36"	1539	1938	2
BH200LD-B	36"-48"	1710	2118	*
BH200LD-C	48"-54"	1938	2460	*
WITH DUAL & SINGLE BLOWERS (900 CFM)				
BH300LD-D	42"-54"	2318	2916	*
WITH TWO DUAL BLOWERS (1200 CFM)				
BH400LD-E	48"-66"	2831	3524	*

*2 LIGHTS FOR HOODS 24"-41", 3 LIGHTS FOR HOODS 42"-53", 4 LIGHTS FOR HOODS 54"-66"

TRIM KIT INCLUDED
DIMENSIONS BELOW ARE AVAILABLE
AT NO ADDITIONAL COST.

BOTTOM DEPTH:	16" - 24"
HEIGHT:	12"
TOP DEPTH:	12"
LIP:	3"



USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS
 TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS
 TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH SINGLE BLOWER (300 CFM)				
BH100LB-A	24"-36"	950	1330	2
WITH DUAL BLOWER (600 CFM)				
BH200LB-A	24"-36"	1254	1643	2
BH200LB-B	36"-48"	1425	1833	*
BH200LB-C	48"-54"	1653	2166	*
WITH DUAL & SINGLE BLOWERS (900 CFM)				
BH300LB-D	42"-54"	2033	2622	*
WITH TWO DUAL BLOWERS (1200 CFM)				
BH400LB-E	48"-66"	2546	3239	*


*2 LIGHTS FOR HOODS 24"-41", 3 LIGHTS FOR HOODS 42"-53", 4 LIGHTS FOR HOODS 54"-66"

TRIM KIT INCLUDED
DIMENSIONS BELOW ARE AVAILABLE
AT NO ADDITIONAL COST.

BOTTOM DEPTH:	16" - 24"
HEIGHT:	12"
TOP DEPTH:	12"
LIP:	3"

CUSTOM WALL MOUNT LINER INSERT VARIATIONS				
WIDTHS OVER 66"		PAINTED	STAINLESS	
FOR EACH 6" INCREMENT PLUS		133	190 180	
SPECIAL HEIGHT (OTHER THAN 12" STANDARD)				
9" MINIMUM, 18" MAXIMUM				
ADD				294
DEPTH OVER 24"		PAINTED	STAINLESS	
WIDTH x EXTRA DEPTH x PLUS		0.84	1.25 294	
LIP (OTHER THAN 3" STANDARD)		ADD 294		
SPECIAL TOP DEPTH (12" MINIMUM)		ADD 294		
ADDITIONAL BLOWERS & LIGHTS		SEE PAGE 84 FOR BLOWER OPTIONS		
REMOTE BLOWER OPTIONS		SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS		
CUSTOM COLOR (SEE CUSTOM COLOR CHART)		ADD 399		
WARMING LAMPS AND SHELVES		SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS		

BH-LA CUSTOM WALL MOUNT LINER INSERT





MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH SINGLE BLOWER (300 CFM)				
BH100LA-A	24"-36"	1520	1909	2
WITH DUAL BLOWER (600 CFM)				
BH200LA-A	24"-36"	1824	2223	2
BH200LA-B	36"-48"	1995	2413	*
BH200LA-C	48"-54"	2223	2745	*
WITH DUAL & SINGLE BLOWERS (900 CFM)				
BH300LA-D	42"-54"	2603	3201	*
WITH TWO DUAL BLOWERS (1200 CFM)				
BH400LA-E	48"-66"	3116	3809	*
*2 LIGHTS FOR HOODS 24"-41", 3 LIGHTS FOR HOODS 42"-53", 4 LIGHTS FOR HOODS 54"-66"				

TRIM KIT INCLUDED
DIMENSIONS BELOW ARE AVAILABLE
AT NO ADDITIONAL COST.

BOTTOM DEPTH:	16" - 24"
HEIGHT:	12"
TOP DEPTH:	12"
LIP:	3"

USE VP562 TRANSITION (OPTIONAL) ON 900 CFM MODELS
 TO COMBINE OUTLETS INTO A SINGLE 10" DUCT.

USE VP563 TRANSITION (OPTIONAL) ON 1200 CFM MODELS
 TO COMBINE OUTLETS INTO A SINGLE 12" DUCT.




CUSTOM WALL MOUNT LINER INSERT VARIATIONS

WIDTHS OVER 66"	PAINTED	STAINLESS
FOR EACH 6" INCREMENT PLUS	133	190 180
SPECIAL HEIGHT (OTHER THAN 12" STANDARD) 9" MINIMUM, 18" MAXIMUM ADD		294
DEPTH OVER 24"	PAINTED	STAINLESS
WIDTH x EXTRA DEPTH x PLUS	0.84	1.25 294

LIP (OTHER THAN 3" STANDARD) ADD	294
SPECIAL TOP DEPTH (12" MINIMUM) ADD	294
ADDITIONAL BLOWERS & LIGHTS SEE PAGE 84 FOR BLOWER OPTIONS	
REMOTE BLOWER OPTIONS SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS	
CUSTOM COLOR (SEE CUSTOM COLOR CHART) ADD	399
WARMING LAMPS AND SHELVES SEE PAGES 87 FOR WARMING LAMP AND SHELF OPTIONS	


TH-LC & TH-LE CUSTOM ISLAND LINER INSERTS



TRIM KIT INCLUDED
DIMENSIONS BELOW ARE AVAILABLE AT NO ADDITIONAL COST.

BOTTOM DEPTH:	27"
HEIGHT:	12"
TOP DEPTH:	12" LESS THAN BOTTOM DEPTH
LIP:	3"

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH DUAL BLOWER (550 CFM)*				
TH200LC-A	24"-36"	2185	2793	4
TH200LC-B	36"-48"	2318	2964	4
TH200LC-C	48"-54"	2498	3201	4
WITH TWO DUAL BLOWERS (1100 CFM)+				
TH2+200LC-E	48"-66"	3572	4579	*
EACH DUAL BLOWER REQUIRES 24" MINIMUM TOP WIDTH.				
#VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER				
+VP565 TRANSITION TO 8" ROUND INCLUDED WITH EACH DUAL BLOWER				
*4 LIGHTS FOR HOODS 48"-59", 8 LIGHTS FOR HOODS 60"-66"				
A CLUSTER BLOWER (1100 CFM) IS AVAILABLE ON MODELS WITH A MINIMUM TOP SIZE OF 24" WIDE X 24" DEEP. CONTACT THE FACTORY FOR ADDITIONAL DETAILS.				



TRIM KIT INCLUDED
DIMENSIONS BELOW ARE AVAILABLE AT NO ADDITIONAL COST.

BOTTOM DEPTH:	27"
HEIGHT:	12"
TOP WIDTH:	12" LESS THAN BOTTOM WIDTH
TOP DEPTH:	12" LESS THAN BOTTOM DEPTH
LIP:	3"

MODEL NO.	WIDTH	PAINTED	STAINLESS	#LTS
WITH DUAL BLOWER (550 CFM)*				
TH200LE-A	24"-36"	2185	2793	4
TH200LE-B	36"-48"	2318	2964	4
TH200LE-C	48"-54"	2498	3201	4
WITH TWO DUAL BLOWERS (1100 CFM)+				
TH2+200LE-E	48"-66"	3572	4579	*
EACH DUAL BLOWER REQUIRES 24" MINIMUM TOP WIDTH.				
#VP565 TRANSITION TO 8" ROUND INCLUDED WITH DUAL BLOWER				
+VP565 TRANSITION TO 8" ROUND INCLUDED WITH EACH DUAL BLOWER				
*4 LIGHTS FOR HOODS 48"-59", 8 LIGHTS FOR HOODS 60"-66"				
A CLUSTER BLOWER (1100 CFM) IS AVAILABLE ON MODELS WITH A MINIMUM TOP SIZE OF 24" WIDE X 24" DEEP. CONTACT THE FACTORY FOR ADDITIONAL DETAILS.				

CUSTOM ISLAND LINER INSERT VARIATIONS				
WIDTHS OVER 66"			LIP (OTHER THAN 3" STANDARD)	
FOR EACH 6" INCREMENT PLUS	PAINTED 152	STAINLESS 199	ADD	294
SPECIAL HEIGHT (OTHER THAN 12" STANDARD) 9" MINIMUM, 18" MAXIMUM			SPECIAL TOP WIDTH OR DEPTH	
ADD			ADD	294
DEPTH OVER 27"			REMOTE BLOWER OPTIONS	
WIDTH x EXTRA DEPTH x PLUS	PAINTED 0.95	STAINLESS 1.54	SEE PAGES 84-85 FOR REMOTE BLOWER OPTIONS	
			CUSTOM COLOR (SEE CUSTOM COLOR CHART)	
			ADD	399

BLOWER OPTIONS & REMOTE BLOWERS

You may need to add a blower to hoods to increase CFM, depending on the cooking equipment being used. To add a blower to a hood, you need to have enough top space inside of the hood to do so. A Single Blower requires 16" of space, a Dual Blower requires 24" of space, an Island Dual Blower requires 12" D x 23 1/2" W, and an Island Cluster Blower requires 24" D x 24" W.

ADDING BLOWERS

Model	Volts	Amps	Hz	RPM	*CFM	**Equiv CFM	Painted	Stainless Steel
Single Blower	120	1.5	60	1550	300	450	380	456
Dual Blower	120	2.9	60	1550	600	900	684	788
Island Dual Blower	120	2.9	60	1550	550	900	750	883
Island Cluster Blower	120	5.8	60	1550	1100	1800	1501	1767
RM1000	120	3.2	60	1100	945	N/A	902	
RM1500	120	5.0	60	1130	1500	N/A	997	

SensaSource® - Our patented speed control system that allows the blower to be turned to half speed for light cooking but automatically returns to high speed when heat rise is detected. This feature is standard on all Magic Lung® and K Series models with halogen lighting.

SensaSource®

Upgrade to S/S-2 SensaSource® control for both motors on dual blower (one sensor per B200 unit) 76

- * CFM rating is based on 0.0" static pressure (resistance in the ducting turns, roof caps, etc.) CFM rating will change as static pressure is increased. Static pressure increases due to ducting and length of duct run.
- ** Equivalent CFM refers to the fact that the Magic Lung® uses centrifugal filtration units, while others use conventional filters. Apply this guideline when comparing blower units made by other manufacturers.

There are certain customers who will want a remote blower range hood despite the benefits of the Magic Lung blower system. The following steps will help you when pricing remote blower hoods.

1. Specify how many and which filters you will be using. B20 SS filters are for wall mount or under cabinet installations and T20 SS filters are for island installations. We recommend one B20 SS or T20 SS for each 22" of hood top width.
2. Specify the size and number of remote blowers you will need. The RM1000 is equivalent to a B200 or T200 blower. The RM1500 is 50% larger.
3. For each remote blower, you will need to add an accessory kit. The accessory kit includes a variable speed blower controller, halogen lights, back draft dampers, and a 10" duct collar.

DEDUCTING BLOWERS FOR REMOTE BLOWER MODELS

BLOWER PRICING BELOW IS FOR USE IN CALCULATING DEDUCTIONS FOR REMOTE BLOWERS ONLY.		
MODEL	PAINTED	STAINLESS
B100 (SINGLE BLOWER)	380	456
B200 (DUAL BLOWER)	684	788
T200 (ISLAND DUAL BLOWER)	750	883
T400 (ISLAND CLUSTER BLOWER)	1501	1767
SPECIAL COLLAR		175

REMOTE BLOWERS & ACCESSORIES

HOOD SELECTION/PRICING WITH REMOTE BLOWERS

1. CHOOSE THE BASE MODEL HOOD THAT IS TO BE EQUIPPED WITH A REMOTE BLOWER.
2. DEDUCT THE PRICE OF THE INTERNAL BLOWER(S) FROM THE HOOD (SEE PREVIOUS PAGE).
3. ADD THE APPROPRIATE ACCESSORY KIT (SEE RIGHT).
4. ADD THE APPROPRIATE FILTERS (SEE BELOW).
5. ADD THE APPROPRIATE REMOTE BLOWER UNIT(S) (SEE BELOW).

HALOGEN LIGHT KITS

INCLUDES HALOGEN LIGHTS, TWO-STAGE LIGHT SWITCH, SOLID STATE MOTOR CONTROL SWITCH (VARIABLE SPEED) AND 10" DAMPER ASSEMBLY INSTALLED IN HOOD.

ACC.KIT-W-H2 (2 HALO LIGHTS/WALL MT)	337
ACC.KIT-W-H3 (3 HALO LIGHTS/WALL MT)	418
ACC.KIT-W-H4 (4 HALO LIGHTS/WALL MT)	498
ACC.KIT-I-H4 (4 HALO LIGHTS/ISLAND)	703
ACC.KIT-I-H8 (8 HALO LIGHTS/ISLAND)	1021

ACCESSORY KIT PARTS

SOLID STATE (VARIABLE SPEED) MOTOR


CONTROL WALL SWITCH (P1500W) 64

ACCESSORY KIT PARTS WHEN ORDERED WITH HOOD

TO ADD MOTOR CONTROL WALL SWITCH ASSEMBLY

ADD (P1500R) 15


WALL MOUNT BAFFLE FILTER



WALL MOUNT SIDE VIEW

B20 SS (PER FILTER) 285
(SPECIFY ONE B20 SS FOR EACH 22" OF HOOD TOP WIDTH)

ISLAND BAFFLE FILTER




ISLAND SIDE VIEW

T20 SS (PER PAIR OF FILTERS) 570
(SPECIFY ONE PAIR OF T20 SS FOR EACH 22" OF HOOD TOP WIDTH)


REMOTE BLOWERS

RM1000



RM1000 REMOTE BLOWER 902

RM1500



RM1500 REMOTE BLOWER 997

SPLASH PANELS


STANDARD SPLASH PANELS

PANEL SIZE	PAINTED	STAINLESS
30" W x 24" T	42	71
36" W x 24" T	52	85
42" W x 24" T	61	99
48" W x 24" T	66	114

PANEL SIZE	PAINTED	STAINLESS
30" W x 30" T	52	90
36" W x 30" T	61	109
42" W x 30" T	76	123
48" W x 30" T	85	142

SPECIAL SIZES (SPECIFY IF HEMS AND/OR HOLES ARE REQUIRED)

PER SQ INCH	0.09	0.14
-------------	------	------



HEMS AND HOLES ARE INCLUDED ON STANDARD SIZES, PRICE AS A CUSTOM PANEL IF HEMS AND/OR HOLES ARE NOT REQUIRED.


OVERLAY & PATTERNED SPLASH PANELS

PANEL SIZE	PAINTED	STAINLESS	OVERLAY
30" W x 24" T Pat.	118	147	247
36" W x 24" T Pat.	128	161	280
42" W x 24" T Pat.	137	175	313
48" W x 24" T Pat.	142	190	351


PANEL SIZE	PAINTED	STAINLESS	OVERLAY
30" W x 30" T Pat.	128	166	289
36" W x 30" T Pat.	137	185	332
42" W x 30" T Pat.	152	199	375
48" W x 30" T Pat.	161	218	418

SPECIAL SIZES (SPECIFY IF HEMS AND/OR HOLES ARE REQUIRED)

PER SQ INCH	0.09	0.14	0.23
PLUS		76	



CHECKERBOARD



DIAMOND

HEMS AND HOLES ARE INCLUDED ON STANDARD SIZES, PRICE AS A CUSTOM PANEL IF HEMS AND/OR HOLES ARE NOT REQUIRED.

OTHER SPLASH PANEL OPTIONS


ORDERING NOTES AND OPTIONS:

PAINTED SPLASH PANELS MUST HAVE AT LEAST ONE HOLE IN THEM TO ALLOW FOR PAINTING.

FOR CUT-OUTS OR SPECIAL BREAKS, ADD	19
CRATING CHARGE FOR PANELS TOO LARGE TO PACKAGE WITH HOOD, ADD	33
MINIMUM CHARGE ON SMALL PANELS	19

WARMING LAMPS & SHELVES


WARMING BAR



FOR USE IN HOODS 18" OR TALL.
NOT AVAILABLE ON HOODS WITH DECKS BELOW 18".
BULBS NOT INCLUDED.
WBAR ASSEMBLY IS STANDARD ON NPH18.

MODEL NO.		PRICE
WBAR	INCLUDES 2 LIGHTS	294
FOR ADDITIONAL LIGHTS, ADD		294
PLUS, PER LIGHT		175


WARMING LAMP HOUSING



FOR USE IN HOODS UNDER 18" TALL.
8" TOP DIMENSION REQUIRED PER FIXTURE.
BULBS NOT INCLUDED.

MODEL NO.	PRICE PER LIGHT
WL-1	175

WARMING SHELF



TWO FOLD DOWN SHELVES ON A BACKSPLASH.
MOUNTED ON A 3 1/2" DEEP LEDGE.
EACH SHELF IS 10" DEEP x 14" WIDE.
STAINLESS BACKSPLASH IS 15" TALL.


MODEL NO.	WIDTH	PRICE
WS030	30"	351
WS036	36"	384
WS042	42"	413
WS048	48"	451
WS054	54"	479
WS060	60"	513
WS066	66"	541
WS072	72"	579

MODEL NO.	DESCRIPTION	PRICE
P1415	Additional Shelf	175
WS0 WITH NON-STANDARD WIDTH		PRICE
USE NEXT LARGEST SIZE ON PRICE LIST		
PLUS		175

ACCESSORY RAIL


MODEL WR0

WR0 kit installed on hood includes mounting hardware, accessory rail, two hanger brackets, and two warming shelves with spice racks.



MODEL NO.	WIDTH	PRICE
WR030	30"	313
WR036	36"	318
WR042	42"	318
WR048	48"	327
WR054	54"	327
WR060	60"	327
WR066	66"	327
WR072	72"	384
UP TO 120"		384

SPECIAL WIDTH: USE NEXT LARGEST SIZE.




MODEL WR0L

For use with liner inserts. Specify exact width between cabinets. Use next largest size price for WR0 listed to the right. Kit includes mounting end caps, accessory rail, two hanger brackets, and two warming shelves with spice racks.


Hood must be at least 30" wide to allow sufficient space for two hanging brackets.

The minimum for hoods with the SL lip is 32" due to the decorative features of the SL lip.


ADDITIONAL SHELVES/SPICE RACKS



WSR-1 shown in warming shelf position.



WSR-1 shown in spice rack position.




WSH-1
Hanging bracket for WSR-1.

MODEL NO.	DESCRIPTION	PRICE
WSR-1	Warming Shelf/Spice Rack	71
WSH-1	Hanging Bracket	39
WR0-EC	End Cap (2 Req.)	18

BBQ EXTENSION

**EXTENSION FOR ALL 18" TALL
STANDARD WALL MOUNT HOODS**



MODEL NO.	WIDTH	PAINTED	STAINLESS
BBE30	30"	323	451
BBE36	36"	337	527
BBE42	42"	346	579
BBE48	48"	361	617
BBE54	54"	375	665
BBE60	60"	389	707


PRODUCT FEATURES

- § OFFERS MAXIMUM CANOPY EXPOSURE OVER OUTDOOR GRILL APPLICATIONS
- § EXTENDS PROJECTION TO 30" OR 33" DEEP
- § FOR USE WITH PRH18, PRXH18, NPH18, NPXH18, XRH18, OR XRXH18 MODELS WHEN NOT EQUIPPED WITH A WARMING BAR.

WR ACCESSORY RAIL

FOR USE WITH BBQ EXTENSION KIT.
AVAILABLE IN SS FINISH ONLY.

MODEL NO.	PRICE
WR-30	90
WR-36	99
WR-42	99
WR-48	104
WR-54	104
WR-60	104



CUSTOM LIP TREATMENTS

CUSTOM LIP DESIGNS BY LYNN SEARS

PER INCH 4.98
PLUS 175

AVAILABLE IN PAINTED AND
STAINLESS STEEL FINISHES.
WILL BE ATTACHED WITH RIVETS.

MODEL

3" LIP DESIGNS

2001.3



2010.3



2030.3



2060.3



2100.3




MODEL

4" LIP DESIGNS

2001.4



2010.4



2030.4



2060.4



2100.4



CUSTOM LIP TREATMENTS

CUSTOM LIP DESIGNS BY LYNN SEARS


PER INCH 4.98
PLUS 175

AVAILABLE IN PAINTED AND
STAINLESS STEEL FINISHES.
WILL BE ATTACHED WITH RIVETS.


MODEL

6" LIP DESIGNS

2001.6




2010.6



2030.6



2060.6



2100.6



CUSTOM PLACARD BY LYNN SEARS

EACH 232

MODEL

2032.16




BANDS, FINISHES, & POT RAILS

VERTICAL BANDS

18 GAUGE*

1/2" WIDE: EACH BAND (UP TO 30")	118
1" WIDE: EACH BAND (UP TO 30")	118
2" WIDE: EACH BAND (UP TO 30")	118
TALLER THAN 30", PER INCH PER BAND, ADD	2.75

* 18 GAUGE VERTICAL BANDS ARE ATTACHED WITH LAMINATE. 18 GAUGE VERTICAL BANDS CAN BE ATTACHED WITH 1/4" RIVETS, 1/2" RIVETS, 3/8" HEX NUTS, 1/2" HEX NUTS, OR 3/4" PYRAMID CLAVOS BY REQUEST. HAMMERED COPPER MATERIAL IS THINNER THAN 18 GAUGE MATERIAL. ATTACHMENTS ARE REQUIRED FOR BANDS ON HAMMERED COPPER HOODS.



LIP TREATMENT

18 GAUGE*

PER INCH	2.75
1/4" THICK x 1" TALL SOLID COPPER, PER INCH, ADD	4.98**

* 18 GAUGE LIP TREATMENT IS ATTACHED WITH LAMINATE. 18 GAUGE LIP TREATMENT CAN BE ATTACHED WITH 1/4" RIVETS, 1/2" RIVETS, 3/8" HEX NUTS, 1/2" HEX NUTS, OR 3/4" PYRAMID CLAVOS BY REQUEST. HAMMERED COPPER MATERIAL IS THINNER THAN 18 GAUGE MATERIAL.

ATTACHMENTS ARE REQUIRED FOR BANDS ON HAMMERED COPPER HOODS.


** MUST BE ATTACHED WITH 1/2" RIVETS.



HEAVY VERTICAL BANDS

SOLID COPPER	
1/4" THICK x 1" WIDE, EACH (UP TO 30")	152 *
TALLER THAN 30", PER INCH PER BAND, ADD	4.98 *

* MUST BE ATTACHED WITH 1/2" RIVETS.



CORNER BANDS

CORNER BANDS FOR STRAIGHT EDGES*

1" x 1", EACH (UP TO 30")	237
2" x 2", EACH (UP TO 30")	237
TALLER THAN 30", PER INCH PER BAND, ADD	5.98


CORNER BANDS FOR CONVEX/CONCAVE EDGES*

1" x 1", EACH (UP TO 30")	427
2" x 2", EACH (UP TO 30")	427
TALLER THAN 30", PER INCH PER BAND, ADD	10.97


* ATTACHED WITH LAMINATE. CAN BE ATTACHED WITH 1/4" RIVETS, 1/2" RIVETS, 3/8" HEX NUTS, 1/2" HEX NUTS, OR 3/4" PYRAMID CLAVOS BY REQUEST.

+ATTACHED WITH 1/4" RIVETS. CAN BE ATTACHED WITH 1/2" RIVETS, 3/8" HEX NUTS, 1/2" HEX NUTS, OR 3/4" PYRAMID CLAVOS BY REQUEST. AVAILABLE IN PAINTED FINISHES OR STAINLESS STEEL ONLY.

ALL CORNER BANDS ARE 18 GAUGE.



POT RAIL




TUBULAR (5/8" DIAMETER)

BRASS, CHROME, OR COPPER:	
PER INCH*	6.22
ADDITIONAL HOOKS AVAILABLE IN SS, COPPER, OR BRASS	
P011: EACH	6.60

* For pot rail that is less than the overall width or depth of the hood, charge for full width or depth. Examples- A 24" deep hood with 3" of pot rail on a side is priced as 24" of pot rail. A 48" wide hood with 36" of pot rail on the front is priced as 48" of pot rail.

GALLEY RAIL



GALLEY RAIL

STAINLESS STEEL:	
PER INCH	4.70

FIXED RAIL



FIXED LENGTH SS RAIL (EACH)

PR21 SS (19.53")	80
PR24 SS (22.05")	90
PR27 SS (24.57")	99
PR30 SS (28.35")	114

COLORS

STANDARD

BISCUIT (BT)
BLACK SATIN (BL)
GUNSMOKE (GS)
WHITE (WH)

SPECIAL

BLACK RIVER (BR)
COPPER VEIN (CV)
OIL RUBBED BRONZE (ORB)
PEWTER (PTR)
SILVER VEIN (SV)

CUSTOM

RAL PAINT COLORS
A custom color chart
is available for
custom colors.

ANTIQUE

CAN BE APPLIED TO:
HAMMERED COPPER OVERLAY
CHARGE FOR EACH HOOD
OR DUCT COVER.

ANTIQUE TRIM

BRASS BANDS & L/T
COPPER BANDS & L/T
CHARGE ONCE FOR ALL
TRIM ON A HOOD AND
DUCT COVER ASSEMBLY.

Color Charges: ADD

NO CHARGE

175

399

598


175

BAND & LIP TREATMENT ATTACHMENT OPTIONS


1/4" RIVETS



3D View



Side View



Top View

1/4" RIVETS ARE STANDARD ON CONVEX/CONCAVE CORNER BANDS.


1/4" RIVETS ARE OPTIONAL ON 18 GAUGE LIP TREATMENT, 18 GAUGE VERTICAL BANDS, AND STRAIGHT CORNER BANDS. ADDITIONAL CHARGES APPLY.

1/4" RIVETS ARE AVAILABLE IN ALL BAND FINISHES (PAINTED TO MATCH).

1/2" RIVETS



3D View



Side View



Top View

1/2" COPPER RIVETS ARE REQUIRED ON 1/4" x 1" HEAVY VERTICAL BANDS AND LIP TREATMENT.


1/2" RIVETS ARE OPTIONAL ON 18 GAUGE LIP TREATMENT, 18 GAUGE VERTICAL BANDS, AND CORNER BANDS. ADDITIONAL CHARGES APPLY.

1/2" RIVETS ARE AVAILABLE IN ALL BAND FINISHES (PAINTED TO MATCH).


3/8" HEX NUTS



3D View



Side View




Top View


3/8" HEX NUTS ARE OPTIONAL ON 18 GAUGE LIP TREATMENT, 18 GAUGE VERTICAL BANDS, AND CORNER BANDS. ADDITIONAL CHARGES APPLY.

3/8" HEX NUTS ARE AVAILABLE IN ALL BAND FINISHES (BRASS, STAINLESS STEEL, OR PAINTED TO MATCH).


1/2" HEX NUTS



3D View



Side View




Top View


1/2" HEX NUTS ARE OPTIONAL ON 18 GAUGE LIP TREATMENT, 18 GAUGE VERTICAL BANDS, AND CORNER BANDS. ADDITIONAL CHARGES APPLY.

1/2" HEX NUTS ARE AVAILABLE IN ALL BAND FINISHES (BRASS, STAINLESS STEEL, OR PAINTED TO MATCH).


3/4" PYRAMID CLAVOS



3D View



Side View



Top View

3/4" PYRAMID CLAVOS ARE OPTIONAL ON 18 GAUGE LIP TREATMENT, 18 GAUGE VERTICAL BANDS, AND CORNER BANDS. ADDITIONAL CHARGES APPLY.

3/4" PYRAMID CLAVOS ARE AVAILABLE IN BRASS, COPPER, AND STAINLESS STEEL FINISHES.

3/4" PYRAMID CLAVOS CAN BE ROTATED 45 DEGREES FOR A MORE DECORATIVE APPEARANCE. NOTE: 3/4" PYRAMID CLAVOS ARE OVER 1" WIDE WHEN TURNED TO A 45 DEGREE "DIAMOND" ANGLE.

NOTE: SECTION TITLES ARE ROUNDED FOR CONVENIENCE PURPOSES AND DO NOT REPRESENT EXACT SIZES.

STANDARD BAND & LIP TREATMENT ATTACHMENT METHODS

BAND/LIP TREATMENT	STANDARD ATTACHMENT	ADDITIONAL ATTACHMENT OPTIONS
18 Gauge Vertical Band	Laminate	1/4" Rivets, 1/2 Rivets, 3/8" Hex Nuts, 1/2" Hex Nuts, and 3/4" Pyramid Clavos
1/4" x 1" Heavy Vertical Band	1/2" Copper Rivets	N/A
18 Gauge Lip Treatment	Laminate	1/4" Rivets, 1/2" Rivets, 3/8" Hex Nuts, 1/2" Hex Nuts, and 3/4" Pyramid Clavos
1/4" x 1" Heavy Lip Treatment	1/2" Copper Rivets	N/A
Straight Corner Band	Laminate	1/4" Rivets, 1/2" Rivets, 3/8" Hex Nuts, 1/2" Hex Nuts, and 3/4" Pyramid Clavos
Convex or Concave Corner Band	1/4" Rivets	1/2" Rivets, 3/8" Hex Nuts, 1/2" Hex Nuts, and 3/4" Pyramid Clavos

Decorative attachments will be placed by the factory for best appearance. To specify locations, add per inch

2.75

MODE UMRP

7/12/13

email: info@modedistributing.com

website: www.modedistributing.com

Page 93

THE INFORMATION IN THIS DOCUMENT IS SUBJECT TO CHANGE AT ANY TIME WITHOUT NOTICE.

VENT-A-HOOD VENTING ACCESSORIES

PRICES DO NOT INCLUDE SHIPPING & HANDLING CHARGES.

<p>WALL LOUVER</p> <p>MODEL DESCRIPTION PRICE</p> <p>VP526 6" Round \$44.65</p> <p>VP527 7" Round \$44.65</p> <p>VP528 8" Round \$44.65</p>	<p>WALL LOUVER</p> <p>MODEL DESCRIPTION PRICE</p> <p>VP554 10" Round \$63.65</p>	<p>WALL LOUVER</p> <p>MODEL DESCRIPTION PRICE</p> <p>VP555 12" Round \$63.65</p>	<p>RECTANGULAR WALL LOUVER</p> <p>MODEL DESCRIPTION PRICE</p> <p>VP538 6" x 8-1/2" \$44.65</p> <p>VP560 3-1/4" x 10" \$32.30</p>
<p>LOW PROFILE ROOF JACK (MAXIMUM 4/12 PITCH)</p> <p>MODEL DESCRIPTION PRICE</p> <p>VP539 6" Round \$44.65</p> <p>VP540 7" Round \$44.65</p> <p>VP541 8" Round \$44.65</p>	<p>LOW PROFILE ROOF JACK (MAXIMUM 4/12 PITCH)</p> <p>MODEL DESCRIPTION PRICE</p> <p>VP552 10" Round \$95.95</p> <p>VP553 12" Round \$95.95</p>	<p>LOW PROFILE ROOF JACK (MINIMUM 4/12 PITCH)</p> <p>MODEL DESCRIPTION PRICE</p> <p>VP539-HP 6" Round \$44.65</p> <p>VP540-HP 7" Round \$44.65</p> <p>VP541-HP 8" Round \$44.65</p>	<p>LOW PROFILE ROOF JACK (MINIMUM 4/12 PITCH)</p> <p>MODEL DESCRIPTION PRICE</p> <p>VP552-HP 10" Round \$95.95</p> <p>VP553-HP 12" Round \$95.95</p>
<p>ADJUSTABLE ELBOW</p> <p>MODEL DESCRIPTION PRICE</p> <p>VP513 6" Round \$13.30</p> <p>VP514 7" Round \$13.30</p> <p>VP515 8" Round \$13.30</p>	<p>BACK/SIDE VENT ELBOW</p> <p>MODEL DESCRIPTION PRICE</p> <p>VP561 8" to 6" x 8-1/2" \$18.05</p>	<p>3 1/4" x 10" BACK VENT ELBOW</p> <p>MODEL DESCRIPTION PRICE</p> <p>VP559 3-1/4" x 10" \$18.05</p>	<p>3 1/4" x 10" to 7" TRANSITION</p> <p>MODEL DESCRIPTION PRICE</p> <p>VP521 3-1/4" x 10 to 7" \$18.05</p>
<p>MULTI-BLOWER TRANSITION</p> <p>MODEL DESCRIPTION PRICE</p> <p>VP562 6" & 8" to 10" \$95.95</p> <p>VP563 8" & 8" to 12" \$95.95</p>	<p>M1200 STANDARD TRANSITION</p> <p>MODEL DESCRIPTION PRICE</p> <p>VP566 M1200 Transition \$35.15</p>	<p>STANDARD ISLAND TRANSITION</p> <p>MODEL DESCRIPTION PRICE</p> <p>VP565 5" x 16" to 8" Rnd \$35.15</p>	<p>CLUSTER BLOWER TRANSITION</p> <p>MODEL DESCRIPTION PRICE</p> <p>VP564 8" & 8" to 12" \$35.15</p>
<p>OFFSET L & R TRANSITION FOR ISLAND BLOWERS</p> <p>MODEL DESCRIPTION PRICE</p> <p>VP542 Top Left \$35.15</p> <p>VP543 Top Right \$35.15</p>	<p>SIDE VENT TRANSITION L & R FOR ISLAND BLOWERS</p> <p>MODEL DESCRIPTION PRICE</p> <p>VP544 Side Left \$35.15</p> <p>VP545 Side Right \$35.15</p>	<p>OFFSET KIT - ROUND</p> <p>MODEL DESCRIPTION PRICE</p> <p>VP529 6" Rnd to 7" Rnd \$18.05</p>	<p>OFFSET KIT - RECTANGULAR</p> <p>MODEL DESCRIPTION PRICE</p> <p>VP550 6" to 3-1/4" x 10" \$18.05</p>
<p>"Y" TRANSITION</p> <p>MODEL DESCRIPTION PRICE</p> <p>VP517 8" & 8" to 12" \$39.90</p> <p>VP518 6" & 8" to 12" \$39.90</p> <p>VP551 6" & 8" to 10" \$39.90</p>	<p>ROUND DUCT PIPE</p> <p>MODEL DESCRIPTION PRICE</p> <p>VP500 6" Round \$15.20</p> <p>VP501 7" Round \$15.20</p> <p>VP502 8" Round \$15.20</p>	<p>3 1/4" RECTANGULAR DUCT PIPE</p> <p>MODEL DESCRIPTION PRICE</p> <p>VP504 3-1/4" x 10" \$15.20</p> <p>VP505 3-1/4" x 12" \$15.20</p> <p>VP506 3-1/4" x 16" \$15.20</p>	<p>6" RECTANGULAR DUCT PIPE</p> <p>MODEL DESCRIPTION PRICE</p> <p>VP507 6" x 8-1/2" \$15.20</p>

PARTS FOR VENT-A-HOOD PRODUCTS

PRICES DO NOT INCLUDE SHIPPING & HANDLING CHARGES.

<u>MOTORS</u>			<u>LIGHT FIXTURE COMPONENTS</u>		
PART NO.	DESCRIPTION	PRICE	PART NO.	DESCRIPTION	PRICE
P1301-1	SINGLE SPEED WHITE MOTOR (CW)	\$66.83	P1101	SP2 BALLAST (NEWER HOODS)	\$28.92
P1301-2	TWO SPEED WHITE MOTOR (CW)	\$66.83	P1103	LEFT LAMPHOLDER	\$3.99
P1302-1	BLACK MOTOR (CCW)	\$66.83	P1104	RIGHT LAMPHOLDER	\$3.99
P1315	K SERIES MOTOR	\$98.75	P1105	FS-2 STARTER	\$1.99
P1900	ADAPTER (AMP PLUG/TWO PRONG PLUG)	\$3.99	P1106	STARTER SOCKET	\$4.98
<u>BLOWER WHEELS</u>			P1122	HEAT LAMP SOCKET	\$7.98
PART NO.	DESCRIPTION	PRICE	P1123	PAR20 HALOGEN LAMP SOCKET	\$3.99
P1305	WHITE BLOWER WHEEL (CW)	\$17.95	P1124	GU10 HALOGEN LAMP SOCKET	\$6.50
P1306	BLACK BLOWER WHEEL (CCW)	\$17.95	<u>COMPLETE FLUORESCENT LIGHT FIXTURES</u>		
P1307	K SERIES BLOWER WHEEL	\$17.95	PART NO.	DESCRIPTION	PRICE
<u>BLOWER HOUSINGS</u>			INCLUDES 18" FLUORESCENT BULB (P1120)		
PART NO.	DESCRIPTION	PRICE	SPECIFY MODEL, COLOR, AND SIZE OF HOOD		
SPECIFY HOOD COLOR			NOT AVAILABLE IN STAINLESS STEEL, USE GUNSMOKE		
P1029	B100/T200 BLOWER HSG w/DAMPER	\$54.86	P1016	3" LIGHT BOX (WALL MOUNT & ISLAND)	\$72.81
P1029E	B100/T200 EZ CLEAN HSG w/DAMPER	\$54.86	P1018	2" LIGHT BOX (UNDER CABINET)	\$72.81
P1028	B200/T400 BLOWER HSG w/DAMPERS	\$105.73	PxxxB	FIXTURE WITH BACK, ADD	\$9.97
P1028E	B200/T400 EZ CLEAN HSG w/DAMPERS	\$105.73	P1127	FLUORESCENT LIGHT DIFFUSER	\$9.97
P1030	T200 REVERSE BLOWER HSG w/DAMPER	\$54.86	<u>REPLACEMENT FILTERS</u>		
P1030E	T200 REVERSE EZ CLEAN HSG w/DAMPER	\$54.86	PART NO.	DESCRIPTION	PRICE
P1021	K SERIES BLOWER COVER (PAN)	\$24.93	P1501	CV FILTER (11-1/2" DIA. X 4-1/2"T)	\$19.95
<u>BLOWER SHIELDS</u>			P1502A	MESH (16" x 20" x 2")	\$59.85
PART NO.	DESCRIPTION	PRICE	P1502B	MESH (10" x 20" x 2")	\$47.88
P1025	B100/T200 SHIELD (ENAMEL)	\$18.95	P1506	SS BAFFLE (16" x 20" x 1-1/2")	\$149.62
P1025E	B100/T200 EZ CLEAN SHIELD (ENAMEL)	\$18.95	P1506A	SS BAFFLE (10" x 20" x 1-1/2")	\$174.56
P1027	B100/T200 SHIELD (STAINLESS)	\$18.95	P1530	M LINE BAFFLE FILTER	\$75.81
P1027E	B100/T200 EZ CLEAN SHIELD (STAINLESS)	\$18.95	<u>BACK DRAFT DAMPERS</u>		
P1024	B200/T400 SHIELD (ENAMEL)	\$24.93	PART NO.	DESCRIPTION	PRICE
P1024E	B200/T400 EZ CLEAN SHIELD (ENAMEL)	\$24.93	P1031	NYLON POLYMER DAMPER	\$4.98
P1026	B200/T400 SHIELD (STAINLESS)	\$24.93	P1040	B100/T200 METAL DAMPER	\$4.98
P1026E	B200/T400 EZ CLEAN SHIELD (STAINLESS)	\$24.93	P1041	B200 METAL DAMPER	\$4.98
P1610P	NICKEL SHIELD SCREW	\$3.99	P1042	K SERIES DAMPER	\$6.98
<u>SWITCHES AND CONTROLS</u>			<u>REMOTE BLOWER COMPONENTS</u>		
PART NO.	DESCRIPTION	PRICE	PART NO.	DESCRIPTION	PRICE
P1430	SWITCH FOR SINGLE SPEED WHITE MOTOR	\$3.99	P1425	REMOTE BLOWER SPEED CONTROL (HOOD)	\$57.85
P1431	SWITCH FOR SINGLE SPEED BLACK MOTOR	\$3.99	P1510	RM1000 BLOWER WHEEL	\$34.91
P1432	SWITCH FOR FLUORESCENT LIGHT	\$3.99	P1515	RM1000 MOTOR	\$204.48
P1433	SWITCH FOR TWO SPEED WHITE MOTOR	\$4.98	P1520	RM1500 BLOWER WHEEL	\$34.91
P1434	SWITCH FOR HALOGEN LIGHTS	\$4.98	P1525	RM1500 MOTOR	\$234.41
P1409	MOMENTARY SWITCH (TILT/TLH HOODS)	\$3.99	<u>OTHER MISCELLANEOUS ITEMS</u>		
P1418	DIMMER SWITCH (CAN LIGHTS)	\$29.92	PART NO.	DESCRIPTION	PRICE
P1419	ROTARY SWITCH (HEAT LIGHTS)	\$9.97	P1039	FLAP STAY FOR TILT/TLH HOODS	\$27.93
P1422	KNOB FOR ROTARY SWITCH (SET SCREW)	\$3.99	AW101	T-HANDLE, 1/8" ALLEN WRENCH	\$9.97
P1425	REMOTE BLOWER SPEED CONTROL (HOOD)	\$57.85	AW102	STANDARD, 1/8" ALLEN WRENCH	\$0.99
<u>M LINE COMPONENTS</u>			P1424	SENSASOURCE THERMOSTAT ASSY	\$11.97
PART NO.	DESCRIPTION	PRICE	SS KIT	STAINLESS STEEL SCRATCH REPAIR KIT	\$7.98
P1440	M LINE BLOWER SWITCH	\$14.96	SS64	STAINLESS STEEL MAGIC (CAN)	\$11.97
P1445	M LINE BLOWER SWITCH KNOB	\$6.98	CP101	RED BEAR® COPPER POLISH	\$11.97
P1450	M LINE LIGHT SWITCH	\$14.96	P1316	3-1/4" x 10" COLLAR FOR K SERIES	\$9.97
P1455	M LINE LIGHT SWITCH KNOB	\$6.98	P1317	BACK PLATE FOR K SERIES	\$4.98
P1456	M600 WIRING HARNESS	\$44.88			
P1457	M1200 WIRING HARNESS	\$44.88			
<u>LIGHT BULBS</u>					
PART NO.	DESCRIPTION	PRICE			
P1110	GU10 HALOGEN BULB, 50 WATT	\$10.97			
P1120	F15/T8 FLUORESCENT BULB, 15 WATT	\$5.98			
P1130	PAR20 HALOGEN BULB, 50 WATT	\$10.97			


PRH18-M WALL MOUNT

PRH18-M WALL MOUNT HOOD

MODEL	WIDTH	DEPTH	PRICE	#LIGHTS	#FILTERS
PRH18-M30 SS	30"	24"	\$961	2	2
PRH18-M36 SS	36"	24"	\$976	2	2
PRH18-M42 SS	42"	24"	\$1,055	2	2
PRH18-M48 SS	48"	24"	\$1,115	3	3
PRH18-M54 SS	54"	24"	\$1,362	4	3
PRH18-M60 SS	60"	24"	\$1,481	4	4
PRH18-M66 SS	66"	24"	\$1,581	4	4

NOTE: BLOWER SOLD SEPARATELY

NOTE: STAINLESS STEEL BAFFLE FILTERS AND GU10 LIGHTING INCLUDED.



BLOWER OPTIONS

MODEL	CFM*	AMPS	PRICE	INCL.®	DUCT SIZE
M600	630	5.0	\$322	N/A	6" Round
M1200	1035	10.0	\$678	VP566	10" Round
WHM300*	300	5.0	\$9	N/A	6" Round

+ CFM RATING IS AT 0.0" STATIC PRESSURE

@ VP566 TRANSITION IS PACKAGED SEPARATELY FROM M1200 BLOWER

* WHM300 IS A HARNESS TO BE USED WITH THE M600 WHICH LIMITS TO 300 CFM




M600

M1200

DUCT COVER OPTIONS

MODEL	WIDTH	DEPTH	PRICE	CEILING
WDCM-30 SS	30"	12"	\$362	8'
WDCM-30/24 SS	30"	12"	\$513	9'
WDCM-30/36 SS	30"	12"	\$664	10'
WDCM-36 SS	36"	12"	\$392	8'
WDCM-36/24 SS	36"	12"	\$573	9'
WDCM-36/36 SS	36"	12"	\$753	10'
WDCM-42 SS	42"	12"	\$422	8'
WDCM-42/24 SS	42"	12"	\$633	9'
WDCM-42/36 SS	42"	12"	\$843	10'
WDCM-48 SS	48"	12"	\$452	8'
WDCM-48/24 SS	48"	12"	\$693	9'
WDCM-48/36 SS	48"	12"	\$934	10'
WDCM-54 SS	54"	12"	\$482	8'
WDCM-60 SS	60"	12"	\$513	8'
WDCM-66 SS	66"	12"	\$543	8'




M SERIES BBQ EXTENSION

MODEL	WIDTH	PRICE	WR RAIL	PRICE
BBE-M30 SS	30"	\$342	WR-M30	68
BBE-M36 SS	36"	\$402	WR-M36	75
BBE-M42 SS	42"	\$440	WR-M42	75
BBE-M48 SS	48"	\$471	WR-M48	79
BBE-M54 SS	54"	\$505	WR-M54	79
BBE-M60 SS	60"	\$539	WR-M60	79

NOTE: WR RAIL SOLD SEPARATELY

NOTE: FOR USE ON PRH18-M AND PRXH18-M



MODE UMRP


PRXH18-M WALL MOUNT

PRXH18-M WALL MOUNT HOOD

MODEL	WIDTH	DEPTH	PRICE	#LIGHTS	#FILTERS
PRXH18-M30 SS	30"	27"	\$961	2	2
PRXH18-M36 SS	36"	27"	\$976	2	2
PRXH18-M42 SS	42"	27"	\$1,055	2	2
PRXH18-M48 SS	48"	27"	\$1,115	3	3
PRXH18-M54 SS	54"	27"	\$1,362	4	3
PRXH18-M60 SS	60"	27"	\$1,481	4	4
PRXH18-M66 SS	66"	27"	\$1,581	4	4

NOTE: BLOWER SOLD SEPARATELY

NOTE: STAINLESS STEEL BAFFLE FILTERS AND GU10 LIGHTING INCLUDED.



BLOWER OPTIONS

MODEL	CFM*	AMPS	PRICE	INCL.®	DUCT SIZE
M600	630	5.0	\$322	N/A	6" Round
M1200	1035	10.0	\$678	VP566	10" Round
WHM300*	300	5.0	\$9	N/A	6" Round

+ CFM RATING IS AT 0.0" STATIC PRESSURE

@ VP566 TRANSITION IS PACKAGED SEPARATELY FROM M1200 BLOWER

* WHM300 IS A HARNESS TO BE USED WITH THE M600 WHICH LIMITS TO 300 CFM




M600

M1200

DUCT COVER OPTIONS

MODEL	WIDTH	DEPTH	PRICE	CEILING
WDCM-30 SS	30"	12"	\$362	8'
WDCM-30/24 SS	30"	12"	\$513	9'
WDCM-30/36 SS	30"	12"	\$664	10'
WDCM-36 SS	36"	12"	\$392	8'
WDCM-36/24 SS	36"	12"	\$573	9'
WDCM-36/36 SS	36"	12"	\$753	10'
WDCM-42 SS	42"	12"	\$422	8'
WDCM-42/24 SS	42"	12"	\$633	9'
WDCM-42/36 SS	42"	12"	\$843	10'
WDCM-48 SS	48"	12"	\$452	8'
WDCM-48/24 SS	48"	12"	\$693	9'
WDCM-48/36 SS	48"	12"	\$934	10'
WDCM-54 SS	54"	12"	\$482	8'
WDCM-60 SS	60"	12"	\$513	8'
WDCM-66 SS	66"	12"	\$543	8'




M SERIES BBQ EXTENSION

MODEL	WIDTH	PRICE	WR RAIL	PRICE
BBE-M30 SS	30"	\$342	WR-M30	68
BBE-M36 SS	36"	\$402	WR-M36	75
BBE-M42 SS	42"	\$440	WR-M42	75
BBE-M48 SS	48"	\$471	WR-M48	79
BBE-M54 SS	54"	\$505	WR-M54	79
BBE-M60 SS	60"	\$539	WR-M60	79

NOTE: WR RAIL SOLD SEPARATELY

NOTE: FOR USE ON PRH18-M AND PRXH18-M




PRH18-M 30"D WALL MOUNT

PRH18-M 30" DEEP WALL MOUNT HOOD

MODEL	WIDTH	DEPTH	PRICE	#LIGHTS	#FILTERS
PRH18-M36x30 SS	36"	30"	\$1,406	2	2
PRH18-M42x30 SS	42"	30"	\$1,546	2	2
PRH18-M48x30 SS	48"	30"	\$1,653	3	3
PRH18-M54x30 SS	54"	30"	\$1,950	4	3

NOTE: BLOWER SOLD SEPARATELY

NOTE: STAINLESS STEEL BAFFLE FILTERS AND GU10 LIGHTING INCLUDED.



BLOWER OPTIONS

MODEL	CFM*	AMPS	PRICE	INCL.®	DUCT SIZE
M600	630	5.0	\$322	N/A	6" Round
M1200	1035	10.0	\$678	VP566	10" Round
WHM300*	300	5.0	\$9	N/A	6" Round

+ CFM RATING IS AT 0.0" STATIC PRESSURE

@ VP566 TRANSITION IS PACKAGED SEPARATELY FROM M1200 BLOWER

* WHM300 IS A HARNESS TO BE USED WITH THE M600 WHICH LIMITS TO 300 CFM




M600

M1200

DUCT COVER OPTIONS

MODEL	WIDTH	DEPTH	PRICE	CEILING
WDCM-30 SS	30"	12"	\$362	8'
WDCM-30/24 SS	30"	12"	\$513	9'
WDCM-30/36 SS	30"	12"	\$664	10'
WDCM-36 SS	36"	12"	\$392	8'
WDCM-36/24 SS	36"	12"	\$573	9'
WDCM-36/36 SS	36"	12"	\$753	10'
WDCM-42 SS	42"	12"	\$422	8'
WDCM-42/24 SS	42"	12"	\$633	9'
WDCM-42/36 SS	42"	12"	\$843	10'
WDCM-48 SS	48"	12"	\$452	8'
WDCM-48/24 SS	48"	12"	\$693	9'
WDCM-48/36 SS	48"	12"	\$934	10'
WDCM-54 SS	54"	12"	\$482	8'
WDCM-60 SS	60"	12"	\$513	8'
WDCM-66 SS	66"	12"	\$543	8'




M SERIES BBQ EXTENSION

MODEL	WIDTH	PRICE	WR RAIL	PRICE
BBE-M30 SS	30"	\$342	WR-M30	68
BBE-M36 SS	36"	\$402	WR-M36	75
BBE-M42 SS	42"	\$440	WR-M42	75
BBE-M48 SS	48"	\$471	WR-M48	79
BBE-M54 SS	54"	\$505	WR-M54	79
BBE-M60 SS	60"	\$539	WR-M60	79

NOTE: WR RAIL SOLD SEPARATELY

NOTE: FOR USE ON PRH18-M AND PRXH18-M



MODE UMRP


CXH18-M WALL MOUNT

CXH18-M WALL MOUNT HOOD

MODEL	WIDTH	DEPTH	PRICE	#LIGHTS	#FILTERS
CXH18-M30 SS	30"	24"	\$1,179	2	2
CXH18-M36 SS	36"	24"	\$1,195	2	2
CXH18-M42 SS	42"	24"	\$1,273	2	2
CXH18-M48 SS	48"	24"	\$1,373	3	3
CXH18-M54 SS	54"	24"	\$1,589	4	3
CXH18-M60 SS	60"	24"	\$1,709	4	4
CXH18-M66 SS	66"	24"	\$1,859	4	4

NOTE: BLOWER SOLD SEPARATELY

NOTE: STAINLESS STEEL BAFFLE FILTERS AND GU10 LIGHTING INCLUDED.



BLOWER OPTIONS

MODEL	CFM*	AMPS	PRICE	INCL.®	DUCT SIZE
M600	630	5.0	\$322	N/A	6" Round
M1200	1035	10.0	\$678	VP566	10" Round
WHM300*	300	5.0	\$9	N/A	6" Round

+ CFM RATING IS AT 0.0" STATIC PRESSURE

@ VP566 TRANSITION IS PACKAGED SEPARATELY FROM M1200 BLOWER

* WHM300 IS A HARNESS TO BE USED WITH THE M600 WHICH LIMITS TO 300 CFM




M600

M1200

DUCT COVER OPTIONS

MODEL	WIDTH	DEPTH	PRICE	CEILING
XDCM-30 SS	30"	12"	\$362	8'
XDCM-30/24 SS	30"	12"	\$513	9'
XDCM-30/36 SS	30"	12"	\$664	10'
XDCM-36 SS	36"	12"	\$392	8'
XDCM-36/24 SS	36"	12"	\$573	9'
XDCM-36/36 SS	36"	12"	\$753	10'
XDCM-42 SS	42"	12"	\$422	8'
XDCM-42/24 SS	42"	12"	\$633	9'
XDCM-42/36 SS	42"	12"	\$843	10'
XDCM-48 SS	48"	12"	\$452	8'
XDCM-48/24 SS	48"	12"	\$693	9'
XDCM-48/36 SS	48"	12"	\$934	10'
XDCM-54 SS	54"	12"	\$482	8'
XDCM-60 SS	60"	12"	\$513	8'
XDCM-66 SS	66"	12"	\$543	8'




M SERIES BBQ EXTENSION

MODEL	WIDTH	PRICE	WR RAIL	PRICE
BBE-M30 SS	30"	\$342	WR-M30	68
BBE-M36 SS	36"	\$402	WR-M36	75
BBE-M42 SS	42"	\$440	WR-M42	75
BBE-M48 SS	48"	\$471	WR-M48	79
BBE-M54 SS	54"	\$505	WR-M54	79
BBE-M60 SS	60"	\$539	WR-M60	79

NOTE: WR RAIL SOLD SEPARATELY

NOTE: FOR USE ON PRH18-M AND PRXH18-M




WALL MOUNT LINERS

M-SLD WALL MOUNT LINER

MODEL	WIDTH	DEPTH	PRICE	#LIGHTS	#FILTERS
M28SLD SS	28 3/8"	19 1/4"	\$528	2	2
M34SLD SS	34 3/8"	19 1/4"	\$528	2	2
M40SLD SS	40 3/8"	19 1/4"	\$589	2	2
M46SLD SS	46 3/8"	19 1/4"	\$724	3	3
M52SLD SS	52 3/8"	19 1/4"	\$1,195	3	3
M58SLD SS	58 3/8"	19 1/4"	\$1,265	4	4
M64SLD SS	64 3/8"	19 1/4"	\$1,444	4	4

NOTE: BLOWER SOLD SEPARATELY

NOTE: STAINLESS STEEL BAFFLE FILTERS AND GU10 LIGHTING INCLUDED.




M-SLD

M-PSLD WALL MOUNT LINER

MODEL	WIDTH	DEPTH	PRICE	#LIGHTS	#FILTERS
M28PSLD SS	28 3/8"	22 1/2"	\$528	2	2
M34PSLD SS	34 3/8"	22 1/2"	\$528	2	2
M40PSLD SS	40 3/8"	22 1/2"	\$589	2	2
M46PSLD SS	46 3/8"	22 1/2"	\$724	3	3
M52PSLD SS	52 3/8"	22 1/2"	\$1,195	3	3
M58PSLD SS	58 3/8"	22 1/2"	\$1,265	4	4
M64PSLD SS	64 3/8"	22 1/2"	\$1,444	4	4

NOTE: BLOWER SOLD SEPARATELY

NOTE: STAINLESS STEEL BAFFLE FILTERS AND GU10 LIGHTING INCLUDED.



M-PSLD

BLOWER OPTIONS

MODEL	CFM*	AMPS	PRICE	INCL.®	DUCT SIZE
M600	630	5.0	\$322	N/A	6" Round
M1200	1035	10.0	\$678	VP566	10" Round
WHM300*	300	5.0	\$9	N/A	6" Round

+ CFM RATING IS AT 0.0" STATIC PRESSURE

@ VP566 TRANSITION IS PACKAGED SEPARATELY FROM M1200 BLOWER

* WHM300 IS A HARNESS TO BE USED WITH THE M600 WHICH LIMITS TO 300 CFM



M600



M1200

Vent-A-Hood®

TERMS AND CONDITIONS OF SALE

1. Terms:
 - a. Minimum order of \$15.00 net.
 - b. Net 30 days with approved credit.
2. Prices:
 - a. All prices are subject to change at any time without notice.
 - b. All prices are F.O.B. Vent-A-Hood® Company, Richardson, Texas.
3. Cancellation:
 - a. Hoods which are fabricated to purchase orders are non-cancelable upon acceptance by the factory.
 - b. Any change orders must be confirmed in writing to Vent-A-Hood® at the address below and are subject to our ability to conform.

Vent-A-Hood Company
P.O. Box 830426
Richardson, TX 75083-0426
4. Returns:
 - a. No merchandise may be returned without written consent and shipping instructions.
 - b. Authorized returns are subject to a 25% restocking charge and freight charges.
 - c. Special order items are not subject to return or cancellation.
5. Quick Ship:
 - a. Shaded boxed prices in this document indicate quick ship products. Quick ship products are typically stocked or manufactured within two weeks. Quick ship painted product finishes include black, gunsmoke, and white.
6. Vent-A-Hood® Warranty
 - a. Vent-A-Hood® merchandise is manufactured in accordance with Vent-A-Hood®'s high standards and carries a limited warranty.
 - b. Vent-A-Hood® Magic Lung® Warranty:

Vent-A-Hood® warrants to the original consumer-purchaser its products to be free of defects in material and workmanship for a period of five years from the date of purchase with the following limitations:

 - A. Light bulbs
 - B. Freight damage
 - C. Damage caused by faulty installation
 - D. Incidental or consequential damage
 - E. Commercial application
 - F. Misapplication or modification of or to any part of the Vent-A-Hood® product
 - c. Vent-A-Hood® K Series, M Series, and Remote Blower Warranty:

Vent-A-Hood warrants to the original consumer-purchaser its products to be free of defects in material and workmanship for a period of one year from the date of purchase with the following limitations:

 - A. Light bulbs
 - B. Freight damage
 - C. Damage caused by faulty installation
 - D. Incidental or consequential damage
 - E. Commercial application
 - F. Misapplication or modification of or to any part of the Vent-A-Hood® product
 - d. To make a warranty claim, contact the dealer where the hood was purchased. The dealer will contact the appropriate service agents. It is not necessary to register the product directly with Vent-A-Hood®.

Join Us!



Follow Us!





NORTHERN DIVISION

33175 Transit Ave.
Union City, California 94587
Telephone: 510.477.6864

SOUTHERN DIVISION

7050 Valley View St.
Buena Park, California 90620
Telephone: 714.523.1511

TOLL-FREE: 800.836.8246
FAX: 714.522.0875