Namespace Saravalonia

Classes

App

MainWindow

Class App

Namespace: Saravalonia

Assembly: Saravalonia.dll

```
public class App : Application, INotifyPropertyChanged, IDataContextProvider,
IGlobalDataTemplates, IDataTemplateHost, IGlobalStyles, IStyleHost,
IThemeVariantHost, IResourceHost, IResourceNode, IApplicationPlatformEvents,
IOptionalFeatureProvider
```

Inheritance

object ← AvaloniaObject ← Application ← App

Implements

INotifyPropertyChanged, IDataContextProvider, IGlobalDataTemplates, IDataTemplateHost, IGlobalStyles, IStyleHost, IThemeVariantHost, IResourceHost, IResourceNode, IApplicationPlatformEvents, IOptionalFeatureProvider

Inherited Members

Application.DataContextProperty , Application.ActualThemeVariantProperty , Application.RequestedThemeVariantProperty , Application.NameProperty , Application.TryGetResource(object, ThemeVariant, out object) , Application.RegisterServices() , Application.TryGetFeature(Type) , Application.OnPropertyChanged(AvaloniaPropertyChangedEventArgs) , Application.DataContext , Application.RequestedThemeVariant , Application.ActualThemeVariant , Application.Current , Application.DataTemplates , Application.Resources , Application.Styles , Application.ApplicationLifetime , Application.PlatformSettings , Application.Name , Application.ResourcesChanged , Application.UrlsOpened , Application.ActualThemeVariantChanged , AvaloniaObject.CheckAccess() , AvaloniaObject.VerifyAccess() , AvaloniaObject.ClearValue(AvaloniaProperty) , AvaloniaObject.ClearValue<T>(AvaloniaProperty<T>) , AvaloniaObject.ClearValue<T>(StyledProperty<T>) , AvaloniaObject.ClearValue<T>(DirectPropertyBase<T>) , AvaloniaObject.Equals(object) , AvaloniaObject.GetHashCode() , AvaloniaObject.GetValue(AvaloniaProperty) , AvaloniaObject.GetValue<T>(StyledProperty<T>) , AvaloniaObject.GetValue<T>(DirectPropertyBase<T>) , AvaloniaObject.GetBaseValue<T>(StyledProperty<T>) , AvaloniaObject.IsAnimating(AvaloniaProperty) , AvaloniaObject.IsSet(AvaloniaProperty) , AvaloniaObject.SetValue(AvaloniaProperty, object, BindingPriority) , AvaloniaObject.SetValue<T>(StyledProperty<T>, T, BindingPriority) , AvaloniaObject.SetValue<T>(DirectPropertyBase<T>, T) ,

AvaloniaObject.SetCurrentValue(AvaloniaProperty, object) ,
AvaloniaObject.SetCurrentValue<T>(StyledProperty<T>, T) ,
AvaloniaObject.Bind(AvaloniaProperty, IBinding) ,
AvaloniaObject.Bind(AvaloniaProperty, IObservable<object>, BindingPriority) ,
AvaloniaObject.Bind<T>(StyledProperty<T>, IObservable<object>, BindingPriority) ,
AvaloniaObject.Bind<T>(StyledProperty<T>, IObservable<T>, BindingPriority) ,
AvaloniaObject.Bind<T>(StyledProperty<T>, IObservable<BindingValue<T>>, BindingPriority) ,
AvaloniaObject.Bind<T>(DirectPropertyBase<T>, IObservable<object>) ,
AvaloniaObject.Bind<T>(DirectPropertyBase<T>, IObservable<T>) ,
AvaloniaObject.Bind<T>(DirectPropertyBase<T>, IObservable<BindingValue<T>>) ,
AvaloniaObject.CoerceValue(AvaloniaProperty) ,
AvaloniaObject.UpdateDataValidation(AvaloniaProperty, BindingValueType, Exception) ,
AvaloniaObject.OnPropertyChangedCore(AvaloniaPropertyChangedEventArgs) ,
AvaloniaObject.RaisePropertyChanged<T>(DirectPropertyBase<T>, T, T) ,
AvaloniaObject.SetAndRaise<T>(DirectPropertyBase<T>, ref T, T) , AvaloniaObject.InheritanceParent ,
AvaloniaObject.this[AvaloniaProperty] , AvaloniaObject.this[IndexerDescriptor] ,
AvaloniaObject.PropertyChanged , object.Equals(object, object) , object.GetType() ,
object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Methods

Initialize()

Initializes the application by loading XAML etc.

```
public override void Initialize()
```

OnFrameworkInitializationCompleted()

```
public override void OnFrameworkInitializationCompleted()
```

Class MainWindow

Namespace: Saravalonia

Assembly: Saravalonia.dll

```
public class MainWindow : Window, INotifyPropertyChanged, IDataContextProvider,
ITheme VariantHost, IResourceHost, IResourceNode, ISetLogicalParent,
ISetInheritanceParent, ISupportInitialize, IStyleable, INamed, IDataTemplateHost,
ISetterValue, IRenderRoot, ICloseable, IStyleHost, ILogicalRoot, ILogical,
ITextInputMethodRoot, IInputRoot, IInputElement, IFocusScope, ILayoutRoot
```

Inheritance

object ← AvaloniaObject ← Animatable ← StyledElement ← Visual ← Layoutable ← Interactive ← InputElement ← Control ← TemplatedControl ← ContentControl ← TopLevel ← WindowBase ← Window ← MainWindow

Implements

INotifyPropertyChanged, IDataContextProvider, IThemeVariantHost, IResourceHost, IResourceNode, ISetLogicalParent, ISetInheritanceParent, ISupportInitialize, IStyleable, INamed, IDataTemplateHost, ISetterValue, IRenderRoot, ICloseable, IStyleHost, ILogicalRoot, ILogical, ITextInputMethodRoot, IInputRoot, IInputElement, IFocusScope, ILayoutRoot

Inherited Members

Window.SizeToContentProperty , Window.ExtendClientAreaToDecorationsHintProperty , Window.ExtendClientAreaChromeHintsProperty , Window.ExtendClientAreaTitleBarHeightHintProperty , Window.IsExtendedIntoWindowDecorationsProperty , Window.WindowDecorationMarginProperty , Window.OffScreenMarginProperty , Window.SystemDecorationsProperty , Window.ShowActivatedProperty , Window.ShowInTaskbarProperty , Window.ClosingBehaviorProperty , Window.WindowStateProperty , Window.TitleProperty , Window.IconProperty , Window.WindowStartupLocationProperty , Window.CanResizeProperty , Window.CanMinimizeProperty , Window.CanMaximizeProperty , Window.WindowClosedEvent , Window.WindowOpenedEvent , Window.BeginMoveDrag(PointerPressedEventArgs) , Window.BeginResizeDrag(WindowEdge, PointerPressedEventArgs) , Window.Close() , Window.Close(object) , Window.ExtendClientAreaToDecorationsChanged(bool) , Window.Hide() , Window.Show() , Window.IsVisibleChanged(AvaloniaPropertyChangedEventArgs) , Window.Show(Window) , Window.ShowDialog(Window) , Window.ShowDialog<TResult>(Window) , Window.SortWindowsByZOrder(Window[]) , Window.MeasureOverride(Size) , Window.ArrangeSetBounds(Size) , Window.OnClosing(WindowClosingEventArgs) ,

Window.OnPropertyChanged(AvaloniaPropertyChangedEventArgs) , Window.OnCreateAutomationPeer() , Window.PlatformImpl , Window.OwnedWindows , Window.SizeToContent , Window.Title , Window.ExtendClientAreaToDecorationsHint , Window.ExtendClientAreaChromeHints , Window.ExtendClientAreaTitleBarHeightHint , Window.IsExtendedIntoWindowDecorations , Window.WindowDecorationMargin , Window.OffScreenMargin , Window.SystemDecorations , Window.ShowActivated , Window.ShowInTaskbar , Window.ClosingBehavior , Window.WindowState , Window.CanResize , Window.CanMinimize , Window.CanMaximize , Window.Icon , Window.WindowStartupLocation , Window.Position , Window.IsDialog , Window.StyleKeyOverride , Window.Closing , WindowBase.IsActiveProperty , WindowBase.OwnerProperty , WindowBase.TopmostProperty , WindowBase.Activate() , WindowBase.EnsureInitialized() , WindowBase.OnClosed(EventArgs) , WindowBase.OnOpened(EventArgs) , WindowBase.OnResized(WindowResizedEventArgs) , WindowBase.MeasureCore(Size) , WindowBase.ArrangeCore(Rect) , WindowBase.IgnoreVisibilityChanges , WindowBase.IsActive , WindowBase.Screens , WindowBase.Owner , WindowBase.Topmost , WindowBase.DesktopScaling , WindowBase.Activated , WindowBase.Deactivated , WindowBase.PositionChanged , WindowBase.Resized , TopLevel.ClientSizeProperty , TopLevel.FrameSizeProperty , TopLevel.PointerOverElementProperty , TopLevel.TransparencyLevelHintProperty , TopLevel.ActualTransparencyLevelProperty , TopLevel.TransparencyBackgroundFallbackProperty , TopLevel.ActualThemeVariantProperty , TopLevel.RequestedThemeVariantProperty , TopLevel.SystemBarColorProperty , TopLevel.AutoSafeAreaPaddingProperty , TopLevel.BackRequestedEvent , TopLevel.TryGetPlatformHandle() , TopLevel.SetSystemBarColor(Control, SolidColorBrush) , TopLevel.GetSystemBarColor(Control) , TopLevel.SetAutoSafeAreaPadding(Control, bool) , TopLevel.GetAutoSafeAreaPadding(Control) , TopLevel.GetTopLevel(Visual) , TopLevel.RequestPlatformInhibition(PlatformInhibitionType, string) , TopLevel.RequestAnimationFrame(Action<TimeSpan>) , TopLevel.StartRendering() , TopLevel.StopRendering() , TopLevel.OnAttachedToVisualTree(VisualTreeAttachmentEventArgs) , TopLevel.OnApplyTemplate(TemplateAppliedEventArgs) , TopLevel.InvalidateMirrorTransform() , TopLevel.ClientSize , TopLevel.FrameSize , TopLevel.TransparencyLevelHint , TopLevel.ActualTransparencyLevel , TopLevel.TransparencyBackgroundFallback , TopLevel.RequestedThemeVariant , TopLevel.RendererDiagnostics , TopLevel.RenderScaling , TopLevel.StorageProvider , TopLevel.InsetsManager , TopLevel.InputPane , TopLevel.Launcher , TopLevel.Clipboard , TopLevel.FocusManager , TopLevel.PlatformSettings , TopLevel.BypassFlowDirectionPolicies , TopLevel.Opened , TopLevel.Closed , TopLevel.ScalingChanged , TopLevel.BackRequested , ContentControl.ContentProperty , ContentControl.ContentTemplateProperty , ContentControl.HorizontalContentAlignmentProperty , ContentControl.VerticalContentAlignmentProperty , ContentControl.RegisterContentPresenter(ContentPresenter) , ContentControl.Content , ContentControl.ContentTemplate , ContentControl.Presenter , ContentControl.HorizontalContentAlignment , ContentControl.VerticalContentAlignment ,

TemplatedControl.BackgroundProperty , TemplatedControl.BackgroundSizingProperty , TemplatedControl.BorderBrushProperty , TemplatedControl.BorderThicknessProperty , TemplatedControl.CornerRadiusProperty , TemplatedControl.FontFamilyProperty , TemplatedControl.FontFeaturesProperty , TemplatedControl.FontSizeProperty , TemplatedControl.FontStyleProperty , TemplatedControl.FontWeightProperty , TemplatedControl.FontStretchProperty , TemplatedControl.ForegroundProperty , TemplatedControl.PaddingProperty , TemplatedControl.TemplateProperty , TemplatedControl.IsTemplateFocusTargetProperty , TemplatedControl.TemplateAppliedEvent , TemplatedControl.GetIsTemplateFocusTarget(Control) , TemplatedControl.SetIsTemplateFocusTarget(Control, bool) , TemplatedControl.ApplyTemplate() , TemplatedControl.GetTemplateFocusTarget() , TemplatedControl.OnAttachedToLogicalTree(LogicalTreeAttachmentEventArgs) , TemplatedControl.OnDetachedFromLogicalTree(LogicalTreeAttachmentEventArgs) , TemplatedControl.OnTemplateChanged(AvaloniaPropertyChangedEventArgs) , TemplatedControl.Background , TemplatedControl.BackgroundSizing , TemplatedControl.BorderBrush , TemplatedControl.BorderThickness , TemplatedControl.CornerRadius , TemplatedControl.FontFamily , TemplatedControl.FontFeatures , TemplatedControl.FontSize , TemplatedControl.FontStyle , TemplatedControl.FontWeight , TemplatedControl.FontStretch , TemplatedControl.Foreground , TemplatedControl.Padding , TemplatedControl.Template , TemplatedControl.TemplateApplied , Control.FocusAdornerProperty , Control.TagProperty , Control.ContextMenuProperty , Control.ContextFlyoutProperty , Control.RequestBringIntoViewEvent , Control.ContextRequestedEvent , Control.LoadedEvent , Control.UnloadedEvent , Control.SizeChangedEvent , Control.OnLoaded(RoutedEventArgs) , Control.OnUnloaded(RoutedEventArgs) , Control.OnSizeChanged(SizeChangedEventArgs) , Control.OnAttachedToVisualTreeCore(VisualTreeAttachmentEventArgs) , Control.OnDetachedFromVisualTreeCore(VisualTreeAttachmentEventArgs) , Control.OnGotFocus(GotFocusEventArgs) , Control.OnLostFocus(RoutedEventArgs) , Control.OnPointerReleased(PointerReleasedEventArgs) , Control.OnKeyUp(KeyEventArgs) , Control.FocusAdorner , Control.DataTemplates , Control.ContextMenu , Control.ContextFlyout , Control.IsLoaded , Control.Tag , Control.ContextRequested , Control.Loaded , Control.Unloaded , Control.SizeChanged , InputElement.FocusableProperty , InputElement.IsEnabledProperty , InputElement.IsEffectivelyEnabledProperty , InputElement.CursorProperty , InputElement.IsKeyboardFocusWithinProperty , InputElement.IsFocusedProperty , InputElement.IsHitTestVisibleProperty , InputElement.IsPointerOverProperty , InputElement.IsTabStopProperty , InputElement.GotFocusEvent , InputElement.LostFocusEvent , InputElement.KeyDownEvent , InputElement.KeyUpEvent , InputElement.TabIndexProperty , InputElement.TextInputEvent , InputElement.TextInputMethodClientRequestedEvent , InputElement.PointerEnteredEvent , InputElement.PointerExitedEvent , InputElement.PointerMovedEvent , InputElement.PointerPressedEvent , InputElement.PointerReleasedEvent , InputElement.PointerCaptureLostEvent ,

InputElement.PointerWheelChangedEvent , InputElement.TappedEvent , InputElement.HoldingEvent , InputElement.DoubleTappedEvent , InputElement.Focus(NavigationMethod, KeyModifiers) , InputElement.OnAccessKey(RoutedEventArgs) , InputElement.OnTextInput(TextInputEventArgs) , InputElement.OnPointerEntered(PointerEventArgs) , InputElement.OnPointerExited(PointerEventArgs) , InputElement.OnPointerMoved(PointerEventArgs) , InputElement.OnPointerPressed(PointerPressedEventArgs) , InputElement.OnPointerCaptureLost(PointerCaptureLostEventArgs) , InputElement.OnPointerWheelChanged(PointerWheelEventArgs) , InputElement.UpdateIsEffectivelyEnabled() , InputElement.Focusable , InputElement.IsEnabled , InputElement.Cursor , InputElement.IsKeyboardFocusWithin , InputElement.IsFocused , InputElement.IsHitTestVisible , InputElement.IsPointerOver , InputElement.IsTabStop , InputElement.IsEffectivelyEnabled , InputElement.TabIndex , InputElement.KeyBindings , InputElement.IsEnabledCore , InputElement.GestureRecognizers , InputElement.GotFocus , InputElement.LostFocus , InputElement.KeyDown , InputElement.KeyUp , InputElement.TextInput , InputElement.TextInputMethodClientRequested , InputElement.PointerEntered , InputElement.PointerExited , InputElement.PointerMoved , InputElement.PointerPressed , InputElement.PointerReleased , InputElement.PointerCaptureLost , InputElement.PointerWheelChanged , InputElement.Tapped , InputElement.Holding , InputElement.DoubleTapped , Interactive.AddHandler(RoutedEvent, Delegate, RoutingStrategies, bool) , Interactive.AddHandler<TEventArgs>(RoutedEvent<TEventArgs>, EventHandler<TEventArgs>, RoutingStrategies, bool) , Interactive.RemoveHandler(RoutedEvent, Delegate) , Interactive.RemoveHandler<TEventArgs>(RoutedEvent<TEventArgs>, EventHandler<TEventArgs>) , Interactive.RaiseEvent(RoutedEventArgs) , Interactive.BuildEventRoute(RoutedEvent) , Layoutable.DesiredSizeProperty , Layoutable.WidthProperty , Layoutable.HeightProperty , Layoutable.MinWidthProperty , Layoutable.MaxWidthProperty , Layoutable.MinHeightProperty , Layoutable.MaxHeightProperty , Layoutable.MarginProperty , Layoutable.HorizontalAlignmentProperty , Layoutable.VerticalAlignmentProperty , Layoutable.UseLayoutRoundingProperty , Layoutable.UpdateLayout() , Layoutable.Measure(Size) , Layoutable.Arrange(Rect) , Layoutable.InvalidateMeasure() , Layoutable.InvalidateArrange() , Layoutable.AffectsMeasure<T>(params AvaloniaProperty[]) , Layoutable.AffectsArrange<T>(params AvaloniaProperty[]) , Layoutable.ArrangeOverride(Size) , Layoutable.OnMeasureInvalidated() , Layoutable.OnVisualParentChanged(Visual, Visual) , Layoutable.Width , Layoutable.Height , Layoutable.MinWidth , Layoutable.MaxWidth , Layoutable.MinHeight , Layoutable.MaxHeight , Layoutable.Margin , Layoutable.HorizontalAlignment , Layoutable.VerticalAlignment , Layoutable.DesiredSize , Layoutable.IsMeasureValid , Layoutable.IsArrangeValid , Layoutable.UseLayoutRounding , Layoutable.EffectiveViewportChanged , Layoutable.LayoutUpdated , Visual.BoundsProperty , Visual.ClipToBoundsProperty , Visual.ClipProperty , Visual.IsVisibleProperty , Visual.OpacityProperty , Visual.OpacityMaskProperty ,

Visual.EffectProperty , Visual.HasMirrorTransformProperty , Visual.RenderTransformProperty , Visual.RenderTransformOriginProperty , Visual.FlowDirectionProperty , Visual.VisualParentProperty , Visual.ZIndexProperty , Visual.GetFlowDirection(Visual) , Visual.SetFlowDirection(Visual, FlowDirection) , Visual.InvalidateVisual() , Visual.Render(DrawingContext) , Visual.AffectsRender<T>(params AvaloniaProperty[]) , Visual.LogicalChildrenCollectionChanged(object, NotifyCollectionChangedEventArgs) , Visual.OnDetachedFromVisualTree(VisualTreeAttachmentEventArgs) , Visual.Bounds , Visual.ClipToBounds , Visual.Clip , Visual.IsEffectivelyVisible , Visual.IsVisible , Visual.Opacity , Visual.OpacityMask , Visual.Effect , Visual.HasMirrorTransform , Visual.RenderTransform , Visual.RenderTransformOrigin , Visual.FlowDirection , Visual.ZIndex , Visual.VisualChildren , Visual.VisualRoot , Visual.AttachedToVisualTree , Visual.DetachedFromVisualTree , StyledElement.DataContextProperty , StyledElement.NameProperty , StyledElement.ParentProperty , StyledElement.TemplatedParentProperty , StyledElement.ThemeProperty , StyledElement.BeginInit() , StyledElement.EndInit() , StyledElement.ApplyStyling() , StyledElement.InitializeIfNeeded() , StyledElement.TryGetResource(object, ThemeVariant, out object) , StyledElement.OnDataContextChanged(EventArgs) , StyledElement.OnDataContextBeginUpdate() , StyledElement.OnDataContextEndUpdate() , StyledElement.OnInitialized() , StyledElement.Name , StyledElement.Classes , StyledElement.DataContext , StyledElement.IsInitialized , StyledElement.Styles , StyledElement.StyleKey , StyledElement.Resources , StyledElement.TemplatedParent , StyledElement.Theme , StyledElement.LogicalChildren , StyledElement.PseudoClasses , StyledElement.Parent , StyledElement.ActualThemeVariant , StyledElement.AttachedToLogicalTree , StyledElement.DetachedFromLogicalTree , StyledElement.DataContextChanged , StyledElement.Initialized , StyledElement.ResourcesChanged , StyledElement.ActualThemeVariantChanged , Animatable.TransitionsProperty , Animatable.OnPropertyChangedCore(AvaloniaPropertyChangedEventArgs) , Animatable.Transitions , AvaloniaObject.CheckAccess() , AvaloniaObject.VerifyAccess() , AvaloniaObject.ClearValue(AvaloniaProperty) , AvaloniaObject.ClearValue<T>(AvaloniaProperty<T>) , AvaloniaObject.ClearValue<T>(StyledProperty<T>) , AvaloniaObject.ClearValue<T>(DirectPropertyBase<T>) , AvaloniaObject.Equals(object) , AvaloniaObject.GetHashCode() , AvaloniaObject.GetValue(AvaloniaProperty) , AvaloniaObject.GetValue<T>(StyledProperty<T>) , AvaloniaObject.GetValue<T>(DirectPropertyBase<T>) , AvaloniaObject.GetBaseValue<T>(StyledProperty<T>) , AvaloniaObject.IsAnimating(AvaloniaProperty) , AvaloniaObject.IsSet(AvaloniaProperty) , AvaloniaObject.SetValue(AvaloniaProperty, object, BindingPriority) , AvaloniaObject.SetValue<T>(StyledProperty<T>, T, BindingPriority) , AvaloniaObject.SetValue<T>(DirectPropertyBase<T>, T) , AvaloniaObject.SetCurrentValue(AvaloniaProperty, object) , AvaloniaObject.SetCurrentValue<T>(StyledProperty<T>, T) , AvaloniaObject.Bind(AvaloniaProperty, IBinding) ,

AvaloniaObject.Bind(AvaloniaProperty, IObservable<object>, BindingPriority) , AvaloniaObject.Bind<T>(StyledProperty<T>, IObservable<object>, BindingPriority) , AvaloniaObject.Bind<T>(StyledProperty<T>, IObservable<T>, BindingPriority) , AvaloniaObject.Bind<T>(StyledProperty<T>, IObservable<BindingValue<T>>, BindingPriority) , AvaloniaObject.Bind<T>(DirectPropertyBase<T>, IObservable<object>) , AvaloniaObject.Bind<T>(DirectPropertyBase<T>, IObservable<T>) , AvaloniaObject.Bind<T>(DirectPropertyBase<T>, IObservable<BindingValue<T>>) , AvaloniaObject.CoerceValue(AvaloniaProperty) , AvaloniaObject.UpdateDataValidation(AvaloniaProperty, BindingValueType, Exception) , AvaloniaObject.RaisePropertyChanged<T>(DirectPropertyBase<T>, T, T) , AvaloniaObject.SetAndRaise<T>(DirectPropertyBase<T>, ref T, T) , AvaloniaObject.InheritanceParent , AvaloniaObject.this[AvaloniaProperty] , AvaloniaObject.this[IndexerDescriptor] , AvaloniaObject.PropertyChanged , object.Equals(object, object) , object.GetType() , object.MemberwiseClone() , object.ReferenceEquals(object, object) , object.ToString()

Constructors

MainWindow()

```
public MainWindow()
```

Methods

InitializeComponent(bool, bool)

Wires up the controls and optionally loads XAML markup and attaches dev tools (if Avalonia.Diagnostics package is referenced).

```
[ExcludeFromCodeCoverage]
public void InitializeComponent(bool loadXaml = true, bool attachDevTools = true)
```

Parameters

`loadXaml` bool

Should the XAML be loaded into the component.

`attachDevTools` bool

Should the dev tools be attached.

OnKeyDown(KeyEventArgs)

Responds to key presses.

```
protected override void OnKeyDown(KeyEventArgs e)
```

Parameters

e KeyEventArgs

They key event