


1. Npm install -D eslint
2. Npx eslint -init
 - a. To check syntax, find problems, and enforce code style
 - b. JavaScript modules (import/export)
 - c. Which framework does your project use? · react
 - d. Which style guide do you want to follow? ...


> Airbnb: <https://github.com/airbnb/javascript>

```
PS E:\PetProject\express-react-fullstack> npx eslint --init
npx: installed 1 in 2.587s
The "path" argument must be of type string. Received type undefined
null
? How would you like to use ESLint? ...
  To check syntax only
  To check syntax and find problems
✓ How would you like to use ESLint? · style
✓ What type of modules does your project use? · esm
✓ Which framework does your project use? · react
✓ Does your project use TypeScript? · No / Yes
✓ Where does your code run? · browser
✓ How would you like to define a style for your project? · guide
✓ Which style guide do you want to follow? · airbnb
✓ What format do you want your config file to be in? · JavaScript
Checking peerDependencies of eslint-config-airbnb@latest
Local ESLint installation not found.
The config that you've selected requires the following dependencies:
eslint-plugin-react@^7.21.5 eslint-config-airbnb@latest eslint@^5.16.0 || ^6.8.0 || ^7.2.0 eslint-plugin-import@^2.22.1 eslint-plugin-jsx-a11y@^6.4.1 eslint-plugin-react-hooks@^4 || ^3 || ^2.3.0 || ^1
.7.0
? Would you like to install them now with npm? » No / Yes
```


3. Npm I -D prettier
4. Npm I eslint-config-prettier eslint-plugin-prettier
5. Install extension for VS code




- a.
- b. Prettier



6. File => Preference-> Settings
Type Eslint then select "Auto Fix on save"
7. Search "save" then select Editor: Format on save



8. Search 'format' in Editor: Default formatter we select esbenp.prettier-vscode



9. In .eslint

```
.. extends: ["plugin:react/recommended", "airbnb-base", "prettier"],
plugins: ["react", "prettier"],
```

10. Create .prettierrc.js
Add

