

Reads were simulated with wgsim.
Winnowmap was used for alignment against each reference setup.
Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.



Reads were simulated with wgsim.
Winnowmap was used for alignment against each reference setup.
Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.



Reads were simulated with wgsim.
Winnowmap was used for alignment against each reference setup.
Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.



Reads were simulated with wgsim.
Winnowmap was used for alignment against each reference setup.
Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.



Reads were simulated with wgsim.
Winnowmap was used for alignment against each reference setup.
Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.



Reads were simulated with wgsim.
Winnowmap was used for alignment against each reference setup.
Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.



Reads were simulated with wgsim.
Winnowmap was used for alignment against each reference setup.
Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.



Reads were simulated with wgsim.
Winnowmap was used for alignment against each reference setup.
Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.



Reads were simulated with wgsim.
Winnowmap was used for alignment against each reference setup.
Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.

chromosome10 (winnowmap)



Reads were simulated with wgsim.
Winnowmap was used for alignment against each reference setup.
Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.



Reads were simulated with wgsim.
Winnowmap was used for alignment against each reference setup.
Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.



Reads were simulated with wgsim.
Winnowmap was used for alignment against each reference setup.
Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.



Reads were simulated with wgsim.
Winnowmap was used for alignment against each reference setup.
Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.



Reads were simulated with wgsim.
Winnowmap was used for alignment against each reference setup.
Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.



Reads were simulated with wgsim.
Winnowmap was used for alignment against each reference setup.
Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.



Reads were simulated with wgsim.
Winnowmap was used for alignment against each reference setup.
Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.

chromosome17 (winnowmap)



Reads were simulated with wgsim.
Winnowmap was used for alignment against each reference setup.
Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.



Reads were simulated with wgsim.
Winnowmap was used for alignment against each reference setup.
Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.



Reads were simulated with wgsim.
Winnowmap was used for alignment against each reference setup.
Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.



Reads were simulated with wgsim.
Winnowmap was used for alignment against each reference setup.
Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.



Reads were simulated with wgsim.
Winnowmap was used for alignment against each reference setup.
Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.



Reads were simulated with wgsim.
Winnowmap was used for alignment against each reference setup.
Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.