


chromosome1 (minimap2)




Reads were simulated with wgsim.

Minimap2 was used for alignment against each reference setup.

Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.

chromosome2 (minimap2)




Reads were simulated with wgsim.

Minimap2 was used for alignment against each reference setup.

Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.

chromosome3 (minimap2)




Reads were simulated with wgsim.

Minimap2 was used for alignment against each reference setup.

Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.

chromosome4 (minimap2)




Reads were simulated with wgsim.

Minimap2 was used for alignment against each reference setup.

Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.

chromosome5 (minimap2)




Reads were simulated with wgsim.

Minimap2 was used for alignment against each reference setup.

Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.

chromosome6 (minimap2)




Reads were simulated with wgsim.

Minimap2 was used for alignment against each reference setup.

Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.

chromosome7 (minimap2)




Reads were simulated with wgsim.

Minimap2 was used for alignment against each reference setup.

Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.

chromosome8 (minimap2)




Reads were simulated with wgsim.

Minimap2 was used for alignment against each reference setup.

Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.

chromosome9 (minimap2)




Reads were simulated with wgsim.

Minimap2 was used for alignment against each reference setup.

Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.

chromosome10 (minimap2)



Reads setup


- Masked: telomeric sequence masked in the reference
- NoTelo: subtelomeres/telomeres removed from the reference
- Telo: complete reference incl. subtelomeres and telomeres

Reads were simulated with wgsim.

Minimap2 was used for alignment against each reference setup.

Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.

chromosome11 (minimap2)



Reads setup


- Masked: telomeric sequence masked in the reference
- NoTelo: subtelomeres/telomeres removed from the reference
- Telo: complete reference incl. subtelomeres and telomeres

Reads were simulated with wgsim.

Minimap2 was used for alignment against each reference setup.

Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.

chromosome12 (minimap2)




Reads were simulated with wgsim.

Minimap2 was used for alignment against each reference setup.

Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.

chromosome13 (minimap2)




Reads were simulated with wgsim.

Minimap2 was used for alignment against each reference setup.

Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.

chromosome14 (minimap2)




Reads were simulated with wgsim.

Minimap2 was used for alignment against each reference setup.

Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.

chromosome15 (minimap2)




Reads were simulated with wgsim.

Minimap2 was used for alignment against each reference setup.

Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.

chromosome16 (minimap2)




Reads were simulated with wgsim.

Minimap2 was used for alignment against each reference setup.

Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.

chromosome17 (minimap2)



Reads setup


- Masked: telomeric sequence masked in the reference
- NoTelo: subtelomeres/telomeres removed from the reference
- Telo: complete reference incl. subtelomeres and telomeres

Reads were simulated with wgsim.

Minimap2 was used for alignment against each reference setup.

Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.

chromosome18 (minimap2)




Reads were simulated with wgsim.

Minimap2 was used for alignment against each reference setup.

Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.

chromosome19 (minimap2)




Reads were simulated with wgsim.

Minimap2 was used for alignment against each reference setup.

Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.

chromosome20 (minimap2)



Reads setup


- Masked: telomeric sequence masked in the reference
- NoTelo: subtelomeres/telomeres removed from the reference
- Telo: complete reference incl. subtelomeres and telomeres

Reads were simulated with wgsim.

Minimap2 was used for alignment against each reference setup.

Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.

chromosome21 (minimap2)




Reads were simulated with wgsim.

Minimap2 was used for alignment against each reference setup.

Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.

chromosome22 (minimap2)




Reads were simulated with wgsim.

Minimap2 was used for alignment against each reference setup.

Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.

chromosomeX (minimap2)




Reads were simulated with wgsim.

Minimap2 was used for alignment against each reference setup.

Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.

chromosomeY (minimap2)



Reads were simulated with wgsim.

Minimap2 was used for alignment against each reference setup.

Accuracy percentage = reads aligned to the correct chromosome / total simulated reads .. 100.