

api-to-roefact by RENware Software Systems

- [CHANGELOG 0.1.8.dev](#)
 - [0.1.8 improved application structure and first executable release \(231201 h07:30\)](#)

CHANGELOG 0.1.8.dev

0.1.8 improved application structure and first executable release (231201 h07:30)

- 231201piu_b installed `cx-Freeze` library and build a new Windows executable, update documentation - need future improvement to make `msi` package, but TEST PASSED and works perfectly
- 231201piu_a improve CLI application structure (`x12roefact.py`) and commands: `x12json` , `about`
- 231130piu_a `x12roefact.py` , `--excel_files_directory` : option, make it of type `pathlib.Path`, dealut remain as is, validators; is dir, exists, writable, readable, `resolve_path`
- 231129piu_b updated `x12roefact.py` (main application) changed command `run` --> `x12json` and add parameter `excel_files_directory` (future intention is to make commands: `x12json - RDINV` , `json2xml - WRXML` , `json2pdf` , `xml2roefact - LDXML`)
- 231129piu_a adopted new REN invoice template (test with data from RENF-1004)
- 231128piu_b made `config_settings.py` for general application configuration purposes and an application command (`x12roefact settings`) to print them
- 231128piu_a made `x12roefact.py` (main library file) as CLI executable structure (with `Typer` library)
- 231127piu_c introduced **key Invoice** in invoice JSON generated structure (also representing the "entity" in XML representation)
- 231127piu_b module `rdinv` crated a distinct function for building of `meta_info` key (main `invoice` dictionary)
- 231127piu_a created in invoice JSON map JSON key --> XML property (`meta_info["map_JSONkeys_XMLtags"]`) as list of tuple(`JSONkey: str`, `XMLtag: str`)
- 231127piu_a created draft data models for: invoice (exportable as JSON and XML) and other entities (owner, customer) ==> `data_models.py`

Last update: January 16, 2024

