api-to-roefact by RENware Software Systems

- CHANGELOG 0.5.4
 - 0.5.4 invoice supplier from owner master data (240406 h22:00)

CHANGELOG 0.5.4

0.5.4 invoice supplier from owner master data (240406 h22:00)

- upd-dwnld-0.5.4 update downloads.md for 0.5.4 deliverables
- build-apps-0.5.4 build all deliverables & publish package on PyPi
- prep-rlse-0.5.4 change this head to 0.5.4 version, update all /versions.yml and assure that all are published
- fix-download-owner-template xl2roefact README sectiune "Descarcare (download) aplicatie xl2roefact CLI" de pus link catre sablon nomenclator furnizori
- fixed-tech-doc generatorul plugin mkdocs ptr comenzile Typer nu a generat complet... A ramas ca inainte de modificare 0.5.4... adica nu apare optiunea -o -owner-file
- owner-dbs-file get OWNER EXTERNAL DATA feature (version 0.5.4.dev0+owner-dbs-file):
 - ✓ 1. create data/owner.yml structure to exactly what is needed for actual JSON "Invoice..." key
 - ✓ 2. created a skeleton for hier_get_data_file() module, update its docstring and generate DLD documentation
 - ✓ 3. set a new flag for xl2json command for getting owner from ext data-file: --owner -o [FILE]

 where FILE being defaulted to ./owner.yml or hierarchy to data/owner.yml
 - ✓ 4. app_cli.py chk if file is ok and sent it as correct Path if, else raise an err msg and continue
 from Excel
 - ✓ 5. code. Get owner data by using function hier_get_data_file()
 - ✓ 6. update owner.yml file and add bank information
 - 7. code. Get owner bank information from external data file
 - ✓ 8. build xl2roefact DLD documentation
 - 9. code. Review "place where called for OWNER info", clean, update and close code
 - ✓ 10. make template for owner data file (owner_datafile_tmeplate.yml) and prep it with built-in documentation hints
 - ✓ 11. updated temporary all version to 0.5.4.dev0 to make DEV publishes (basically for site, but other tests are possibile)

- ✓ 12. add xl2roefact README doc with section "Utilizare nomenclator de furnizori"
- ✓ 13. build site and publish as site version 0.5.4.dev0 (temporary value)
- hier-get-data-file func to select hierarchical a file from ./ or data/ (in libutils module):
 - ✓ 1. create skeleton hier_get_data_file(file_name: str) -> Path in xl2roefact.libutils module
 - ✓ 2. code function to solve actual functional case from xl2roefact.config_settings module
 - ✓ 3. update xl2roefact.config_settings module to use the new function

Last update: April 20, 2024