
## api-to-roefact by RENware Software Systems

- CHANGELOG 0.3.2b0
  - 0.3.2b0 single EXE version (240311 h16:30)

## CHANGELOG 0.3.2b0

## 0.3.2b0 single EXE version (240311 h16:30)



- 240311piu02 run script build\_doc to update ref libutils.py module. Update & publish site.
- 240311piu01 update downloads.md to include single exeresource starting with last stable version = 0.3.1b1
- 240308piu00 update app\_cli, option --version to get normalized version string
- 240308piu01 make single EXE with pyinstaller
  - ✓ 1. ck & install pyinstaller in local environment. Update it if necessary
  - 2. adhoc try to execute it. Make a command for (build\_sexe) RESULTS: .../x12roefact/dist/x12roefact/.. with exe & various files
  - ✓ 3. created a PDM script for command build\_sexe
  - 4. result produced in ...dist/x12roefact/dist/ a little bit unacceptable but ok for that step
  - √ 5. adjust command build\_sexe to produce a single file EXE RESOLUTION: up here resulted one file x12roefact.exe in .../dist/ directory
  - ✓ 6. adjust command build\_sexe to produce exe in other-temp directory for name processing (req here in nxt item-step)
  - 7. installed packaging package and updated x12roefact.\_\_version\_\_ module with function normalized\_version(raw\_version: str) -> str

- 8. adjust command build\_sexe to produce right file name as x12roefact-0.3.1.b1-win64.exe and move it in .../dist/ dir. Specs:
  - in pyproject.toml make post\_build\_sexe entry of call type {call =
     "xl2roefact.libutils:complete\_sexe\_file()"}
  - ✓ update \_\_version\_\_ modules to accommodate this function
  - skeleton rdy libutils module for function complete\_sexe\_file() that rename and move resulted exe file: .../dist\_sexe/xl2roefact\_to\_update\_name.exe --> .../dist/xl2roefact-version-win64.exe`
  - ✓ finalize & test code of complete\_sexe\_file() ==> PASS
- √ 9. in pyproject.toml include build\_sexe cmd in build\_all
- ✓ 10. build single exe for current stable version of xl2roefact = 0.3.1b1. Updated tech doc DLD (xl2roefact API Reference)
- ✓ 11. FIX: single exe not work. FIX: Must to HAVE DIFFERENT NAME THAN DIRECTORY x12roefact/.

  Created copy x12roefact\_copy\_for\_sexe.py for xl2roefact.py to be used by pyinstaller in build\_sexe script. This file should be kept on as a perfect copy of original (as sym-link doesn't work).
- 240307piu01 xl2roefact pdm environment created a script for **build PyPi** operation. PDM run script CAN be used from local development environment but CANNOT be used in build\_pypi automation, at execution raise error that cannot execute mkdir on branch NOT ANALYZED, just reverted workflow to previous one
- 230406piu08 updated downloads.md ref end-of-life date of all 0.1... versions: 10-March-2024

Last update: March 14, 2024