RENware Software Systems

INVOICEtoROefact Project

- CHANGELOG
 - 0.1 (-#NOTE_wip...)
 - #TODO..._wip... 0.1.22.dev xl2roefact application interface improvements & invoice customer infooptional items (bank, email, reg-com, phone) (#NOTE upd ".dev" qualifier & set date here...)
 - 0.1.21.post3 cleaned system documentation and site (240211 h23:59)
 - 0.1.21.post2 xl2roefact app detailed section with commands & options "--help" like (240206 h23:59)
 - 0.1.21.post1 fixed missing links in site root index page (240203 h10:30)
 - 0.1.21 rollout news in system portal invoicetoroefact.renware.eu (240203 h09:00)
 - 0.1.20.dev invoice customer address (240123 h10:00)
 - 0.1.19.dev invoice customer and partial invoice total values calculations (240116 h06:00)
- Archived CHANGELOGs

CHANGELOG

- For version code structure meaning see SDEVEN methodology document
- with (F) are marked those changes that are features in order to be copied in a RELNOTE file and with (B) bug fixes from versions released
- publishing is made under publishing branch
- <PROJECT_ROOT>/doc_src/ is the default starting location in a file path (if not clear from context) (ATTN in production environment is docs/)
- «WEB_ROOT»/ is the HTTP server root directory, as default docs/ and supposed if no other parent is specified

0.1 (-#NOTE_wip...)

```
- ---[ #TODO general planning board ]-----
   * ai un exemplu complet si complet agnostic (trimis Gigi) de factura format XML si PDF
tiparit ca sa faci: (1) incarcare XML (2) geenrare PDF (3) compararea variantelor si
identificarea schemei XSD + document specificatii ANAF ref sistemul E-Factura (PDF trimis Liviu)
   * -#NOTE link Swagger servicii web: `https://mfinante.gov.ro/web/efactura/informatii-
tehnice
   * -#NOTE link specif API incarcare fact:
`https://mfinante.gov.ro/static/10/eFactura/upload.html#/EFacturaUpload/handleRequest`
   - ---[ #TODO short planning board ]-----
   * left OPEN ISSUES on: `0.1.7` release (and drop them when fixed).
      ...Aici descrierea pe scurt: in file
`xl2roefact\invoice_files/_PLAN_model_test_factura_generat_anaf.xml`, line 114:_
`<cbc:ID>S</cbc:ID> #FIXME clarify.me_ pare a fi TIPUL PRODUSULUI: (S)erviciu sau ??? (P)rodus
sau ???`
    * ... FUTURE NEW APP COMMANDS :
       * `config` - set `config_settings.py` variables (make it INTERACTIVELY using `Rich
prompt`)
        * `xl2json` - crt_wip... (last upd @ 240123)
        * `json2xml` - see module WRXML,
       * `json2pdf` - new tbd..,
       * `xml2roefact` - see mpdule LDXML
        * chk for other commands from doc
`https://apitoroefact.renware.eu/commercial_agreement/110-SRE-
api_to_roefact_requirements.html#componenta-xl2roefact`
    * -#NOTE_PLAN `rdinv` module:
       * invoice header
           * [ ] wip... invoice header - customer bank, RegCom, email, tel, ...
           * [ ] invoice header - supplier (`<cac:AccountingSupplierParty>`)
           * [ ] invoice grand totals (there was left a comment ref whole XML structure in
rdinv(), line # ~ where build & write "Invoice" key)
```

#TODO..._wip... 0.1.22.dev xl2roefact application interface improvements & invoice customer info-optional items (bank, email, reg-com, phone) (#NOTE upd ".dev" qualifier & set date here...)

- tbd.Must... @RELEASE follow /RELEASE-QA_checklist.md
- wip.Would... automate GitHub site build & publishing. Last attempt @ 240216piu_a.
- tbd.Should... [piu_240126] left in setup.py comments & example ref how to **pre-set MSI build meta information** / parameters (obj: default target dir where install, path registration, ...)
- tbd.Must... publish x12roefact package --> read PDM doc ref package release
- tbd.Could... init a PDM simple env in project root. Keep in mind:
 - root project is for SITE GENERATION. ? the web2roefact will need its own directory5like x12roefact ?
 - as consequence the project name is INVOICEtoROefact

- and the version is last from CHANGELOG
- tbd.Must... invoice customer search for other keys: "reg com", "bank / IBAN / cont", "tel", "email" (start in rdinv() w./line 179 & then 331)
- wip...
- TODO: wip ...240214piu_b make in site a dedicated page for downloads: "Help --> Downloads" and refer it in all places where downloads are intended. Detailed specs:
 - dedicated downloads page doc_src/downloads.md #NOTE use template from main README.md
 - collected all existing dwndld links in doc_src/downloads.md need to be moved at their right positions in file
 - of for next items, in downloads.md there are already built links to sections (as html comments in file):
 - ✓ refer that page in x12roefact/README.md
 - refer that page in x12roefact/doc/README_x12roefact_library.md, excel_invoice_template/README.md
 - refer that page in excel_invoice_template/README.md
 - mkdocs.yml nav entry for "Help --> Descarcare resurse (Downloads)" to doc_src/downloads.md
 - fill in ...downloads.md page with all existing deliverables GROUPED BY file types & ORDER BY version DESC
- -----TODO:.from.here.to.up:----- test & rebuild all (pdm build_all) & site. Updates to check: page "Help --> Downloads" (or in topnav area?) app_cli.settings() function docstring: display arguments in "Referinta API" chk if show -r option in "Referinta CLI"
- 240216piu_a automated GitHub site build & publishing. FIXED ERROR:

 mkdocs_typer._exceptions.MkDocsTyperException: 'run' must be a 'typer.main.Typer' object, got

 <class 'function'> was changed run object to app_cli one
- 240214piu_c.BUGFIX ref 240213piu_a.FAILED fixed & enabled .github/.../ci.yml. To test by merging to build
- 240214piu_a xl2roefact component (.../app_cli.py) function settings(...) add --rules option (param) to display config_settings.__doc__
- 240213piu_a.FAILED merged for /requirements.txt lief package update as OK-PAS & disabled gh-workflow by renaming ci.yml to ci.yml temp_disabled. Actions tried: (-1.) updated .gh-workflow.../ci.yml (-2.) "small change" in /README.md in copyright year to test (-3.) merge to build branch for test
- 240212piu_e.BUGFIX navigation "xl2roefact --> Referinta CLI" (file /mkdocs.yml). Updated xl2roefact/README.md add a after header "## Comenzile aplicatiei" paragraph "Detalii comenzi:" and ref it accordingly in mkdocs.yml navigation following HTML file, not MARKDOWN one
- 240212piu_d rebuild all deliverables pdm build_all ==> v0.1.22 MSI, WHL, SDIST & moved them to a dedicated _WIP_0.1.22_/ until decide to rebuild or keep
- 240212piu_c added navigation "xl2roefact --> Referinta CLI" (file /mkdocs.yml). Built & published site (mkdocs build).

- 240212piu_b updated .../xl2roefact/app_cli.py to format app logo string as markdown. Updated packages (pdm build_all).
- 240212piu_a review and updated xl2roefact logo (file: ...xl2roefact/__version__). Updated API Reference doc (pdm build_doc). Clean project of obsolete files & open issues

0.1.21.post3 cleaned system documentation and site (240211 h23:59)

- 240211piu_b tested & reviewed 240211piu_a ==> published site
- 240211piu_a upated x12roefact/README.md clean section "Instalarea", preserved only Windows and Linux specs to run CLI component, ie, dropped library references as irrelevant at this point
- 240210piu_b test for iss 240210piu_a ==> PASS
 - app as functional (there are updates in code),
 - re-build tech doc (pdm build_doc),
 - build & publish site
- 240210piu_a reviewed & updated all x12roefact modules for their docstring
- 240209piu_c updated x12roefact component, README file, restructured info ref JSON file format (dropped redundant info)
- 240209piu_b reviewed & corrected 240209piu_a, 240208piu_a. Published site
- 240209piu_a updated x12roefact * documentation to drop redundant info (badges, prev versions useless details)
- 240208piu_a updated x12roefact library documentation, docstring(s) and mkdocs.yml navigation entries
 to clarify subjects by using specific technical terms (this component address technical users not business
 ones)
- 240207piu_b improve site readability by detailed description at bullet items level and dropping / moving in other parts the content non "end user related" from: /README.md, doc_src/.../810.05a-system_components.md
- 240207piu_a updated all site in pages references to system components & deliverables version

0.1.21.post2 xl2roefact app detailed section with commands & options "--help" like (240206 h23:59)

- 240206piu_c test & release: -- create release, -- publish site, -- save deliverable archives
- 240206piu_b install package: pip install mkdocs-typer & upd back requirements.txt
- 240206piu_a add mkdocs-typer extension and update x12roefact/README.md, section Comenzile aplicatiei page with generated documentation by this plugin

0.1.21.post1 fixed missing links in site root index page (240203 h10:30)

• 240203piu_a fixed links in /README.md for: x12roefact PyPi entry

0.1.21 rollout news in system portal invoicetoroefact.renware.eu (240203 h09:00)

- 240201piu_a reorganized x12roefact* components by disseminating the installable application, which is something available "as is now" just for Windows operating system. For Linux there is no difference between command line application and Python package *from an end user point of view*.
- 240131piu_a x12roefact/doc/810.05a-x12roefact_component.md clean & transform to "first entry to x12roefactPyPi"
- 240131piu_a updated mkdocs.yml: cleaned navigation, created version variables, updated default site build directory to docs/, cleared excluded directories entry
- 240130piu_b reviewed all changes, update site PDF generator file (mvd print_page.md to root) location, fixed navigation. PUBLISHED for x12roefact component
- 240130piu_a reviewed x12roefact README: cleaned, translated 2 RO, structured to "end user needs"
- 240129piu_d updated x12roefact to have "Descrierea detliata" link in 810.05a-system_components.md. Prepared component to be published: mkdocs.yml navigation & main site README index
- 240129piu_c updated all site pages to contain <small>**RENware Software Systems**</small> & [TOC] after title
- 240129piu_b cleanup project docs, requirements, fresh install ==> published site as is at this point (invoice template finished)
- 240129piu_a updated x12roefact/README.md with section for assets download
- 240128piu_e formal versioning invoice template component
- 240128piu_d updated & closed component invoice template. Referred in:
 - doc_src/810-DSGN/810.05a-system_components.md
 - · portal first page
 - navigation in mkdocs.yml
- 240128piu_c moved x12roefact/excel_invoice_template/ directory to root as being distinct component, review it and closed to be published
- 240128piu_b revised, updated and closed crt version of excel_invoice_template/README.md
- 240128piu_a updated x12roefact/README.md & excel_invoice_template/README.md files, cleared modularization & structure presented in system public site
- 240127piu_d Unify main project /READMEmd with doc_src/index.md:
 - make the same INDEX just in the project root == index / README of whole project
 - keep from actual project README.md the section ref project identification and move it to end of file as last section
- 240127piu_c created /index.html to redirect to "real" system index (doc_src/index.md) and prevent usage
 of project README.md file instead
- 240128piu_c checked work 240127piu_a, 240127piu_b, updated about.md and navigation with ref to sys structure (.../810.05a-system_components.md)

- 240127piu_b update system components and their classification (in .../810-DSGN/810.05a-system_components.md)
- 240127piu_a updated 810-DSGN/810.05a-system_components.md, defined a classification usable to quickly find out who-does-what
- 240125piu_a updated mkdocs.yml by including mkdocs-same-dir plug-in

0.1.20.dev invoice customer address (240123 h10:00)

- 240123piu_b make a full chk / review for FIXME & run pdm build_all
- 240123piu_a def_inv_dir issue ref Excel invoices default get directory, see comments in app_cli.py function x12json(...)
- 240121piu_a updated config_settings.py & rdinv.py with constants: PATTERN_FOR_PARTNER_REGCOM, PATTERN_FOR_PARTNER_IBAN, PATTERN_FOR_PARTNER_TEL, PATTERN_FOR_PARTNER_EMAIL, PATTERN_FOR_PARTNER_BANK
- @CANCELED 240118_admin02 generalize a function get_partner_info(partner_type: str "customer" | "supplier") to get partner info with partner type as being parameter
- 240118piu_a reviewed and cleaned code: rdinv.rdinv(), config_settings, excel_invoice_template/invoice_template_CU_tva.xlsx (according to updates in testing used invoice)
- 240113piu_a to find cac:PostalAddress and write to:
 - 1. right set position of key "cac_PostalAddress" in basic structure (invoice_header_area)
 - 2a. find excel area ref customer address (...invoice_header_area...)
 - 2b. disseminate & save excel original area (...invoice_header_area...)
 - ✓ 3. get & set ["Invoice"]["cac_PostalAddress"] and all is subsequent keys.
 - ✓ 4. update XML JSON map for item "under" cac_PostalAddress
 - 5. defined and included for use DEFAULT_SUPPLIER_COUNTRY and DEFAULT_CUSTOMER_COUNTRY both for "RO". Detailed desc and usage in config_settings.py & rdinv.rdinv(...)
 - 6. updated invoice template for country explicit field
- 240116_admin_01 upd version for 0.1.20

0.1.19.dev invoice customer and partial invoice total values calculations (240116 h06:00)

- 2401_xl2roefact_doc_01 xl2roefact update technical documentation, file xl2roefact/doc/810.05a-xl2roefact_component.md
- 240112piu_b 95% clean code rdinv() from customer area identification, from line 204 (kept a DBG print just for area identification (useful for next task ref the same opers but for Supplier))
- 240112piu_a module app_cli.py, created called_when_no_command(...) function called when no command is invoked and to provide only application version (for external users to test it!)

- 240110piu_c x12json about command to get version & "nice" LOGO from x12roefact/__version__.py, vars __version__ & __doc__
- 240110piu_b x12roefact/setup.py ref get app version from file when build EXE/MSI test for __version__ is correctly get and release
- 240110piu.a reviewed & updated x12roefact package README.md + x12roefact/_version__.py with an app logo and for text mistyping bugs
- 240108piu_c changed pyproject.toml for auto update package version from file x12roefact/__version__.py (see also opiss 240108piu_b)
- 240108piu_b created x12roefact/__version__ file that contains variable __version__ with INTENTION to use in pyproject.toml for app version key (in a future issue)
- 240108piu_a more items:
 - config_settings.py created entry PATTERN_FOR_PARTNER_ADDRESS & updated rdinv module in constants area
 - add comments in app_cli.py ref def_inv_dir issue &&...
 - updated environment dependencies and installed pyinstaller development package with intention to make "single EXE" application to be able to run "from USB stick"
- 240107piu_a reviewed x12roefact package README.md:
 - (c) explained proposed & promoted directory structure used by CLI application
 - (b) short invoice JSON file structure
 - (a) created first version of tutorial section
- 240106piu_a invoice customer search and persist for "RegistrationName"

Archived CHANGELOGs

- 0.1.18.dev invoice customer CUI partial invoice total values calculations
- 0.1.17.dev fixed all application & package running standard ways
- 0.1.16.dev improving Excel kv-data search with "IN-LABEL" method
- 0.1.15 updated solution portal http://invoicetoroefact.renware.eu/
- 0.1.14.dev invoice issue date
- 0.1.13.dev invoice currency
- 0.1.12.dev invoice number
- 0.1.11.dev packaging improvements for app & xl2roefact package
- 0.1.10.dev command interface improved, msi package building, invoice template & updated documentation
- 0.1.9.dev x12roefact.RDINV running executable and distribution kit
- 0.1.8.dev improved application structure and first executable release

- 0.1.7.dev x12roefact.RDINV invoice items & metadata + OPEN ISSUES
- 0.1.6.dev commercial agreement OPTIONS document
- 0.1.5.dev init component xl2roefact for CLI application
- 0.1.4.dev Create system backbone structure
- 0.1.3.dev Enhancing payments_validation_board technical proposal
- 0.1.2.dev Enhancing APItoROefact technical proposal
- 0.1.1.dev Elaborating technical proposal
- 0.1.0.dev System raw backbone

Last update: February 17, 2024