

DDG4

A Simulation Toolkit for
High Energy Physics Experiments
using Geant4 and the
DD4hep Geometry Description

M.Frank CERN, 1211 Geneva 23, Switzerland



DDG4 User Manual

Abstract


Simulating the detector response is an essential tool in high energy physics to analyze the sensitivity of an experiment to the underlying physics. Such simulation tools require a detailed though convenient detector description as it is provided by the DD4hep toolkit. We will present the generic simulation toolkit DDG4 using the DD4hep detector description toolkit. The toolkit implements a modular and flexible approach to simulation activities using Geant4. User defined simulation applications using DDG4 can easily be configured, extended using specialized action routines. The design is strongly driven by easy of use; developers of detector descriptions and applications using them should provide minimal information and minimal specific code to achieve the desired result.

Document History		
Document version	Date	Author
1.0	19/11/2013	Markus Frank CERN/LHCb



Contents

1	Introduction	1
2	The Geant4 User Interface	1
3	DDG4 Implementation 3.1 The Application Core Object: Geant4Kernel 3.2 Action Sequences 3.3 The Base Class of DDG4 Actions: Geant4Action 3.3.1 The Properties of Geant4Action Instances 3.4 Geant4 Action Sequences 3.5 Sensitive Detectors 3.5.1 Helpers of Sensitive Detectors: The Geant4VolumeManager 3.5.2 DDG4 Intrinsic Sensitive Detectors 3.5.3 Sensitive Detector Filters 3.6 The Geant4 Physics List 3.7 The Support of the Geant4 UI: Geant4UIMessenger	3 3 4 4 7 8 9 9
4	Setting up DDG4 4.1 Setting up DDG4 using XML 4.1.1 Setup of the Physics List 4.1.2 Setup of Global Geant4 Actions 4.1.3 Setup of Geant4 Filters 4.1.4 Geant4 Action Sequences 4.1.5 Setup of Geant4 Sensitive Detectors 4.1.6 Miscellaneous Setup of Geant4 Objects 4.1.7 Setup of Geant4 Phases 4.2 Setting up DDG4 using ROOT-CINT 4.3 Setting up DDG4 using Python 4.4 A Simple Example	14 15 16 16 17 18 18 19 21
5	Higher Level Components 5.1 Input Data Handling	28 29
6	Output Data Handling	30
7	Existing DDG4 components 7.1 Generic Action Modules 7.1.1 Geant4UIManager 7.1.2 Geant4Random 7.2 Predefined Geant4 Physics List Objects 7.3 Geant4 Generation Action Modules 7.3.1 Base class: Geant4GeneratorAction 7.3.2 Geant4GeneratorActionSequence 7.3.3 Geant4GeneratorActionInit 7.3.4 Geant4InteractionVertexBoost 7.3.5 Geant4InteractionVertexSmear 7.3.6 Geant4InteractionMerger 7.3.7 Geant4PrimaryHandler 7.3.8 Geant4ParticleGun 7.3.9 Geant4ParticleHandler	32 33 34 34 34 35 35 35 36





7.4	Geant	4 Event Action Modules	8
	7.4.1	Base class: Geant4EventAction	8
	7.4.2	Geant4EventActionSequence	8
	7.4.3	Geant4ParticlePrint	8
7.5	Sensit	ive Detectors	9
	7.5.1	Geant4TrackerAction	9
	7.5.2	Geant4CalorimeterAction	9
7.6	I/O C	omponents	0
	7.6.1	ROOT Output "Simple"	0
	7.6.2	LCIO Output "Simple"	0



1 Introduction

This manual should introduce to the DDG4 framework. One goal of DDG4 is to easily configure the simulation applications capable of simulating the physics response of detector configurations as they are used for example in high energy physics experiments. In such simulation programs the user normally has to define the experimental setup in terms of its geometry and in terms of its active elements which sample the detector response.

The goal of DDG4 is to generalize the configuration of a simulation application to a degree, which does not force users to write code to test a detector design. At the same time it should of course be feasible to supply specialized user written modules which are supposed to seamlessly operate together with standard modules supplied by the toolkit. Detector-simulation depends strongly on the use of an underlying simulation toolkit, the most prominent candidate nowadays being Geant4 [8]. DD4hep supports simulation activities with Geant4 providing an automatic translation mechanism between geometry representations. The simulation response in the active elements of the detector is strongly influenced by the technical choices and precise simulations depends on the very specific detection techniques.

Similar to the aim of DD4hep [1], where with time a standard palette of detector components developed by users should become part of the toolkit, DDG4 also hopes to provide a standard palette of components used to support simulation activities for detector layouts where detector designers may base the simulation of a planned experiment on these predefined components for initial design and optimization studies. The longterm vision is to construct simulation applications writing only new components not yet present i.e. the main work will be to select the appropriate components from the palette and connect them to a functional program.

This is not a manual to Geant4 nor the basic infrastructure of DD4hep. It is assumed that this knowledge is present and the typical glossary is known.

2 The Geant User Interface

The Geant4 simulation toolkit [8] implements a very complex machinery to simulate the energy deposition of particles traversing materials. To ease its usage for the clients and to shield clients from the complex internals when actually implementing a simulation applications for a given detector design, it provides several user hooks as shown in Figure 1. Each of these hooks serves a well specialized purpose, but unfortunately also leads to very specialized applications. One aim of DDG4 is to formalize these user actions so that the invocation at the appropriate time may be purely data driven. In detail the following object-hooks allow the client to define user provided actions:

- The User Physics List allows the client to customize and define the underlying physics process(es) which define the particle interactions inside the detector defined with the geometry description. These interactions define the detector response in terms of energy depositions.
- The Run Action is called once at the start and end of a run. i.e. a series of generated events. These two callbacks allow clients to define run-dependent actions such as statistics summaries etc.
- The **Primary Generator Action** is called for every event. During the callback all particles are created which form the microscopic kinematic action of the particle collision. This input may either origin directly from an event generator program or come from file.
- The **Event Action** is called once at the start and the end of each event. It is typically used for a simple analysis of the processed event. If the simulated data should be written to some persistent medium, the call at the end of the event processing is the appropriate place.
- The Tracking Action
- The Stepping Action
- The Stacking Action

Geant4 provides all callbacks with the necessary information in the form of appropriate arguments.






Figure 1: The various user hooks provided by Geant 4. Not shown here is the callback system interfacing to the active elements of the detector design.

Besides the callback system, Geant4 provides callbacks whenever a particle traverses a sensitive volume. These callbacks are called - similar to event actions - once at the start and the end of the event, but in addition, if either the energy deposit of a particle in the sensitive volume exceeds some threshold. The callbacks are formalized within the base class G4VSensitiveDetector.

3 DDG4 Implementation

A basic design criteria of the a DDG4 simulation application was to process any user defined hook provided by Geant4 as a series of algorithmic procedures, which could be implemented either using inheritance or by a callback mechanism registering functions fulfilling a given signature. Such sequences are provided for all actions mentioned in the list in Section 2 as well as for the callbacks to sensitive detectors.

The callback mechanism was introduced to allow for weak coupling between the various actions. For example could an action performing monitoring using histograms at the event level initialize or reset its histograms at the start/end of each run. To do so, clearly a callback at the start/end of a run would be necessary.

In the following sections a flexible and extensible interface to hooks of Geant4 is discussed starting with the description of the basic components Geant4Kernel and Geant4Action followed by the implementation of the relevant specializations. The specializations exposed are sequences of such actions, which also call registered objects. In later section the configuration and the combination of these components forming a functional simulation application is presented.

3.1 The Application Core Object: Geant4Kernel

The kernel object is the central context of a DDG4 simulation application and gives all clients access to the user hooks (see Figure 2). All Geant4 callback structures are exposed so that clients can easily objects implementing the required interface or register callbacks with the correct signature. Each of these action sequences is connected to an instance of a Geant4 provided callback structure as it is shown in Figure 1.






Figure 2: The main application object gives access to all sequencing actions in a DDG4 4 application. Sequence actions are only container of user actions calling one user action after the other. Optionally single callbacks may be registered to a user action.

3.2 Action Sequences

As shown in

3.3 The Base Class of DDG4 Actions: Geant4Action

The class Geant4Action is a common component interface providing the basic interface to the framework to

- configure the component using a property mechanism
- provide an appropriate interface to Geant4 interactivity. The interactivity included a generic way to change and access properties from the Geant4 UI prompt as well as executing registered commands.
- As shown in Figure 3, the base class also provides to its sub-class a reference to the Geant4Kernel objects through the Geant4Context.

The Geant4Action is a named entity and can be uniquely identified within a sequence attached to one Geant4 user callback.




Figure 3: The design of the common base class Geant4Action.

DDG4 knows two types of actions: global actions and anonymous actions. Global actions are accessible externally from the Geant4Kernel instance. Global actions are also re-usable and hence may be contribute to several action sequences (see the following chapters for details). Global actions are uniquely



identified by their name. Anonymous actions are known only within one sequence and normally are not shared between sequences.

3.3.1 The Properties of Geant4Action Instances

Nearly any subclass of a Geant4Action needs a flexible configuration in order to be reused, modified etc. The implementation of the mechanism uses a very flexible value conversion mechanism using boost::spirit, which support also conversions between unrelated types provided a dictionary is present. Properties are supposed to be member variables of a given action object. To publish a property it needs to be declared in the constructor as shown here:

```
declareProperty("OutputLevel", m_outputLevel = INFO);
declareProperty("Control", m_needsControl = false);
```

The internal setup of the Geant4Action objects then ensure that all declared properties will be set after the object construction to the values set in the setup file.

Note: Because the values can only be set **after** the object was constructed, the actual values may not be used in the constructor of any base or sub-class.

3.4 Geant4 Action Sequences

All Geant4 user hooks are realized as action sequences. As shown in Figure 2 these sequences are accessible to the user, who may attach specialized actions to the different action sequences. This allows a flexible handing of specialized user actions e.g. to dynamically add monitoring actions filling histograms or to implement alternative hit creation mechanism in a sensitive detector for detailed detector studies. Figure 4 shows the schematic call structure of an example Geant4TrackingActionSequence:




Figure 4: The design of the tracking action sequence. Specialized tracking action objects inherit from the Geant4TrackingAction object and must be attached to the sequence.

Geant4 calls the function from the virtual interface (G4UserTrackingAction), which is realised by the Geant4UserTrackingAction with the single purpose to propagate the call to the action sequence, which then calls all registered clients of type Geant4TrackingAction.

The main action sequences have a fixed name. These are

• The RunAction attached to the G4UserRunAction, implemented by the Geant4RunActionSequence class and is called at the start and the end of every run (beamOn). Members of the Geant4RunActionSequence are of type Geant4RunAction and receive the callbacks by overloading the two routines:



```
/// begin-of-run callback
virtual void begin(const G4Run* run);
/// End-of-run callback
virtual void end(const G4Run* run);
or register a callback with the signature void (T::*)(const G4Run*) either to receive begin-of-run
or end-or-calls using the methods:

/// Register begin-of-run callback. Types Q and T must be polymorph!
template <typename Q, typename T> void callAtBegin(Q* p, void (T::*f)(const G4Run*));
/// Register end-of-run callback. Types Q and T must be polymorph!
template <typename Q, typename T> void callAtEnd(Q* p, void (T::*f)(const G4Run*));
of the Geant4RunActionSequence from the Geant4Context object.
```

• The EventAction attached to the G4UserEventAction, implemented by the EventActionSequence class and is called at the start and the end of every event. Members of the Geant4EventActionSequence are of type Geant4EventAction and receive the callbacks by overloading the two routines:

```
/// Begin-of-event callback
virtual void begin(const G4Event* event);
/// End-of-event callback
virtual void end(const G4Event* event);
or register a callback with the signature void (T::*)(const G4Event*) either to receive begin-of-
run or end-or-calls using the methods:

/// Register begin-of-event callback
template <typename Q, typename T> void callAtBegin(Q* p, void (T::*f)(const G4Event*));

/// Register end-of-event callback
template <typename Q, typename T> void callAtEnd(Q* p, void (T::*f)(const G4Event*));
of the Geant4EventActionSequence from the Geant4Context object.
```

• The GeneratorAction attached to the G4VUserPrimaryGeneratorAction, implemented by the Geant4GeneratorActionSequence class and is called at the start of every event and provided all initial tracks from the Monte-Carlo generator. Members of the Geant4GeneratorActionSequence are of type Geant4EventAction and receive the callbacks by overloading the member function:

```
/// Callback to generate primary particles
virtual void operator()(G4Event* event);
or register a callback with the signature void (T::*)(G4Event*) to receive calls using the method:
/// Register primary particle generation callback.
template <typename Q, typename T> void call(Q* p, void (T::*f)(G4Event*));
of the Geant4GeneratorActionSequence from the Geant4Context object.
```

• The TrackingAction attached to the G4UserTrackingAction, implemented by the Geant4-Tracking-ActionSequence class and is called at the start and the end of tracking one single particle trace through the material of the detector. Members of the Geant4TrackingActionSequence are of type Geant4TrackingAction and receive the callbacks by overloading the member function:

```
/// Pre-tracking action callback
virtual void begin(const G4Track* trk);
/// Post-tracking action callback
virtual void end(const G4Track* trk);
```






Figure 5: The design of the tracking action sequence. Specialized tracking action objects inherit from the Geant4TrackingAction object and must be attached to the sequence.

or register a callback with the signature void (T::*)(const G4Step*, G4SteppingManager*) to receive calls using the method:

```
/// Register Pre-track action callback
template <typename Q, typename T> void callAtBegin(Q* p, void (T::*f)(const G4Track*));
/// Register Post-track action callback
template <typename Q, typename T> void callAtEnd(Q* p, void (T::*f)(const G4Track*));
```

Figure 5 show as an example the design (class-diagram) of the Geant4TrackingAction.

• The **SteppingAction** attached to the G4UserSteppingAction, implemented by the Geant4-SteppingActionSequence class and is called for each step when tracking a particle. Members of the Geant4SteppingActionSequence are of type Geant4SteppingAction and receive the callbacks by overloading the member function:

• The StackingAction attached to the G4UserStackingAction, implemented by the Geant4-StackingActionSequence class. Members of the Geant4StackingActionSequence are of type Geant4StackingAction and receive the callbacks by overloading the member functions:



```
/// New-stage callback
virtual void newStage();
/// Preparation callback
virtual void prepare();

or register a callback with the signature void (T::*)() to receive calls using the method:

/// Register begin-of-event callback. Types Q and T must be polymorph!
template <typename T> void callAtNewStage(T* p, void (T::*f)());

/// Register end-of-event callback. Types Q and T must be polymorph!
template <typename T> void callAtPrepare(T* p, void (T::*f)());
```

All sequence types support the method void adopt(T* member_reference) to add the members. Once adopted, the sequence takes ownership and manages the member. The design of all sequences is very similar.

3.5 Sensitive Detectors

Sensitive detectors are associated by the detector designers to all active materials, which would produce a signal which can be read out. In Geant4 this concept is realized by using a base class G4VSensitiveDetector. The mandate of a sensitive detector is the construction of hit objects using information from steps along a particle track. The G4VSensitiveDetector receives a callback at the begin and the end of the event processing and at each step inside the active material whenever an energy deposition occurred.

The sensitive actions do not necessarily deal only the collection of energy deposits, but could also be used to simply monitor the performance of the active element e.g. by producing histograms of the absolute value or the spacial distribution of the depositions.

Within DDG4 the concept of sensitive detectors is implemented as a configurable action sequence of type Geant4SensDetActionSequence calling members of the type Geant4Sensitive as shown in Figure 6. The actual processing part of such a sensitive action is only called if the and of a set of required filters of type Geant4Filter is positive (see also section 3.5.3). No filter is also positive. Possible filters are e.g. particle filters, which ignore the sensitive detector action if the particle is a geantino or if the energy deposit is below a given threshold.

Objects of type Geant4Sensitive receive the callbacks by overloading the member function:

```
/// Method invoked at the beginning of each event.
 virtual void begin(G4HCofThisEvent* hce);
 /// Method invoked at the end of each event.
 virtual void end(G4HCofThisEvent* hce);
 /// Method for generating hit(s) using the information of G4Step object.
 virtual bool process(G4Step* step, G4TouchableHistory* history);
 /// Method invoked if the event was aborted.
 virtual void clear(G4HCofThisEvent* hce);
or register a callback with the signature void (T::*)(G4HCofThisEvent*) respectively void (T::*)(G4Step*,
G4TouchableHistory*) to receive callbacks using the methods:
  /// Register begin-of-event callback
 template <typename T> void callAtBegin(T* p, void (T::*f)(G4HCofThisEvent*));
  /// Register end-of-event callback
 template <typename T> void callAtEnd(T* p, void (T::*f)(G4HCofThisEvent*));
  /// Register process-hit callback
 template <typename T> void callAtProcess(T* p, void (T::*f)(G4Step*, G4TouchableHistory*));
  /// Register clear callback
  template <typename T> void callAtClear(T* p, void (T::*f)(G4HCofThisEvent*));
```

Please refer to the Geant4 Applications manual from the Geant4 web page for further details about the concept of sensitive detectors.






Figure 6: The sensitive detector design. The actual energy deposits are collected in user defined subclasses of the Geant4Sensitive. Here, as an example possible actions called TrackerHitCollector, TrackerDetailedHitCollector and TrackerHitMonitor are shown.

3.5.1 Helpers of Sensitive Detectors: The Geant4VolumeManager

Sooner or later, when a hit is created in a sensitive placed volume, the hit must be associated with this volume. For this purpose DD4hep provides the concept of the VolumeManager, which identifies placed volumes uniquely by a 64-bit identifier, the CellID. This mechanism allows to quickly retrieve a given volume given the hit data containing the CellID. The CellID is a very compressed representation for any element in the hierarchy of placed volumes to the sensitive volume in question.

During the simulation the reverse mechanism must be applied: Geant4 provides the hierarchy of G4PhysicalVolumes to the hit location and the local coordinates of the hit within the sensitive volume. Hence to determine the volume identifier is essential to store hits so that they can be later accessed and processed efficiently. This mechanism is provided by the Geant4VolumeManager. Clients typically do not interact with this object, any access necessary is provided by the Geant4Sensitive action:

```
/// Method for generating hit(s) using the information of G4Step object.
bool MySensitiveAction:process(G4Step* step,G4TouchableHistory* /*hist*/ ) {
    ...
    Hit* hit = new Hit();
    // *** Retrieve the cellID ***
    hit->cellID = cellID(step);
    ...
}
```

The call is realized using a member function provided by the Geant4Sensitive action:



```
/// Returns the cellID of the sensitive volume corresponding to the step
/** The CellID is the VolumeID + the local coordinates of the sensitive area.

* Calculated by combining the VolIDS of the complete geometry path (Geant4TouchableHistory)

* from the current sensitive volume to the world volume

*/
long long int cellID(G4Step* step);
```

Note:

The Geant4VolumeManager functionality is not for free! It requires that – match Geant4 volume with TGeo volume

3.5.2 DDG4 Intrinsic Sensitive Detectors

Currently there are two generic sensitive detectors implemented in DDG4:

• The Geant4TrackerAction, which may be used to handle tracking devices. This sensitive detector produces one hit for every energy deposition of Geant4 i.e. for every callback to

```
/// Method for generating hit(s) using the information of G4Step object.
virtual bool process(G4Step* step, G4TouchableHistory* history);
```

See the implementation file $\,\mathrm{DDG4/plugins/Geant4SDAction.cpp}\,$ for details. The produced hits are of type $\,\mathrm{Geant4Tracker::Hit}$.

• The Geant4CalorimeterAction, which may be used to handle generic calorimeter like devices. This sensitive detector produces at most one hit for every cell in the calorimeter. If several tracks contribute to the energy deposit of this cell, the contributions are added up. See the implementation file DDG4/plugins/Geant4SDAction.cpp for details. The produced hits are of type Geant4Calorimeter::Hit . propagate the MC truth information with respect to each track kept in the particle record.

Both sensitive detectors use the Geant4VolumeManager discussed in section 3.5.1 to identify the sensitive elements.

PLEASE NOTE:

The above palette of generic sensitive detectors only contains two very often used implementations. We hope, that this palette over time grows from external contributions of other generic sensitive detectors. We would be happy to extend this palette with other generic implementations. One example would be the handling of the simulation response for optical detectors like RICH-Cerenkov detectors.

3.5.3 Sensitive Detector Filters

The concept of filters allows to build more flexible sensitive detectors by restricting the hit processing of a given instance of a sensitive action.

- Examples would be to demand a given particle type before a sensitive action is invoked: a sensitive action dealing with optical photons (RICH detectors, etc), would e.g. not be interested in energy depositions of other particles. A filter object restricting the particle type to optical photons would be appropriate.
- Another example would be to implement a special action instance, which would be only called if the filter requires a minimum energy deposit.

There are plenty of possible applications, hence we would like to introduce this feature here.

Filters are called by Geant4 before the hit processing in the sensitive detectors start. The global filters may be shared between many sensitive detectors. Alternatively filters may be directly attached to the sensitive detector in question. Attributes are directly passed as properties to the filter action.

Technically do Geant4Filter objects inherit from the base class Geant4Filter (see Figure 7. Any filter inherits from the common base class Geant4Filter, then several specializations may be configured like filters to select/reject particles, to specify the minimal energy deposit to be processed etc. A sensitive detector is called if the filter callback with the signature returns a true result:



/// Filter action. Return true if hits should be processed
virtual bool operator()(const G4Step* step) const;




Figure 7: The sensitive detector filters design. The shown class diagram is actually implemented.



3.6 The Geant4 Physics List

Geant4 provides the base class G4VUserPhysicsList, which allows users to implement customized physics according to the studies to be made. Any user defined physics list must provide this interface. DDG4 provides such an interface through the ROOT plugin mechanism using the class G4VModularPhysicsList. The flexibility of DDG4 allows for several possibilities to setup the Geant4 physics list. Instead of explicitly coding the physics list, DDG4 foresees the usage of the plugin mechanism to instantiate the necessary calls to Geant4 in a sequence of actions:

• The physics list is realized as a sequence of actions of type Geant4PhysicsListActionSequence. Members of the Geant4PhysicsListActionSequence are of type Geant4PhysicsList and receive the callbacks by overloading the member functions:

```
/// Callback to construct the physics constructors
virtual void constructProcess(Geant4UserPhysics* interface);
/// constructParticle callback
virtual void constructParticles(Geant4UserPhysics* particle);
/// constructPhysics callback
virtual void constructPhysics(Geant4UserPhysics* physics);
```

or register a callback with the signature void (T::*)(Geant4UserPhysics*) to receive calls using the method:

```
/// Register process construction callback t
template <typename Q, typename T> void constructProcess(Q* p, void (T::*f)(Geant4UserPhysics*));
/// Register particle construction callback
template <typename Q, typename T> void constructParticle(Q* p, void (T::*f)(Geant4UserPhysics*));
```

The argument of type Geant4UserPhysics provides a basic interface to the original G4VModular-PhysicsList, which allows to register physics constructors etc.

• In most of the cases the above approach is an overkill and often even too flexible. Hence, alternatively, the physics list may consist of a single entry of type Geant4PhysicsList.

The basic implementation of the Geant4PhysicsList supports the usage of various

- particle constructors, such as single particle constructors like G4Gamma or G4Proton, or whole particle groups like G4BosonConstructor or G4IonConstrutor,
- physics process constructors , such as e.g. G4GammaConversion, G4PhotoElectricEffect or G4ComptonScattering,
- physics constructors combining particles and the corresponding interactions, such as e.g. G4OpticalPhysics, HadronPhysicsLHEP or G4HadronElasticPhysics and
- predefined Geant4 physics lists, such as FTFP_BERT, CHIPS or QGSP_INCLXX. This option is triggered by the content of the string property "extends" of the Geant4Kernel::physicsList() action.

These constructors are internally connected to the above callbacks to register themselves. The constructors are instantiated using the ROOT plugin mechanism.

The description of the above interface is only for completeness. The basic idea is, that the physics list with its particle and physics constructors is configured entirely data driven using the setup mechanism described in the following chapter. However, DDG4 is not limited to the data driven approach. Specialized physics lists may be supplied, but there should be no need. New physics lists could always be composed by actually providing new physics constructors and actually publishing these using the factory methods:

```
1// Framework include files
2 #include "DDG4/Factories.h"
3
4 #include "My_Very_Own_Physics_Constructor.h"
5 DECLARE_GEANT4_PHYSICS(My_Very_Own_Physics_Constructor)
```

 $where \verb| My_Very_Own_Physics_Constructor| represents a sub-class of \verb| G4VPhysics_Constructor|.$



3.7 The Support of the Geant4 UI: Geant4UIMessenger

The support of interactivity in Geant4 is mandatory to debug detector setups in small steps. The Geant4 toolkit did provide for this reason a machinery of UI commands.




Figure 8: The design of the Geant4UIMessenger class responsible for the interaction between the user and the components of DDG4 and Geant4.

The UI control is enabled, as soon as the property "Control" (boolean) is set to true. Be default all properties of the action are exported. Similar to the callback mechanism described above it is also feasible to register any object callback invoking a method of a Geant4Action-subclass.

The following (shortened) screen dump illustrates the usage of the generic interface any Geant4Action offers:

```
Idle> ls
Command directory path : /
Sub-directories :
              UI control commands.
   /control/
   /units/
           Available units.
   /process/ Process Table control commands.
  /ddg4/
          Control for all named Geant4 actions
Idle> cd /ddg4
Idle> ls
Control for all named Geant4 actions
Sub-directories :
   /ddg4/RunInit/
                   Control hierarchy for Geant4 action:RunInit
   /ddg4/RunAction/
                      Control hierarchy for Geant4 action:RunAction
   /ddg4/EventAction/
                       Control hierarchy for Geant4 action: EventAction
                            Control hierarchy for Geant4 action:GeneratorAction
   /ddg4/GeneratorAction/
   /ddg4/LCI01/
                 Control hierarchy for Geant4 action:LCIO1
   /ddg4/Smear1/
                  Control hierarchy for Geant4 action: Smear1
                           Control hierarchy for Geant4 action:PrimaryHandler
   /ddg4/PrimaryHandler/
   /ddg4/TrackingAction/
                           Control hierarchy for Geant4 action: TrackingAction
   /ddg4/SteppingAction/
                           Control hierarchy for Geant4 action: SteppingAction
   /ddg4/ParticleHandler/
                          Control hierarchy for Geant4 action:ParticleHandler
```



```
Control hierarchy for Geant4 action: UserParticleHandler
   /ddg4/UserParticleHandler/
Idle> ls Smear1
Command directory path : /ddg4/Smear1/
Commands:
   show * Show all properties of Geant4 component: Smear1
   Control * Property item of type bool
  Mask * Property item of type int
  Name * Property item of type std::string
   Offset * Property item of type ROOT::Math::LorentzVector<ROOT::Math::PxPyPzE4D<double> >
   OutputLevel * Property item of type int
  Sigma * Property item of type ROOT::Math::LorentzVector<ROOT::Math::PxPyPzE4D<double> >
   name * Property item of type std::string
Idle> Smear1/show
PropertyManager: Property Control = True
PropertyManager: Property Mask = 1
PropertyManager: Property Name = 'Smear1'
PropertyManager: Property Offset = ( -20 , -10 , -10 , 0 )
PropertyManager: Property OutputLevel = 4
PropertyManager: Property Sigma = ( 12 , 8 , 8 , 0 )
PropertyManager: Property name = 'Smear1'
Idle> Smear1/Offset (200*mm, -3*mm, 15*mm, 10*ns)
Geant4UIMessenger: +++ Smear1> Setting property value Offset = (200*mm, -3*mm, 15*mm, 10*ns)
                              native:( 200 , -3 , 15 , 10 ).
Idle> Smear1/show
PropertyManager: Property Offset = ( 200 , -3 , 15 , 10 )
```



4 Setting up DDG4

DDG4 offers several possibilities to configure a simulation application using

- XML files,
- by coding a setup script loaded from the ROOT interpreter with the AClick mechanism.
- by creating a setup script using python and ROOT's reflection mechanism exposed by PyROOT.

The following subsection describe these different mechanism. An attempt was made to match the naming conventions of all approaches where possible.

4.1 Setting up DDG4 using XML

A special plugin was developed to enable the configuration of DDG4 using XML structures. These files are parsed identically to the geometry setup in DD4hep the only difference is the name of the root-element, which for DDG4 is <geant4_setup>. The following code snippet shows the basic structure of a DDG4 setup file:

```
<geant4_setup>
                              </physicslist> <!-- Definition of the physics list</pre>
 <physicslist>
  <actions>
                                               <!-- The list of global actions
                                                                                              -->
                              </actions>
 <phases>
                              </phases>
                                               <!-- The definition of the various phases
                                               <!-- The list of global filter actions
 <filters>
                              </filters>
                              </sequences> <!-- The list of defined sequences
                                                                                              -->
 <sequences>
                              </sensitive_detectors> <!-- The list of sensitive detectors -->
 <sensitive_detectors>
                         . . .
 properties>
                              </properties> <!-- Free format option sequences</pre>
                                                                                              -->
</geant4_setup>
```

To setup a DDG4 4 application any number of xml setup files may be interpreted iteratively. In the following subsections the content of these first level sub-trees will be discussed.

4.1.1 Setup of the Physics List

The main tag to setup a physics list is <physicslist> with the name attribute defining the instance of the Geant4PhysicsList object. An example code snippet is shown below in Figure 9.

```
1 < geant4_setup>
2
    <physicslist name="Geant4PhysicsList/MyPhysics.0">
3
      <extends name="QGSP_BERT"/>
4
                                                       <!-- Geant4 basic Physics list -->
5
6
      <particles>
                                                       <!-- Particle constructors
7
        <construct name="G4Geantino"/>
8
        <construct name="G4ChargedGeantino"/>
9
        <construct name="G4Electron"/>
10
        <construct name="G4Gamma"/>
11
        <construct name="G4BosonConstructor"/>
12
        <construct name="G4LeptonConstructor"/>
13
        <construct name="G4MesonConstructor"/>
        <construct name="G4BaryonConstructor"/>
14
15
        . . .
16
      </particles>
17
18
      cesses>
                                                       <!-- Process constructors
        <particle name="e[+-]" cut="1*mm">
19
20
          cprocess name="G4eMultipleScattering"
                                                   ordAtRestDoIt="-1"
                                                                             ordAlongSteptDoIt="1"
21
                                                   ordPostStepDoIt="1"/>
22
          cprocess name="G4eIonisation"
                                                   ordAtRestDoIt="-1"
                                                                             ordAlongSteptDoIt="2"
```



```
23
                                                    ordPostStepDoIt="2"/>
24
         </particle>
         <particle name="mu[+-]">
25
                                                                              ordAlongSteptDoIt="1"
26
           cprocess name="G4MuMultipleScattering" ordAtRestDoIt="-1"
27
                                                    ordPostStepDoIt="1"/>
28
           cprocess name="G4MuIonisation"
                                                    ordAtRestDoIt="-1"
                                                                              ordAlongSteptDoIt="2"
29
                                                    ordPostStepDoIt="2"/>
30
         </particle>
31
32
       </processes>
33
34
      <physics>
                                                        <!-- Physics constructors
                                                                                         -->
35
         <construct name="G4EmStandardPhysics"/>
36
         <construct name="HadronPhysicsQGSP"/>
37
38
      </physics>
39
    </physicslist>
41 </geant4_setup>
```

Figure 9: XML snippet showing the configuration of a physics list.

- To base all these constructs on an already existing predefined Geant4 physics list use the <extends> tag with the attribute containing the name of the physics list as shown in line 4.
- To trigger a call to a **particle constructors** (line 7-14), use the <particles> section and define the Geant4 particle constructor to be called by name. To trigger a call to
- physics process constructors, as shown in line 19-30, Define for each particle matching the name pattern (regular expression!) and the default cut value for the corresponding processes. The attributes ordXXXX correspond to the arguments of the Geant4 call G4ProcessManager::AddProcess(process,ordAtRestDoIt, ordAlongSteptDoIt,ordPostStepDoIt); The processes themself are created using the ROOT plugin mechanism. To trigger a call to
- physics constructors, as shown in line 34-35, use the <physics> section.

If only a predefined physics list is used, which probably already satisfies very many use cases, all these section collapse to:

4.1.2 Setup of Global Geant4 Actions

Global actions must be defined in the <actions> section as shown in the following snippet:



```
8 <action name="Geant4TestEventAction/UserEvent_2"
9 Property_int="1234"
10 Property_double="5e15"
11 Property_string="Hello_2" />
12 </actions>
13 </geant4_setup>
```

The default properties of every Geant4Action object are:

```
Name [string] Action name
OutputLevel [int] Flag to customize the level of printout
Control [boolean] Flag if the UI messenger should be installed.
```

The name attribute of an action child is a qualified name: The first part denotes the type of the plugin (i.e. its class), the second part the name of the instance. Within one collection the instance name must be unique. Properties of Geant4Actions are set by placing them as attributes into the cproperties section.

4.1.3 Setup of Geant4 Filters

Filters are special actions called by Geant4Sensitives. Filters may be global or anonymous i.e. reusable by several sensitive detector sequences as illustrated in Section 4.1.4. The setup is analogous to the setup of global actions:

```
1
    <filters>
2
      <filter name="GeantinoRejectFilter/GeantinoRejector"/>
      <filter name="ParticleRejectFilter/OpticalPhotonRejector">
3
4
        cproperties particle="opticalphoton"/>
5
      </filter>
6
      <filter name="ParticleSelectFilter/OpticalPhotonSelector">
        cproperties particle="opticalphoton"/>
7
8
9
      <filter name="EnergyDepositMinimumCut">
10
        cproperties Cut="10*MeV"/>
11
      </filter>
      <!--
                   ... next global filter ...
12
13
   </filters>
```

Global filters are accessible from the Geant4Kernel object.

4.1.4 Geant4 Action Sequences

Geant4 Action Sequences by definition are Geant4Action objects. Hence, they share the setup mechanism with properties etc. For the setup mechanism two different types of sequences are known to DDG4: Action sequences and Sensitive detector sequences. Bot are declared in the sequences section:

```
1 < geant4_setup>
2
    <sequences>
3
      <sequence name="Geant4EventActionSequence/EventAction"> <!-- Sequence "EventAction" of type</pre>
4
                                                                      "Geant4EventActionSequence" -->
5
                                                                <!-- Anonymous action
        <action name="Geant4TestEventAction/UserEvent_1">
6
          roperties Property_int="01234"
                                                                <!-- Properties go inline
                                                                                                          -->
7
              Property_double="1e11"
8
              Property_string="'Hello_1'"/>
9
        </action>
10
        <action name="UserEvent_2"/>
                                                                <!-- Global action defined in "actions" -->
                                                                <!-- Only the name is referenced here
11
12
        <action name="Geant4Output2ROOT/RootOutput">
                                                                <!-- ROOT I/O action
                                                                                                          -->
```



```
13
           cproperties Output="simple.root"/>
                                                                <!-- Output file property
14
        </action>
15
        <action name="Geant40utput2LCI0/LCI00utput">
                                                                <!-- LCIO output action
                                                                                                          -->
                                                                <!-- Output file property
16
           properties Output="simple.lcio"/>
17
        </action>
18
      </sequence>
19
20
21
      <sequence sd="SiTrackerBarrel" type="Geant4SensDetActionSequence">
22
        <filter name="GeantinoRejector"/>
        <filter name="EnergyDepositMinimumCut"/>
23
24
        <action name="Geant4SimpleTrackerAction/SiTrackerBarrelHandler"/>
25
      </sequence>
26
      <sequence sd="SiTrackerEndcap" type="Geant4SensDetActionSequence">
27
        <filter name="GeantinoRejector"/>
28
        <filter name="EnergyDepositMinimumCut"/>
29
        <action name="Geant4SimpleTrackerAction/SiTrackerEndcapHandler"/>
30
      </sequence>
31
      <!--
              ... next sequence ...
    </sequences>
33 </geant4_setup>
```

Here firstly the **EventAction** sequence is defined with its members. Secondly a sensitive detector sequence is defined for the subdetector SiTrackerBarrel of type Geant4SensDetActionSequence. The sequence uses two filters: GeantinoRejector to not generate hits from geantinos and EnergyDepositMinimumCut to enforce a minimal energy deposit. These filters are global i.e. they may be applied by many subdetectors. The setup of global filters is described in Section 4.1.3. Finally the action SiTrackerEndcapHandler of type Geant4SimpleTrackerAction is chained, which collects the deposited energy and creates a collection of hits. The Geant4SimpleTrackerAction is a template callback to illustrate the usage of sensitive elements in DDG4. The resulting hit collection of these handlers by default have the same name as the object instance name. Analogous below the sensitive detector sequence for the subdetector SiTrackerEndcap is shown, which reuses the same filter actions, but will build its own hit collection. Please note:

- It was already mentioned, but once again: Event-, run-, generator-, tracking-, stepping- and stacking actions sequences have predefined names! These names are fixed and part of the common knowledge, they cannot be altered. Please refer to Section 3.4 for the names of the global action sequences.
- the sensitive detector sequences are matched by the attribute sd to the subdetectors created with the DD4hep detector description package. Values must match!
- In the event that several xml files are parsed it is absolutely vital that the <actions> section is interpreted before the sequences.
- For each XML file several <sequences> are allowed.

4.1.5 Setup of Geant4 Sensitive Detectors

```
1
    <geant4_setup>
2
      <sensitive_detectors>
3
        <sd name="SiTrackerBarrel"
            type="Geant4SensDet"
 4
5
            ecut="10.0*MeV"
6
            verbose="true"
7
            hit_aggregation="position">
8
9
        <!-- ... next sensitive detector ... -->
10
      </sensitive_detectors>
11
    </geant4_setup>
```



4.1.6 Miscellaneous Setup of Geant 4 Objects

This section is used for the flexible setup of auxiliary objects such as the electromagnetic fields used in Geant4:

```
<geant4_setup>
1
2
      properties>
3
        <attributes name="geant4_field"
 4
              id="0"
5
              type="Geant4FieldSetup"
              object="GlobalSolenoid"
6
7
              global="true"
              min_chord_step="0.01*mm"
8
9
              delta_chord="0.25*mm"
10
              delta_intersection="1e-05*mm"
11
              delta_one_step="0.001*mm"
12
              eps_min="5e-05*mm"
13
               eps_max="0.001*mm"
14
               stepper="HelixSimpleRunge"
15
              equation="Mag_UsualEqRhs">
        </attributes>
16
17
18
      </properties>
19
    </geant4_setup>
```

Important are the tags type and object, which are used to firstly define the plugin to be called and secondly define the object from the DD4hep description to be configured for the use within Geant4.

4.1.7 Setup of Geant4 Phases

Phases are configured as shown below. However, the use is **discouraged**, since it is not yet clear if there are appropriate use cases!

```
<phases>
2
      <phase type="RunAction/begin">
3
        <action name="RunInit"/>
4
        <action name="Geant4TestRunAction/UserRunInit">
5
      roperties Property_int="1234"
              Property_double="5e15"
6
7
               Property_string="'Hello_2'"/>
8
        </action>
9
      </phase>
      <phase type="EventAction/begin">
10
        <action name="UserEvent_2"/>
11
12
      </phase>
13
      <phase type="EventAction/end">
14
        <action name="UserEvent_2"/>
15
      </phase>
16
17
    </phases>
```



4.2 Setting up DDG4 using ROOT-CINT

The setup of DDG4 directly from the the ROOT interpreter using the AClick mechanism is very simple, but mainly meant for purists (like me ;-)), since it is nearly equivalent to the explicit setup within a C++ main program. The following code section shows how to do it. For explanation the code segment is discussed below line by line.

```
1 #include "DDG4/Geant4Config.h"
2 #include "DDG4/Geant4TestActions.h"
3 #include "DDG4/Geant4TrackHandler.h"
4 #include <iostream>
6 using namespace std;
7 using namespace DD4hep;
8 using namespace DD4hep::Simulation;
9 using namespace DD4hep::Simulation::Test;
10 using namespace DD4hep::Simulation::Setup;
12 #if defined(__MAKECINT__)
13 #pragma link C++ class Geant4RunActionSequence;
14 #pragma link C++ class Geant4EventActionSequence;
15 #pragma link C++ class Geant4SteppingActionSequence;
16 #pragma link C++ class Geant4StackingActionSequence;
17 #pragma link C++ class Geant4GeneratorActionSequence;
18 #pragma link C++ class Geant4Action;
19 #pragma link C++ class Geant4Kernel;
20 #endif
22 SensitiveSeq::handled_type* setupDetector(Kernel& kernel, const std::string& name)
23 SensitiveSeq sd = SensitiveSeq(kernel,name);
24 Sensitive sens = Sensitive(kernel, "Geant4TestSensitive/"+name+"Handler", name);
25 sd->adopt(sens);
26 sens = Sensitive(kernel, "Geant4TestSensitive/"+name+"Monitor", name);
27 sd->adopt(sens);
28 return sd;
29 }
30
31 void exampleAClick() {
32 Geant4Kernel& kernel = Geant4Kernel::instance(LCDD::getInstance());
33 kernel.loadGeometry("file:../DD4hep.trunk/DDExamples/CLICSiD/compact/compact.xml");
34 kernel.loadXML("DDG4_field.xml");
35
36
   GenAction gun(kernel, "Geant4ParticleGun/Gun");
37
    gun["energy"] = 0.5*GeV;
                                                       // Set properties
38
    gun["particle"] = "e-";
39
    gun["multiplicity"] = 1;
40
   kernel.generatorAction().adopt(gun);
41
42
   Action run_init(kernel, "Geant4TestRunAction/RunInit");
43
    run_init["Property_int"] = 12345;
    kernel.runAction().callAtBegin (run_init.get(),&Geant4TestRunAction::begin);
44
45
    kernel.eventAction().callAtBegin(run_init.get(), &Geant4TestRunAction::beginEvent);
   kernel.eventAction().callAtEnd (run_init.get(),&Geant4TestRunAction::endEvent);
46
47
48 Action evt_1(kernel, "Geant4TestEventAction/UserEvent_1");
49    evt_1["Property_int"] = 12345;
                                                       // Set properties
50 evt_1["Property_string"] = "Events";
51 kernel.eventAction().adopt(evt_1);
```



```
52
53
    EventAction evt_2(kernel, "Geant4TestEventAction/UserEvent_2");
54
    kernel.eventAction().adopt(evt_2);
55
56
    kernel.runAction().callAtBegin(evt_2.get(),&Geant4TestEventAction::begin);
    kernel.runAction().callAtEnd (evt_2.get(),&Geant4TestEventAction::end);
57
58
59
    setupDetector(kernel, "SiVertexBarrel");
60
    setupDetector(kernel, "SiVertexEndcap");
    // .... more subdetectors here .....
61
62
    setupDetector(kernel, "LumiCal");
63
    setupDetector(kernel, "BeamCal");
64
65
    kernel.configure();
66
    kernel.initialize();
67
    kernel.run();
68
    std::cout << "Successfully executed application .... " << std::endl;</pre>
69
    kernel.terminate();
70 }
   Line
             The header file Geant4Config.h contains a set of wrapper classes to easy the creation of objects
             using the plugin mechanism and setting properties to Geant4Action objects. These helpers
    1
             and the corresponding functionality are not included in the wrapped classes themselves to not
             clutter the code with stuff only used for the setup. All contained objects are in the namespace
             DD4hep::Simulation::Setup
            Save yourself specifying all the namespaces objects are in....
    . 6-10
             CINT processing pragmas. Classes defined here will be available at the ROOT prompt after
    13-19
             this AClick is loaded.
             Sampler to fill the sensitive detector sequences for each subdetector with two entries: a handler
    22-29
             and a monitor action. Please note, that this here is example code and in real life specialized
             actions will have to be provided for each subdetector.
    31
             Let's go for it. here the entry point starts....
    32
             Create the Geant4Kernel object.
    33
           Load the geometry into DD4hep.
    34
             Redefine the setup of the sensitive detectors.
             Create the generator action of type Geant4ParticleGun with name Gun, set non-default properties
    36-40
             and activate the configured object by attaching it to the Geant4Kernel.
             Create a user defined begin-of-run action callback, set the properties and attach it to the begin
    42-46
             of run calls. To collect statistics extra member functions are registered to be called at the
             beginning and the end of each event.
             Create a user defined event action routine, set its properties and attach it to the event action
    48-51
             Create a second event action and register it to the event action sequence. This action will be
   53-54
             called after the previously created action.
             For this event action we want to receive callbacks at start- and end-of-run to produce additional
   56-57
             summary output.
    59-63
             Call the sampler routine to attach test actions to the subdetectors defined.
             Configure, initialize and run the Geant4 application. Most of the Geant4 actions will only be
    65-66
             created here and the action sequences created before will be attached now.
    69
             Terminate the Geant4 application and exit.
```



CINT currently cannot handle pointers to member functions ¹. Hence the above AClick only works in compiled mode. To invoke the compilation the following action is necessary from the ROOT prompt:

```
1$> root.exe
    ************
2
3
4
             WELCOME to ROOT
5
6
        Version 5.34/10
                             29 August 2013
7
8
       You are welcome to visit our Web site
9
               http://root.cern.ch
10
11
    **************
12
13\, \texttt{ROOT}\ 5.34/10\ (\texttt{heads/v5-34-00-patches@v5-34-10-5-g0e8bac8},\ \texttt{Sep}\ 04\ 2013,\ 11:52:19\ \texttt{on}\ \texttt{linux})
15 CINT/ROOT C/C++ Interpreter version 5.18.00, July 2, 2010
16 Type ? for help. Commands must be C++ statements.
17 Enclose multiple statements between { }.
18 root [0] .X initAClick.C
19 .... Setting up the CINT include pathes and the link statements.
21 root [1] .L ../DD4hep.trunk/DDG4/examples/exampleAClick.C+
22 Info in <TUnixSystem::ACLiC>: creating shared library ....exampleAClick_C.so
23 .... some Cint warnings concerning member function pointers .....
25 root [2] exampleAClick()
26 .... and it starts ...
```

The above scripts are present in the DDG4/example directory located in svn. The initialization script initAClick.C may require customization to cope with the installation paths.

4.3 Setting up DDG4 using Python

Given the reflection interface of ROOT, the setup of the simulation interface using DD4hep is of course also possible using the python interpreted language. In the following code example the setup of Geant4 using the ClicSid example is shown using python ².

```
1 import DDG4
2 from SystemOfUnits import *
3
4 """
5
     DD4hep example setup using the python configuration
6
7
8
     @author M.Frank
9
     @version 1.0
10
11 """
12 def run():
13 kernel = DDG4.Kernel()
14 kernel.loadGeometry("file:../DD4hep.trunk/DDExamples/CLICSiD/compact/compact.xml")
   kernel.loadXML("DDG4_field.xml")
15
16
```

¹This may change in the future once ROOT uses clang and cling as the interpreting engine.

²For comparison, the same example was used to illustrate the setup using XML files.



```
17 lcdd = kernel.lcdd()
18 print '+++ List of sensitive detectors:'
19 for i in lcdd.detectors():
20
   o = DDG4.DetElement(i.second)
21
     sd = lcdd.sensitiveDetector(o.name())
22
    if sd.isValid():
23
       print '+++ %-32s type:%s'%(o.name(), sd.type(), )
24
25 # Configure Run actions
26 run1 = DDG4.RunAction(kernel, 'Geant4TestRunAction/RunInit')
27
   run1.Property_int
                       = 12345
28
   run1.Property_double = -5e15*keV
29 run1.Property_string = 'Startrun: Hello_2'
30 print run1.Property_string, run1.Property_double, run1.Property_int
31
   run1.enableUI()
32 kernel.registerGlobalAction(run1)
33 kernel.runAction().add(run1)
34
35 # Configure Event actions
36 evt2 = DDG4.EventAction(kernel, 'Geant4TestEventAction/UserEvent_2')
37 evt2.Property_int = 123454321
38 evt2.Property_double = 5e15*GeV
39 evt2.Property_string = 'Hello_2 from the python setup'
40 evt2.enableUI()
41 kernel.registerGlobalAction(evt2)
42
43 evt1 = DDG4.EventAction(kernel, 'Geant4TestEventAction/UserEvent_1')
44 evt1.Property_int=01234
45
   evt1.Property_double=1e11
46
   evt1.Property_string='Hello_1'
47
    evt1.enableUI()
48
49
   kernel.eventAction().add(evt1)
50 kernel.eventAction().add(evt2)
51
52 # Configure I/O
53 evt_root = DDG4.EventAction(kernel, 'Geant4Output2ROOT/RootOutput')
54 evt_root.Control = True
55 evt_root.Output = "simple.root"
56 evt_root.enableUI()
57
58 evt_lcio = DDG4.EventAction(kernel, 'Geant4Output2LCIO/LcioOutput')
59 evt_lcio.Output = "simple_lcio"
60 evt_lcio.enableUI()
61
62 kernel.eventAction().add(evt_root)
63 kernel.eventAction().add(evt_lcio)
64
65
   # Setup particle gun
66
   gun = DDG4.GeneratorAction(kernel, "Geant4ParticleGun/Gun")
67
   gun.energy
               = 0.5*GeV
68
   gun.particle = 'e-'
69
   gun.multiplicity = 1
    gun.enableUI()
70
71
   kernel.generatorAction().add(gun)
72
73 # Setup global filters for use in sensitive detectors
74 f1 = DDG4.Filter(kernel, 'GeantinoRejectFilter/GeantinoRejector')
```



```
75 f2 = DDG4.Filter(kernel, 'ParticleRejectFilter/OpticalPhotonRejector')
76 f2.particle = 'opticalphoton'
77 f3 = DDG4.Filter(kernel, 'ParticleSelectFilter/OpticalPhotonSelector')
78 f3.particle = 'opticalphoton'
79 f4 = DDG4.Filter(kernel, 'EnergyDepositMinimumCut')
80 f4.Cut = 10*MeV
81
    f4.enableUI()
82
    kernel.registerGlobalFilter(f1)
83
    kernel.registerGlobalFilter(f2)
84
     kernel.registerGlobalFilter(f3)
85
     kernel.registerGlobalFilter(f4)
86
87
     # First the tracking detectors
    seq = DDG4.SensitiveSequence(kernel,'Geant4SensDetActionSequence/SiVertexBarrel')
88
     act = DDG4.SensitiveAction(kernel,'Geant4SimpleTrackerAction/SiVertexBarrelHandler','SiVertexBarrel')
89
90
    seq.add(act)
91
    seq.add(f1)
92
    seq.add(f4)
93
    act.add(f1)
94
95
    seq = DDG4.SensitiveSequence(kernel,'Geant4SensDetActionSequence/SiVertexEndcap')
96
    act = DDG4.SensitiveAction(kernel,'Geant4SimpleTrackerAction/SiVertexEndcapHandler','SiVertexEndcap')
97
98
    seq.add(f1)
99
    seq.add(f4)
100
101
    seq = DDG4.SensitiveSequence(kernel, 'Geant4SensDetActionSequence/SiTrackerBarrel')
     act = DDG4.SensitiveAction(kernel,'Geant4SimpleTrackerAction/SiTrackerBarrelHandler','SiTrackerBarrel')
102
103
     seq.add(act)
104
     seq.add(f1)
105
     seq.add(f4)
106
107
     seq = DDG4.SensitiveSequence(kernel, 'Geant4SensDetActionSequence/SiTrackerEndcap')
108
     act = DDG4.SensitiveAction(kernel, 'Geant4SimpleTrackerAction/SiTrackerEndcapHandler', 'SiTrackerEndcap')
109
     seq.add(act)
110
    seq = DDG4.SensitiveSequence(kernel, 'Geant4SensDetActionSequence/SiTrackerForward')
111
     act = DDG4.SensitiveAction(kernel,'Geant4SimpleTrackerAction/SiTrackerForwardHandler','SiTrackerForward')
112
113
    seq.add(act)
114
115
    # Now the calorimeters
    seq = DDG4.SensitiveSequence(kernel, 'Geant4SensDetActionSequence/EcalBarrel')
116
117
     act = DDG4.SensitiveAction(kernel, 'Geant4SimpleCalorimeterAction/EcalBarrelHandler', 'EcalBarrel')
118
     seq.add(act)
119
120
    seq = DDG4.SensitiveSequence(kernel, 'Geant4SensDetActionSequence/EcalEndcap')
     act = DDG4.SensitiveAction(kernel,'Geant4SimpleCalorimeterAction/EcalEndCapHandler','EcalEndcap')
121
122
     seq.add(act)
123
124
     seq = DDG4.SensitiveSequence(kernel, 'Geant4SensDetActionSequence/HcalBarrel')
125
     act = DDG4.SensitiveAction(kernel,'Geant4SimpleCalorimeterAction/HcalBarrelHandler','HcalBarrel')
126
     act.adoptFilter(kernel.globalFilter('OpticalPhotonRejector'))
127
     seq.add(act)
128
     act = DDG4.SensitiveAction(kernel, 'Geant4SimpleCalorimeterAction/HcalOpticalBarrelHandler', 'HcalBarrel')
129
130
     act.adoptFilter(kernel.globalFilter('OpticalPhotonSelector'))
131
     seq.add(act)
132
```



```
133
    seq = DDG4.SensitiveSequence(kernel,'Geant4SensDetActionSequence/HcalEndcap')
134
     act = DDG4.SensitiveAction(kernel,'Geant4SimpleCalorimeterAction/HcalEndcapHandler','HcalEndcap')
135
     seq.add(act)
136
137
     seq = DDG4.SensitiveSequence(kernel,'Geant4SensDetActionSequence/HcalPlug')
138
     act = DDG4.SensitiveAction(kernel,'Geant4SimpleCalorimeterAction/HcalPlugHandler','HcalPlug')
139
     seq.add(act)
140
141
     seq = DDG4.SensitiveSequence(kernel,'Geant4SensDetActionSequence/MuonBarrel')
142
     act = DDG4.SensitiveAction(kernel, 'Geant4SimpleCalorimeterAction/MuonBarrelHandler', 'MuonBarrel')
143
     seq.add(act)
144
145
     seq = DDG4.SensitiveSequence(kernel, 'Geant4SensDetActionSequence/MuonEndcap')
146
     act = DDG4.SensitiveAction(kernel, 'Geant4SimpleCalorimeterAction/MuonEndcapHandler', 'MuonEndcap')
147
     seq.add(act)
148
149
     seq = DDG4.SensitiveSequence(kernel,'Geant4SensDetActionSequence/LumiCal')
150
     act = DDG4.SensitiveAction(kernel, 'Geant4SimpleCalorimeterAction/LumiCalHandler', 'LumiCal')
151
     seq.add(act)
152
153
     seq = DDG4.SensitiveSequence(kernel,'Geant4SensDetActionSequence/BeamCal')
154
     act = DDG4.SensitiveAction(kernel,'Geant4SimpleCalorimeterAction/BeamCalHandler','BeamCal')
155
156
157
    # Now build the physics list:
158
    phys = kernel.physicsList()
159
    phys.extends = 'FTFP_BERT'
160
    #phys.transportation = True
161
     phys.decays = True
162
    phys.enableUI()
163
164
     ph = DDG4.PhysicsList(kernel, 'Geant4PhysicsList/Myphysics')
165
     ph.addParticleConstructor('G4BosonConstructor')
     ph.addParticleConstructor('G4LeptonConstructor')
166
     ph.addParticleProcess('e[+-]','G4eMultipleScattering',-1,1,1)
167
     ph.addPhysicsConstructor('G4OpticalPhysics')
168
169
     ph.enableUI()
170
    phys.add(ph)
171
172 phys.dump()
173
174 kernel.configure()
175 kernel.initialize()
176 kernel.run()
177 kernel.terminate()
178
179 if __name__ == "__main__":
180 run()
181
```



4.4 A Simple Example

Bla-bal.






Figure 10: The DDG4 event data model.

5 Higher Level Components

Layered components, which base on the general framework implement higher level functionality such as the handling of Monte-Carlo truth associations between simulated energy deposits and the corresponding particles or the generic handling of input to the simulation.

To generalize such common behavior it is mandatory that the participating components collaborate and understand the data components the commonly access. The data model is shown in Figure 10. Please note, that this data model is by no means to be made persistent and used for physics user analysis. This model is optimized to support the simulation process and the necessary user actions to handle MC truth, to easily and relatively fast look up and modify parent-daughter relationships etc. This choice is based on the assumption, that the additional overhead to convert particles at the input/output stage is small compared to the actual resource consumption of Geant4 to simulate the proper detector response. On the other hand this choice has numerous advantages:

- Accepting the fact to convert input records allows to adapt DDG4 in a simple and flexible manner to any input format. Currently supported is the input from raw LCIO files, StdHep records using LCIO and ASCII files using the HEPEvt format.
- Similarly as for the input stage, also the output format can be freely chosen by the clients.
- No assumptions was made concerning the structure to store information from energy deposits. Any information extract produced by the sensitive actions can be adapted provided at the output stage the proper conversion mechanism is present. The sensitive detectors provided by DDG4 are **optional only and by no means mandatory**. User defined classes may be provided at any time. Appropriate tools to extract MC truth information is provided at the output stage.
- The modular approach of the action sequences described in 3.4 allows to easily extend the generation sequence to handle multiple simultaneous interactions, event overlay or spillover response very easily ³

In section 5.1 the generic mechanism of input data handling is described.

In section 5.3 the MC truth handling is discussed.

In section 6 we describe the output mechanism.

³The handling of spillover is only possible if during the digitization step the correct signal shape corresponding to the shift of signal creation is taken into account.






Figure 11: The generic handling of input sources to DDG4.

5.1 Input Data Handling

Input handling has several stages and uses several modules:

- First the data structures Geant4PrimaryEvent, Geant4PrimaryInteraction and Geant4Primary-Map are initialized by the action Geant4GenerationActionInit and attached to the Geant4Event structure.
- The initialization is then followed by any number of input modules. Typically each input module add one interaction. Each interaction has a unique identifier, which is propagated later to all particles. Hence all primary particles can later be unambiguously be correlated to one of the initial interactions. Each instance of a Geant4InputAction creates and fills a separate instance of a Geant4PrimaryInteraction. In section 5.2 the functionality and extensions are discussed in more detail.
- All individual primary interactions are then merged to only single record using the Geant4-InteractionMerger component. This components fills the Geant4PrimaryInteraction registered to the Geant4Event, which serves as input record for the next component,
- the Geant4PrimaryHandler. The primary handler creates the proper G4PrimaryParticle and G4PrimaryVertex objects passed to Geant4. After this step all event related user interaction with Geant4 has completed, and the detector simulation may commence.

All modules used are subclasses of the Geant4GeneratorAction and must be added to the Geant4-GeneratorActionSequence as described in 3.4.



5.2 Anatomy of the Input Action



One input action fills one primary interaction. Geant4InputAction instances may be followed by decorators, which allow to to smear primary vertex (Geant4InteractionVertexSmear) or to boost the primary vertex Geant4InteractionVertexBoost and all related particles/vertices.

Please note, that a possible reduction of particles in the output record may break this unambiguous relationship between "hits" and particles.

5.3 Monte-Carlo Truth Handling



.....

6 Output Data Handling



.....

7 Existing DDG4 components

In the introduction the longterm goal was expressed, that with DDG4 users should be able to pick components from a growing palette and connect the selected components using the setup mechanisms described in Section 4.

Such a palette based approach obviously depends on the availability of documentation for existing components describing the properties of each component and the interaction of each component within the DDG4 framework.

All components defer from the basic type Geant4Action. This means all components have the default properties described in the table below:

Component Properties:		default
OuputLevel	[int]	Output level of the component to customize printouts
Name	[string]	Component name [read-only]
Control	[boolean]	Steering of the Geant4 Messenger creation

Important notice for developers:

Since the documentation of developed components is VERY important, please never forget to supply the corresponding documentation.

At least supply the minimal documentation ash shown below in the appended examples for the "Simple" detector response and I/O components.



7.1 Generic Action Modules

7.1.1 Geant4UIManager

The Geant4UIManager handles interactivity aspects between Geant4, its command handlers (i.e. terminal) and the various components the actions interact.

The Geant4UIManager is a component attached to the Geant4Kernel object. All properties of all Geant4Action instances may be exported to Geant4 messengers and may hence be accessible directly from the Geant4 prompt. To export properties from any action, call the enableUI() method of the action. The callback signature is: voidoperator()(G4Event * event).

Class name	Geant4
File name	DDG4/src/Geant4.cpp
Type	Geant4Action
Component Properties:	defaults apply
SessionType (string)	Session type (csh, tcsh, etc.
SetupUI (string)	Name of the UI macro file
SetupVIS (string)	Name of the visualization macro file
HaveVIS (bool)	Flag to instantiate Vis manager (def:false, unless VisSetup set)
HaveUI (bool)	Flag to instantiate UI (default=true)

7.1.2 Geant4Random

Mini interface to the random generator of the application. Necessary, that on every object creates its own instance, but accesses the main instance available through the Geant4Context.

This is mandatory to ensure reproducibility of the event generation process. Particular objects may use a dependent generator from an experiment framework like GAUDI.

internally the engine factory mechanism of CLHEP is used. Please refer there within for valid engine names and the random seeding mechanism, which may vary between different engines.

Any number of independent random objects may be created and used in parallel. This however, is not advised to ensure reproducibility.

The first instance of the random action is automatically set to be the Geant4 instance. If another instance should be used by Geant4, use setMainInstance(Geant4Random*ptr) class method to override this behavior. Provision, steered by options, is taken to ensure the gRandom of ROOT uses the same random number engine.

Class name	Geant4
File name	DDG4/src/Geant4Random.cpp
Type	Geant4Random
Component Properties:	defaults apply
File (string)	File name if initialized from file.
	If set, engine name and seeds are ignored
Engine (string)	Engine type name.
	All engines defined in the CLHEP :: EngineFactory class are avail-
	able. If no type is supplied the engine from the HepRandom gen-
	erator instance is taken.
Seed (long)	Initial random seed.
	Default: 123456789.
	If not ZERO terminated, termination is added.
$\mathbf{Replace_gRandom} \ (\mathbf{bool})$	Flag to replace the ROOT gRandom instance with this random number engine. This ensures ROOT and Geant4 use the same random number engine, hence the same random sequence.



7.2 Predefined Geant4 Physics List Objects

The physics list may be defined entirely data driven using the factory mechanism using a variety of predefined objects. Though users are free to define private physics lists, typically the predefined physics lists from Geant4 are used.

The inventory changes over time, new lists appear and obsolete lists are purged, hence we will not list them explicitly here. For the inventory of available physics lists, please refer to the implementation files:

- Inventory of predefined physics lists, which may be inherited: DDG4/plugins/Geant4PhysiscsLists.cpp
- Inventory of predefined physics constructors, which may be instantiated: DDG4/plugins/Geant4PhysicsConstructors.cpp
- \bullet Inventory of predefined process constructors, which may be instantiated: DDG4/plugins/Geant4Processes.cpp
- Inventory of predefined particle constructors, which may be instantiated: DDG4/plugins/Geant4Particles.cpp



7.3 Geant4 Generation Action Modules

7.3.1 Base class: Geant4GeneratorAction

The Geant4GeneratorAction is called for every event. During the callback all particles are created which form the microscopic kinematic action of the particle collision. This input may either origin directly from an event generator program or come from file.

The callback signature is: void operator()(G4Event* event) See also: Geant4EventAction in the doxygen documentation.

Class name	Geant4GeneratorAction	
File name	DDG4/src/Geant4GeneratorAction.cpp	
Type	Geant4Action, Geant4GeneratorAction	
Component Properties:	defaults apply	

7.3.2 Geant4GeneratorActionSequence

The sequence dispatches the callbacks at the beginning of an event to all registered Geant4GeneratorAction members and all registered callbacks.

See also: The Geant4GeneratorActionSequence is directly steered by the single instance of the G4VUserPrimaryGeneratorAction, the Geant4 provided user hook, which is private.

See also: Geant4UserGeneratorAction and Geant4GeneratorActionSequence in the doxygen documentation.

Class name	Geant4Geant4GeneratorActionSequence
File name	DDG4/src/Geant4GeneratorAction.cpp
Type	Geant4Action
Component Properties:	defaults apply

7.3.3 Geant4GeneratorActionInit

Initialize the Geant4Event objects to host generator and MC truth related information Geant4 actions to collect the MC particle information. This action should register all event extension required for the further processing. We want to avoid that every client has to check if a given object is present or not and than later install the required data structures.

These by default are extensions of type:

- Geant4PrimaryEvent with multiple interaction sections, one for each interaction This is the MAIN and ONLY information to feed Geant4
- Geant4PrimaryInteraction containing the track/vertex information to create the primary particles for Geant4. This record is build from the Geant4PrimaryEvent information.
- Geant4PrimaryMap a map of the Geant4Particles converted to G4PrimaryParticles to ease particle handling later.
- Geant4ParticleMap the map of particles created during the event simulation. This map has directly the correct particle offsets, so that the merging of Geant4PrimaryInteraction particles and the simulation particles is easy....



Class name	Geant4Geant4GeneratorActionInit
File name	DDG4/src/Geant4GeneratorActionInit.cpp
\mathbf{Type}	Geant4GeneratorAction
Component Properties:	defaults apply
Angle (double)	Lorentz-Angle of boost
Mask (int.bitmask)	Interaction identifier

7.3.4 Geant4InteractionVertexBoost

Boost the primary vertex and all particles outgoing the primary interaction in X-direction.

The interaction to be processed by the component is uniquely identified by the **Mask** property. Two primary interaction may not have the same mask.

Note [special use case]:

If all contributing interactions of the one event **registered** in the **primary event** at the time the action is called should be handled by one single component instance, set the **Mask** property to -1.

Class name	Geant4InteractionVertexBoost
File name	DDG4/src/Geant4InteractionVertexBoost.cpp
Type	Geant4GeneratorAction
Component Properties:	defaults apply
Angle (double)	Lorentz-Angle of boost
Mask (int.bitmask)	Interaction identifier

7.3.5 Geant4InteractionVertexSmear

Smear the primary vertex and all particles outgoing the primary interaction.

The interaction to be processed by the component is uniquely identified by the **Mask** property. Two primary interaction may not have the same mask.

Note [special use case]:

If all contributing interactions of the one event **registered in the primary event at the time the action is called** should be handled by one single component instance, set the **Mask** property to **-1**.

Class name	Geant4InteractionVertexSmear
File name	DDG4/src/Geant4InteractionVertexSmear.cpp
Component Properties:	defaults apply
Offset (PxPyPzEVector)	Smearing offset
Sigma (PxPyPzEVector)	Sigma (Errors) on offset
Mask (int.bitmask)	Interaction identifier

7.3.6 Geant4InteractionMerger

Merge all interactions created by each Geant4InputAction into one single record. The input records are taken from the item Geant4PrimaryEvent and are merged into the Geant4PrimaryInteraction object attached to the Geant4Event event context.

Class name	Geant4InteractionMerger
File name	DDG4/src/Geant4InteractionMerger.cpp
Type	Geant4GeneratorAction
Component Properties:	defaults apply

7.3.7 Geant4PrimaryHandler

Convert the primary interaction (object Geant4PrimaryInteraction object attached to the Geant4Event event context) and pass the result to Geant4 for simulation.



Class name	Geant4PrimaryHandler
File name	DDG4/src/Geant4PrimaryHandler.cpp
\mathbf{Type}	Geant4GeneratorAction
Component Properties:	defaults apply

7.3.8 Geant4ParticleGun

Implementation of a particle gun using Geant4Particles.

The Geant4ParticleGun is a tool to shoot a number of particles with identical properties into a given region of the detector to be simulated.

The particle gun is a input source like any other and participates in the general input stage merging process like any other input e.g. from file. Hence, there may be several particle guns present each generating it's own primary vertex. Use the mask property to ensure each gun generates it's own, well identified primary vertex.

There is one 'user lazyness' support though: If there is only one particle gun in use, the property 'Standalone', which by default is set to true invokes the interaction merging and the Geant4 primary generation directly.

The interaction to be created by the component is uniquely identified by the **Mask** property. Two primary interaction may not have the same mask.

Class name	Geant4PrimaryHandler
File name	DDG4/src/Geant4PrimaryHandler.cpp
\mathbf{Type}	Geant4GeneratorAction
Component Properties:	default
particle (string)	Particle type to be shot
energy (double)	Particle energy in MeV
position (XYZVector)	Pole position of the generated particles in mm
direction (XYZVector)	Momentum direction of the generated particles
isotrop (bool)	Isotropic particle directions in space.
Mask (int.bitmask)	Interaction identifier
Standalone (bool)	Setup for standalone execution
	including interaction merging etc.

7.3.9 Geant4ParticleHandler

Extract the relevant particle information during the simulation step.

This procedure works as follows:

- At the beginning of the event generation the object registers itself as Monte-Carlo truth handler to the event context.
- At the begin of each track action a particle candidate is created and filled with all properties known at this time.
- At each stepping action a flag is set if the step produced secondaries.
- Sensitive detectors call the MC truth handler if a hit was created. This fact is remembered.
- At the end of the tracking action a first decision is taken if the candidate is to be kept for the final record.
- At the end of the event action finally all particles are reduced to the final record. This logic can be overridden by a user handler to be attached.

Any of these actions may be intercepted by a Geant4UserParticleHandler attached to the particle handler. See class Geant4UserParticleHandler for details.



Class name	Geant4ParticleHandler
File name	DDG4/src/Geant4ParticleHandler.cpp
Type	Geant4GeneratorAction
Component Properties:	defaults apply
KeepAllParticles (bool)	Flag to keep entire particle record without any reduction.
	This may result in a huge output record.
SaveProcesses (vector(string))	Array of Geant4 process names, which products and parent
	should NOT be reduced.
MinimalKineticEnergy (double)	Minimal energy below which particles should be ignored
	unless other criteria (Process, created hits, etc) apply.



7.4 Geant4 Event Action Modules

7.4.1 Base class: Geant4EventAction

The EventAction is called for every event.

This class is the base class for all user actions, which have to hook into the begin- and end-of-event actions. Typical use cases are the collection/computation of event related properties. Examples of this functionality may include for example:

- Reset variables summing event related information in the begin-event callback.
- Monitoring activities such as filling histograms from hits collected during the end-event action.

See also: Geant4EventAction in the doxygen documentation.

Class name	Geant4EventAction
File name	DDG4/src/Geant4EventAction.cpp
\mathbf{Type}	Geant4EventAction
Component Properties:	defaults apply

7.4.2 Geant4EventActionSequence

The Geant4EventActionSequence is directly steered by the single instance of the G4UserEventAction, the Geant4 provided user hook, which is private.

See also: Geant4UserEventAction in the doxygen documentation.

Class name	Geant4EventAction
File name	DDG4/src/Geant4EventAction.cpp
Type	Geant4EventAction
Component Properties:	defaults apply

7.4.3 Geant4ParticlePrint

Geant4Action to print MC particle information.

Class name	Geant4ParticlePrint
File name	DDG4/src/Geant4ParticlePrint.cpp
\mathbf{Type}	Geant4EventAction
Component Properties:	defaults apply
$\mathbf{OutputType} \; (bool)$	Flag to steer output type.
	1: Print table of particles.
	2: Print table of particles.
	3: Print table and tree of particles.
PrintHits	Print associated hits to every particle (big output!)



7.5 Sensitive Detectors

7.5.1 Geant4TrackerAction

Simple sensitive detector for tracking detectors. These trackers create one single hit collection. The created hits may be written out with the output modules described in Section 7.6.1 and 7.6.2. The basic specifications are:

Basics:	
Class name	Geant4SensitiveAction <geant4tracker></geant4tracker>
File name	DDG4/plugins/Geant4SDActions.cpp
Hit collection	Name of the readout object
Hit class	Geant4Tracker::Hit
File name	DDG4/include/Geant4Data.h
Component Properties:	defaults apply

7.5.2 Geant4CalorimeterAction

Simple sensitive detector for calorimeters. The sensitive detector creates one single hit collection. The created hits may be written out with the output modules described in Section 7.6.1 and 7.6.2. The basic specifications are:

Basics:	
Class name	Geant4SensitiveAction <geant4calorimeter></geant4calorimeter>
File name	DDG4/plugins/Geant4SDActions.cpp
Hit collection	Name of the readout object
Hit class	Geant4Calorimeter::Hit
File name	DDG4/include/Geant4Data.h
Component Properties:	defaults apply



- 7.6 I/O Components
- 7.6.1 ROOT Output "Simple"
- 7.6.2 LCIO Output "Simple"



References

- [1] DD4Hep web page, http://aidasoft.web.cern.ch/DD4hep.
- [2] LHCb Collaboration, "LHCb, the Large Hadron Collider beauty experiment, reoptimised detector design and performance", CERN/LHCC 2003-030
- [3] S. Ponce et al., "Detector Description Framework in LHCb", International Conference on Computing in High Energy and Nuclear Physics (CHEP 2003), La Jolla, CA, 2003, proceedings.
- [4] The ILD Concept Group, "The International Large Detector: Letter of Intent", ISBN 978-3-935702-42-3, 2009.
- [5] H. Aihara, P. Burrows, M. Oreglia (Editors), "SiD Letter of Intent", arXiv:0911.0006, 2009.
- [6] R.Brun, A.Gheata, M.Gheata, "The ROOT geometry package", Nuclear Instruments and Methods A 502 (2003) 676-680.
- [7] R.Brun et al., "Root An object oriented data analysis framework", Nuclear Instruments and Methods A 389 (1997) 81-86.
- [8] S. Agostinelli et al., "Geant4 A Simulation Toolkit", Nuclear Instruments and Methods A 506 (2003) 250-303.
- [9] T.Johnson et al., "LCGO geometry description for ILC detectors", International Conference on Computing in High Energy and Nuclear Physics (CHEP 2007), Victoria, BC, Canada, 2012, Proceedings.
- [10] N.Graf et al., "Icsim: An integrated detector simulation, reconstruction and analysis environment", International Conference on Computing in High Energy and Nuclear Physics (CHEP 2012), New York, 2012, Proceedings.
- [11] R. Chytracek et al., "Geometry Description Markup Language for Physics Simulation and Analysis Applications", IEEE Trans. Nucl. Sci., Vol. 53, Issue: 5, Part 2, 2892-2896, http://gdml.web.cern.ch.
- [12] C.Grefe et al., "The DDSegmentation package", Non existing documentation to be written.