

Last modified on

Sports Data Soccer API - Legacy IDs

The Soccer API currently supports querying by legacy ID. An ID is considered a legacy ID if it comes from one of the following systems:

- Opta Core
- Opta

These systems are called "ID providers" in the SD API. The SD API supports existing clients which have not yet migrated yet to using UUIDs as resources identifiers. There are a number of entities which can be identified by legacy IDs for a subset of "ID providers"

Entity	Available providers
Fixture/Match	Opta Core, Opta
Competition	Opta Core, Opta
Contestant	Opta Core, Opta
Person	Opta Core, Opta
Tournament Calendar	Opta Core
Stage	Opta Core
Series	Opta Core
Country	Opta Core
Area	Opta Core

The SD API provides support for these IDs in two ways:

- Feeds can be queried by legacy IDs using a number of filters
- Feed Output contains all legacy IDs for all entities which are available for the ID provider you specify in the query parameters
- Feed can be queried with idType parameter to additionally return legacy IDs

You can use URNs to include queries in your requests.

How To Use IdType In Requests

The `idType` parameter allows consumers to request additional identifier types to be returned in API responses. It does not replace the default identifiers provided by the feed; instead, it augments the response with extra IDs. This parameter is supported across all Soccer feeds.

Supported Values

The following identifier types can be requested:

- `op` - Opta legacy IDs
- `oc` - Opta Core IDs
- `stats` - Stats IDs

Multiple Values

Multiple identifier types may be requested using a comma-separated list:

`idType=op,oc,stats`

When multiple values are supplied, the response will include all requested identifier types in addition to the default identifiers, where available.

Default Behaviour

- If `idType` is not specified, the response will contain only the feed's default identifier set.
- If `idType` is specified, the default identifiers are still returned, with the requested identifier types included as additional fields.

Example Calls:

MA1 Fixtures And Results

```
https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?_fmt=xml&_rt={mode}&idType=op
```

MA2 Match Stats

```
https://api.performfeeds.com/soccerdata/matchstats/{outletAuthKey}?_fmt=xml&_rt={mode}&idType=op
```

PE2 Player Career

```
https://api.performfeeds.com/soccerdata/playercareer/{outletAuthKey}?_fmt=xml&_rt={mode}&idType=op
```

TM2 Team Standings

```
https://api.performfeeds.com/soccerdata/standings/{outletAuthKey}?_fmt=xml&_rt={mode}&idType=op
```

How To Use URNs In Requests

The URN is a construction which can be used as a filter value. The format is as follows:

```
urn:perform:{id_provider}:{entity}:{id_value}
```

The format of the requests you can make depends on the feed you are calling - most feeds do not support all `{id_provider}` and `{entity}` types.

A further restriction is that if a feed is queried by multiple URNs, then all URNs must identify only one ID provider.

Depending on the feed, the `{id_provider}` can be one of the following:

- `optacore`
- `opta`

Depending on the feed, the `{entity}` can be one of the following:

- `fixture`
- `competition`
- `contestant`
- `person`
- `tournamentcalendar`
- `stage`
- `series`
- `country`

The `{id_value}` is the Unique ID (UUID) of the entity, such as a specific contestant or fixture.

Example Calls By Feed

Here, you can find example requests for the feeds that support legacy IDs. These URLs contain placeholders in curly braces for certain elements - such as `{outletAuthKey}` - you will need to replace these placeholders with the values that are correct for your outlet, as explained in our [API Overview and Authorisation Guide](#).

Note: URL strings must contain the correct case and operators. Make sure you supply the following information in the URL or header and that it is correct for your outlet; otherwise, an error will be returned: `_rt={mode}` (operating mode); `{outletAuthKey}` (Outlet Authentication Key); `_fmt={dataFormat}` (format); legacy ID query parameter-value.

Operating mode: Specify the `_rt` parameter value as either `b` for B2B outlets or `c` for B2C outlets (replacing `{mode}` in our example URLs).

- [MA0 Tournament Schedule](#) /tournamentschedule
- [MA1 Fixtures and Results \(Match\)](#) /match
- [MA1 Detailed Fixtures and Results \(Match\)](#) /matchdetailed
- [MA2 Match Stats](#) /matchstats
- [MA3 Match Events](#) /matchevent
- [MA4 Pass Matrix and Average Formation](#) /passmatrix
- [MA5 Possession](#) /possession
- [MA6 Commentary](#) /commentary
- [MA8 Match Preview](#) /matchpreview
- [MA9 Match Facts](#) /matchfacts
- [MA12 Match Expected Goals](#) /matchexpectedgoals
- [MA13 Possession Events](#) /possessionevent
- [MA15 Match Facts Betting](#) /matchfactsbetting
- [MA16 Match Facts All](#) /matchfactsall
- [MA19 Match Penalties Preview](#) /matchpenaltiespreview
- [MA20 Match Player Ratings](#) /matchplayerratings
- [MA21 Live Win Probability](#) /matchlivewinprobability
- [MA22 NLG Match Preview](#) /nlgmatchpreview
- [MA23 Automated Insights](#) /matchinsights
- [MA26 NLG Match Recap](#) /nlgmatchrecap
- [MA27 Match Momentum](#) /momentum
- [MA30 Match Possession Value](#) /matchpossessionvalues

- **MA31 TV Listing** /matchtvlisting
- **MA32 Match Events Possession Value** /matcheventspossessionvalues
- **MA33 Shape In-Venue** /inVenueShape
- **MA34 Shape Remote** /remoteshape
- **MA35 Enriched Soccer Events Remote** /remoteevents
- **MA36 Enriched Soccer Event In-Venue** /invenueevents
- **MA39 Remote Aggregated Events** /remoteaggregatedevents
- **MA40 In-Venue Aggregated Events** /invenueaggregatedevents
- **MA41 Remote Pressure Timeline** /remotepressuretimeline
- **MA42 In-Venue Pressure Timelines** /invenuepressuretimeline
- **MA43 Match Playtime** /matchplaytime
- **MA44 Remote Aggregated Fitness** /remoteaggregatedfitness
- **MA45 In Venue Aggregated Fitness** /invenueaggregatedfitness
- **MA46 Match Provisional LineUps** /matchprovisionallineups
- **MAP Mappings** /mappings
- **OT2 Tournament Calendar** /tournamentcalendar
- **OT3 Venues** /venues
- **PE2 Player Career** /playercareer
- **PE3 Referees** /referees
- **PE4 Rankings** /rankings
- **PE6 Top Performers** /topperformers
- **PE7 Injuries** /injuries
- **PE8 Suspensions** /suspensions
- **PE9 NLG Dynamic Player Bios** /nlgdynamicplayerbio
- **PE10 NLG Match Preview** /nlgmatchpreview
- **TDM1 Insights** /insights
- **TDM2 Aggregates** /aggregates
- **TM1 Teams** /team
- **TM2 Team Standings** /standings
- **TM3 Squads** /squads
- **TM4 Season Stats** /seasonalstats
- **TM7 Transfers** /transfers
- **TM8 Trophies** /trophies
- **TM9 Season Expected Goals** /seasonexpectedgoals
- **TM15 Team And Player Forecast** /teamplayerprops
- **TM16 Contestant Participation** /contestantparticipation
- **TM17 Season Playtime** /seasonplaytime

Quick links - SDAPI:

MA0 Tournament Schedule /Tournamentschedule

For more information about this feed, see its [User Guide](#)

The calls to the `/tournamentschedule` feed will return match information.

ID Provider	Entity type	Query parameter(s)	Example request
Opta Core - SDAPI	tournamentcalendar	tmcl	<code>https://api.performfeeds.com/soccerdata/tournamentschedule/{outletAuthKey?tmcl=urn:perform:optacore:tournamentcalendar:{tmcl id}&_rt={mode}}</code>
Opta Core - SDAPI	tournament calendar + Opta names	tmcl + _lcl=en-op	<code>https://api.performfeeds.com/soccerdata/tournamentschedule/{outletAuthKey?tmcl=urn:perform:optacore:tournamentcalendar:{tmcl id}&_lcl=en-op&_rt={mode}}</code>

MA1 Fixtures And Results (Match) /Match

For more information about this feed, see its [User Guide](#)

The calls to the `/match` feed will return information about fixtures and results.

Note: In order to specify a person UUID, you must include the `lineups` and `live` parameters with the `prsn` parameter; otherwise, the feed will return an error.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>
Opta - SDAPI	competition	comp	<code>https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?comp=urn:perform:opta:competition:{comp id}&_rt={mode}</code>
Opta - SDAPI	competition + match date/time	comp + mt.mDt	<code>https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?comp=urn:perform:opta:competition:{comp id}&mt.mDt=%5b2017-08-01T00:00:00Z%20T0%202018-05-15T23:59:59Z%5d&_rt={mode}</code>
Opta Core - SDAPI	tournamentcalendar	tmcl	<code>https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?tmcl=urn:perform:optacore:tournamentcalendar:{tmcl id}&_rt={mode}</code>
Opta Core - SDAPI	stage	stg	<code>https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?stg=urn:perform:optacore:stage:{stage id}&_rt={mode}</code>

ID Provider	Entity type	Query parameter(s)	Example request
Opta Core - SDAPI	series	srs	<code>https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?srs=urn:perform:optacore:series:10279&_rt={mode}</code>
Opta - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?ctst=urn:perform:opta:contestant:{ctst id}&_rt={mode}</code>
Opta Core - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?ctst=urn:perform:optacore:contestant:{ctst id}&_rt={mode}</code>
Opta - SDAPI	person + live scores + lineups	prsn + live=yes + lineups=yes	<code>https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?prsn=urn:perform:opta:person:{prsn id}&live=yes&lineups=yes&_rt={mode}</code>
Opta Core - SDAPI	person + live scores + lineups	prsn + live=yes + lineups=yes	<code>https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?prsn=urn:perform:optacore:person:{prsn id}&live=yes&lineups=yes&_rt={mode}</code>
Opta - SDAPI	competition + Opta names	comp + _lcl=en-op	<code>https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?comp=urn:perform:opta:competition:{comp id}&_lcl=en-op&_rt={mode}</code>
Opta Core - SDAPI	contestant + Opta names	ctst + _lcl=en-op	<code>https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?ctst=urn:perform:optacore:contestant:{ctst id}&_lcl=en-op&_rt={mode}</code>

MA1_Detailed Fixtures And Results (Match) /Match

For more information about this feed, see its [User Guide](#)

The calls to the `/match` feed will return information about fixtures and results

Note: In order to specify a person UUID, you must include the `lineups` and `live` parameters with the `prsn` parameter; otherwise, the feed will return an error.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>

ID Provider	Entity type	Query parameter(s)	Example request
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>
Opta - SDAPI	competition	comp	<code>https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?comp=urn:perform:opta:competition:{comp id}&_rt={mode}</code>
Opta - SDAPI	competition + match date/time	comp + mt.mDt	<code>https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?comp=urn:perform:opta:competition:{comp id}&mt.mDt=%5b2017-08-01T00:00:00Z%20T0%202018-05-15T23:59:59Z%5d&_rt={mode}</code>
Opta Core - SDAPI	tournamentcalendar	tmcl	<code>https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?tmcl=urn:perform:optacore:tournamentcalendar:{tmcl id}&_rt={mode}</code>
Opta Core - SDAPI	stage	stg	<code>https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?stg=urn:perform:optacore:stage:{stage id}&_rt={mode}</code>
Opta Core - SDAPI	series	srs	<code>https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?srs=urn:perform:optacore:series:10279&_rt={mode}</code>
Opta - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?ctst=urn:perform:opta:contestant:{ctst id}&_rt={mode}</code>
Opta Core - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?ctst=urn:perform:optacore:contestant:{ctst id}&_rt={mode}</code>
Opta - SDAPI	person + live scores + lineups	prsn + live=yes + lineups=yes	<code>https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?prsn=urn:perform:opta:person:{prsn id}&live=yes&lineups=yes&_rt={mode}</code>
Opta Core - SDAPI	person + live scores + lineups	prsn + live=yes + lineups=yes	<code>https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?prsn=urn:perform:optacore:person:{prsn id}&live=yes&lineups=yes&_rt={mode}</code>
Opta - SDAPI	competition + Opta names	comp + _lcl=en-op	<code>https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?comp=urn:perform:opta:competition:{comp id}&_lcl=en-op&_rt={mode}</code>

ID Provider	Entity type	Query parameter(s)	Example request
Opta Core - SDAPI	contestant + Opta names	ctst + _lcl=en-op	<code>https://api.performfeeds.com/soccerdata/match/{outletAuthKey}?ctst=urn:perform:optacore:contestant:{ctst id}&_lcl=en-op&_rt={mode}</code>

MA2 Match Stats /Matchstats

For more information about this feed, see its [User Guide](#)

The calls to the `/matchstats` feed will return match statistics.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchstats/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchstats/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>
Opta - SDAPI	competition + delta updates	comp + _dlt	<code>https://api.performfeeds.com/soccerdata/matchstats/{outletAuthKey}?comp=urn:perform:opta:competition:5&_dlt=2018-04-20T07:34:00Z&_rt={mode}</code>
Opta Core - SDAPI	competition + delta updates	comp + _dlt	<code>https://api.performfeeds.com/soccerdata/matchstats/{outletAuthKey}?comp=urn:perform:optacore:competition:10&_dlt=2018-04-20T07:34:00Z&_rt={mode}</code>
Opta Core - SDAPI	tournament calendar + delta updates	tmcl + _dlt	<code>https://api.performfeeds.com/soccerdata/matchstats/{outletAuthKey}?tmcl=urn:perform:optacore:tournamentcalendar:12532&_dlt=2018-04-20T07:34:00Z&_rt={mode}</code>
Opta Core - SDAPI	stage + delta updates	stg + _dlt	<code>https://api.performfeeds.com/soccerdata/matchstats/{outletAuthKey}?stg=urn:perform:optacore:stage:42387&_dlt=2018-04-20T08:05:32Z&_rt={mode}</code>
Opta Core - SDAPI	series	srs	<code>https://api.performfeeds.com/soccerdata/matchstats/{outletAuthKey}?srs=urn:perform:optacore:series:10279&_dlt=2018-04-20T08:05:32Z&_rt={mode}</code>
Opta - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/matchstats/{outletAuthKey}?ctst=urn:perform:opta:contestant:164&_dlt=2018-04-20T08:45:32Z&_rt={mode}</code>

ID Provider	Entity type	Query parameter(s)	Example request
Opta Core - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/matchstats/{outletAuthKey}?ctst=urn:perform:optacore:contestant:963&_dlt=2018-04-20T08:45:32Z&_rt={mode}</code>
Opta - SDAPI	fixture + Opta names	fx + _lcl=en-op	<code>https://api.performfeeds.com/soccerdata/matchstats/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_lcl=en-op&_rt={mode}</code>
Opta Core - SDAPI	fixture + Opta names	fx + _lcl=en-op	<code>https://api.performfeeds.com/soccerdata/matchstats/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>

MA3 Match Events /Matchevent

For more information about this feed, see its [User Guide](#)

The calls to the `/matchevent` feed will return match event information.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchevent/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchevent/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>
Opta - SDAPI	fixture + Opta names	fx + _lcl=en-op	<code>https://api.performfeeds.com/soccerdata/matchevent/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_lcl=en-op&_rt={mode}</code>

MA5 Possession /Possession

For more information about this feed, see its [User Guide](#)

The calls to the `/possession` feed will return a breakdown of ball possession.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/possession/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>

ID Provider	Entity type	Query parameter(s)	Example request
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/possession/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>

MA6 Commentary /Commentary

For more information about this feed, see its [User Guide](#)

The calls to the `/commentary` feed will return commentary messages.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/commentary/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/commentary/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>

MA8 Match Preview /Matchpreview

For more information about this feed, see its [User Guide](#)

The calls to the `/matchpreview` feed will return match preview data, including information about form and previous meetings between contestants.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchpreview/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchpreview/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>

MA9 Match Facts /Matchfacts

For more information about this feed, see its [User Guide](#)

The calls to the `/matchfacts` feed will return match facts.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchfacts/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchfacts/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>

MA12 Match Expected Goals /Matchexpectedgoals

For more information about this feed, see its [User Guide](#)

The calls to the `/matchexpectedgoals` feed will return match expected goals data.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchexpectedgoals/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchexpectedgoals/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>

MA13 Possession Events /Possessionevent

For more information about this feed, see its [User Guide](#)

The calls to the `/possessionevent` feed will return match facts.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/possessionevent/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/possessionevent/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>

MA15 Match Facts Betting /Matchfactsbetting

For more information about this feed, see its [User Guide](#)

The calls to the `/matchfactsbetting` feed will return match facts.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchfactsbetting/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchfactsbetting/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>

MA16 Match Facts All /Matchfactsall

For more information about this feed, see its [User Guide](#)

The calls to the `/matchfactsall` feed will return match facts.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchfactsall/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchfactsall/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>

MA19 Match Penalties Preview /Matchpenaltiespreview

For more information about this feed, see its [User Guide](#)

The calls to the `/matchpenaltiespreview` feed will return match facts.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchpenaltiespreview/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchpenaltiespreview/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>

MA20 Match Player Ratings /Matchplayerratings

For more information about this feed, see its [User Guide](#)

The calls to the `/matchplayerratings` feed will return the match player ratings information.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchplayerratings/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchplayerratings/{outletAuthKey}?fx=urn:perform:optacore:fixture:2786980&_rt={mode}</code>

MA21 Live Win Probability /Matchlivewinprobability

For more information about this feed, see its [User Guide](#)

The calls to the `/matchlivewinprobability` feed will return the match player ratings information.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchlivewinprobability/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchlivewinprobability/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>

MA22 NLG Match Preview /Nlgmatchpreview

For more information about this feed, see its [User Guide](#)

The calls to the `/nlgmatchpreview` feed will return a match preview with basic or detailed information.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/nlgmatchpreview/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/nlgmatchpreview/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>

MA23 Automated Insights /Matchinsights

For more information about this feed, see its [User Guide](#)

The calls to the `/matchinsights` feed will return 'in-game' real-time Insights for a specific match.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchinsights/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchinsights/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>

MA26 NLG Match Recap /Nlgmatchrecap

For more information about this feed, see its [User Guide](#)

The calls to the `/nlgmatchrecap` feed will return 'in-game' real-time Insights for a specific match.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/nlgmatchrecap/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/nlgmatchrecap/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>

MA27 Match Momentum /Momentum

For more information about this feed, see its [User Guide](#)

The calls to the `/momentum` feed will return 'in-game' real-time Insights for a specific match.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/momentum/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/momentum/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>

MA30 Match Possession Value /Matchpossessionvalues

For more information about this feed, see its [User Guide](#)

The calls to the `/matchpossessionvalues` feed will return 'in-game' real-time Insights for a specific match.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchpossessionvalues/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchpossessionvalues/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>

MA31 TV Listing /Matchtvlisting

For more information about this feed, see its [User Guide](#)

The calls to the `/matchtvlisting` feed will return 'in-game' real-time Insights for a specific match.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchtvlisting/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchtvlisting/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>

MA32 Match Events Possession Value /Matcheventspossessionvalues

For more information about this feed, see its [User Guide](#)

The calls to the `/matcheventspossessionvalues` feed will return 'in-game' real-time Insights for a specific match.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matcheventspossessionvalues/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matcheventspossessionvalues/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>
Opta - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/matcheventspossessionvalues/{outletAuthKey}?ctst=urn:perform:opta:contestant:{ctst id}&_rt={mode}</code>

ID Provider	Entity type	Query parameter(s)	Example request
Opta Core - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/matcheventspossessionvalues/{outletAuthKey}?ctst=urn:perform:optacore:contestant:{ctst id}&_rt={mode}</code>
Opta - SDAPI	person	prsn	<code>https://api.performfeeds.com/soccerdata/matcheventspossessionvalues/{outletAuthKey}?prsn=urn:perform:opta:person:{prsnid}&_rt={mode}</code>
Opta Core - SDAPI	person	prsn	<code>https://api.performfeeds.com/soccerdata/matcheventspossessionvalues/{outletAuthKey}?prsn=urn:perform:optacore:person:{prsnid}&_rt={mode}</code>

MA33 Shape In-Venue /InVenueShape

For more information about this feed, see its [User Guide](#)

The calls to the `/inVenueShape` feed will return 'in-game' real-time Insights for a specific match.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/inVenueShape/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/inVenueShape/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>

MA34 Shape Remote /Remoteshape

For more information about this feed, see its [User Guide](#)

The calls to the `/remoteshape` feed will return 'in-game' real-time Insights for a specific match.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/remoteshape/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/remoteshape/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>

MA35 Enriched Soccer Events Remote /Remoteevents

For more information about this feed, see its [User Guide](#)

The calls to the `/remoteevents` feed will return 'in-game' real-time Insights for a specific match.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/remoteevents/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/remoteevents/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>

MA36 Enriched Soccer Event In-Venue/Invenueevents

For more information about this feed, see its [User Guide](#)

The calls to the `/invenueevents` feed will return 'in-game' real-time Insights for a specific match.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/invenueevents/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/invenueevents/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>

MA39 Remote Aggregated Events /Remoteaggregatedevents

For more information about this feed, see its [User Guide](#)

The calls to the `/remoteaggregatedevents` feed will return 'in-game' real-time Insights for a specific match.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/remoteaggregatedevents/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/remoteaggregatedevents/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>

MA40 In-Venue Aggregated Events /Invenueaggregatedevents

For more information about this feed, see its [User Guide](#)

The calls to the `/invenueaggregatedevents` feed will return 'in-game' real-time Insights for a specific match.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/invenueaggregatedevents/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/invenueaggregatedevents/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>

MA41 Remote Pressure Timeline /Remotepressuretimeline

For more information about this feed, see its [User Guide](#)

The calls to the `/remotepressuretimeline` feed will return 'in-game' real-time Insights for a specific match.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/remotepressuretimeline/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/remotepressuretimeline/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>

MA42 In-Venue Pressure Timelines /Invenuepressuretimeline

For more information about this feed, see its [User Guide](#)

The calls to the `/invenuepressuretimeline` feed will return 'in-game' real-time Insights for a specific match.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/invenuepressuretimeline/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchinsights/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>

MA43 Match Playtime /Matchplaytime

For more information about this feed, see its [User Guide](#)

The calls to the `/matchplaytime` feed will return 'in-game' real-time Insights for a specific match.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchplaytime/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchplaytime/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	tournamentcalendar	tmcl	<code>https://api.performfeeds.com/soccerdata/matchplaytime/{outletAuthKey}?tmcl=urn:perform:optacore:tournamentcalendar:{tmcl id}&_rt={mode}</code>

MA44 Remote Aggregated Fitness /Remoteaggregatedfitness

For more information about this feed, see its [User Guide](#)

The calls to the `/remoteaggregatedfitness` feed will return 'in-game' real-time Insights for a specific match.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/remoteaggregatedfitness/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}&type={fifa historical}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/remoteaggregatedfitness/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}&type={fifa historical}</code>

MA45 In Venue Aggregated Fitness /Invenueaggregatedfitness

For more information about this feed, see its [User Guide](#)

The calls to the `/invenueaggregatedfitness` feed will return 'in-game' real-time Insights for a specific match.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/invenueaggregatedfitness/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}&type={fifa historical}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/invenueaggregatedfitness/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}&type={fifa historical}</code>

MA46 Match Provisional LineUps /Matchprovisionallineups

For more information about this feed, see its [User Guide](#)

The calls to the `/matchprovisionallineups` feed will return suspension information.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchprovisionallineups/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/matchprovisionallineups/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	tournamentcalendar	tmcl	<code>https://api.performfeeds.com/soccerdata/matchprovisionallineups/{outletAuthKey}?tmcl=urn:perform:optacore:tournamentcalendar:{tmcl id}&_rt={mode}</code>

OT2 Tournament Calendar /Tournamentcalendar

For more information about this feed, see its [User Guide](#)

The calls to the `/tournamentcalendar` feed will return tournament calendar information.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	competition	comp	<code>https://api.performfeeds.com/soccerdata/tournamentcalendar/{outletAuthKey}?comp=urn:perform:opta:competition:{comp id}&_rt={mode}</code>

ID Provider	Entity type	Query parameter(s)	Example request
Opta Core - SDAPI	competition	comp	<code>https://api.performfeeds.com/soccerdata/tournamentcalendar/{outletAuthKey}?comp=urn:perform:optacore:competition:{comp id}&_rt={mode}</code>
Opta - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/tournamentcalendar/{outletAuthKey}?ctst=urn:perform:opta:contestant:{ctst id}&_rt={mode}</code>
Opta Core - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/tournamentcalendar/{outletAuthKey}?ctst=urn:perform:optacore:contestant:{ctst id}&_rt={mode}</code>

OT3 Venues /Venues

For more information about this feed, see its [User Guide](#)

The calls to the **/venues** feed will return venue information.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/venues/{outletAuthKey}?ctst=urn:perform:opta:contestant:{ctst id}&_rt={mode}</code>
Opta Core - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/venues/{outletAuthKey}?ctst=urn:perform:optacore:contestant:{ctst id}&_rt={mode}</code>
Opta Core - SDAPI	tournamentcalendar	tmcl	<code>https://api.performfeeds.com/soccerdata/venues/{outletAuthKey}?tmcl=urn:perform:optacore:tournamentcalendar:{tmcl id}&_rt={mode}</code>

PE2 Player Career /Playercareer

For more information about this feed, see its [User Guide](#)

The calls to the **/playercareer** feed will return player career information.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	person	prsn	<code>https://api.performfeeds.com/soccerdata/playercareer/{outletAuthKey}?prsn=urn:perform:opta:person:{cprsn id}&_rt={mode}</code>

ID Provider	Entity type	Query parameter(s)	Example request
Opta Core - SDAPI	person	prsn	<code>https://api.performfeeds.com/soccerdata/playercareer/{outletAuthKey}?prsn=urn:perform:optacore:person:{prsn id}&_rt={mode}</code>
Opta - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/playercareer/{outletAuthKey}?ctst=urn:perform:opta:contestant:{ctst id}&_rt={mode}</code>
Opta Core - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/playercareer/{outletAuthKey}?ctst=urn:perform:optacore:contestant:{ctst id}&_rt={mode}</code>

PE3 Referees /Referees

For more information about this feed, see its [User Guide](#)

The calls to the `/referees` feed will return referee information.

ID Provider	Entity type	Query parameter(s)	Example request
Opta Core - SDAPI	person	prsn	<code>https://api.performfeeds.com/soccerdata/referees/{outletAuthKey}?prsn=urn:perform:optacore:person:{*prsn id}&_rt={mode}</code>
Opta Core - SDAPI	tournamentcalendar	tmcl	<code>https://api.performfeeds.com/soccerdata/referees/{outletAuthKey}?tmcl=urn:perform:optacore:tournamentcalendar:{tmcl id}&_rt={mode}</code>
Opta Core - SDAPI	stage	stg	<code>https://api.performfeeds.com/soccerdata/referees/{outletAuthKey}?stg=urn:perform:optacore:stage:{stg id}&_rt={mode}</code>

PE4 Rankings /Rankings

For more information about this feed, see its [User Guide](#)

The calls to the `/rankings` feed will return rankings information.

ID Provider	Entity type	Query parameter(s)	Example request
Opta Core - SDAPI	tournamentcalendar	tmcl	<code>https://api.performfeeds.com/soccerdata/rankings/{outletAuthKey}?tmcl=urn:perform:optacore:tournamentcalendar:{tmcl id}&_rt={mode}</code>

PE6 Top Performers /Topperformers

For more information about this feed, see its [User Guide](#)

The calls to the `/topperformers` feed will return top performer information.

ID Provider	Entity type	Query parameter(s)	Example request
Opta Core - SDAPI	tournamentcalendar	tmcl	<code>https://api.performfeeds.com/soccerdata/topperformers/{outletAuthKey}?tmcl=urn:perform:optacore:tournamentcalendar:{tmcl id}&_rt={mode}</code>

PE7 Injuries /Injuries

For more information about this feed, see its [User Guide](#)

The calls to the `/injuries` feed will return injuries information.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	person	prsn	<code>https://api.performfeeds.com/soccerdata/injuries/{outletAuthKey}?prsn=urn:perform:opta:person:{prsn id}&_rt={mode}</code>
Opta Core - SDAPI	person	prsn	<code>https://api.performfeeds.com/soccerdata/injuries/{outletAuthKey}?prsn=urn:perform:optacore:person:{prsn id}&_rt={mode}</code>
Opta Core - SDAPI	tournamentcalendar	tmcl	<code>https://api.performfeeds.com/soccerdata/injuries/{outletAuthKey}?tmcl=urn:perform:optacore:tournamentcalendar:{tmcl id}&_rt={mode}</code>
Opta Core - SDAPI	tournamentcalendar + person	tmcl + prsn	<code>https://api.performfeeds.com/soccerdata/injuries/{outletAuthKey}?tmcl=urn:perform:optacore:tournamentcalendar:14029&prsn=urn:perform:optacore:person:{prsn id}&_rt={mode}</code>
Opta Core - SDAPI	tournamentcalendar + contestant	tmcl + ctst	<code>https://api.performfeeds.com/soccerdata/injuries/{outletAuthKey}?tmcl=urn:perform:optacore:tournamentcalendar:{tmcl id}&ctst=urn:perform:optacore:contestant:{ctst id}&_rt={mode}</code>

PE8 Suspensions /Suspensions

For more information about this feed, see its [User Guide](#)

The calls to the `/suspensions` feed will return suspension information.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/suspensions/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/suspensions/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>
Opta Core - SDAPI	tournamentcalendar	tmcl	<code>https://api.performfeeds.com/soccerdata/suspensions/{outletAuthKey}?tmcl=urn:perform:optacore:tournamentcalendar:{tmcl id}&_rt={mode}</code>
Opta Core - SDAPI	tournamentcalendar + person	tmcl + prsn	<code>https://api.performfeeds.com/soccerdata/suspensions/{outletAuthKey}?tmcl=urn:perform:optacore:tournamentcalendar:{tmcl id}&prsn=urn:perform:optacore:person:{prsn id}&_rt={mode}</code>
Opta Core - SDAPI	tournamentcalendar + contestant	tmcl + ctst	<code>https://api.performfeeds.com/soccerdata/suspensions/{outletAuthKey}?tmcl=urn:perform:optacore:tournamentcalendar:{tmcl id}&ctst=urn:perform:optacore:contestant:{ctst id}&_rt={mode}</code>

PE9 NLG Dynamic Player Bios /Nlgdynamicplayerbio

For more information about this feed, see its [User Guide](#)

The calls to the `/nlgmatchpreview` feed will return a match preview with basic or detailed information.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	person	prsn	<code>https://api.performfeeds.com/soccerdata/nlgdynamicplayerbio/{outletAuthKey}?prsn=urn:perform:opta:person:{id}&_rt={mode}</code>
Opta - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/nlgdynamicplayerbio/{outletAuthKey}?ctst=urn:perform:opta:contestant:{id}&_rt={mode}</code>

PE10 NLG Match Preview /Nlgmatchpreview

For more information about this feed, see its [User Guide](#)

The calls to the `/nlgmatchpreview` feed will return a match preview with basic or detailed information.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	person	prsn	<code>https://api.performfeeds.com/soccerdata/nlgdynamicplayerbio/{outletAuthKey}?prsn=urn:perform:opta:person:{id}&_rt={mode}</code>
Opta - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/nlgdynamicplayerbio/{outletAuthKey}?ctst=urn:perform:opta:contestant:{id}&_rt={mode}</code>

TDM1 Insights /Insights

For more information about this feed, see its [User Guide](#)

The calls to the `/insights` feed will return a match preview with basic or detailed information.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	person	prsn	<code>https://api.performfeeds.com/soccerdata/insights/{outletAuthKey}?prsn=urn:perform:opta:person:{id}&_rt={mode}</code>
Opta - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/nlgdynamicplayerbio/{outletAuthKey}?ctst=urn:perform:opta:contestant:{id}&_rt={mode}</code>

TDM2 Aggregates /Aggregates

For more information about this feed, see its [User Guide](#)

The calls to the `/aggregates` feed will return a match preview with basic or detailed information.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	person	prsn	<code>https://api.performfeeds.com/soccerdata/aggregates/{outletAuthKey}?prsn=urn:perform:opta:person:{id}&_rt={mode}</code>
Opta - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/nlgdynamicplayerbio/{outletAuthKey}?ctst=urn:perform:opta:contestant:{id}&_rt={mode}</code>

TM1 Teams /Team

For more information about this feed, see its [User Guide](#)

The calls to the `/team` feed will return team information.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/team/{outletAuthKey}?ctst=urn:perform:opta:contestant:{ctst id}&_rt={mode}&_fmt=xml</code>
Opta Core - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/team/{outletAuthKey}?ctst=urn:perform:optacore:contestant:{ctst id}&_rt={mode}&_fmt=xml</code>
Opta Core - SDAPI	tournamentcalendar	tmcl	<code>https://api.performfeeds.com/soccerdata/team/{outletAuthKey}?tmcl=urn:perform:optacore:tournamentcalendar:{tmcl id}&_rt={mode}&_fmt=xml</code>
Opta Core - SDAPI	series	srs	<code>https://api.performfeeds.com/soccerdata/team/{outletAuthKey}?srs=urn:perform:optacore:series:{series id}&_rt={mode}&_fmt=xml</code>
Opta Core - SDAPI	stage	stg	<code>https://api.performfeeds.com/soccerdata/team/{outletAuthKey}?stg=urn:perform:optacore:stage:{stage id}&_rt={mode}&_fmt=xml</code>

TM2 Team Standings /Standings

For more information about this feed, see its [User Guide](#)

The calls to the `/standings` feed will return team standings information.

ID Provider	Entity type	Query parameter(s)	Example request
Opta Core - SDAPI	tournamentcalendar	tmcl	<code>https://api.performfeeds.com/soccerdata/standings/{outletAuthKey}?tmcl=urn:perform:optacore:tournamentcalendar:{tmcl id}&_rt={mode}&_fmt=xml</code>
Opta Core - SDAPI	tournamentcalendar + stage	tmcl + stg	<code>https://api.performfeeds.com/soccerdata/standings/{outletAuthKey}?tmcl=urn:perform:optacore:tournamentcalendar:14029&stg=urn:perform:optacore:stage:{stg id}&_rt={mode}&_fmt=xml</code>
Opta Core - SDAPI	tournamentcalendar	tmcl + live=yes	<code>https://api.performfeeds.com/soccerdata/standings/{outletAuthKey}?tmcl=urn:perform:optacore:tournamentcalendar:{tmcl id}&_rt={mode}&_fmt=xml&live=yes</code>

ID Provider	Entity type	Query parameter(s)	Example request
Opta Core - SDAPI	tournamentcalendar	tmcl + live=yes + type	<code>https://api.performfeeds.com/soccerdata/standings/{outletAuthKey}?tmcl=urn:perform:optacore:tournamentcalendar:{tmcl id}&_rt={mode}&_fmt=xml&live=yes&type=home</code>
Opta Core - SDAPI	tournamentcalendar + Opta names	tmcl + _lcl=en-op	<code>https://api.performfeeds.com/soccerdata/standings/{outletAuthKey}?tmcl=urn:perform:optacore:tournamentcalendar:{tmcl id}&_lcl=en-op&_rt={mode}&_fmt=xml</code>

TM3 Squads /Squads

For more information about this feed, see its [User Guide](#)

The calls to the `/squads` feed will return squad information.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/squads/{outletAuthKey}?ctst=urn:perform:opta:contestant:{ctst id}&_rt={mode}</code>
Opta Core - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/squads/{outletAuthKey}?ctst=urn:perform:optacore:contestant:{ctst id}&_rt={mode}</code>
Opta Core - SDAPI	tournamentcalendar + detailed=yes	tmcl	<code>https://api.performfeeds.com/soccerdata/squads/{outletAuthKey}?tmcl=urn:perform:optacore:tournamentcalendar:{tmcl id}&_rt={mode}&_fmt=xml&detailed=yes</code>
Opta - SDAPI	contestant + Opta names	ctst + _lcl=en-op	<code>https://api.performfeeds.com/soccerdata/squads/{outletAuthKey}?ctst=urn:perform:opta:contestant:{ctst id}&_lcl=en-op&_rt={mode}</code>
Opta Core - SDAPI	contestant + Opta names	ctst + _lcl=en-op	<code>https://api.performfeeds.com/soccerdata/squads/{outletAuthKey}?ctst=urn:perform:optacore:contestant:{ctst id}&_rt={mode}</code>

TM4 Season Stats /Seasonalstats

For more information about this feed, see its [User Guide](#)

The calls to the `/seasonalstats` feed will return season statistics.

ID Provider	Entity type	Query parameter(s)	Example request
Opta Core - SDAPI	tournamentcalendar + contestant	tmcl + ctst	<code>https://api.performfeeds.com/soccerdata/seasonalstats/{outletAuthKey}?tmcl=urn:perform:optacore:tournamentcalendar:{tmcl id}&ctst=urn:perform:optacore:contestant:{ctst id}&_rt={mode}</code>
Opta - SDAPI	competition + contestant	comp + ctst	<code>https://api.performfeeds.com/soccerdata/seasonalstats/{outletAuthKey}?comp=urn:perform:opta:competition:{comp id}&ctst=urn:perform:opta:contestant:{ctst id}&_rt={mode}</code>
Opta Core - SDAPI	competition + contestant	comp + ctst	<code>https://api.performfeeds.com/soccerdata/seasonalstats/{outletAuthKey}?comp=urn:perform:optacore:competition:{comp id}&ctst=urn:perform:optacore:contestant:{ctst id}&_rt={mode}</code>

TM7 Transfers /Transfers

For more information about this feed, see its [User Guide](#)

The calls to the `/transfers` feed will return transfers information.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	person	prsn	<code>https://api.performfeeds.com/soccerdata/transfers/{outletAuthKey}?prsn=urn:perform:opta:person:{prsnid}&_rt={mode}</code>
Opta Core - SDAPI	person	prsn	<code>https://api.performfeeds.com/soccerdata/transfers/{outletAuthKey}?prsn=urn:perform:optacore:person:{prsnid}&_rt={mode}</code>
Opta - SDAPI	competition	comp	<code>https://api.performfeeds.com/soccerdata/transfers/{outletAuthKey}?comp=urn:perform:opta:competition:{compid}&_rt={mode}</code>
Opta Core - SDAPI	competition	comp	<code>https://api.performfeeds.com/soccerdata/transfers/{outletAuthKey}?comp=urn:perform:optacore:competition:{compid}&_rt={mode}</code>
Opta - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/transfers/{outletAuthKey}?ctst=urn:perform:opta:contestant:{ctst id}&_rt={mode}</code>
Opta Core - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/transfers/{outletAuthKey}?ctst=urn:perform:optacore:contestant:{ctst id}&_rt={mode}</code>

TM8 Trophies /Trophies

For more information about this feed, see its [User Guide](#)

The calls to the `/trophies` feed will return trophy information.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	competition	comp	<code>https://api.performfeeds.com/soccerdata/trophies/{outletAuthKey}?comp=urn:perform:opta:competition:{comp id}&_rt={mode}</code>
Opta Core - SDAPI	competition	comp	<code>https://api.performfeeds.com/soccerdata/trophies/{outletAuthKey}?comp=urn:perform:optacore:competition:{comp id}&_rt={mode}</code>
Opta - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/trophies/{outletAuthKey}?ctst=urn:perform:opta:contestant:{ctst id}&_rt={mode}</code>
Opta Core - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/trophies/{outletAuthKey}?ctst=urn:perform:optacore:contestant:{ctst id}&_rt={mode}</code>

TM9 Season Expected Goals /Seasonexpectedgoals

For more information about this feed, see its [User Guide](#)

The calls to the `/seasonexpectedgoals` feed will return the season expected goals information.

ID Provider	Entity type	Query parameter(s)	Example request
Opta Core - SDAPI	tournamentcalendar + contestant	tmcl + ctst	<code>https://api.performfeeds.com/soccerdata/seasonexpectedgoals/{outletAuthKey}?tmcl=urn:perform:optacore:tournamentcalendar:{tmcl id}&ctst=urn:perform:optacore:contestant:{ctst id}&_rt={mode}</code>
Opta - SDAPI	competition + contestant	comp + ctst	<code>https://api.performfeeds.com/soccerdata/seasonexpectedgoals/{outletAuthKey}?comp=urn:perform:opta:competition:{comp id}&ctst=urn:perform:opta:contestant:{ctst id}&_rt={mode}</code>
Opta Core - SDAPI	competition + contestant	comp + ctst	<code>https://api.performfeeds.com/soccerdata/seasonexpectedgoals/{outletAuthKey}?comp=urn:perform:optacore:competition:{comp id}&ctst=urn:perform:optacore:contestant:{ctst id}&_rt={mode}</code>

TM15 Team And Player Forecast /Teamplayerprops

For more information about this feed, see its [User Guide](#)

The calls to the `/teampayerprops` feed will return 'in-game' real-time Insights for a specific match.

ID Provider	Entity type	Query parameter(s)	Example request
Opta - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/possessionevent/{outletAuthKey}?fx=urn:perform:opta:fixture:{id}3&_rt={mode}</code>
Opta Core - SDAPI	fixture	fx	<code>https://api.performfeeds.com/soccerdata/possessionevent/{outletAuthKey}?fx=urn:perform:optacore:fixture:{id}&_rt={mode}</code>

TM16 Contestant Participation /Contestantparticipation

For more information about this feed, see its [User Guide](#)

The calls to the `/contestantparticipation` feed will return 'in-game' real-time Insights for a specific match.

ID Provider	Entity type	Query parameter(s)	Example request
Opta Core - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/contestantparticipation/{outletAuthKey}?ctst=urn:perform:optacore:contestant:{ctst id}&_rt={mode}</code>
Opta - SDAPI	contestant	ctst	<code>https://api.performfeeds.com/soccerdata/contestantparticipation/{outletAuthKey}?ctst=urn:perform:opta:contestant:{ctst id}&_rt={mode}</code>

TM17 Season Playtime /Seasonplaytime

For more information about this feed, see its [User Guide](#)

The call to the `/seasonplaytime` feed will return 'in-game' real-time Insights for a specific match.

ID Provider	Entity type	Query parameter(s)	Example request
Opta Core - SDAPI	tournamentcalendar	tmcl	<code>https://api.performfeeds.com/soccerdata/seasonplaytime/{outletAuthKey}?tmcl=urn:perform:optacore:tournamentcalendar:{tmcl id}&_rt={mode}&_fmt=xml</code>