

Last modified on

Sports Data Soccer API - Live Win Probability Feed (MA21)

Get match win probability data for each team: pre-match predictions and live prediction updates with key event details during a match

Overview

The Soccer **Live Win Probability feed** provides a way for you to find out which of the two teams competing in a match has the best chance to win - allowing you to make a prediction, if you wish. It will show match data prior to kick-off and update in 'real time' once the match has started, with a live predictive analytics output.

The model is based on predicting goal rates for each team - this goal rate prediction is based on the following criteria, which we run over 100,000 simulations.

- Quality of the team
- Quality of the opponent
- Home advantage
- Yellow cards
- Red cards
- Game state
- Time in the match
- Goals
- Penalty calls
- xG for/against
- Amount of injury time and stoppage time

For more details refer: <https://www.theanalyst.com/eu/2021/11/live-win-probability/>

Update - Behind Closed Doors and Limited Audience matches (May 2020):

We have implemented a way to highlight when a match will be played behind closed doors or with a limited audience. When these conditions apply, new attributes for `attendanceInfoId` and `attendanceInfo` will be delivered in the feed under the `matchInfo` element. For more information, see: [Feed Output](#)

Required Compliance:

To comply with our API security and best practice logic for your API calls please refer to our [FAQs](#). We also recommend that you take a look at our [API Overview and Authentication Guide](#). You will learn the basics of how our API works and key concepts to get started.

How Often Should I Poll The Feed?

We have provided some guidelines to help ensure that you call the feed only as often as you need to. Make sure that you don't exceed the rate confirmed with us - this can vary depending on whether you make requests as a B2B or B2C outlet - if you need more information on this, contact your Stats Perform representative.

POLLING FREQUENCY	
Pre-match	- Once (x1) on the morning of the match day (scheduled fixture date) - Once (x1) within 10 days of the fixture start date/time
During a live match	Once (x1) per minute (60 seconds) during the game

Live Win Probability (MA21) Guide

USAGE	FEED
GET pre-match and live win probability data for the competing teams (contestants) for the specified match	/soccerdata/matchli {queryParams}

If your request URL is as follows (does not contain a mandatory fixture UUID), the feed returns an error:
/soccerdata/matchlivewinprobability/{outletAuthKey}

Query Parameters And Example Request Parameters

This feed also makes use of the **Global query parameters**, and you can combine them with the following query parameters (some of which can be used in conjunction with each other). However, you must query the **/matchlivewinprobability** feed by a fixture (match) UUID.

Legacy IDs: You can use the **fx** query parameter to filter by an Opta legacy ID (only one ID is supported - you cannot specify a comma-separated list of IDs).

How to use query parameters and make successful requests:

In our guides, we use HTTPS syntax for our example GET requests (rather than cURL, for example). All URLs are case-sensitive - this means that URL strings must contain the correct case and operators. You MUST format your requests correctly and include certain information; otherwise, an error will be returned. You can find information about the API, including the base URL ({protocol}://{requestDomain}/{feedResource}), in the **main guide** and **API Overview and Authorisation guide**.

- Include the following information in the URL or header and make sure it is correct for your outlet: your unique and valid **{outletAuthKey}** this must be after the Outlet Authentication Key (and endpoint, if applicable). for **_rt={mode}** (operating mode) and **_fmt={dataFormat}** (response format), entity query parameter and UUID.
- Begin the query parameter string with **?** (question mark) - this must be after the Outlet Authentication Key (and endpoint, if applicable). To build up a query string, make sure that each query parameter is separated by

the `&` (ampersand) operator. Values must be separated by the correct operator, for example `&` (multiple values, 'AND'), or `-` (multiple values, 'OR') or `!` ('NOT').

- Use the required `_` (underscore) for any parameters listed with this prefix.
- Remove any placeholder value curly braces `{ }` from your calls (we include these as an example only).
- If using the JSONP format (`_fmt=jsonp`) you MUST use it in combination with the callback parameter (`_clbk`) and a fixed value (or where you use a different value in a different instance, you must do this as little as possible). Be aware that common JavaScript frameworks, such as jQuery, can default to use randomly-generated function names - you must make sure that these are overridden and define a fixed function name instead.

Parameter	Value and description
<code>fixtureUuid</code>	GET win/draw probability data for a match by the fixture UUID (as specified, URL path parameter). GET https://api.performfeeds.com/soccerdata/matchlivewinprobability/{outletAuthKey}/{fixtureUuid?_rt={mode}&_fmt={dataFormat}
<code>fx</code>	GET win/draw probability data for the specified fixture. Pass the fixture/match UUID to the <code>fx</code> parameter. GET https://api.performfeeds.com/soccerdata/matchlivewinprobability/{outletAuthKey}?_rt={mode}&_fmt={dataFormat}&fx={fixtureUuid}

Sample Calls

These sample calls let you see an example URL and the response - click on the links below (hyperlinks open in a new window).

- [XML](#)
- [JSON](#)

Example Calls And Responses

Click on the link below to see a complete example of a call and response from the feed.

► [XML example](#)

Feed Output

Here, you can find an explanation of all possible response fields and data. This is XML but fields in the feed response are similar for JSON.

► `<matchLiveWinProbability>`

► `<matchInfo>`

► `<description>`

► `<sport>`

- ▶<ruleset>
- ▶<competition>
- ▶<country>
- ▶<tournamentCalendar>
- ▶<stage>
- ▶<series>
- ▶<contestants> (XML only)
- ▶<contestant>
- ▶<country>
- ▶<venue>
- ▶<liveData>
- ▶<matchDetails>
- ▶<periods> (XML only)
- ▶<period>
- ▶<suspensions>
- ▶<suspension>
- ▶<scores>
- ▶<ht>
- ▶<ft>
- ▶<et>
- ▶<pen>
- ▶<total>
- ▶<preMatchPredictions>
- ▶<prediction>
- ▶<livePredictions>
- ▶<overallLivePredictions>
- ▶<prediction>
- ▶<events>

▶<event>

▶<predictions>

▶<prediction>

▶<qualifier>