

Last modified on

# Sports Data Soccer API - Remote Aggregated Runs Feed (MA55)

Get *aggregated match player runs statistics* across both teams and players.

## Overview

The Soccer **Remote Aggregated Runs** feed provides `aggregated match player runs statistics` across both teams and players.

## How Often Should I Poll The Feed?

We have provided some guidelines to help ensure that you call the feed only as often as you need to. Make sure that you don't exceed the rate confirmed with us - this can vary depending on whether you make requests as a B2B or B2C outlet - if you need more information on this, contact your Stats Perform representative.

| UPDATED                                                                                                                                                                                                                                                                                                                           | POLLING FREQUENCY |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Updated on every stop in play during the game, including for the following types of events: goal, shot at goal, assist, free kick, offside given, cards, start of the half, end of the half, corner, substitution, lineup<br><b>Note:</b> There will always be a gap of at least 30 seconds between files unless a goal is scored | Post-match        |

## Remote Aggregated Runs (MA55) Guide

| USAGE                                                                                                              |                                                   |
|--------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|
| GET <b>remote aggregated runs</b> data by passing the fixture/match UUID as a path parameter (the asset/resource). | <code>/soccerdata/rem<br/>{fixtureUuid}}{c</code> |

## Query Parameters And Example Request Parameters

This feed also makes use of the **Global query parameters**, and you can combine them with the following query parameters (some of which can be used in conjunction with each other). However, you can query the `/remoteaggregatedruns` feed without an entity UUID.

**Legacy IDs:** You can use the `fx` query parameter to filter by an Opta legacy ID (only one ID is supported - you cannot specify a comma-separated list of IDs).

### How to use query parameters and make successful requests:

In our guides, we use HTTPS syntax for our example GET requests (rather than cURL, for example). All URLs are case-sensitive - this means that URL strings must contain the correct case and operators. You MUST format your requests correctly and include certain information, otherwise, an error will be returned. You can find information about the API, including the base URL ( `{protocol}://{requestDomain}/{feedResource}` ), in the [main guide](#) and [API Overview and Authorisation guide](#).

- Include the following information in the URL or header and make sure it is correct for your outlet: your unique and valid `{outletAuthKey}` (Outlet Authentication Key), query parameters for `_rt={mode}` (operating mode) and `_fmt={dataFormat}` (response format). If required, it should also include an entity UUID (such as a fixture/match UUID).
- Begin the query parameter string with `?` (question mark) - this must be after the Outlet Authentication Key (and endpoint, if applicable). To build up a query string, make sure that each query parameter is separated by the `&` (ampersand) operator. Values must be separated by the correct operator, for example `&` (multiple values, 'AND'), or `,` (multiple values, 'OR') or `!` ('NOT').
- Use the required `_` (underscore) for any parameters listed with this prefix.
- Remove any placeholder value curly braces `{ }` from your calls (we include these as an example only).
- If using the JSONP format ( `_fmt=jsonp` ) you MUST use it in combination with the callback parameter ( `_clbk` ) and a fixed value (or where you use a different value in a different instance, you must do this as little as possible). Be aware that common JavaScript frameworks, such as jQuery, can default to use randomly generated function names. You must make sure that these are overridden and define a fixed function name instead.

| Query parameter    | Value and description                                                                                                                                                                                                                                                      |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| fixture/match UUID | <p>GET <b>remote aggregated runs</b> by passing the fixture/match UUID as a path parameter (the asset/resource) in the URL.</p> <pre>GET https://api.performfeeds.com/soccerdata/remoteaggregatedruns/{outletAuthKey}/{fixtureUuid}?_rt={mode}&amp;_fmt={dataFormat}</pre> |
| fx                 | <p>GET <b>remote aggregated runs</b> by fixture UUID (fx query parameter method).</p> <pre>GET https://api.performfeeds.com/soccerdata/remoteaggregatedruns/{outletAuthKey}?fx={fixtureUuid}&amp;_rt={mode}&amp;_fmt={dataFormat}</pre>                                    |

### Sample Calls

These sample calls let you see an example URL and the response - click on the links below (hyperlinks open in a new window).

- [XML](#)
- [JSON](#)

### Feed Output

Here, you can find an explanation of all possible response fields and data. This is XML but fields in the feed response are similar for JSON.

▶<matches> (XML only)

▶<match>

▶<matchInfo>

▶<description>

▶<sport>

▶<ruleset>

▶<competition>

▶<country>

▶<tournamentCalendar>

▶<stage>

▶<series>

▶<contestants> (XML only)

▶<contestant>

▶<country>

▶<venue>

▶<liveData>

▶<matchDetails>

▶<periods> (XML only)

▶<period>

▶<suspensions>

▶<suspension>

▶<scores>

▶<ht>

▶<ft>

▶<et>

▶<pen>

▶<total>

▶<aggregate>

▶<totalUnconfirmed>

▶<goal>

▶<missedPenalties>

▶<card>

▶<substitute>

▶<VAR>

▶<penaltyShootout>

▶<penaltyShot>

▶<lineUp>

▶<player>

▶<overallRuns>

▶<stat>

▶<runLabels>

▶<stat>

▶<runDescriptors>

▶<stat>

▶<teamStats>

▶<overallRuns>

▶<stat>

▶<runLabels>

▶<stat>

▶<runDescriptors>

▶<stat>

## How Are VAR Events Reported?

when a VAR (Video Assistant Referee) review takes place our analysts will collect the type of event being reviewed, the team and player involved, and the decision of the review (outcome) which also describes what happens next.

Please [click here](#) for more details on VAR outcomes.

## Run Label Definitions

Offensive types refer to players whose team have possession of the ball (according to the Opta Vision possession framework); defensive types refer to players whose team do not have possession. Where multiple Labels are identified during a single Run, only a single one is taken as the **masterLabel** according to the defined hierarchy (lowest number = highest priority; note some labels are tied in hierarchy as they are mutually exclusive w.r.t. one another).

| TYPE      | LABEL         | DEFINITION                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Offensive | Cross option  | <ul style="list-style-type: none"> <li>Ball is in <b>cross zone</b> at some point during the run</li> <li>Player is in <b>cross option zone</b> at some point during the run +1 second buffer</li> </ul>                                                                                                                                                                                                                                                                       |
| Offensive | Run in behind | <ul style="list-style-type: none"> <li>Run towards the opposite goal</li> <li>Runner not in an offside position (or offside &lt;1 metre) when starting the run</li> <li>Run ends within 5 metres of the offside point (last defender) in the X axis</li> <li>Post buffer of 1 second after the teammate is carrying the ball</li> </ul>                                                                                                                                        |
| Offensive | Overlap       | <ul style="list-style-type: none"> <li>Distance to ball carrier is 3–15 metres in the X axis at the start of the run</li> <li>Distance to ball carrier of <math>\geq 3</math> metres in the X axis at the end of the run</li> <li>Distance to ball carrier of <math>\leq 15</math> metres in the Y axis when overtaking</li> <li>Runner closer to touchline when overtaking</li> <li>Buffer of 0.5 seconds before and after the teammate is carrying the ball</li> </ul>       |
| Offensive | Underlap      | <ul style="list-style-type: none"> <li>Distance to ball carrier is 3–15 metres in the X axis at the start of the run</li> <li>Distance to ball carrier of <math>\geq 3</math> metres in the X axis at the end of the run</li> <li>Distance to ball carrier of <math>\leq 15</math> metres in the Y axis when overtaking</li> <li>Ball carrier closer to touchline when overtaking</li> <li>Buffer of 0.5 seconds before and after the teammate is carrying the ball</li> </ul> |
| Offensive | Coming short  | <ul style="list-style-type: none"> <li>Distance to ball carrier of <math>\leq 20</math> metres at the end of the run</li> <li>Cosine similarity between the vector start/end run and start/teammate &gt; 0.5</li> <li>Directness=(Starting Distance From Ball - Closest Distance to Ball) / (Total Distance)</li> </ul>                                                                                                                                                        |
| Offensive | Dropping off  | <ul style="list-style-type: none"> <li>Distance decreased by at least 6 metres in the X axis</li> </ul>                                                                                                                                                                                                                                                                                                                                                                        |
| Offensive | In to out     | <ul style="list-style-type: none"> <li>Y coordinate changed by <math>\geq 10</math> metres</li> <li>X coordinate changed by <math>\leq 10</math> metres</li> <li>Run starts within the central/half space zone and ended within the wide zone</li> </ul>                                                                                                                                                                                                                       |
| Offensive | Out to in     | <ul style="list-style-type: none"> <li>Y coordinate changed by <math>\geq 10</math> metres</li> <li>X coordinate changed by <math>\leq 10</math> metres</li> <li>Run starts within the wide zone and ended within the central/half space zone</li> </ul>                                                                                                                                                                                                                       |
| Offensive | Ahead of ball | <ul style="list-style-type: none"> <li>Run starts ahead of the ball</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                 |
| Offensive | Support       | <ul style="list-style-type: none"> <li>Run starts behind the ball</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                   |
| Defensive | Loose ball    | <ul style="list-style-type: none"> <li>There's a Loose Ball Possession for &gt;60% of the frames during the run</li> <li>End distance to the ball of <math>\leq 10</math>m</li> </ul>                                                                                                                                                                                                                                                                                          |
| Defensive | Closing down  | <ul style="list-style-type: none"> <li>Distance to ball carrier (opponent) of <math>\leq 8</math> metres at the end of the run</li> </ul>                                                                                                                                                                                                                                                                                                                                      |

| TYPE      | LABEL                        | DEFINITION                                                                                                                                                                                                                                      |
|-----------|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           |                              | <ul style="list-style-type: none"> <li>• Cosine similarity between the vector start/end run and start/opponent &gt;</li> <li>• Directness=(Starting Distance From Ball - Closest Distance to Ball) / (Total Distance)</li> </ul>                |
| Defensive | Tracking player with ball    | <ul style="list-style-type: none"> <li>• Runner is tracking a player with the ball for &gt;=60% of the frame during the run</li> </ul>                                                                                                          |
| Defensive | Tracking player without ball | <ul style="list-style-type: none"> <li>• Runner is <b>marking</b> a player without the ball for &gt;=80% of the frames during the run</li> </ul>                                                                                                |
| Defensive | Tracking back to position    | <ul style="list-style-type: none"> <li>• Runner is marking a player without the ball for &lt;80% of the frames during the run</li> <li>• Runner runs back to own goal for &gt;=20 metres</li> <li>• Run starts in the attacking half</li> </ul> |

## Qualifier Definitions

| RUN TYPE  | CATEGORY               | NAME      | TYPE          | DEFINITION                                                                                                                                                                                                           |
|-----------|------------------------|-----------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| All       | relatedEvents          | Value     | list          | List of relatedEvents (ids) that happens during the run                                                                                                                                                              |
| All       | Speed                  | Threshold | string        | <ul style="list-style-type: none"> <li>• "Sprint": max speed during the run &gt;= 7m/s</li> <li>• "High speed": max speed during the run &gt;= 5m/s</li> </ul>                                                       |
| All       | Speed                  | Max       | float         | Max instantaneous (i.e. frame-to-frame) speed during the run                                                                                                                                                         |
| Defensive | Pressure               | Value     | string        | <ul style="list-style-type: none"> <li>• "Low": max pressure model output in run is 1</li> <li>• "Medium": max pressure model output in run is 2</li> <li>• "High": max pressure model output in run is 3</li> </ul> |
| Offensive | Pass                   | Target    | boolean (0/1) | The player was a pass target during the run                                                                                                                                                                          |
| Offensive | Pass                   | Received  | boolean (0/1) | The player received the ball during the run                                                                                                                                                                          |
| Offensive | expectedReceiver       | Start     | float         | First xR value during the run                                                                                                                                                                                        |
| Offensive | expectedReceiver       | End       | float         | Last xR value during the run                                                                                                                                                                                         |
| Offensive | expectedReceiver       | Max       | float         | Max xR value during the run                                                                                                                                                                                          |
| Offensive | expectedThreat         | Start     | float         | First xT value during the run                                                                                                                                                                                        |
| Offensive | expectedThreat         | End       | float         | Last xT value during the run                                                                                                                                                                                         |
| Offensive | expectedThreat         | Start     | float         | Max xT value during the run                                                                                                                                                                                          |
| Offensive | expectedPass           | Start     | float         | First xP value during the run                                                                                                                                                                                        |
| Offensive | expectedPass           | End       | float         | Last xP value during the run                                                                                                                                                                                         |
| Offensive | expectedPass           | Start     | float         | Max xP value during the run                                                                                                                                                                                          |
| Offensive | increasesAvailability  | Value     | boolean (0/1) | <ul style="list-style-type: none"> <li>• There's at least a 0.3 increase in the xR value</li> <li>• The max xR value is at least 0.8</li> </ul>                                                                      |
| Offensive | dangerous              | Value     | boolean (0/1) | <ul style="list-style-type: none"> <li>• There's at least a 0.05 increase in the xT value</li> <li>• The max xT value is at least 0.2</li> </ul>                                                                     |
| All       | runDistance            | Value     | boolean (0/1) | Distance covered during the whole run (the sum of frame-to-frame distances)                                                                                                                                          |
| All       | runDirection           | Value     | float         | Direction (in degrees) of the run, where 0° represents a direct run                                                                                                                                                  |
| All       | runStraightness        | Value     | float         | Directness of run defined as tortuosity (i.e. total distance covered / distance between start and end)                                                                                                               |
| All       | runEndsInBox           | Value     | boolean (0/1) | Run ends in opposition box                                                                                                                                                                                           |
| All       | runStartsBehindBall    | Value     | boolean (0/1) | Run starts behind the ball                                                                                                                                                                                           |
| All       | runStartsInFrontOfBall | Value     | boolean (0/1) | Run starts in front of the ball                                                                                                                                                                                      |
| All       | runEndsBehindBall      | Value     | boolean (0/1) | Run ends behind the ball                                                                                                                                                                                             |


| Run Type  | Category                     | Name  | Type          | Definition                                                   |
|-----------|------------------------------|-------|---------------|--------------------------------------------------------------|
| All       | runEndsInFrontOfBall         | Value | boolean (0/1) | Run ends in front of the ball                                |
| All       | runAwayFromBall              | Value | boolean (0/1) | Distance to the ball is higher at the end of the run than wh |
| All       | runTowardOppositionGoal      | Value | boolean (0/1) | Distance to the opposition goal is lower at the end of the r |
| Offensive | defensiveLineBroken          | Value | boolean (0/1) | Run breaks the opposition defensive line (no minimum dis     |
| Offensive | midfieldLineBroken           | Value | boolean (0/1) | Run breaks the opposition midfield line (no minimum dist     |
| Offensive | runEndsBetweenLines          | Value | boolean (0/1) | Run ends between the opposition defensive and midfield l     |
| Offensive | runFollowedByTeamShot        | Value | boolean (0/1) | There's a team shot within the next 10 seconds after the r   |
| Offensive | runFollowedByTeamGoal        | Value | boolean (0/1) | There's a team goal within the next 10 seconds after the r   |
| Offensive | closestDistanceToBallCarrier | Value | float         | Minimum distance to any teammate with possession of t        |

Appendices

Cross Zone & Cross Option Zone

For a team attacking from left-to-right, below plots show cross zones in blue and cross option zones in red; zones depend on whether the cross is made from the left or right hand side of the pitch.

A. Cross From Left



B.Cross From Right



