

Soccer Data Feed

1. [FIXTURES LEAGUES LIST FEED](#)
2. [LEAGUE SEASONS FEED](#)
3. [LEAGUE TEAMS FEED \(SOCCERLEAGUE\)](#)
4. [FIXTURES FEED \(SOCCERFIXTURES\)](#)
5. [LIVESCORE FEED \(SOCCERNEW\)](#)
6. [LIVE GAME LINEUPS/STATS FEED \(COMMENTARIES\)](#)
7. [PLAYER INJURIES FEED](#)
8. [PREGAME ODDS COMPARISON FEED \(GETODDS\)](#)
9. [LEAGUE STANDINGS FEED \(STANDINGS\)](#)
10. [TEAM PROFILE FEED \(SOCCERSTATS\)](#)
11. [PLAYER PROFILE FEED \(SOCCERSTATS\)](#)
12. [HEAD 2 HEAD COMPARISON FEED \(H2H\)](#)
13. [HISTORICAL RESULTS AND STANDINGS FEED \(SOCCERHISTORY\)](#)

Basic feed format description and common flags to be used

- feed time zone is UTC.
- JSON format - to convert feed into JSON add “?json=true” parameter to the feed URL.

```
https://www.goalserve.com/getfeed/-----/soccernew/home?json=true
https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=soccer_10&json=true
https://www.goalserve.com/getfeed/-----/commentaries/1204.xml?json=true
```

- all ID values are always static and not change every season
- all ID values are unique in single sport scope, not globally

1) FIXTURES LEAGUES LIST FEED

- refresh period once every 3 hours

<https://www.goalserve.com/getfeed/-----/soccerfixtures/data/mapping - all leagues>
<https://www.goalserve.com/getfeed/-----/soccerfixtures/data/mapping-current - live/in-progress leagues only>

<mapping id="1204" country="England" name="Premier League" season="2019/2020" date_start="09.08.2019" date_end="17.05.2020" iscup="False" path="/leagueid/1204.xml" />		
id	int	League id
country	string	Country Name
name	String	League name
season	string	Current season
date_start	dd.MM.yyyy	tournament state date (first fixture date)
date_end	dd.MM.yyyy	tournament end date (last fixture date)
iscup	bool (True/False)	indicate if current tournament is cup or championship True - is cup tournament False - is championship tournament
live_lineups	bool (True/False)	indicate if live lineups feature is available for this league through Live Stats package
live_stats	bool (True/False)	indicate if live player stats feature is available for this league through Live Stats package
live_pbp	bool (True/False)	indicate if live play by play feature is available for this league through Live Text Commentaries
path	string	[obsolete] path to old fixtures feed version

2) LEAGUE SEASONS FEED (AVAILABLE HISTORICAL DATA PER LEAGUE)

- league seasons list. Results, standings and pregame odds history. Please contact support for historical feed access information.

<https://www.goalserve.com/getfeed/-----/soccerfixtures/data/seasons>

<league id="1205" country="England" name="Championship" iscup="False">		
id	int	League id
country	string	Country Name
name	String	League name
iscup	bool (True/False)	indicate if current tournament is cup or championship True - is cup tournament False - is championship tournament

<results>		
historical results seasons		
<standings>		
historical league standings seasons		
<odds> [under development]		
historical pregame odds seasons		

3) SOCCER LEAGUE TEAM LIST FEED

- provide teams list that are playing in given league
- provide team squads
- can be accessed by league ID
- refresh period every day at 10am UTC

URL format

<https://www.goalserve.com/getfeed/-----/soccerleague/1204>

- 1204 is a league ID
- Available leagues list can be extracted from data mapping feed

Feed elements description

<league name="Premier League" country="England" iscup="False" id="1204">		
name	string	league name
country	string	country name
iscup	bool (True/False)	indicate if current tournament is cup or championship True - is cup tournament False - is championship tournament
id	int	league id

<team name="Liverpool" id="9249">		
name	string	team name
id	int	team id. Unique team ID.

<venue name="Anfield" id="87989" />		
name	string	team home venue name
id	int	venue id

<squad>		
list of all players in team squad with their current (latest) season stats		

<player id="102643" name="Alisson" number="1" age="27" position="G" injured="False" minutes="1735" appearances="20" lineups="20" substitute_in="0" substitute_out="1" substitutes_on_bench="0" goals="0" assists="1" yellowcards="0" yellowred="0" redcards="1" isCaptain="0" shotsTotal="0" shotsOn="0" goalsConceded="13" fouldDrawn="1" foulsCommitted="1" tackles="" blocks="0" crossesTotal="0" crossesAccurate="0" interceptions="1" clearances="13" dispossessed="" saves="45" insideBoxSaves="23" duelsTotal="5" duelsWon="4" dribbleAttempts="0" dribbleSucc="0" penComm="" penWon="" penScored="0" penMissed="0" penSaved="0" passes="475" pAccuracy="84" keyPasses="1" wordworks="" rating="7.060000" />		
id	int	player id
name	string	player name
number	int (optional)	player shirt number
age	int (optional)	player age
position	char (optional)	player position G - goalkeeper D - defender M - midfielder A - Attacker
injured	bit (True/False)	player injured flag. Under development. For injuries please refer to individual team profiles - section sidelined.
minutes	int	minutes played in the season
appearances	int	total appearances in the season (lineup/substitution)

lineups	int	number of games started in lineups
substitute_in	int	number of games started on bench but entered in game with substitution
substitute_out	int	number of games where played was substituted out
substitutes_on_bench	int	number of games on the bench without substitution (not played)
goals	int	number of goals scored in the season
assists	int	number of assists
yellowcards	int	yellow cards received in the season
yellowred	int	number of games where player was sent off after 2 nd yellow card
red cards	int	direct red cards in the season
isCaptain	int	how many games player played as a team captain
shotsTotal	int	total shots in all matches of the season
shotsOn	int	total shots ON in all games of the season
goalsConceded	int	goals conceded for GK
fouldDrawn	int	total fouls drawn in all games
foulsCommitted	int	total fouls committed in all games
tackles	int	total tackles in all games
blocks	int	total blocked shots in all games
crossesTotal	int	total crosses in all games
crossesAccurate	int	total accurate crosses in all games
interceptions	int	total interceptions in all games
clearances	int	total clearances in all games
dispossessed	int	total dispossessions in all games
saves	int	total GK saves in all games
insideBoxSaves	int	number GK saves after shots inside the box
duelsTotal	int	total duels in all games
duelsWon	int	total duels won in all games
dribbleAttempts	int	total dribble attempts in all games
dribbleSucc	int	total successful dribbles in all games
penComm	int	total committed penalties (penalties after player committed the foul that lead to the penalty) in all games
penWon	int	total penalties won (penalties after player received foul) in all games
penScored	int	total goals scored after penalties in regular time
penMissed	int	total missed penalty shots during the game in regular time
penSaved	int	total saved penalties (GK) during regular time
passes	int	total passes in all games
pAccuracy	int	average passing accuracy percentage
keyPassess	int	the final pass or shot leading to the partner having an attempt at goal without scoring a goal
woordworks	int	number of shots when ball hitted woodwork
rating	int	average player rating in all games. Calculated with our internal formula that take all in-game stats/averages.

4) LEAGUE FIXTURES/RESULTS FEED

- provide full season fixtures/results for a given league
- can be accessed by league ID
- games are not disappear from fixtures feed in case of cancellation. They remain in the feed and just update match status.
- refresh period every 2 hours.

URL format

<https://www.goalserve.com/getfeed/-----/soccerfixtures/leagueid/1204>

- 1204 is a league ID
- Available leagues list can be extracted from data mapping feed

Feed structure is different for several championships and follows below 3 schemas

- 1) Single stage championship tournament without playoffs or relegation stages. Like England EPL (1204) league

<results>→<tournament>→<week>→<match>		
results	single	root xml node
tournament	single	tournament node
week	multiple (optional)	game week node. can not be presented.
match	multiple	game match node

- 2) Multiple stage championship/cups tournament. Single match knockout stages. Like England FA Cup (1198) league

<results>→<tournament>→<stage>→<week>→<match>		
<results>→<tournament>→<stage>→<match>		
results	single	root xml node
tournament	single	tournament node
stage	multiple	tournament stage node (Qualification, Group Stage etc.)
week	multiple (optional)	game week node. can not be presented.
match	multiple	game match node

- 3) Multiple stage championship/cups tournament. 2 games aggregate knockout stages. Like UEFA Champions league (1005) league

<results>→<tournament>→<stage>→<week>→<match>		
<results>→<tournament>→<stage>→<aggregate>→<match>		
<results>→<tournament>→<stage>→<match>		
<results>→<tournament>→<stage>→<week>→<match>		
results	single	root xml node
tournament	single	tournament node
stage	multiple	tournament stage node (Qualification, Group Stage etc.)
week	multiple (optional)	game week node. can not be presented.
aggregate	multiple (optional)	aggrearete node of 2 games. can not be presented.
match	multiple	game match node

Feed elements description

<results country="England">		
country	string	country name

<tournament league="UEFA Champions League" season="2019/2020" id="1005">		
league	string	league name
season	string	season name
id	int	league id. NOT change with every season. Static.

<stage name="Final" round="Knock Out" gid="3858" is_current="False" stage_id="10051444">		
name	string	stage name. include sub stage name like Final, Semi - Finals of parent stage (can be Playoff, Relegation, Knock out etc)
round	string	main stage name (associated with gid attribute)
gid	int	main stage id. used to map fixtures with live score and standings feeds. Unique for each different stage in a given league. NOT change in every season.
is_current	bit (True/False)	indicate if current stage is active
stage_id	int	[obsolete] stage id attribute in previous version. Unique for each different stage in a given league. NOT change in every season.

<aggregate firstteam="CFR Cluj" secondteam="Astana" winner="1" score="3 - 2">		
firstteam	string	first team in aggregate pair. have same name as one of teams from aggregate match elements pair
secondteam	string	second team in aggregate pair. have same name as one of teams from aggregate match elements pair
winner	int (1/2)	indicate a winner of aggregate pair
score	string	total aggregate score of 2 games

<week number="1" >		
number	int	game week number. appear only stages with game weeks schema.

<match date="19.09.2019" time="16:55" status="FT" venue="Neo GSP (Nicosia (Levkosia))" venue_id="86829" venue_city="Levkosia" static_id="2710449" groupId="156" id="3206089">		
date	dd.MM.yyyy	match date
time	HH:mm	match start time TBA - game start time is unknown (To Be Announced)
status	string	13:30 - or any other time value (HH:mm). Match status is not started. Scheduled. Display match kick-off time Postp. - match postponed to be played on another date. After new date is announced switch to new match date kick-off time. Cancl. - match cancelled Aban. - match abandoned Susp. - game is started but was suspended at some time. Will be finished on next date. "Static_id" remain the same on new game date. "id" attribute will change with date change FT - game finished after regular time Pen. - game finished after penalties shoot out AET - game finished after extra time
venue	string	venue name
venue_id	int	venue id. Venue ids, images and address can be obtained from team profiles.
venue_city	string	venue city
static_id	int	unique match id. This ID never change and used as a primary key. This id is presented in all feeds - livescore, stats, odds and used to map game between different feed.
id	int	[obsolete] unique match id. This is is NOT static and CHANGE if game date is changed. Also presented in all feeds.
groupId	int (optional)	optional attribute for tournament stages that contain groups (Group A, B, C etc..). This group ID is used to map game to appropriate group from standings feed.

<localteam name="Engordany" score="2" ft_score="2" et_score="" pen_score="" id="5839" />		
name	string	local team name (1 st team)
score	int	local team total score for all periods
ft_score	int	score after regular time (90 mins)

et_score	int	score after extra time (if played)
pen_score	int	penalty shootout score (if played)
id	int	local team id. Unique team ID. Never change

<visitorteam name="La Fiorita" score="2" ft_score="2" et_score="" pen_score="" id="14977" />		
name	string	visitor team name (2 nd team)
score	int	visitor team total score for all periods
ft_score	int	score after regular time (90 mins)
et_score	int	score after extra time (if played)
pen_score	int	penalty shootout score (if played)
id	int	visitor team id. Unique team ID. Never change

<halftime score="1 - 0" />		
score	string	score at half time break

<goals></goals>		
element that contain array of game goal events.		

<goal team="localteam" minute="17" player="N. Zugić" score="1 - 0" playerid="265716" assist="Joãozinho" assistid="112955" />		
team	string	indicate team who scored a goal (localteam/visitorteam)
minute	string	goal minute. if goal was scored in additional time a "+" sign will appear and will show extra min value. Example = minute="90+3"
player	string	player name who scored a goal. Can have additional value to indicate Own Goal and Goal Scored from penalty player="M. Gasperoni (OG)" - (OG) indicate own goal player="T. De Vincenti (PG)" - (PG) goal scored from penalty
score	string	score after goal was scored (score change)
playerid	int	player ID. Unique id of player. Does not change.
assist	string	assist name. If goal was assisted.
assistid	int	assist player ID. Unique id of player. Does not change.

<lineups></lineups>		
list of starting lineups for local and away teams		

<player number="6" name="S. Gentsoglou" booking="YC 87" id="66307" />		
number	int	player shirt number
name	string	player name
booking	string	display if player received yellow or red cards during the game booking="" - empty if player did not received any card. booking="YC 87" - YC and only minute value - a yellow card on 87 minute. booking="YC 45 87" - YC and 2 minute values delimited by space - 1 yellow on 45 min and 2 nd yellow - RED card on 87 min. booking="RC 87" - RC and single minute value - a direct red card on 87 minute. additional minute is marked with "+" symbol. minute="90+3", minute="45+3"
id	int	player ID. Unique id of player. Does not change.

<substitutions></substitutions>		
list of bench players and substitutions		

<substitution player in number="11" player in name="Moussa Al Tamari" player in booking="" player in id="454613" player out name="A. Jakoliš" player out id="85792" minute="46" />		
player_in_number	int	player shirt number
player_in_name	string	player name
player_in_booking	string	display if player received yellow or red cards during the game booking="" - empty if player did not received any card. booking="YC 87" - YC and only minute value - a yellow card on 87 minute. booking="YC 45 87" - YC and 2 minute values delimited by space - 1 yellow on 45 min and 2 nd yellow - RED card on 87 min. booking="RC 87" - RC and single minute value - a direct red card on 87 minute.
player_in_id	int	player ID. Unique id of player. Does not change.
player_out_name	string(optional)	INDICATE substitution. If player_out_name is NOT empty then "player_out" was substituted (replaced) by "player_in". If player_out_name IS empty then this record is just for bench palyer and "player in" DID NOT played.
player_out_id	int (optional)	"player out" id. ID of player.
minute	string (optional)	if "player_out" is not empty display minute when substitution took place. additional minute is marked with "+" symbol. minute="90+3", minute="45+3"

<coach name="T. Doll" id="110726" />		
display coaches of both teams if data is available		
name	string	coach name
id	int	coach id

<referee name="D. Muntean" id="92988" />		
match referee		
name	string	referee name
id	int	referee id

Available feed filtering options

- By date period – return matches for selected period

```
https://www.goalserve.com/getfeed/-----  
/soccerfixtures/league/1229?date_start=16.05.2020&date_end=16.05.2020
```

date_start - start period date (dd.MM.yyyy)

date_end - end period date (dd.MM.yyyy)

- By match static_id and league id – return single match data

```
https://www.goalserve.com/getfeed/----- /soccerfixtures/1204/2618410
```

1204 - league ID

2618410 – match static_id

5) LIVE SCORE FEED

- live score for all leagues
- live match minute, goals, cards, substitutions
- refresh time every 5 seconds
- feed display current day games. Switch on new date at midnight UTC every day.

URL format

```
https://www.goalserve.com/getfeed/-----/soccernew/home ---- today matches and live score
https://www.goalserve.com/getfeed/-----/soccernew/live ---- LIVE games only
https://www.goalserve.com/getfeed/-----/soccernew/d1 ---- tomorrow games
https://www.goalserve.com/getfeed/-----/soccernew/d-1 ---- yesterday finished games
```

Feed elements description

<scores sport="soccer" updated="15.05.2020 06:09:49">		
sport	string	sport name
updated	datetime	last feed updated time

<category name="Belarus: Vysshaya Liga" gid="1099" id="1099" file_group="belarus" iscup="False">		
name	string	country and league name separated by ":"
gid	int	main stage id. used to map fixtures with live score and standings feeds. Unique for each different stage in a given league. NOT change in every season.
id	int	league id
file_group	string(optional)	[obsolete] groups of files name
iscup	bit (True/False)	indicate if current tournament is cup or championship True - is cup tournament False - is championship tournament

<matches date="May 15" formatted_date="15.05.2020">		
date	string	string date representation
formatted_date	datetime	date value in dd.MM.yyyy format

<match status="FT" timer="" inj time="" inj minute="" date="May 15" formatted date="15.05.2020" time="10:30" commentary_available="1197" heatmap="1197" venue="" v="60" static_id="2802908" fix_id="3310076" id="3472200">		
status	string	match status value 14:30 - not started(match start time) 23 - match in progress (current minute) HT - half time FT - full time P - penalty shootout in progress Pen. - match finished after penalty shootout Break Time - break time between extra time halves and penalties ET - extra time AET - match finished after extra time WO - Walkover Postp. - Postponed Aban. - abandoned Cancel. - cancelled Susp. - suspended Int. - interrupted Delayed Awarded - Technical loss
timer	int	display additional minutes when regular time is over at the end of first and second halves. First half - status="45" timer="1" Second half - status="90" timer="1"

lnj_time	int	Display total minutes added to 1 st or 2 nd half by referee.
lnj_minute	int	Current game minute including additional time. Displayed only when game is in stoppage(additional) time.
date	string	string date representation
formatted_date	date (dd.MM.yyyy)	date value in dd.MM.yyyy format
time	time (HH:mm)	match start time (UTC)
commentary_available	int(optional)	if not empty indicate that for this game Live Stats feed is available. Display league ID in that case. Live stats feed can be accessed using commentaries endpoint. Example (when 1197 is displayed): /commentaries/1197.xml Otherwise live stats for this league/match not available.
heatmap	int (optional)	indicate if players heatmap coordinates feed are available. Heatmap feed can be accessed using commentaries endpoint. Example (when 1197 is displayed): /commentaries/1197_heatmap.xml Otherwise heatmap for this league/match not available.
venue	string(optional)	venue name
v	int (internal use)	number of cycles after game status was changed to finished.
static_id	int	unique match id. This ID never change and used as a primary key. This id is presented in all feeds - livescore, stats, odds and used to map game between different feed.
fix_id	int	[obsolete] unique match id. This ID never change and used as a primary key. This id is presented in all feeds - livescore, stats, odds and used to map game between different feed.
id	int	match id that used only for livescore and odds comparison feeds. Unique. Match ID that change if game cancelled/rescheduled.

<localteam name="Liverpool" goals="3" id="9249" />		
name	string	local team name
goals	int	local team total goals including regular and extra time
id	int	team id

<visitorteam name="Arsenal" goals="0" id="9008" />		
name	string	visitor team name
goals	int	visitor team total goals including regular and extra time
id	int	team id

<events></events>		
array of all game events		

- goal event

<event type="goal" minute="4" extra min="" team="localteam" player="V. Pigas" result="[1 - 0]" playerId="15480" assist="F. Torres" assistid="12154" eventid="34722001" />		
type	string	event type goal - goal event yellowcard - yellow card event yellowred - second yellow/red card event redcard - direct red card event subst - substitution event
minute	int	event minute (regular time)
extra_min	int(optional)	additional time minute (in case of event happened 45+, 90+, 120+ minute)
team	string (localteam/visitorteam)	team flag
player	string(optional)	goal scorer name. Can be empty if player name is not available. Can be updated later once player info will be confirmed. Can contain additional flags that indicate goal type (o.g.) - Own goal - player ="V. Pigas (o.g.)" (pen.) - Penalty goal - player ="V. Pigas (pen.)"
result	string (optional)	a new score after goal was scored. Available only for goal events.

playerId	int (optional)	player id. Can be empty if player profile does not exists in database and we supply only player name.
assist	string(optional)	assisted player name. Available for top league only.
assistid	int (optional)	assisted player id
eventId	int	unique event id for a given event.

- yellow, red card events

<event type="yellowcard" minute="19" extra_min="" team="localteam" player="J. Hector" result="" playerId="141580" assist="Holding" assistid="" eventId="34267252" />		
type	string	event type goal - goal event yellowcard - yellow card event yellowred - second yellow/red card event redcard - direct red card event subst - substitution event
minute	int	event minute (regular time)
extra_min	int(optional)	additional time minute (in case of event happened 45+, 90+, 120+ minute)
team	string (localteam/visitorteam)	team flag
player	string(optional)	name of the player who received a card. Can be empty if player name is not available. Can be updated later once player info will be confirmed.
result	string (optional)	a new score after goal was scored. Supplied only for goal events.
playerId	int (optional)	player id. Can be empty if player profile does not exists in database and we supply only player name.
assist	string(optional)	booking reason if available
assistid	int (optional)	
eventId	int	unique event id for a given event.

- substitution events

<event type="subst" minute="85" extra_min="" team="localteam" player="Y. Osako" result="" playerId="74303" assist="K. Vogt" assistid="74231" eventId="342974015" />		
type	string	event type goal - goal event yellowcard - yellow card event yellowred - second yellow/red card event redcard - direct red card event subst - substitution event
minute	int	event minute (regular time)
extra_min	int(optional)	additional time minute (in case of event happened 45+, 90+, 120+ minute)
team	string (localteam/visitorteam)	team flag
player	string(optional)	player out name
result	string (optional)	
playerId	int (optional)	player out ID
assist	string(optional)	player in name
assistid	int (optional)	player in ID
eventId	int	unique event id for a given event.

<ht score="[1-2]" />		
half time game score (if available)		

<ft score="[1-2]" />		
full time score (regular time only). In case of extra time or penalty shootout additional elements will be added. Check below		

<et score="[0-0]" />		
(optional) - extra time score (if available). Extra 30 mins score		

<penalty localteam="5" visitorteam="5">		
(optional) - penalties shootout score (if available). Additionally can contain also events list with player by player penalties results (goal/miss). Check below		

<event type="goal" minute="" team="visitorteam" player="P. Hallyyew" result="[1 - 1]" playerId="" eventid="34733802" />		
type	string	penalty result type goal - penalty scored pen miss - penalty missed
minute	always empty	
team	string (localteam/visitorteam)	team flag
player	string (optional)	player name if available
result	string	a new score after goal was scored.
playerid	int (optional)	player id if available
eventid	int	unique event id for a given event. Penalties event ids are follow main events block ids.

<var_cancelled></var_cancelled>		
(optional) - display var cancelled events. Appear only if var cancelled events happened in the game.		

<event type="goal" minute="19" extra_min="" team="localteam" player="J. Hector" result="[1 - 0]" playerId="141580" reason="Offside" eventid="34267252" />		
type	string	cancelled event type goal - goal cancelled event redcard - red card cancelled event
minute	int	event minute (regular time)
extra_min	int (optional)	additional time minute (in case of event happened 45+, 90+, 120+ minute)
team	string (localteam/visitorteam)	team flag
player	string (optional)	player name who initially scored goal or received a card.
result	string (optional)	a score before VAR cancellation
playerid	int (optional)	player id.
reason	string (optional)	VAR cancellation reason if available
eventid	int	unique event id for a given event. Event will have same ID as when it initially appeared in regular "events" section before cancellation. So it will not change its id.

<live_stats value="ICorner=home:0,away:2 IYellowCard=home:0,away:0 IRedCard=home:0,away:0 IThrowIn=home:0,away:0 IFreeKick=home:0,away:0 IGoalKick=home:0,away:0 IPenalty=home:0,away:0 ISubstitution=home:0,away:0 IAttacks=home:33,away:56 IDangerousAttacks=home:21,away:39 IOnTarget=home:2,away:3 IOffTarget=home:2,away:2 IPossession=home:40,away:60}" />		
provide realtime match team stats. Corners, dangerous attacks, possession, shots. Available in live feed only.		

Available feed filtering options

- filtering live feed by league Id

<https://www.goalserve.com/getfeed/-----/soccernew/home?cat=1204>

cat – league ID

- filtering live feed by GID attribute

```
https://www.goalserve.com/getfeed/----- /soccernew/home?gid=1204
```

- display only LIVE matches with live game stats

```
https://www.goalserve.com/getfeed/----- /soccernew/live
```

6) LIVE GAME STATS FEED

- live game stats, live lineups for available top leagues. Leagues list can be requested by email, from feeds list and using live score (soccernew) feed "**commentary_available**" attribute dynamically.
- individual player stats for fantasy applications
- refresh time every 30 seconds
- feed display current 1 day games. Switch on new date at midnight UTC every day.
- old results and historical stats can be accessed using date parameter.
- Live text commentaries (play by play) is available for selected leagues. Available leagues can be found from [Leagues list api](#) (/data/mapping) using **live_pbp** attribute.

URL format

```
https://www.goalserve.com/getfeed/-----/commentaries/1204.xml ---- feed for 1204 league
https://www.goalserve.com/getfeed/-----/commentaries/1.xml ---- all today matches
https://www.goalserve.com/getfeed/-----/commentaries/1204-text.xml ---- play by play feed
for 1204 league
```

Feed elements description

<commentaries sport="soccer" updated="15.05.2020 06:09:49">		
sport	string	sport name
updated	datetime	last feed updated time

<tournament name="Germany - Bundesliga" id="1229">		
name	string	league name
id	int	league id

<match status="Full-time" timer="" date="18.05.2020" formatted_date="18.05.2020" time="18:30" static_id="2630549" id="3126153">		
status	string	match status value Not Started - not started(match start time) First Half - match in progress (first half) Second Half - match in progress (second half) Half-time - half time Full-time - full time Penalties - penalty shootout in progress After Penalties - match finished after penalty shootout Break Time - break time between extra time halves and penalties Extra Time - extra time After Extra Time - match finished after extra time WO - Walkover Postponed - Postponed Abandoned - abandoned Canceled - cancelled Suspended - suspended Interrupted - interrupted Delayed Awarded - Technical loss
timer	int	display current minute . When regular time is over display additional minutes with "+" symbol. timer="90+4" timer="45+2"
date	date (dd.MM.yyyy)	date value in dd.MM.yyyy format
formatted_date	date (dd.MM.yyyy)	date value in dd.MM.yyyy format
time	time (HH:mm)	match start time (UTC)
static_id	int	unique match id. This ID never change and used as a primary key. This id is presented in all feeds - livescore, stats, odds and used to map game between different feed.
id	int	[obsolete] unique match id. This ID never change and used as

		a primary key. This id is presented in all feeds - livescore, stats, odds and used to map game between different feed.
--	--	--

<localteam name="Werder Bremen" goals="1" ht_score="1" ft_score="1" et_score="" pen_score="" id="10677" />		
name	string	local team name
goals	int	local team total goals including regular and extra time
ht_score	int	local team goals at half time
ft_score	int	local team goals after regular time
et_score	int (optional)	local team extra time goals (additional 30 mins)
pen_score	int (optional)	local team penalty shootout goals
id	int	team id

<visitorteam name="Bayer 04 Leverkusen" goals="4" ht_score="2" ft_score="4" et_score="" pen_score="" id="10281" />		
name	string	visitor team name
goals	int	visitor team total goals including regular and extra time
ht_score	int	visitor team goals at half time
ft_score	int	visitor team goals after regular time
et_score	int (optional)	visitor team extra time goals (additional 30 mins)
pen_score	int (optional)	visitor team penalty shootout goals
id	int	team id

<summary></summary>		
arrays of game events divided into 3 sections		
<goals> - list of goal events		
<yellowcards> - yellow cards		
<redcards> - red cards		
goal events		

<player name="Gabriel Jesus" minute="90" extra_min="1" owngoal="False" var_cancelled="False" penalty="False" penalty_missed="False" id="364017" assist name="Kevin De Bruyne" assist id="78532" />		
name	string	player name
minute	int	event minute (regular time) In case of penalty missed we add "pen miss" to othe attribute value. So it will looks like "pen miss 105". Indicate missed penalty
extra_min	int (optional)	additional time minute (45+, 90+ minutes)
owngoal	bool (True/False)	own goal flag
var_cancelled	bool (True/False)	[under development]
penalty	bool (True/False)	penalty goal
Penalty_missed	bool (True/False)	Indicate if penalty shot was missed by player. If value True then goal WASN'T scored. Indicated missed penalty shot
id	int	goalscorer player id
assist_name	string (optional)	assisted player name if available
assist_id	int (optional)	assisted player id if available
yellow / red card events		

<player name="Kevin De Bruyne" minute="59" extra_min="" id="78532" comment="Argument" />		
name	string	player name
minute	int	event minute (regular time)
extra_min	int (optional)	additional time minute (45+, 90+ minutes)
id	int	player id
comment	string (optional)	card reason if available
VAR checks events		

<player name="Matěj Vydra" minute="69" extra_min="" id="75904" event_type="Penalty cancelled" ref_decision="Penalty confirmed" var_decision="False"/>		
event_type	string	final result after VAR check. Possible values: Penalty cancelled Penalty confirmed

		Goal cancelled Goal confirmed Card reviewed - card review - no card given Card upgrade - card upgrade after VAR check Red card cancelled
ref_decision	string	referee decision before VAR check
var_decision	bool (True/False)	VAR check on referee decision (FALSE if referee decision is not true, TRUE if referee decision is CONFIRMED)

<pre> <stats> <shots total="23" ongoal="12" offgoal="7" blocked="4" insidebox="17" outsidebox="6" /> <fouls total="14" /> <corners total="6" /> <offsides total="1" /> <possessiontime total="62%" /> <yellowcards total="2" /> <redcards total="" /> <saves total="1" /> <passes total="690" accurate="620" pct="" /> </stats> </pre>		
accumulated team stats		
shots - team shots stats section		
total	int	total shots number
ongoal	int	shots on goal
offgoal	int	shots off goal (missed)
blocked	int	shots that where blocked
insidebox	int	shots from inside penalty box
outsidebox	int	shots outside from penalty box
shots - team shots stats section		
total	int	total team fouls
corners - team corners stats section		
total	int	total team corners
offsides - team offsides stats section		
total	int	total team offsides
possessiontime - team ball possession game pct		
total	int percent	team ball posesssion percentage
yellowcards - team yellow cards stats section		
total	int	total team yellowcards received
redcards - team redcards stats section		
total	int	total team redcards received
saves - team goalkeeper saves stats section		
total	int	total team goalkeeper saves
passes - team passing stats section		
total	int	total team passess
accurate	int	total team accurate passes
pct	int	accurate passes percentage

<teams></teams>		
team lineups. Starting XI. Available within 45-60 minutes in advance before game start.		
<localteam formation="4-2-3-1" >		
formation	string	team starting formation schema. More info here https://en.wikipedia.org/wiki/Formation_(association_football)

<player number="2" name="Kyle Walker" pos="D" formation_pos="2" id="68532" />		
number	int	player shirt number
name	string	player name
pos	char	player position name G - goalkeeper D - defender M - midfielder F - attacker
formation_post	int (optional)	if team formation schema is available display players ordered position in that schema so you can display schema grafically. GK allways have 1. Players are orderd from left field side to the right, from goalkeeper to forwards.

		Example: formation="4-2-3-1" formation_pos="1" - goalkeeper formation_pos="2" - left defender formation_pos="5" - right defender formation_pos="9" - attacking midfielder center formation_pos="11" - center forward
id	int	player id

<substitutes></substitutes>		
team substitutes list. Players on the bench		

<player number="1" name="Claudio Bravo" pos="G" id="3626" />		
number	int	player shirt number
name	string	player name
pos	char	player position name G - goalkeeper D - defender M - midfielder F - attacker
id	int	player id

<substitutions></substitutions>		
team substitutions during the game		
<substitution off="Kevin De Bruyne" on="Sergio Agüero" minute="90" on_id="3051" off_id="78532" injury="True" />		
off	string	OUT player name
on	string	IN player name
minute	int	minute when substitutions was happened
on_id	int	IN player id
off_id	int	OUT player id
injury	bool (True/False)	indicate if player was substituted because of injury or not.

<coach name="T. Doll" id="110726" />		
display coaches of both teams if data is available. Please refer to soccerfixtures feed for past dates matches.s		
name	string	coach name
id	int	coach id

<player stats></player stats>		
individual player stats section		

<player num="28" name="João Moutinho" pos="M" isCaptain="False" isSubst="False" shots_total="1" shots_on_goal="0" goals="" goals_conceded="0" minus_goals="1" assists="1" offsides="" fouls_drawn="0" fouls_committed="1" tackles="" blocks="0" total_crosses="13" acc_crosses="4" interceptions="1" clearances="0" dispossessed="" saves="" savesInsideBox="" duelsTotal="11" duelsWon="0" dribbleAttempts="0" dribbleSucc="0" dribbledPast="8" yellowcards="1" redcards="0" pen_score="0" pen_miss="0" pen_save="" pen_committed="" pen_won="" hit_woodwork="" passes="32" passes_acc="86%" keyPasses="1" minutes_played="90" rating="6.4" id="16593" />		
num	int	player shirt number
name	string	player name
pos	char (optional)	player position G - goalkeeper D - defender M - midfielder A - Attacker
isCaptain	bool (True/False)	if player started as a team captain
isSubst	bool (True/False)	if True indicate that player started game on the bench and not in Starting XI
shots_total	int	total number of shots
shots_on_goal	int	number of shots on goal

goals	int	goals scored
goals_conceded	int	number of goals conceded. Available only for GK
minus_goals	int	number of goals conceded by team when player was on the pitch. Available for all players
assists	int	number of assists
offsides	int	how many times players was caught by offside
fouls_drawn	int	how many times opponets fouled on that player
fouls_committed	int	number of fouls committed by player
tackles	int	A tackle is defined as where a player connects with the ball in ground challenge where he successfully takes the ball away from the man in possession. All tackles are really a successful event. A Tackle Won is deemed to be where the tackler or one of his team-mates regains possession as a result of the challenge, or that the ball goes out of play and is "safe".
blocks	int	shots that where blocked by player
total_crosses	int	total crosses made. Any intentional played ball from a wide position intending to reach a team mate in a specific area in front of the goal. Accurate when team mate receive the ball
acc_crosses	int	accurate crosses
interceptions	int	number of interceptions made
clearances	int	number of clearances
dispossessed	int	number of dispossessed balls
saves	int	number of saves by goalkeeper
savesInsideBox	int	number of saves after shots from inside the penalty area
duelsTotal	int	number of duels during the match
duelsWon	int	number of duels won
dribbleAttempts	int	number of dribble attempts by player
drubbleSucc	int	number of dribble success
dribbledPast	int	number of times when dribbled past by opponent
yellow cards	int	number of yellow cards received
recards	int	number of red cards received
pen_score	int	penalty shots scored (only in regular and extra time)
pen_miss	int	penalty shots missed (only in regular and extra time)
pen_save	int	number of penalty saves by goalkeeper (only in regular and extra time)
pen_committed	int	number of committed penalties (penalties after player committed the foul that lead to the penalty)
pen_won	int	number of penalties won (penalties after player received foul)
hit_woodwork	int	number of shots when ball hitted woodwork
passes	int	total number of passes
passes_acc	int%	passing accuracy percentage
keyPasses	int	key passess number (passes that league to goal attempt)
minutes_played	int	minutes played in the game
rating	int	average player rating in the game. Calculated with our internal formula that take all in-game stats/averages.

For play by play (commentaries feed):

<pre><comment important="False" team="visitorteam" isgoal="True" type="Shot On Target" minute="85'" comment="New attacking attempt. Savinho - Manchester City - shot with left foot from outside the box is saved in the left corner. Assist - Ilkay Gündogan. Savinho Shot On Target" pl_name1="Savinho" pl_id1="661412" pl_name2="Ilkay Gündogan" pl_id2="" x="0.362" y="0.562" timestamp="2025-01-15T08:04:14Z" id="44512891" /></pre>		
important	Bool (true/false)	Indicate if play is important or not. Important plays are: Goal Yellow/red card Penalty Period start / end
isgoal	Bool (true/false)	Indicate if play is goal scored or not
type	string	Play type: Shot On Target Shot Off Target Penalty Corner Goal Goal - Header Offside First Half starts First half ends

		Second Half starts Second Half ends Shot Blocked Shot Hit Woodwork Foul Substitution Corner Kick Yellow Card Red Card VAR - Referee decision cancelled VAR - Referee decision confirmed Delay in match
pl_name1	String	Player 1 name that participated in the play
pl_id1	int	Player 1 ID that participated in the play
pl_name2	String	Player 2 name that participated in the play
pl_id2	int	Player 2 ID that participated in the play
x	Float	Field horizontal coordinate of the play (if available). Point where event is happened.
Y	Float	Field vertical coordinate of the play (if available). Point where event is happened.
Timestamp	Datetime UTC	Play timestamp

Available feed filtering options

- By date period – return matches for selected period

<https://www.goalserve.com/getfeed/-----/commentaries/1204?date=21.09.2018>

date – date format is dd.MM.yyyy. Timezone is UTC

- By match static_id and league id – return single match data

<https://www.goalserve.com/getfeed/-----/commentaries/match?id=2505310&league=1457>

id - match static ID (static_id)

league – league id of this game

- Predicted lineups feature. Which will list all games in a particulate league that are not started and it will show predicted lineups until official lineups will be published. Can be accessed by adding “_predicted” suffix to the feed. Example

https://www.goalserve.com/getfeed/-----/commentaries/1204_predicted.xml

date – date format is dd.MM.yyyy. Timezone is UTC

- Historical data is available starting from 2015-2016 season.

7) PLAYER INJURIES FEED

- display injuries/suspensions information for the upcoming matches within 2-4 days in advance before game start
- use similar format as Live Score feed (soccernew)
- feed display only NOT started games.
- feed does not provide score updates or results for the games.
- data is updating once per hour

URL format

<https://www.goalserve.com/getfeed/-----/soccernew/injuries>

Feed elements description

<scores sport="soccer" updated="15.05.2020 06:09:49">		
sport	string	sport name
updated	datetime	last feed updated time

<category name="Germany: Bundesliga" gid="1229" id="1229" file_group="injuries" iscup="False">		
name	string	country and league name separated by ":"
gid	int	main stage id. used to map fixtures with live score and standings feeds. Unique for each different stage in a given league. NOT change in every season.
id	int	league id
file_group	string(optional)	[obsolete] groups of files name
iscup	bit (True/False)	indicate if current tournament is cup or championship True - is cup tournament False - is championship tournament

<matches date="May 15" formatted_date="15.05.2020">		
date	string	string date representation
formatted_date	datetime	date value in dd.MM.yyyy format

<match status="FT" date="May 15" formatted_date="15.05.2020" time="10:30" static_id="2802908" fix_id="3310076" id="3472200">		
status	string	match status value. 14:30 - not started(match start time) Postp. - Postponed Aban. - abandoned Cancel. - cancelled Susp. - suspended Int. - interrupted Delayed Awarded - Technical loss
date	string	string date representation
formatted_date	date (dd.MM.yyyy)	date value in dd.MM.yyyy format
time	time (HH:mm)	match start time (UTC)
static_id	int	unique match id. This ID never change and used as a primary key. This id is presented in all feeds - livescore, stats, odds and used to map game between different feed.
fix_id	int	[obsolete] unique match id. This ID never change and used as a primary key. This id is presented in all feeds - livescore, stats, odds and used to map game between different feed.
id	int	match id that used only for livescore and odds comparison feeds. Unique. Match ID that change if game

		cancelled/rescheduled.
--	--	------------------------

<localteam name="Liverpool" goals="" id="9249" />		
name	string	local team name
goals	NULL	always empty
id	int	team id

<visitorteam name="Arsenal" goals="0" id="9008" />		
name	string	visitor team name
goals	NULL	always empty
id	int	team id

<to miss></to miss>		
array a players to miss 100% the game due of suspension or injury		
<questionable></questionable>		
players that awaiting confirmation. Can appear in starting list		

<player name="S. Ascacibar" status="Foot Injury" id="432202" />		
name	string	player name
status	string	suspension description.
id	int	player id

8) PREGAME ODDS COMPARISON FEED

- pregame odds comparison feed between various bookmakers
- feed display only NOT started games. There is no flag that indicate if game was started. You need to use game start time and close betting before kickoff time
- odds are updating average every 30 seconds depending on bookmaker
- **requests limit – 1 request every 10 seconds per sport.**
- removed / suspended odds are marked with stop=True attribute as explained below
- timestamp feature is available to get only updated data to avoid every time full feed download
- feed size without filters/timestamp can have large size >100MB and may not load in browser
- feed compressed using GZIP - use GZIP compression while you download the feed minimize bandwidth. Without using GZIP compression you may receive timeouts when feed size is big over weekend
- feed does NOT provide results or scores. Only odds

URL format

```
https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=soccer_10
```

this is the main feed which return all possible bets/bookmakers. It contain all available bookmakers/markets. Feed can have large file size. Apply GZIP compression in your parser to minimize bandwidth and speed up download.

```
contentEncondings.add( "gzip" );  
httpHeaders.put( "Content-Encoding", contentEncondings );  
context.put( MessageContext.HTTP_REQUEST_HEADERS, httpHeaders );
```

After initial load you need to extract timestamp value from root node to get only updated data on next request(instead of loading full dataset once again)

a)Timestamp - Import only latest changes after last download, instead of loading full feed.

After initial load please save "ts" attribute value which show last odd update time

```
<scores sport="soccer" ts="1474825423341">
```

on every next new request pass this value to the feed URL. This way you can reduce your bandwidth and increase feed download/processing time on your side :

```
http://www.goalserve.com/getfeed/.../getodds/soccer?cat=soccer_10&ts=1474825423341
```

Feed elements description

<scores sport="soccer" ts="1591175205">		
sport	string	sport name
ts	bigint	last feed updated timestamp.

<category name="Belarus: Vysshaya Liga" gid="1099" id="1099" file_group="belarus" iscup="False">		
name	string	country and league name separated by ":"
gid	int	main stage id. used to map fixtures with live score and standings feeds. Unique for each different stage in a given league. NOT change in every season.
id	int	league id
file_group	string(optional)	[obsolete] groups of files name
iscup	bit(True/False)	indicate if current tournament is cup or championship True - is cup tournament False - is championship tournament

<matches date="May 15" formatted date="15.05.2020">		
date	string	string date representation
formatted_date	datetime	date value in dd.MM.yyyy format

<match status="FT" date="May 15" formatted date="15.05.2020" time="10:30" venue="" v="60" static_id="2802908" fix_id="3310076" id="3472200">		
status	string	match status value. Display ONLY not started or cancelled statuses. Does NOT provide live score update 14:30 - not started(match start time) WO - Walkover Postp. - Postponed Aban. - abandoned Cancel. - cancelled Susp. - suspended Int. - interrupted Delayed Awarded - Technical loss
date	string	string date representation
formatted_date	date (dd.MM.yyyy)	date value in dd.MM.yyyy format
time	time (HH:mm)	match start time (UTC)
venue	string(optional)	venue name
static_id	int	unique match id. This ID never change and used as a primary key. This id is presented in all feeds - livescore, stats, odds and used to map game between different feed.
fix_id	int	[obsolete] unique match id. This ID never change and used as a primary key. This id is presented in all feeds - livescore, stats, odds and used to map game between different feed.
id	int	match id that used only for livescore and odds comparison feeds. Unique. Match ID that change if game cancelled/rescheduled.

<localteam name="Liverpool" goals="" id="9249" />		
name	string	local team name
goals	int	always empty
id	int	team id

<visitorteam name="Arsenal" goals="" id="9008" />		
name	string	visitor team name
goals	int	always empty
id	int	team id

<events></events>		
always empty		
<ht score="" />		
always empty		

<odds ts="" />		
odds element. ts attribute always empty [obsolete] - please use main document ts value		

<type value="Match Winner" stop="False" id="1">		
betting market node.		
value	string	market name
stop	bit (True/False)	indicate if market is suspended by bookmaker. True - betting suspended / market not active False - betting is active
id	int	market unique id

Available markets dictionary you can find at the end of this section in available filtering options.		

<bookmaker name="bwin" stop="False" ts="1591116398" id="2">		
bookmaker node		
name	string	bookmaker name
stop	bool (True/False)	indicate if market is suspended by bookmaker. Stop only for this bookmaker True - betting suspended / market not active False - betting is active
ts	bigint	bookmaker last updated time for this market
id	int	bookmaker id
Available bookmakers dictionary you can find at the end of this section in available filtering options.		

<total name="3.5" ismain="False" stop="False">		
Available only for Total/Over Under markets. Additional element that show OverUnder / Total value.		
name	string	over/under value
ismain	bool (True/False)	flag indicate if given over/under value is main line at this moment True - main line False - alternative line
stop	bool (True/False)	line suspended flag True - betting suspended / market not active False - betting is active

<handicap name="-1.75" ismain="False" stop="False">		
Available only for Handicap/Spread markets. Additional element that show Handicap/Spread value.		
name	string	handicap value. Display first child node handicap value. Second child node will have opposite value!! Examples <pre><handicap name="+2.5" ismain="False" stop="False"> <odd name="Home" value="1.05"/> <odd name="Away" value="13.00"/> </handicap></pre> +2.5 for Home and -2.5 for Away <pre><handicap name="+2.5" ismain="False" stop="False"> <odd name="Away" value="1.05"/> <odd name="Home" value="13.00"/> </handicap></pre> +2.5 for Away and -2.5 for Home <pre><handicap name="-2.5" ismain="False" stop="False"> <odd name="Home" value="1.05"/> <odd name="Away" value="13.00"/> </handicap></pre> -2.5 for Home and +2.5 for Away
ismain	bool (True/False)	flag indicate if given handicap value is main line at this moment True - main line False - alternative line
stop	bool (True/False)	line suspended flag True - betting suspended / market not active False - betting is active

<odd name="Home" value="1.05"/>		
name	string	odd selection name
value	decimal	odd value in decimal format
us	int [development]	display odd in US format. Under development

Available feed filtering options

- available markets dictionary

<https://www.goalserve.com/getfeed/-----/soccernew/pregame-markets>

- available bookmakers dictionary

<https://www.goalserve.com/getfeed/-----/soccernew/pregame-bookmakers>

- By date period – return matches for selected period

https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=soccer_10&date_start=21.06.2020&date_end=22.06.2020

date_start – start date period in dd.MM.yyyy

date_end – end date period in dd.MM.yyyy. **Always apply date_end attribute even if searching just for 1 day**

- By league id – return odds for given league (multiple ids separated with comma “,”)

https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=soccer_10&league=1204
https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=soccer_10&league=1204,1229

league – league id

- By league gid – return odds for given league gid (multiple ids separated with comma “,”)

https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=soccer_10&league=_1204

league – league gid value

- By match ID – return odds for given match ID (“id”) (multiple ids separated with comma “,”)

https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=soccer_10&match=4225845

match – match “id” attribute value

- By bookmaker id (multiple ids separated with comma “,”)

https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=soccer_10&bm=16
https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=soccer_10&bm=16,2,105

bm – bookmaker ID

- By market id (multiple ids separated with comma “,”)

https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=soccer_10&market=16
https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=soccer_10&market=16,2,105

market – market ID

- inplay odds feed mapping. This feed is used to map pregame leagues/teams/matches with live in-play bet365 odds feed. Inplay odds access is required.

<https://www.goalserve.com/getfeed/-----/soccernew/inplay-mapping>

<match pregame_match_id="3423847" pregame_team1_id="5721" pregame_team2_id="5730" inplay_match_id="89732575" inplay_team1_id="Laci" inplay_team2_id="KF Teuta" />		
pregame_match_id	int	match "id" attribute value from pregame odds feed
pregame_team1_id	int	team 1 id from pregame feed
pregame_team2_id	int	team 2 id from pregame feed
inplay_match_id	int	inplay odds feed match ID
inplay_team1_id	string	team 1 inplay odds feed name mapped with team 1 from pregame
inplay_team2_id	string	team 2 inplay odds feed name mapped with team 2 from pregame

How to get inplay result by pregame match ID:

using mapping between pregame and inplay it is possible to request inplay results feed by pregame ID and use it for odds calculation. Please check below example how to request inplay results feed by pregame id (3476763 – is a pregame id in below example)

<http://69.64.68.124:8083/api/v1/mappings/soccer/983395?key=AAMPCgAGDw8IDAUBAIMDA>

9) LEAGUE STANDINGS FEED

- display league standings data
- updating once per 10 mins

URL format

<https://www.goalserve.com/getfeed/-----/standings/1204.xml> - standings by league ID

Feed elements description

<standings country="England" timestamp="18.05.2020 04:10:46">		
country	string	league country name
timestamp	datetime	last feed updated time

<tournament name="UEFA Champions League: Group A" date="03.06.2020" season="2019/2020" round="6" group="Group A" groupId="156" stage_id="10051027" gid="1005" is_current="True" id="1005">		
tournament node. Display single league stnadings and can be repeated in the feed multiply times to display different group / stage standings depending on league format.		
name	string	league name. In case of group/stage divided with ":" main league name and group/stage name.
date	date	last updated date
season	string	season value
round	int	current tournament round. Team can play 5 games but have 1 postponed game. Indicate how many rounds where played in a league
group	string (optional)	if tournament divided into groups display group name
groupId	int (optional)	if tournament divided into groups display group ID. Can be mapped with livescore (/soccernew/home) and soccerfixtures feed by groupId to divide fixtures/scores into groups
stage_id	int	[obsolete] stage id attribute in previous version. Unique for each different stage in a given league. NOT change in every season.
gid	int	main stage id. used to map fixtures with live score and standings feeds. Unique for each different stage in a given league. NOT change in every season.
is_current	bit (True/False)	indicate if current stage is active
id	int	league ID

<team position="1" status="same" name="PSG" id="10061" recent form="WDWWW"> <overall gp="6" w="5" d="1" l="0" gs="17" ga="2" /> <home gp="3" w="3" d="0" l="0" gs="9" ga="0" /> <away gp="3" w="2" d="1" l="0" gs="8" ga="2" /> <total gd="+15" p="16" /> <description value="8th Finals" /> </team>		
position	int	team position
status	string (optional)	team position status after last game (under development) up down same
name	string	team name
id	int	team id
recent_form	string	team recent 5 games form in this league W - won D - draw L - lost
overall	overall team stats including home and away games	
gp	int	games played
w	int	games won

d	int	games drawn
l	int	games lost
gs	int	goals scored
ga	int	goals against
home	team home games stats	
away	team away games stats	
total		
gd	int	goals difference for overall games. Can be positive/negative
p	int	total overall points
description		
value	string	description if available

10) TEAM PROFILES FEED

- team logo, basic information, venue info, squad list, transfers, trophies and season statistics
- updating once per day at 8AM UTC
- use team ID as input parameter

URL format

<https://www.goalserve.com/getfeed/-----/soccerstats/team/9260> - where 9260 is a team ID

Feed elements description

<team id="9260" is_national team="False">		
id	int	team ID
is_national_team	bit	indicate if team is a national team or a club

<leagues league_rank="5">		
array of all league IDs that team participate in latest season.		
league_rank	int (optional)	domestic championship team rank

<image></image>		
<venue_image></venue_image>		
image encoded in base64 string		
image	base64 string	team logo image in jpeg format
venue_image	base64 string	team home venue logo image in jpeg format

<squad>		
list of all players in team squad with their current (latest) season stats		

<player id="102643" name="Alisson" number="1" age="27" position="G" injured="False" minutes="1735" appearances="20" lineups="20" substitute_in="0" substitute_out="1" substitutes_on_bench="0" goals="0" assists="1" yellowcards="0" yellowred="0" redcards="1" isCaptain="0" shotsTotal="0" shotsOn="0" goalsConceded="13" fouldDrawn="1" foulsCommitted="1" tackles="" blocks="0" crossesTotal="0" crossesAccurate="0" interceptions="1" clearances="13" dispossessed="" saves="45" insideBoxSaves="23" duelsTotal="5" duelsWon="4" dribbleAttempts="0" dribbleSucc="0" penComm="" penWon="" penScored="0" penMissed="0" penSaved="0" passes="475" pAccuracy="84" keyPasses="1" woordworks="" rating="7.060000" />		
id	int	player id
name	string	player name
number	int (optional)	player shirt number
age	int (optional)	player age
position	char (optional)	player position G - goalkeeper D - defender M - midfielder A - Attacker
injured	bit (True/False)	player injured flag. Under development. For injuries please refer to individual team profiles - section sidelined.
minutes	int	minutes played in the season
appearances	int	total appearances in the season (lineup/substitution)
lineups	int	number of games started in lineups
substitute_in	int	number of games started on bench but entered in game with

		substitution
substitute_out	int	number of games where played was substituted out
substitutes_on_bench	int	number of games on the bench without substitution (not played)
goals	int	number of goals scored in the season
assists	int	number of assists
yellowcards	int	yellow cards received in the season
yellowred	int	number of games where player was sent off after 2 nd yellow card
red cards	int	direct red cards in the season
isCaptain	int	how many games player played as a team captain
shotsTotal	int	total shots in all matches of the season
shotsOn	int	total shots ON in all games of the season
goalsConceded	int	goals conceded for GK
fouldDrawn	int	total fouls drawn in all games
foulsCommitted	int	total fouls committed in all games
tackles	int	total tackles in all games
blocks	int	total blocked shots in all games
crossesTotal	int	total crosses in all games
crossesAccurate	int	total accurate crosses in all games
interceptions	int	total interceptions in all games
clearances	int	total clearances in all games
dispossessed	int	total dispossessions in all games
saves	int	total GK saves in all games
insideBoxSaves	int	number GK saves after shots inside the box
duelsTotal	int	total duels in all games
duelsWon	int	total duels won in all games
dribbleAttempts	int	total dribble attempts in all games
dribbleSucc	int	total successful dribbles in all games
penComm	int	total committed penalties (penalties after player committed the foul that lead to the penalty) in all games
penWon	int	total penalties won (penalties after player received foul) in all games
penScored	int	total goals scored after penalties in regular time
penMissed	int	total missed penalty shots during the game in regular time
penSaved	int	total saved penalties (GK) during regular time
passes	int	total passes in all games
pAccuracy	int	average passing accuracy percentage
keyPassess	int	the final pass or shot leading to the partner having an attempt at goal without scoring a goal
woordworks	int	number of shots when ball hitted woodwork
rating	int	average player rating in all games. Calculated with our internal formula that take all in-game stats/averages.

<coach name="O. Solskjær" id="182012" />		
team coach data		
name	string	coach name
id	int	coach ID

<pre> <transfers> <in> <player id="320185" name="K. O'&apos;Hara" date="01.07.20" age="" position="" from="Burton Albion" team_id="9074" type="Unknown"/> <player id="20010" name="O. Ighalo" date="31.01.20" age="" position="" from="Shenhua" team_id="8080" type="Loan"/> <player id="276371" name="Bruno Fernandes" date="30.01.20" age="" position="" from="Sporting CP" team_id="14448" type="&euro; 55M"/> </in> <out> <player id="68939" name="M. Rojo" date="30.01.20" age="" position="" to="Estudiantes" team_id="5976" type="Loan"/> </out> </transfers> </pre>		
array of latest in/out transfers for current year		
<in>		players that have arrived
<out>		players who left the team
id	int	player ID
name	string	player name
date	date (dd.MM.yyyy)	trasnfer date
age	int (optional)	player age
position	string (obsolete)	player position (obsolete). For player position please refer

		to player profile
from	string	team name from which player has been arrived
team_id	int	team ID from which player has been arrived
type	string	transfer type description Can have price in EUR, USD also Unkown - price is not available Loan
to	string	destination team name for out transfers
team_id	int	destination team id for out transfers

<statistics></statistics>		
overall season stats in domestic championship in latest/current season. Does not include cups or international tournaments stats. All stats include only finished games and include full regular time stat.		
<detailed_stats></detailed_stats>		
detailed team statistics divided into every tournmanent that team participated in latest/current season All stats include only finished games. Divided into fulltime - full time stats firsthalf - stats related only for 1 st half events secondhalf - stats related only for 2 nd half events		

<league name="FA Cup" season="2019/2020" id="1198">		
name	string	league name
season	string	season value
id	int	league ID

<pre> <rank total="5" /> <win total="3" home="1" away="2" /> <lost total="0" home="0" away="0" /> <draw total="1" home="0" away="1" /> <goals_for total="10" home="1" away="9" /> <goals_against total="0" home="0" away="0" /> <clean_sheet total="4" home="1" away="3" /> <avg_goals_per_game_scored total="2.5" home="1" away="3" /> <avg_goals_per_game_conceded total="0" home="0" away="0" /> <biggest_victory total="6-0" home="1-0" away="6-0" /> <biggest_defeat total="" home="" away="" /> <avg_first_goal_scored total="48" home="67" away="39" /> <avg_first_goal_conceded total="" home="" away="" /> <failed_to_score total="1" home="0" away="1" /> <shotsTotal total="72" home="11" away="61" /> <shotsOnGoal total="12" home="3" away="9" /> <corners total="20" home="6" away="14" /> <avg_corners total="5.00" home="1.50" away="3.50" /> <offsides total="5" home="3" away="2" /> <possession total="60" home="57" away="61" /> <fouls total="34" home="5" away="29" /> <yellowcards total="14" home="2" away="5" /> <redcards total="0" home="0" away="0" /> <avg_yellowcards total="3.50" home="0.50" away="1.25" /> <avg_redcards total="0.00" home="0.00" away="0.00" /> </pre>		
rank	int	championship ranking - only for domestic championship
win	int	total wins (total, home, away)
draw	int	total draws (total, home, away)
lost	int	total losses (total, home, away)
goals_for	int	goals scored (total, home, away)
goals_against	int	goals conceded (total, home, away)
clean_sheet	int	number of clean sheets (matches without conceding a goal) (total, home, away)
avg_goals_per_game_scored	decimal	average goals scored per game (total, home, away)
avg_goals_per_game_conceded	decimal	average goals conceded per game (total, home, away)
biggest_victory	string	biggest victory recorded (total, home, away)
biggest_defeat	string	biggest defeat recorded (total, home, away)
avg_first_goal_scored	int	average minute when team score a first goal in a match (total, home, away)
avg_first_goal_conceded	int	average minute when team concede a first goal in a match (total, home, away)

shotsTotal	int	total shots (total, home, away)
shotsOnGoal	int	total shots on goal (total, home, away)
corners	int	total corners won (total, home, away)
avg_corners	decimal	average corners per game (total, home, away)
offsides	int	total offsides in all games (total, home, away)
possession	int	average possession percentage per game (total, home, away)
fouls	int	total fouls in all games (total, home, away)
yellowcards	int	total yellow cards received (total, home, away)
redcards	int	total red cards received (total, home, away)
avg_yellowcards	decimal	average yellow cards received per game (total, home, away)
avg_redcards	decimal	average red cards received per game (total, home, away)

<scoring_minutes><scoring_minutes>		
breakdown of game frames (15 minute time frame) and number of goals scored and percentage. Allow to see in what match period team scored most goals so far		
<goals_conceded_minutes>		
breakdown of game frames (15 minute time frame) and number of goals conceded and percentage. Allow to see in what match period team conceded most goals so far		

Available feed filtering options

- requesting several teams in single request (max 50 per request)

<https://www.goalserve.com/getfeed/-----/soccerstats/team/9260,9249>

- get latest updated teams with timestamp

https://www.goalserve.com/getfeed/-----/soccerstats/team/updated_list

- get latest updated teams with timestamp by date (dd.MM.yyyy)

https://www.goalserve.com/getfeed/-----/soccerstats/team/updated_list?date=15.03.2021

11) PLAYER PROFILES FEED

- player headshot, basic information, historical stats by season, transfers, trophies and injuries statistics
- updating once per day at 8AM UTC
- use player ID as input parameter

URL format

```
https://www.goalserve.com/getfeed/-----/soccerstats/player/138653 - where 138653 is a player ID
https://www.goalserve.com/getfeed/-----/soccerstats/player/138653,193 - requesting several
players in single request. Max 50
```

Feed elements description

<player common_name="Mohamed Salah" id="138653">		
common_name	string	Plauer common name (short/nick name if available)
id	int	player unique ID

<position>Attacker</position>		
player position. Possible values Attacker Defender Goalkeeper Midfielder		

<image> </image>		
player image encoded in base64 string format (original format - .png 150x150)		

<statistics></statistics>		
aggregated season stats in domestic championship divided by every season/club player played. All stats include only finished games and include full regular time stats.		
<statistics_cups></statistics_cups>		
aggregated season stats in domestic cups divided by every season/club player played. All stats include only finished games and include full regular time stats.		
<statistics_cups_intl></statistics_cups_intl>		
aggregated season stats in club international cups/tournaments divided by every season/club player played. All stats include only finished games and include full regular time stats.		
<statistics_intl></statistics_intl>		
aggregated season stats in international matches divided by every season player played. Only international team matches All stats include only finished games and include full regular time stats.		

<trophies></ trophies>		
List of trophies that players won in his career.		

<transfers></transfers>		
full career transfers list with transfer amount if available.		

<sidelined></sidelined>		
full career injuries/suspensions history		

<overall clubs>		
aggregated players stats that accumulate all games played in all seasons in all tournaments.		

Available feed filtering options

- requesting several player profiles (max 50 per request)

<https://www.goalserve.com/getfeed/-----/soccerstats/player/193,81>

- get latest updated players with timestamp

https://www.goalserve.com/getfeed/-----/soccerstats/player/updated_list

- get latest updated players with timestamp by date (dd.MM.yyyy)

https://www.goalserve.com/getfeed/-----/soccerstats/player/updated_list?date=15.03.2021

12) HEAD 2 HEAD COMPARISON FEED

- comparison feed between 2 teams
- updating once per day at 8AM UTC
- use team IDs to compare the stats (max 2 teams per single request)
- max 1 request per second. concurrent requests are not allowed for this endpoint

URL format

<https://www.goalserve.com/getfeed/-----/h2h/9260/9249> - where 9249 and 9260 are team IDs to compare

Feed elements description

<top50>		
last 50 games in all tournaments between 2 teams. Every record provide static_id value which can be used to map records with soccer history feeds		

<overall>		
aggregated stats of matches between 2 teams (won/lost/draw) (home/away/all)		

<leagues>		
aggregated stats of matches between 2 teams divided into leagues		

<goals>		
---------	--	--

scored and conceded goals for both teams stats		

<biggest_victory>		
all times historical biggest victory for each team		

<biggest_defeat>		
all times historical biggest defeat for each team		

<last5_home>		
last 5 home matches for every team played at home		

<last5_away>		
last 5 home matches for every team played at away		

13) HISTORICAL RESULTS AND STANDINGS FEED (SOCCERHISTORY)

- league seasons list. Results, standings history. To get available leagues and season please refer to season endpoint

<https://www.goalserve.com/getfeed/-----/soccerfixtures/data/seasons>

- to get results history feed by season value refer to <results> season array. And request league season results feed by "leagueID + season value". Output format will be the same as soccerfixtures endpoint. Example (1458 is a league ID, 2015-2016 is a season value):

<https://www.goalserve.com/getfeed/-----/soccerhistory/leagueid/1457-2015-2016>

- to get standings history feed by season value refer to <standings> season array. And request league season standings feed like this (1205 is a league ID, 2018-2019 is a season value):

<https://www.goalserve.com/getfeed/-----/standings/1205?season=2018-2019>