

Ice Hockey Data Feed

1. [TOURNAMENTS LIST FEED](#)
2. [TOURNAMENTS FIXTURES/RESULTS FEED](#)
3. [LIVESCORE FEED](#)
4. [LIVE GAME STATS FEED](#)
5. [LIVE GAME POINT 2 POINT FEED](#)
6. [PREGAME ODDS COMPARISON FEED](#)
7. [LEAGUE/TEAM LOGOS API](#)
8. [HEAD 2 HEAD COMPARISON FEED \(H2H\)](#)

Basic feed format description and common flags to be used

- feed time zone is UTC.
- JSON format - to convert feed into JSON add “?json=1” parameter to the feed URL.

```
https://www.goalserve.com/getfeed/-----/hockey/home?json=1  
https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=hockey_10&json=1
```

- all ID values are always static and not change every season
- all ID values are unique in single sport scope, not globally

1) TOURNAMENTS LIST FEED

- refresh period once every 3 hours

<https://www.goalserve.com/getfeed/-----/hockey/leagues>

<league country="Finland" name="Liiga" season="2025/2026" live_stats="True" id="1000">		
id	int	tournament id
country	string	country name
name	String	tournament name
season	sttring	Current season

<fixture>		
current season schedules/results		
<history>		
historical league results seasons		

Accessing historical data by season

- historical results by league and season (in case of autumn/winter season use 2021-2022 format)

<https://www.goalserve.com/getfeed/-----/hockey/1000-2022-2023>

- historical standings by league and season(in case of autumn/winter season use 2021-2022 format)

https://www.goalserve.com/getfeed/-----/hockey/1000-2022-2023_table

2) TOURNAMENT FIXTURES/RESULTS FEED

- refresh period once every 1 hour
- all results and stats are updating post match after game end. No live updates.
- can be accessed by tournament ID

<https://www.goalserve.com/getfeed/-----/hockey/1000>

<results country="Europe">		
country	string	Country name
<tournament league="Liiga" season="2025/2026" id="1000">		
id	int	tournament id
league	string	tournament name
season	String	tournament season value

Match data:

<match date="09.09.2025" time="15:30" status="After Over Time" venue="Kisapuisto" id="606687">		
date	date (dd.MM.yyyy)	match start date
time	time (HH:mm)	match start time
status	string	match status. Possible values: Not Started Finished - finished Cancelled - cancelled Suspended - suspended Awarded - technical loss Walk over - technical loss After Over Time - finished after over time After Penalties - finished after penalties Postponed Abandoned
venue	string	Venue name (city)
id	int	match id

Match teams:

<localteam name="SaiPa" totalscore="3" id="1064"/>		
Localteam - home team element		
Awayteam - away team element		
name	string	team name
totalscore	int	Total score (SUM of all quarters + overtime)
id	int	team ID

Match events:

<events>		
<firstperiod score="1 - 2">		
<event team="localteam" min="07" player="P. Siikanen" playerid="79538" assist="A. Kalapudas,M. Salomaki" assistid="79461,96414" comment="" result="[1 - 0]" type="goal"/>		
</firstperiod>		
<secondperiod score="1 - 0">		
<event team="visitorteam" min="01" player="B. Korhonen" playerid="79311" assist="" assistid="" comment="High sticking" result="" type="penalty"/>		
</secondperiod>		
<thirdperiod score="1 - 1">		
</thirdperiod>		
<overtime score="">		
</overtime>		
<penalties score=""></penalties>		

</events>		
match events including goals and penalties divided into periods.		
Period codes: firstperiod secondperiod thridperiod overtime penalties		
"score" attribute indicate period score if was played. If period wasn't played then "score" attribute will have empty value.		
<event team="localteam" min="07" player="P. Siikanen" playerid="79538" assist="A. Kalapudas,M. Salomaki" assistid="79461,96414" comment="" result="[1 - 0]" type="goal"/>		
team	stirng	localteam/awayteam
min	int	event minute
player	string	player name. in goal events display goalscorer name. in penalty events - player name who received a penalty
playerid	int	player ID
assist	string	in goal events display assisted player. If there are 2 assisted players they will be separated with comma "," in penalty events always empty
assistid	string	in goal events display assisted player ID, in case of 2 players ids will be separated with comma ","
comment	string	penalty description in case of penalty event
result	string	match score after goal event
type	string	event type. Possible values goal - for goal events penalty - for penalty events

Team stats:

<team_stats> <hometeam> <shots ongoal="36" offgoal="8" blocked_shots="14"/> <saves total="21" saves_pct="84"/> <penalties penalties="2" minutes="4"/> <goals pp_goals="0" sh_goals="0" pp_pct="0" pen_kill_pct="100" empty_net_goals="0"/> <faceoffs won="32" pct="32"/> </hometeam> <awayteam> <shots ongoal="25" offgoal="16" blocked_shots="4"/> <saves total="33" saves_pct="91"/> <penalties penalties="6" minutes="12"/> <goals pp_goals="0" sh_goals="0" pp_pct="0" pen_kill_pct="100" empty_net_goals="0"/> <faceoffs won="27" pct="100"/> </awayteam> </team_stats>		
<shots ongoal="36" offgoal="8" blocked_shots="14"/>		
ongol	int	total shots ON goal
offgoal	int	total shots OFF goal
blocked_shots	int	blocked shots
<saves total="21" saves_pct="84"/>		
total	int	total saves made by goalattenders
saves_pct	int	saves percentage
<penalties penalties="2" minutes="4"/>		
penalties	int	total penalties received
minutes	int	total penalties minutes received for all penalties
<goals pp_goals="0" sh_goals="0" pp_pct="0" pen_kill_pct="100" empty_net_goals="0"/>		
pp_goals	int	goals scored in powerplay
sh_goals	int	shorthanded goals scored
pen_kill_pct	int	percentage of powerplay realisation
empty_net_goals	int	total empty net goals
<faceoffs won="27" pct="100"/>		

won	int	total faceoffs won
pct	int	faceoffs winning percentage

Detailed player stats:

<player name="J. Rissanen" goals="" assists="1" plus_minus="-1" pp_goals="" sh_goals="" shots_on_goal="2" shots_on_pct="" blocked_shots="" penalty_minutes="" hits="" shifts="" time_on_ice="15:50" fouls_against="" faceoffs_won="10" faceoffs_lost="" faceoffs_pct="58.8%" points="1" id="79305"/>		
field player stats		
name	string	player name
goals	int	total goals scored including pp_goals, sh_goals and regular goals
assists	int	total assists
plus_minus	int	plus minus value received
pp_goals	int	power play goals
sh_goals	int	shorthanded goals
shots_on_goal	int	total shots on goal made
blocked_shots	int	shots blocked
penalty_minutes	int	total penalty minutes for all penalties received
hits	int	total hits
shifts	int	total shifts
time_on_ice	int	time on ice
fouls_against	int	number of fouls againsts player
faceoffs_won	int	total faceoffs won
faceoffs_lost	int	total faceoffs lost
points	int	total points
id	int	player ID

3) LIVESCORE FEED

- refresh period every 5 seconds
- can be accessed by tournament ID
- feed display current date games. Switch on new date every midnight UTC

URL format

```
https://www.goalserve.com/getfeed/-----/hockey/home ---- today matches and live score
https://www.goalserve.com/getfeed/-----/hockey/d1 ---- tomorrow games
https://www.goalserve.com/getfeed/-----/hockey/d-1 ---- yesterday finished games
```

Feed elements description

<category name="Canada: Qmjhl - Play Offs" id="1492" country="Canada" file_group="canada">		
id	int	tournament id
name	string	tournament name
country	string	country name
<match date="22.11.2023" time="01:00" timer="" status="Finished" id="880395">		
date	date (dd.MM.yyyy)	match start date
time	time (HH:mm)	match start time
status	string	match status. Possible values: Postponed Cancelled Abandoned Break Time Half Time Not Started 1st Quarter 2nd Quarter 3rd Quarter 4th Quarter Overtime Finished After Over Time - game finished after overtime Break Time Awarded Walk Over Interrupted Delayed
timer	string	Live match / quarter minute (if available)
id	int	match id
<localteam name="Sao Jose" q1="27" q2="17" q3="22" q4="16" ot="" totalscore="82" id="8181" />		
Localteam - home team element Awayteam - away team element		
name	string	team name
Q1	string	Q1 score
Q2	string	Q2 score
Q3	string	Q3 score
Q4	String	Q4 score
OT	String	Over time score (SUM of all overtimes)
totalscore	int	Total score (SUM of all quarters + overtime)

4) PREGAME ODDS COMPARISON FEED

- pregame odds comparison feed between various bookmakers
- feed display only NOT started games. There is no flag that indicate if game was started. You need to use game start time and close betting before kickoff time
- **requests limit – 1 request every 10 seconds per sport.**
- odds are updating average every 30 seconds depending on bookmaker
- removed / suspended odds are marked with stop=True attribute as explained below
- timestamp feature is available to get only updated data to avoid every time full feed download
- feed size without filters/timestamp can have large size >10MB
- feed compressed using GZIP - use GZIP compression while you download the feed minimize bandwidth. Without using GZIP compression you may receive timeouts when feed size is big over weekend
- feed does NOT provide results or scores. Only odds

URL format

```
https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=hockey_10
```

this is the main feed which return all possible bets/bookmakers. It contain all available bookmakers/markets. Feed can have large file size. Apply GZIP compression in your parser to minimize bandwidth and speed up download.

```
contentEncondings.add( "gzip" );
httpHeaders.put( "Content-Encoding", contentEncondings );
context.put( MessageContext.HTTP_REQUEST_HEADERS, httpHeaders );
```

After initial load you need to extract timestamp value from root node to get only updated data on next request(instead of loading full dataset once again)

a)Timestamp - Import only latest changes after last download, instead of loading full feed.

After initial load please save "ts" attribute value which show last odd update time

```
<scores sport="tennis" ts="1474825423341">
```

on every next new request pass this value to the feed URL. This way you can reduce your bandwidth and increase feed download/processing time on your side :

```
http://www.goalserve.com/getfeed/.../getodds/soccer?cat=hockey_10&ts=1474825423341
```

Feed elements description

<category name="Canada: Qmjhl - Play Offs" id="1492" country="Canada" file_group="canada">		
id	int	tournament id
country	Int	country name
name	string	tournament name
<match date="12.05.2026" time="23:00" timer="" status="Not Started" fix_id="939281" id="636530">		
date	date (dd.MM.yyyy)	match start date
time	time (HH:mm)	match start time
status	string	match status. Odds feed display ONLY not started matches. Possible values: Postponed Cancelled Abandoned Break Time Not Started

		Awarded Walk Over Interrupted Delayed
id	int	match id
<localteam name="Chicoutimi Saguenéens" totalscore="5" id="3396"/>		
Localteam - home team element Awayteam - away team element		
name	string	team name
totalscore	int	empty in odds feed

<odds ts="" />		
odds element. ts attribute always empty [obsolete] - please use main document ts value		

<type value="Match Winner" stop="False" id="1">		
betting market node.		
value	string	market name
stop	bit (True/False)	indicate if market is suspended by bookmaker. True - betting suspended / market not active False - betting is active
id	int	market unique id
Available markets dictionary you can find at the end of this section in available filtering options.		

<bookmaker name="bwin" stop="False" ts="1591116398" id="2">		
bookmaker node		
name	string	bookmaker name
stop	bool (True/False)	indicate if market is suspended by bookmaker. Stop only for this bookmaker True - betting suspended / market not active False - betting is active
ts	bigint	bookmaker last updated time for this market
id	int	bookmaker id
Available bookmakers dictionary you can find at the end of this section in available filtering options.		

<total name="3.5" ismain="False" stop="False">		
Available only for Total/Over Under markets. Additional element that show OverUnder / Total value.		
name	string	over/under value
ismain	bool (True/False)	flag indicate if given over/under value is main line at this moment True - main line False - alternative line
stop	bool (True/False)	line suspended flag True - betting suspended / market not active False - betting is active

<handicap name="-1.75" ismain="False" stop="False">		

Available only for Handicap/Spread markets. Additional element that show Handicap/Spread value.		
name	string	handicap value. Display first child node handicap value. Second child node will have opposite value!! Examples <pre><handicap name="+2.5" ismain="False" stop="False"> <odd name="Home" value="1.05"/> <odd name="Away" value="13.00"/> </handicap></pre> +2.5 for Home and -2.5 for Away <pre><handicap name="+2.5" ismain="False" stop="False"> <odd name="Away" value="1.05"/> <odd name="Home" value="13.00"/> </handicap></pre> +2.5 for Away and -2.5 for Home <pre><handicap name="-2.5" ismain="False" stop="False"> <odd name="Home" value="1.05"/> <odd name="Away" value="13.00"/> </handicap></pre> -2.5 for Home and +2.5 for Away
ismain	bool (True/False)	flag indicate if given handicap value is main line at this moment True - main line False - alternative line
stop	bool (True/False)	line suspended flag True - betting suspended / market not active False - betting is active

<odd name="Home" value="1.05"/>		
name	string	odd selection name
value	decimal	odd value in decimal format
us	int [development]	display odd in US format. Under development

Available feed filtering options

- available markets dictionary

<https://www.goalserve.com/getfeed/-----/hockey/pregame-markets>

- available bookmakers dictionary

<https://www.goalserve.com/getfeed/-----/hockey/pregame-bookmakers>

- By date period – return matches for selected period

https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=hockey_10&date_start=21.06.2020&date_end=22.06.2020

date_start – start date period in dd.MM.yyyy

date_end – end date period in dd.MM.yyyy. **Always apply date_end attribute even if searching just for 1 day**

- By league id – return odds for given league (multiple ids separated with comma “,”)

https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=hockey_10&league=1007
https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=hockey_10&league=1007,1004

league – league id

- By league gid – return odds for given league gid (multiple ids separated with comma “,”)

```
https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=hockey_10&league=_1287
```

league – league gid value

- By bookmaker id (multiple ids separated with comma “,”)

```
https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=hockey_10&bm=16
https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=hockey_10&bm=16,2,105
```

bm – bookmaker ID

- By market id (multiple ids separated with comma “,”)

```
https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=hockey_10&market=16
https://www.goalserve.com/getfeed/-----/getodds/soccer?cat=hockey_10&market=16,2,105
```

market – market ID

- inplay odds feed mapping. This feed is used to map pregame leagues/teams/matches with live in-play bet365 odds feed. Inplay odds access is required.

```
https://www.goalserve.com/getfeed/-----/hockey/inplay-mapping
```

<match pregame match id="3423847" pregame team1 id="5721" pregame team2 id="5730" inplay_match_id="89732575" inplay team1_id="Laci" inplay_team2_id="KF Teuta" />		
pregame_match_id	int	match "id" attribute value from pregame odds feed
pregame_team1_id	int	team 1 id from pregame feed
pregame_team2_id	int	team 2 id from pregame feed
inplay_match_id	int	inplay odds feed match ID
inplay_team1_id	string	team 1 inplay odds feed name mapped with team 1 from pregame
inplay_team2_id	string	team 2 inplay odds feed name mapped with team 2 from pregame

How to get inplay result by pregame match ID:

using mapping between pregame and inplay it is possible to request inplay results feed by pregame ID and use it for odds calculation. Please check below example how to request inplay results feed by pregame id (3476763 – is a pregame id in below example)

```
http://69.64.68.124:8083/api/v1/mappings/hockey/983395?key=AAMPCgAGDw8IDAUBAIMDA
```

5) HEAD 2 HEAD COMPARISON FEED (H2H)

- refresh period every 1 hour

- can be accessed using 2 team IDs

https://www.goalserve.com/getfeed/-----/hockey/h2h_1425-1130

1428-1130 – 2 team IDs to compare (1425 and 1130 divided by “-”)

top50		
last 50 games between 2 teams		

overall		
total number of teams 1 wins, losses and player 2 wins and losses		

leagues		
matches comparison divided by tournaments		

top50		
last 50 games between 2 teams		