BOSCH

THE BEST YOUR TOOL CAN GET

EXPERT Accessory Range

bosch-professional.com

Bosch Professional Accessories



THE BEST YOUR TOOL CAN GET

- Our new top performance range for all trades
- Longer, tougher, faster: Up to 100× better performance*
- Advanced technologies for the toughest applications




NEW PACKAGING

The new packaging design makes the key information about our accessories clear and easy to find


BENEFIT

The benefit icon shows the key benefit of the product – you can easily tell if the accessory is best for durability, speed, or precision




EXPERT

ACCESSORY RANGE




TECHNOLOGY BEHIND THE BENEFIT

Bosch Technology icons point out our most advanced technologies



MATERIAL PICTURES

High-quality images show the materials you can process with the accessory



EXPERT STRIPE

Clearly identifies the performance class of the accessory

EXPERT

*Bosch EXPERT products vs. Bosch standard products



EXPERT Concrete Drill Bits	**6**
EXPERT SDS Clean Concrete Drill Bits and Adapter	**10**
EXPERT Multi Material Drill Bits	**14**
EXPERT Tile Drill Bits	**17**
EXPERT Wood Drill Bits	**18**
EXPERT Diamond Pipe Cut Wheel Cutting Discs	**20**
EXPERT Diamond Metal Wheel Cutting Discs and Grinding Heads	**22**
EXPERT Diamond Cutting Discs	**23**
EXPERT Carbide Multi Wheel Cutting Discs	**24**
EXPERT Jigsaw Blades	**25**
EXPERT Reciprocating Saw Blades	**28**
EXPERT Hole Saws	**32**
EXPERT Accessories for Oscillating Multitool	**35**
EXPERT Sanding	**40**
EXPERT Sanding Blocks and Pads	**57**
Circular Saw Blades	**58**

LONG LIFE DRILLING REINFORCED CONCRETE

EXPERT SDS max-8X / SDS plus-7X Concrete Drill Bits

CARBIDE TECHNOLOGY

UP TO 3×* LONG LIFE

Exceptionally durable drill bit tip with Bosch Carbide Technology

Punch through reinforced concrete with a 4-cutter full carbide head

Highly resistant drill tip connection thanks to Bosch's special welding process





*SDS max-8X vs. Bosch SDS max-4 drill bit, SDS plus-7X vs. Bosch SDS plus-3 drill bit



EXPERT SDS MAX-8X CONCRETE DRILL BITS

Single Unit Packs

Diameter	Working Length	Total Length	Part Number
12 mm	200 mm	340 mm	**2 608 900 201**
	400 mm	540 mm	**2 608 900 202**
	600 mm	740 mm	**2 608 900 203**
	800 mm	940 mm	**2 608 900 204**
14 mm	200 mm	340 mm	**2 608 900 207**
	400 mm	540 mm	**2 608 900 208**
	600 mm	740 mm	**2 608 900 209**
	800 mm	940 mm	**2 608 900 210**
16 mm	200 mm	340 mm	**2 608 900 214**
	400 mm	540 mm	**2 608 900 215**
	600 mm	740 mm	**2 608 900 216**
	800 mm	940 mm	**2 608 900 217**
18 mm	200 mm	340 mm	**2 608 900 221**
	400 mm	540 mm	**2 608 900 222**
	600 mm	740 mm	**2 608 900 223**
	800 mm	940 mm	**2 608 900 224**
20 mm	200 mm	320 mm	**2 608 900 228**
	400 mm	520 mm	**2 608 900 229**
	600 mm	720 mm	**2 608 900 230**
	800 mm	920 mm	**2 608 900 231**
22 mm	200 mm	320 mm	**2 608 900 233**
	400 mm	520 mm	**2 608 900 234**
	600 mm	720 mm	**2 608 900 235**
	800 mm	920 mm	**2 608 900 236**
24 mm	200 mm	320 mm	**2 608 900 238**
	400 mm	520 mm	**2 608 900 239**
25 mm	200 mm	320 mm	**2 608 900 240**
	400 mm	520 mm	**2 608 900 241**
	600 mm	720 mm	**2 608 900 242**
	800 mm	920 mm	**2 608 900 243**
26 mm	200 mm	320 mm	**2 608 900 245**
	400 mm	520 mm	**2 608 900 246**
28 mm	200 mm	320 mm	**2 608 900 247**
	400 mm	520 mm	**2 608 900 248**
	600 mm	720 mm	**2 608 900 249**
	800 mm	920 mm	**2 608 900 250**
30 mm	200 mm	320 mm	**2 608 900 252**
	400 mm	520 mm	**2 608 900 253**
32 mm	200 mm	320 mm	**2 608 900 254**
	400 mm	520 mm	**2 608 900 255**
	600 mm	720 mm	**2 608 900 256**
	800 mm	920 mm	**2 608 900 257**

Single Unit Packs

Diameter	Working Length	Total Length	Part Number
11/16"	8"	13"	**2 608 901 353**
	16"	21"	**2 608 901 354**
13/16"	16"	21"	**2 608 901 359**
1 1/8"	8"	13"	**2 608 901 368**
	16"	20"	**2 608 901 369**
	24"	28"	**2 608 901 370**
	31"	36"	**2 608 901 371**
1 1/4"	8"	13"	**2 608 901 372**
	16"	20"	**2 608 901 373**
	24"	28"	**2 608 901 374**
	31"	36"	**2 608 901 375**

5-pcs Packs

Diameter	Working Length	Total Length	Part Number
12 mm	200 mm	340 mm	**2 608 900 260**
16 mm	200 mm	340 mm	**2 608 900 261**
	400 mm	540 mm	**2 608 900 262**
18 mm	200 mm	340 mm	**2 608 900 263**
	400 mm	540 mm	**2 608 900 264**
20 mm	200 mm	320 mm	**2 608 900 265**
	400 mm	520 mm	**2 608 900 266**
22 mm	400 mm	520 mm	**2 608 900 267**
24 mm	400 mm	520 mm	**2 608 900 268**
25 mm	400 mm	520 mm	**2 608 900 269**
32 mm	400 mm	520 mm	**2 608 900 270**



EXPERT SDS PLUS-7X CONCRETE DRILL BITS

Single Unit Packs

Diameter	Working Length	Total Length	Part Number
3.5 mm	50 mm	115 mm	**2 608 900 055**
	100 mm	165 mm	**2 608 900 056**
4.0 mm	50 mm	115 mm	**2 608 900 057**
	100 mm	165 mm	**2 608 900 058**
5.0 mm	50 mm	115 mm	**2 608 900 059**
	100 mm	165 mm	**2 608 900 060**
	150 mm	215 mm	**2 608 900 061**
	200 mm	265 mm	**2 608 900 062**
	250 mm	315 mm	**2 608 900 063**
	400 mm	465 mm	**2 608 900 064**
5.5 mm	50 mm	115 mm	**2 608 900 065**
	100 mm	165 mm	**2 608 900 066**
	150 mm	215 mm	**2 608 900 067**
	200 mm	265 mm	**2 608 900 068**
	250 mm	315 mm	**2 608 900 069**
	400 mm	465 mm	**2 608 900 070**
6.0 mm	50 mm	115 mm	**2 608 900 071**
	100 mm	165 mm	**2 608 900 072**
	150 mm	215 mm	**2 608 900 073**
	200 mm	265 mm	**2 608 900 074**
	250 mm	315 mm	**2 608 900 075**
	400 mm	465 mm	**2 608 900 076**
6.5 mm	50 mm	115 mm	**2 608 900 077**
	100 mm	165 mm	**2 608 900 078**
	150 mm	215 mm	**2 608 900 079**
	200 mm	265 mm	**2 608 900 080**
	250 mm	315 mm	**2 608 900 081**
	400 mm	465 mm	**2 608 900 082**
7.0 mm	50 mm	115 mm	**2 608 900 083**
	100 mm	165 mm	**2 608 900 084**
	150 mm	215 mm	**2 608 900 085**
	200 mm	265 mm	**2 608 900 086**
8.0 mm	50 mm	115 mm	**2 608 900 087**
	100 mm	165 mm	**2 608 900 088**
	150 mm	215 mm	**2 608 900 089**
	200 mm	265 mm	**2 608 900 090**
	250 mm	315 mm	**2 608 900 091**
	300 mm	365 mm	**2 608 900 092**
	400 mm	465 mm	**2 608 900 093**
9.0 mm	100 mm	165 mm	**2 608 900 094**
	150 mm	215 mm	**2 608 900 095**
10.0 mm	50 mm	115 mm	**2 608 900 096**
	100 mm	165 mm	**2 608 900 097**
	150 mm	215 mm	**2 608 900 098**
	200 mm	265 mm	**2 608 900 099**
	250 mm	315 mm	**2 608 900 100**
	300 mm	365 mm	**2 608 900 101**
	400 mm	465 mm	**2 608 900 102**
	550 mm	600 mm	**2 608 900 103**
	950 mm	1.000 mm	**2 608 900 104**

Single Unit Packs

Diameter	Working Length	Total Length	Part Number
11.0 mm	100 mm	165 mm	**2 608 900 105**
	150 mm	215 mm	**2 608 900 106**
	200 mm	265 mm	**2 608 900 107**
12.0 mm	100 mm	165 mm	**2 608 900 108**
	150 mm	215 mm	**2 608 900 109**
	200 mm	265 mm	**2 608 900 110**
	250 mm	315 mm	**2 608 900 111**
	300 mm	365 mm	**2 608 900 112**
	400 mm	465 mm	**2 608 900 113**
	550 mm	600 mm	**2 608 900 114**
	950 mm	1.000 mm	**2 608 900 115**
13.0 mm	100 mm	165 mm	**2 608 900 116**
	150 mm	215 mm	**2 608 900 117**
	200 mm	265 mm	**2 608 900 118**
14.0 mm	100 mm	165 mm	**2 608 900 119**
	150 mm	215 mm	**2 608 900 120**
	200 mm	265 mm	**2 608 900 121**
	250 mm	315 mm	**2 608 900 122**
	300 mm	365 mm	**2 608 900 123**
	400 mm	465 mm	**2 608 900 124**
	550 mm	600 mm	**2 608 900 125**
	950 mm	1.000 mm	**2 608 900 126**
15.0 mm	100 mm	165 mm	**2 608 900 127**
	200 mm	265 mm	**2 608 900 128**
	400 mm	465 mm	**2 608 900 129**
16.0 mm	150 mm	215 mm	**2 608 900 130**
	200 mm	265 mm	**2 608 900 131**
	250 mm	315 mm	**2 608 900 132**
	400 mm	465 mm	**2 608 900 133**
	550 mm	600 mm	**2 608 900 134**
	950 mm	1.000 mm	**2 608 900 135**
17.0 mm	150 mm	215 mm	**2 608 900 136**
	250 mm	315 mm	**2 608 900 137**
18.0 mm	200 mm	250 mm	**2 608 900 138**
	400 mm	450 mm	**2 608 900 139**
	550 mm	600 mm	**2 608 900 140**
	950 mm	1.000 mm	**2 608 900 141**
20.0 mm	200 mm	250 mm	**2 608 900 142**
	400 mm	450 mm	**2 608 900 143**
	550 mm	600 mm	**2 608 900 144**
	950 mm	1.000 mm	**2 608 900 145**
22.0 mm	200 mm	265 mm	**2 608 900 146**
	400 mm	450 mm	**2 608 900 147**
	550 mm	600 mm	**2 608 900 148**
	950 mm	1.000 mm	**2 608 900 149**
24.0 mm	400 mm	450 mm	**2 608 900 150**
25.0 mm	400 mm	450 mm	**2 608 900 151**
	550 mm	600 mm	**2 608 900 152**
	950 mm	1.000 mm	**2 608 900 153**
28.0 mm	400 mm	450 mm	**2 608 900 154**
30.0 mm	400 mm	450 mm	**2 608 900 155**

10-pcs Packs

Diameter	Working Length	Total Length	Part Number
4.0 mm	50 mm	115 mm	**2 608 900 156**
5.0 mm	50 mm	115 mm	**2 608 900 157**
	100 mm	165 mm	**2 608 900 158**
6.0 mm	50 mm	115 mm	**2 608 900 159**
	100 mm	165 mm	**2 608 900 160**
	150 mm	215 mm	**2 608 900 161**
	200 mm	265 mm	**2 608 900 162**
6.5 mm	100 mm	165 mm	**2 608 900 163**
	150 mm	215 mm	**2 608 900 164**
	200 mm	265 mm	**2 608 900 165**
7.0 mm	100 mm	165 mm	**2 608 900 166**
8.0 mm	100 mm	165 mm	**2 608 900 167**
	150 mm	215 mm	**2 608 900 168**
	200 mm	265 mm	**2 608 900 169**
10.0 mm	100 mm	165 mm	**2 608 900 170**
	150 mm	215 mm	**2 608 900 171**
	200 mm	265 mm	**2 608 900 172**
12.0 mm	100 mm	165 mm	**2 608 900 173**
	150 mm	215 mm	**2 608 900 174**
	200 mm	265 mm	**2 608 900 175**
14.0 mm	200 mm	265 mm	**2 608 900 176**
16.0 mm	200 mm	265 mm	**2 608 900 177**

30-pcs Packs

Diameter	Working Length	Total Length	Part Number
5.0 mm	50 mm	115 mm	**2 608 900 178**
	100 mm	165 mm	**2 608 900 179**
6.0 mm	50 mm	115 mm	**2 608 900 180**
	100 mm	165 mm	**2 608 900 181**
	150 mm	215 mm	**2 608 900 182**
8.0 mm	100 mm	165 mm	**2 608 900 183**
	150 mm	215 mm	**2 608 900 184**
	200 mm	265 mm	**2 608 900 185**
10.0 mm	100 mm	165 mm	**2 608 900 186**
	150 mm	215 mm	**2 608 900 187**
	200 mm	265 mm	**2 608 900 188**
12.0 mm	150 mm	215 mm	**2 608 900 189**
	200 mm	265 mm	**2 608 900 190**

50-pcs Packs

Diameter	Working Length	Total Length	Part Number
6.0 mm	100 mm	165 mm	**2 608 900 191**
8.0 mm	100 mm	165 mm	**2 608 900 192**
10.0 mm	100 mm	165 mm	**2 608 900 193**
	150 mm	215 mm	**2 608 900 194**

Sets

Description	Diameter	Part Number
3 pcs	6.0 / 8.0 / 10.0 mm	**2 608 900 196**
5 pcs	5.0 / 6.0 / 6.0 / 8.0 / 10.0 mm	**2 608 900 197**
	6.0 / 6.0 / 8.0 / 8.0 / 10.0 mm	**2 608 900 198**
7 pcs	5.0 / 6.0 / 6.0 / 8.0 / 8.0 / 10.0 / 12.0 mm	**2 608 900 195**



ADVANCED DUST REDUCTION DRILLING IN REINFORCED CONCRETE


EXPERT SDS Clean max-8X / plus-8X Concrete Drill Bits

PARTICLE CONTROL | UP TO 25x* DUST REDUCTION

Highly efficient dust removal with Bosch Particle Control

Robust dust extractor pipe for clean holes

SDS Clean connector is easy to mount and detach







*vs. Bosch SDS max-8X / plus-7X drill bits respectively





EXPERT SDS CLEAN MAX-8X DRILL BITS

Drill Bit and Connector Sets



Diameter	Working Length	Total Length	Part Number
20 mm	400 mm	650 mm	**2 608 901 781**
22 mm	400 mm	650 mm	**2 608 901 787**
24 mm	400 mm	650 mm	**2 608 901 793**
25 mm	400 mm	650 mm	**2 608 901 795**
28 mm	400 mm	650 mm	**2 608 901 801**
30 mm	400 mm	650 mm	**2 608 901 807**
32 mm	400 mm	650 mm	**2 608 901 809**

Drill Bits



Diameter	Working Length	Total Length	Part Number
20 mm	400 mm	650 mm	**2 608 901 782**
22 mm	400 mm	650 mm	**2 608 901 788**
24 mm	400 mm	650 mm	**2 608 901 794**
25 mm	400 mm	650 mm	**2 608 901 796**
28 mm	400 mm	650 mm	**2 608 901 802**
30 mm	400 mm	650 mm	**2 608 901 808**
32 mm	400 mm	650 mm	**2 608 901 810**

Connector



Drill bit diameter range	Part Number
20 – 32 mm	**2 608 901 622**

EXPERT SDS CLEAN PLUS-8X DRILL BITS

Drill Bit and Connector Sets



Diameter	Working Length	Total Length	Part Number
12 mm	200 mm	350 mm	**2 608 901 765**
14 mm	200 mm	350 mm	**2 608 901 767**
14 mm	400 mm	550 mm	**2 608 901 769**
16 mm	200 mm	350 mm	**2 608 901 771**
16 mm	400 mm	550 mm	**2 608 901 773**
18 mm	400 mm	550 mm	**2 608 901 779**
20 mm	400 mm	550 mm	**2 608 901 619**

Drill Bits



Diameter	Working Length	Total Length	Part Number
12 mm	200 mm	350 mm	**2 608 901 766**
14 mm	200 mm	350 mm	**2 608 901 768**
14 mm	400 mm	550 mm	**2 608 901 770**
16 mm	200 mm	350 mm	**2 608 901 772**
16 mm	400 mm	550 mm	**2 608 901 774**
18 mm	400 mm	550 mm	**2 608 901 780**
20 mm	400 mm	550 mm	**2 608 901 620**

Connector



Drill bit diameter range	Part Number
6 – 20 mm	**2 608 901 621**

EXPERT SDS CLEAN PLUS-8X DRILL BITS

Drill Bit and Connector Sets



Diameter	Working Length	Total Length	Part Number
6 mm	100 mm	225 mm	**2 608 901 755**
6.5 mm	100 mm	225 mm	**2 608 901 757**
8 mm	100 mm	225 mm	**2 608 901 759**
10 mm	100 mm	225 mm	**2 608 901 761**

Drill Bits



Diameter	Working Length	Total Length	Part Number
6 mm	100 mm	225 mm	**2 608 901 756**
6.5 mm	100 mm	225 mm	**2 608 901 758**
8 mm	100 mm	225 mm	**2 608 901 760**
10 mm	100 mm	225 mm	**2 608 901 762**

ADVANCED DUST REDUCTION WORKING WITH YOUR REGULAR ACCESSORIES

EXPERT SDS Clean Adapter for Drilling

PARTICLE CONTROL | UP TO 25x* DUST REDUCTION

Highly efficient dust removal with Bosch Particle Control

Clever design for drilling overhead or drilling a series of holes with less dust

Universal fit: fits most dust extractors

Hose handle keeps the dust extractor hose out of the way



Drill bit diameter range	Part Number
5 – 16 mm	2 608 901 480

*vs. Bosch SDS plus-7X drill bits



EXPERT SDS Clean Set for Chiselling

PARTICLE CONTROL | UP TO 25x* DUST REDUCTION

Highly efficient dust removal with Bosch Particle Control

Extends to fit the chisel's length for effective dust extraction

Installs with just a click



Description	Part Number
SDS max HPP pointed RTec chisel	2 608 901 476



Description	Part Number
SDS max HPP flat RTec chisel	2 608 901 477

*vs. Bosch SDS max chisels



HIGH PRECISION
DRILLING IN MULTIPLE MATERIALS

EXPERT HEX-9 / CYL-9
Multi Construction Drill Bits

CENTERING GEOMETRY


UP TO 5×* PRECISION

Accurate drilling is easier with Bosch Centering Geometry

High-performance carbide tip manufactured by fine grinding

Start holes accurately with a sharp centering tip

Optimised dust extraction channel for fast, efficient drilling





*vs. Bosch CYL-3 drill bit



CYL-9 Single Unit Packs

Diameter	Working Length	Total Length	Part Number
3.0 mm	40 mm	70 mm	**2 608 900 600**
3.5 mm	40 mm	70 mm	**2 608 900 602**
4.0 mm	40 mm	75 mm	**2 608 900 604**
5.0 mm	50 mm	85 mm	**2 608 900 606**
	80 mm	130 mm	**2 608 900 605**
5.5 mm	50 mm	85 mm	**2 608 900 609**
	90 mm	150 mm	**2 608 900 607**
6.0 mm	60 mm	100 mm	**2 608 900 611**
	100 mm	150 mm	**2 608 900 610**
	200 mm	250 mm	**2 608 901 481**
6.5 mm	60 mm	100 mm	**2 608 900 615**
	90 mm	150 mm	**2 608 900 612**
	200 mm	250 mm	**2 608 901 482**
7.0 mm	60 mm	100 mm	**2 608 900 618**
	90 mm	150 mm	**2 608 900 616**
	200 mm	250 mm	**2 608 901 483**
8.0 mm	80 mm	120 mm	**2 608 900 621**
	90 mm	150 mm	**2 608 900 619**
	200 mm	250 mm	**2 608 901 484**
9.0 mm	80 mm	120 mm	**2 608 900 625**
	90 mm	150 mm	**2 608 900 622**
10.0 mm	80 mm	120 mm	**2 608 900 626**
	90 mm	150 mm	**2 608 900 627**
	200 mm	250 mm	**2 608 901 485**
11.0 mm	90 mm	150 mm	**2 608 900 630**
12.0 mm	90 mm	150 mm	**2 608 900 631**
	200 mm	250 mm	**2 608 901 486**
14.0 mm	150 mm	200 mm	**2 608 901 487**
	200 mm	250 mm	**2 608 901 488**
16.0 mm	200 mm	250 mm	**2 608 901 489**

CYL-9 8-pcs Packs


Diameter	Working Length	Total Length	Part Number
10.0 mm	80 mm	120 mm	**2 608 900 644**

CYL-9 10-pcs Packs

Diameter	Working Length	Total Length	Part Number
4.0 mm	40 mm	75 mm	**2 608 900 637**
5.0 mm	50 mm	85 mm	**2 608 900 638**
5.5 mm	50 mm	85 mm	**2 608 900 639**
6.0 mm	60 mm	100 mm	**2 608 900 640**
7.0 mm	60 mm	100 mm	**2 608 900 642**
8.0 mm	80 mm	120 mm	**2 608 900 643**

CYL-9 Sets

Description	Diameter	Part Number
Robust Line		
4 pcs	4.0 / 5.0 / 6.0 / 8.0 mm	**2 608 900 645**
	5.5 / 6.0 / 7.0 / 8.0 mm	**2 608 900 646**
Cassettes		
4 pcs	4.0 / 5.0 / 6.0 / 8.0 mm	**2 608 900 649**
	5.5 / 6.0 / 7.0 / 8.0 mm	**2 608 900 650**
7 pcs	4.0 / 5.0 / 6.0 (2×) / 8.0 / 10.0 / 12.0 mm	**2 608 900 647**
	5.0 / 5.5 / 6.0 (2×) / 7.0 / 8.0 / 10.0 mm	**2 608 900 648**





HEX-9 Single Unit Packs

Diameter	Working Length	Total Length	Part Number
3.0 mm	45 mm	90 mm	**2 608 900 569**
3.5 mm	45 mm	90 mm	**2 608 902 346**
4.0 mm	45 mm	90 mm	**2 608 900 570**
	90 mm	150 mm	**2 608 902 347**
5.0 mm	50 mm	100 mm	**2 608 900 571**
	90 mm	150 mm	**2 608 902 348**
5.5 mm	60 mm	100 mm	**2 608 900 572**
	90 mm	150 mm	**2 608 900 573**
6.0 mm	60 mm	100 mm	**2 608 900 574**
	90 mm	150 mm	**2 608 900 575**
	200 mm	250 mm	**2 608 902 353**
6.5 mm	60 mm	100 mm	**2 608 900 577**
	90 mm	150 mm	**2 608 902 349**
	200 mm	250 mm	**2 608 902 354**
7.0 mm	60 mm	100 mm	**2 608 900 579**
	90 mm	150 mm	**2 608 900 580**
	200 mm	250 mm	**2 608 902 355**
8.0 mm	50 mm	100 mm	**2 608 900 581**
	90 mm	150 mm	**2 608 902 350**
	200 mm	250 mm	**2 608 902 356**
	350 mm	400 mm	**2 608 902 362**
9.0 mm	90 mm	150 mm	**2 608 902 351**
10.0 mm	90 mm	150 mm	**2 608 900 582**
	200 mm	250 mm	**2 608 902 357**
	350 mm	400 mm	**2 608 902 363**
11.0 mm	90 mm	150 mm	**2 608 902 352**
12.0 mm	90 mm	150 mm	**2 608 900 583**
	200 mm	250 mm	**2 608 902 358**
	350 mm	400 mm	**2 608 902 364**
14.0 mm	150 mm	200 mm	**2 608 902 359**
	200 mm	250 mm	**2 608 902 360**
16.0 mm	150 mm	200 mm	**2 608 902 361**
	350 mm	400 mm	**2 608 902 365**

HEX-9 Sets

Description	Diameter	Part Number
3 pcs	5.0 / 6.0 / 8.0 mm	**2 608 900 584**
4 pcs	4.0 / 5.0 / 6.0 / 8.0 mm	**2 608 902 368**
	5.5 / 6.0 / 7.0 / 8.0 mm	**2 608 902 369**
5 pcs	4.0 / 5.0 / 6.0 (2×) / 8.0 mm	**2 608 900 585**
	5.5 / 6.0 (2×) / 7.0 / 8.0 mm	**2 608 900 586**
	5/32", 3/16", 1/4", 5/16", 3/8"	**2 608 901 456**
7 pcs	4.0 / 5.0 / 6.0 (2×) / 8.0 / 10.0 / 12.0 mm	**2 608 902 370**
	5.0 / 5.5 / 6.0 (2×) / 7.0 / 8.0 / 10.0 mm	**2 608 902 371**
8-pcs.	3.0 / 4.0 / 5.0 (2×) / 6.0 (2×) / 8.0 (2×) mm	**2 608 901 455**



HEX-9 Multi Construction + Hard Ceramic Combi Packs

Description	Measure-ments	Part Number
Multi Construction + Hard Ceramic	⌀ 6.0 × 100 mm ⌀ 6.0 × 90 mm	**2 608 902 366**
Multi Construction + Hard Ceramic	⌀ 8.0 × 100 mm ⌀ 8.0 × 90 mm	**2 608 902 367**



LONG LIFE DRILLING IN HARD TILES

EXPERT HEX-9 Hard Ceramic Drill Bits

CARBIDE TECHNOLOGY


UP TO 10×* LONG LIFE


Exceptionally durable drill bit tip with Bosch Carbide Technology

Start holes accurately with a specially designed centering tip

High-performance carbide tip manufactured by fine grinding

Efficient drilling in hard materials with a multi-faceted design





HEX-9 Single Unit Packs

Diameter	Total Length	Part Number
3.0 mm	90 mm	**2 608 900 587**
4.0 mm	90 mm	**2 608 900 588**
5.0 mm	90 mm	**2 608 900 589**
5.5 mm	90 mm	**2 608 901 683**
6.0 mm	90 mm	**2 608 900 590**
7.0 mm	90 mm	**2 608 900 591**
8.0 mm	90 mm	**2 608 900 592**
10.0 mm	90 mm	**2 608 900 593**
12.0 mm	90 mm	**2 608 900 594**

Sets

Description	Diameter	Part Number
3 pcs	3.0 / 6.0 / 8.0 mm	**2 608 900 595**
5 pcs	4.0 / 5.0 / 6.0 / 8.0 / 10.0 mm	**2 608 900 597**
	5 (5×) mm	**2 608 900 598**
	6 (5×) mm	**2 608 900 599**
Mixed Set		
5 pcs	HEX-9 (90 mm): 6.0 / 6.0 / 6.0 mm CYL-3 (100 mm): 6.0 / 6.0 mm	**2 608 900 596**

*vs. Bosch CYL-9 Ceramic drill bit

HIGH SPEED
DRILLING IN WOOD

EXPERT Self Cut Speed Spade Drill Bits

TIP TECHNOLOGY

UP TO 3×* SPEED

Fast drilling is easier with Bosch Tip Technology

Self-feeding thread for high-speed drilling with only a little pressure

Clever wave-shaped spade designed for fast chip removal





*vs. Bosch Spade Bit (2 609 255 269)



Single Unit Packs

Diameter	Total Length	Part Number
6.0 mm	152 mm	**2 608 900 309**
8.0 mm	152 mm	**2 608 900 310**
10.0 mm	152 mm	**2 608 900 311**
12.0 mm	152 mm	**2 608 900 312**
13.0 mm	152 mm	**2 608 900 313**
14.0 mm	152 mm	**2 608 900 314**
16.0 mm	152 mm	**2 608 900 315**
17.0 mm	152 mm	**2 608 900 316**
18.0 mm	152 mm	**2 608 900 317**
19.0 mm	152 mm	**2 608 900 318**
20.0 mm	152 mm	**2 608 900 319**
22.0 mm	152 mm	**2 608 900 320**
24.0 mm	152 mm	**2 608 900 321**
25.0 mm	152 mm	**2 608 900 322**
26.0 mm	152 mm	**2 608 900 323**
28.0 mm	152 mm	**2 608 900 324**
30.0 mm	152 mm	**2 608 900 325**
32.0 mm	152 mm	**2 608 900 326**
35.0 mm	152 mm	**2 608 900 327**
36.0 mm	152 mm	**2 608 900 328**
38.0 mm	152 mm	**2 608 900 329**
40.0 mm	152 mm	**2 608 900 330**

Diameter	Total Length	Part Number
6.0 mm	406 mm	**2 608 900 337**
8.0 mm	406 mm	**2 608 900 338**
10.0 mm	406 mm	**2 608 900 339**
12.0 mm	406 mm	**2 608 900 340**
13.0 mm	406 mm	**2 608 900 341**
14.0 mm	406 mm	**2 608 900 342**
16.0 mm	406 mm	**2 608 900 343**
17.0 mm	406 mm	**2 608 900 344**
18.0 mm	406 mm	**2 608 900 345**
19.0 mm	406 mm	**2 608 900 346**
20.0 mm	406 mm	**2 608 900 347**
22.0 mm	406 mm	**2 608 900 348**
24.0 mm	406 mm	**2 608 900 349**
25.0 mm	406 mm	**2 608 900 350**
26.0 mm	406 mm	**2 608 900 351**
28.0 mm	406 mm	**2 608 900 352**
30.0 mm	406 mm	**2 608 900 353**
32.0 mm	406 mm	**2 608 900 354**
35.0 mm	406 mm	**2 608 900 355**
36.0 mm	406 mm	**2 608 900 356**
38.0 mm	406 mm	**2 608 900 357**
40.0 mm	406 mm	**2 608 900 358**

Sets

Description	Diameter	Part Number
3 pcs	20.0 / 22.0 / 25.0 mm	**2 608 900 331**
6 pcs	14.0 / 16.0 / 18.0 / 20.0 / 22.0 / 24.0 mm	**2 608 900 332**
	13.0 / 16.0 / 19.0 / 20.0 / 22.0 / 25.0 mm	**2 608 900 333**
7 pcs	16.0 / 18.0 / 20.0 / 22.0 / 25.0 / 32.0 mm	**2 608 900 334**
8 pcs	12.0 / 16.0 / 18.0 / 20.0 / 22.0 / 25.0 / 28.0 / 32.0 mm	**2 608 902 111**
13 pcs	10.0 / 12.0 / 13.0 / 14.0 / 16.0 / 18.0 / 20.0 / 22.0 / 24.0 / 25.0 / 28.0 / 30.0 / 32.0 mm	**2 608 900 336**



LONG LIFE CUTTING PIPES MADE FROM VARIOUS MATERIALS

EXPERT Diamond Pipe Cut Wheel Cutting Discs



DIAMOND TECHNOLOGY


LONG LIFE

Exceptionally durable cutting edge using Bosch Diamond Technology

Cut and chamfer at the same time thanks to the integrated flange

Does not shatter if dropped, and produces no chemical smell or extra dust during cutting

Advanced steel body keeps constant speed and depth



Diameter	Fitting	Part Number
125 mm	X-Lock	**2 608 901 391**
230 mm	22.23 mm	**2 608 901 392**







LONG LIFE CUTTING METAL

EXPERT Diamond Metal Wheel Cutting Discs




DIAMOND TECHNOLOGY

UP TO 100x* LONG LIFE

Exceptionally durable cutting edge using Bosch Diamond Technology

Does not shatter if dropped, no chemical smell

Advanced steel body keeps constant speed and depth



Diameter	Fitting	Part Number
115 mm	X-Lock	**2 608 900 532**
125 mm	X-Lock	**2 608 900 533**

Diameter	Fitting	Part Number
105 mm	20 / 16 mm	**2 608 900 531**
180 mm	22.23 mm	**2 608 900 535**
230 mm	22.23 mm	**2 608 900 536**
355 mm	25.4 mm	**2 608 900 537**

EXPERT CONCRETE DIAMOND GRINDING HEADS



Up to 2× faster than Bosch 2 608 301 573 concrete grinding head

Suitable for concrete

Diameter	Fitting	Part Number
125 mm	22.23 mm	**2 608 900 651**
150 mm	22.23 mm	**2 608 901 478**
180 mm	22.23 mm	**2 608 901 479**

*vs. Bosch 2 608 603 169 Cutting Disc

EXPERT MULTI MATERIAL DIAMOND CUTTING DISCS



Lasts up to 4× longer than Bosch 2 608 615 028 multi material diamond disc

Suitable for concrete, reinforced concrete, brick, soft stone

Diameter	Fitting	Part Number
115 mm	X-Lock	**2 608 900 669**
125 mm	X-Lock	**2 608 900 670**



Lasts up to 4× longer than Bosch 2 608 615 028 multi material diamond disc

Suitable for concrete, reinforced concrete, brick, soft stone

Diameter	Fitting	Part Number
115 mm	22.23 mm	**2 608 900 659**
125 mm	22.23 mm	**2 608 900 660**
150 mm	22.23 mm	**2 608 900 661**
180 mm	22.23 mm	**2 608 900 662**
230 mm	22.23 mm	**2 608 900 663**
300 mm	22.23 mm	**2 608 900 664**
	20 / 25.4 mm	**2 608 900 665**
350 mm	20 / 25.4 mm	**2 608 900 666**
400 mm	20 / 25.4 mm	**2 608 900 667**
450 mm	20 / 25.4 mm	**2 608 900 668**

EXPERT MULTI MATERIAL TURBO DIAMOND CUTTING DISCS



Lasts up to 2× longer than Bosch Eco for Universal diamond disc

Suitable for concrete, brick, roof tiles, soft stone

Diameter	Fitting	Part Number
115 mm	X-Lock	**2 608 901 596**
125 mm	X-Lock	**2 608 901 597**
230 mm	X-Lock	**2 608 901 598**



EXPERT HARD CERAMIC DIAMOND CUTTING DISCS



Up to 2× more precise than Bosch 2 607 019 473 ceramic diamond disc

Suitable for hard tiles, hard stone

Diameter	Fitting	Part Number
85 mm	X-Lock	**2 608 900 656**
115 mm	X-Lock	**2 608 900 657**
125 mm	X-Lock	**2 608 900 658**




Up to 2× more precise than Bosch 2 607 019 473 ceramic diamond disc

Suitable for hard tiles, hard stone

Diameter	Fitting	Part Number
76 mm	10 mm	**2 608 900 652**
85 mm	22.23 mm	**2 608 900 653**
115 mm	22.23 mm	**2 608 900 654**
125 mm	22.23 mm	**2 608 900 655**

LONG LIFE CUTTING MULTIPLE MATERIALS

EXPERT Carbide Multi Wheel Cutting Discs



CARBIDE TECHNOLOGY | LONG LIFE

- Exceptional durability is built in with Bosch Carbide Technology
- Advanced steel body keeps constant speed and depth
- Extra strong laser bonding of carbide grit and steel body



Diameter	Fitting	PQ	Part Number
115 mm	X-Lock	1	**2 608 901 192**
		10	**2 608 901 194**
125 mm	X-Lock	1	**2 608 901 193**
		10	**2 608 901 195**

Diameter	Fitting	PQ	Part Number
76 mm	10 mm	1	**2 608 901 196**
110 mm	10 mm	1	**2 608 901 200**
115 mm	22.23 mm	1	**2 608 901 188**
		10	**2 608 901 190**
125 mm	22.23 mm	1	**2 608 901 189**
		10	**2 608 901 191**
180 mm	22.23 mm	1	**2 608 901 681**
230 mm	22.23 mm	1	**2 608 901 682**

PQ = Pack Quantity





LONG LIFE CUTTING HARDWOOD AND COMPOSITE WOOD MATERIALS

EXPERT Hardwood fast T 144 DHM Jigsaw Blades

CARBIDE TECHNOLOGY | UP TO 45x* | LONG LIFE


- Exceptional durability is built in with Bosch Carbide Technology
- Progressive tooth pitch to cut up to 50 mm
- Fast cutting with tapered blade body
- Sharp carbide teeth produced by top level grinding





Description	Cutting type	PQ	Part Number
T 144 DHM	Fast	2	**2 608 901 706**
		3	**2 608 900 541**
		10	**2 608 901 816**

*vs. Bosch T 144 D blade



EXPERT JIGSAW BLADES FOR WOOD

Hardwood 2-side clean


Very clean finish top and bottom

Suitable for plastic coated boards, multiplex board



Description	Cutting type	PQ	Part Number
T 308 BF	Straight	2	**2 608 901 713**
		3	**2 608 900 543**
		5	**2 608 900 544**
		25	**2 608 900 545**
		100	**2 608 900 546**

Suitable for plastic coated boards, kitchen countertop



Description	Cutting type	PQ	Part Number
T 308 BFP	Curve	2	**2 608 901 714**
		3	**2 608 900 547**
		5	**2 608 900 548**
		25	**2 608 901 181**

Hardwood 2-side clean Set

Description	Content	Part Number
3 pcs	T 308 BF (2×), T 308 BFP (1×)	**2 608 900 549**

Wood 2-side clean

Very clean finish top and bottom

Suitable for solid wood furniture board, plywood



Description	Cutting type	PQ	Part Number
T 308 B	Straight	2	**2 608 901 711**
		3	**2 608 900 550**
		5	**2 608 900 551**
		25	**2 608 900 552**
		100	**2 608 900 553**

Suitable for solid wood furniture board, plywood



Description	Cutting type	PQ	Part Number
T 308 BO	Curve	2	**2 608 901 712**
		3	**2 608 900 554**
		5	**2 608 900 555**
		25	**2 608 900 556**

Suitable for solid wood furniture board, plywood



Description	Cutting type	PQ	Part Number
T 308 BP	Straight	3	**2 608 900 557**
		5	**2 608 900 558**

Wood 2-side clean Set

Description	Content	Part Number
3 pcs	T 308 B (2×), T 308 BO (1×)	**2 608 900 559**

Laminate clean

Lasts up to 45× longer than Bosch T 101 B blade in tough materials

Suitable for solid laminate vinyl, PVC, HPL (High-pressure laminate)



Description	Cutting type	PQ	Part Number
T 128 BHM	Straight	2	**2 608 901 707**
		3	**2 608 900 542**



EXPERT JIGSAW BLADES FOR STAINLESS STEEL

Stainless Steel

Lasts up to 45× longer than Bosch T 118 G jigsaw blade in tough materials

Suitable for stainless steel sheets



Description	Cutting type	PQ	Part Number
T 118 AHM	Straight	2	**2 608 901 709**
		3	**2 608 900 561**
T 118 EHM	Straight	3	**2 608 900 562**

EXPERT JIGSAW BLADES FOR MULTI MATERIAL

Multi Material thick and thin

Lasts up to 45× longer than Bosch T 345 XF blade

Suitable for tough steel, aluminium, wood with tough metal, construction wood with mortar and nails, plastics



Description	Cutting type	PQ	Part Number
T 367 XHM	Straight	2	**2 608 901 708**
		3	**2 608 900 560**
		10	**2 608 901 818**

EXPERT JIGSAW BLADES FOR PLASTICS

Carbon Fiber clean

Carbide Technology for long life performance

Suitable for fibre plastics (GFK, CFK)



Description	Cutting type	PQ	Part Number
T 108 BHM	Straight	3	**2 608 900 565**

Plastic Composites clean

Carbide Technology for long life performance

Suitable for WPC (wood plastic), solid surface composite



Description	Cutting type	PQ	Part Number
T 301 CHM	Straight	3	**2 608 900 566**

EXPERT JIGSAW BLADES FOR SPECIAL APPLICATIONS

Fiber Plaster

Carbide Technology for long-life performance

Suitable for fibre cement boards, drywall board



Description	Cutting type	PQ	Part Number
T 141 HM	Straight	2	**2 608 901 710**
		3	**2 608 900 563**
		10	**2 608 901 817**

Suitable for fibre cement boards, drywall board, aerated concrete



Description	Cutting type	PQ	Part Number
T 341 HM	Straight	3	**2 608 900 564**

Soft Tile clean

Diamond Technology for precise and clean cuts

Suitable for soft tiles



Description	Cutting type	PQ	Part Number
T 150 RD	Straight	3	**2 608 900 567**


PQ = Pack Quantity

LONG LIFE CUTTING THICK TOUGH METAL

EXPERT Thick Tough Metal Reciprocating Saw Blades

EXTRA COATING





CARBIDE TECHNOLOGY

UP TO 100x* LONG LIFE

Exceptional durability is built in with Bosch Carbide Technology

Extra coating makes carbide tougher

Thick gauge blade offers extra robustness and stability

Wide body for precise, straight cuts

*vs. Bosch S 1122 BF blade



EXPERT RECIPROCATING SAW BLADES FOR METAL

Thick Tough Metal

Lasts up to 100× longer than Bosch S 1122 BF blade in tough materials

Suitable for tough steel, cast iron



Description	Length	PQ	Part Number
S 555 CHC	100 mm	1	**2 608 900 364**
S 955 CHC	150 mm	1	**2 608 900 365**
		3	**2 608 900 366**
		10	**2 608 900 367**
S 1155 CHC	225 mm	1	**2 608 900 368**
		3	**2 608 900 369**
		10	**2 608 900 370**
S 1255 CHC	300 mm	1	**2 608 900 371**
		10	**2 608 900 372**

Medium-Thick Tough Metal

Lasts up to 50× longer than Bosch S 1122 BF blade in tough materials

Suitable for tough steel, stainless steel pipes



Description	Length	PQ	Part Number
S 955 HHM	150 mm	1	**2 608 900 373**
S 1155 HHM	225 mm	1	**2 608 900 374**
		3	**2 608 900 375**
		10	**2 608 900 376**
S 1255 HHM	300 mm	1	**2 608 900 377**

Thin Tough Metal

Lasts up to 50× longer than Bosch S 922 EF blade in tough materials

Suitable for stainless steel sheets, stainless steel pipes



Description	Length	PQ	Part Number
S 522 EHM	115 mm	1	**2 608 900 359**
S 922 EHM	150 mm	1	**2 608 900 360**
		3	**2 608 900 361**
		10	**2 608 900 362**
S 1022 EHM	200 mm	1	**2 608 900 363**

Vehicle Rescue

Lasts up to 50× longer than Bosch S 1122 BF blade in tough materials

Suitable for tough steel, glass



Description	Length	PQ	Part Number
S 957 CHM	150 mm	1	**2 608 900 378**
		10	**2 608 900 379**
S 1157 CHM	225 mm	1	**2 608 900 380**
		3	**2 608 900 381**
		10	**2 608 900 382**

Cement Cast Iron

Diamond Technology for long life cutting cement cast iron pipes

Suitable for cast iron, fibre plastics (GFK, CFK)



Description	Length	PQ	Part Number
S 1750 RD	250 mm	1	**2 608 900 383**

PQ = Pack Quantity

EXPERT RECIPROCATING SAW BLADES FOR MULTI MATERIAL

Multi Material

Lasts up to 50× longer than Bosch S 3456 XF blade in tough materials

Suitable for cast iron, wood with tough metal, construction wood with mortar and nails, plastics, fibre plastics (GFK, CFK)



Description	Length	PQ	Part Number
S 956 XHM	150 mm	1	**2 608 900 389**
		10	**2 608 900 390**
S 1156 XHM	225 mm	1	**2 608 900 391**
		3	**2 608 900 392**
		10	**2 608 900 393**
S 1256 XHM	300 mm	1	**2 608 900 394**
		10	**2 608 900 395**

Wood with Metal Demolition

Lasts up to 50× longer than Bosch S 1111 DF blade in tough materials

Suitable for wood with tough metal, construction wood with mortar and nails, WPC (Wood plastic), hardwood



Description	Length	PQ	Part Number
S 967 XHM	150 mm	1	**2 608 900 396**
		10	**2 608 900 397**
S 1167 XHM	225 mm	1	**2 608 900 398**
		3	**2 608 900 399**
		10	**2 608 900 400**
S 1267 XHM	300 mm	1	**2 608 900 401**
		10	**2 608 900 402**

Wood with Metal

Lasts up to 50× longer than Bosch S 611 DF blade in tough materials

Suitable for wood with tough metal, construction wood with mortar and nails



Description	Length	PQ	Part Number
S 715 LHM	100 mm	1	**2 608 900 384**

Window Demolition

Lasts up to 50× longer than Bosch S 611 DF blade in tough materials

Suitable for wood with tough metal, plastics, aluminium



Description	Length	PQ	Part Number
S 956 DHM	150 mm	1	**2 608 900 385**
		10	**2 608 900 386**

Hard Nail Pallets

Lasts up to 50× longer than Bosch S 1122 HF blade in tough materials

Suitable for wood with tough metal, wood with hard nails



Description	Length	PQ	Part Number
S 1122 CHM	225 mm	1	**2 608 900 387**
		10	**2 608 900 388**

EXPERT RECIPROCATING SAW BLADES FOR WOOD

Tough Wood

Lasts up to 50× longer than Bosch S 1542 K blade in tough materials

Suitable for construction wood, pressure treated lumber



Description	Length	PQ	Part Number
S 1142 KHM	225 mm	1	**2 608 900 403**
		3	**2 608 900 404**
		10	**2 608 900 405**
S 1242 KHM	300 mm	1	**2 608 900 406**

PQ = Pack Quantity

EXPERT RECIPROCATING SAW BLADES FOR SPECIAL APPLICATIONS

Fiber Plasterboard

Lasts up to 50× longer than Bosch S 628 DF blade in tough materials

Suitable for fibre cement boards, drywall board, aerated concrete



Description	Length	PQ	Part Number
S 641 HM	150 mm	1	**2 608 900 407**

Hollow Brick

Carbide Technology for long life cutting hollow brick

Suitable for hollow brick building block



Description	Length	PQ	Part Number
S 1543 HM	240 mm	1	**2 608 900 414**
		3	**2 608 900 415**
		10	**2 608 900 416**



Description	Length	PQ	Part Number
S 1243 HM	300 mm	1	**2 608 900 417**
S 2243 HM	455 mm	1	**2 608 900 418**

Aerated Concrete

Carbide Technology for long life cutting aerated concrete

Suitable for aerated concrete



Description	Length	PQ	Part Number
S 1141 HM	225 mm	1	**2 608 900 408**
		10	**2 608 900 409**
S 1241 HM	300 mm	1	**2 608 900 410**
		3	**2 608 900 411**
		10	**2 608 900 412**
S 2041 HM	400 mm	1	**2 608 900 413**



LONG LIFE CUTTING HOLES IN TOUGH MATERIALS

EXPERT Tough Material PC Plus Hole Saws



CARBIDE TECHNOLOGY

UP TO 50×* LONG LIFE

Exceptional durability is built in with Bosch Carbide Technology

Individually ground teeth made from fine, hard carbide

Special slot design for better view and plug ejection



*vs. Bosch 2 608 580 419 hole saw



Tough Material PC Plus



Lasts up to 50× longer than Bosch 2 608 580 419 hole saw in tough materials

Suitable for wood with metal, brick, soft tiles, stainless steel sheets, plastics

Diameter	Pack Quantity	Part Number
20 mm	1	2 608 900 419
22 mm	1	2 608 900 420
25 mm	1	2 608 900 421
32 mm	1	2 608 900 422
35 mm	1	2 608 900 423
38 mm	1	2 608 900 424
40 mm	1	2 608 900 425
44 mm	1	2 608 900 426
51 mm	1	2 608 900 427
54 mm	1	2 608 900 428
60 mm	1	2 608 900 429
64 mm	1	2 608 900 430
65 mm	1	2 608 900 431
67 mm	1	2 608 900 432
68 mm	1	2 608 900 433
70 mm	1	2 608 900 434
73 mm	1	2 608 900 435
76 mm	1	2 608 900 436
80 mm	1	2 608 900 437
83 mm	1	2 608 900 438
102 mm	1	2 608 900 439
105 mm	1	2 608 900 440
111 mm	1	2 608 900 441
114 mm	1	2 608 900 442
127 mm	1	2 608 900 443
152 mm	1	2 608 900 444

Starter Kits

Description	Diameter	Part Number
3 pcs	51 mm (3×)	2 608 900 449
3 pcs	68 mm (3×)	2 608 900 450

Universal Sets

Description	Diameter	Part Number
9 pcs	22 / 25 / 35 / 51 / 60 / 68 mm	2 608 900 445
	22 / 25 / 35 / 40 / 51 / 68 mm	2 608 900 446
14 pcs	20 / 22 / 25 / 32 / 35 / 40 / 44 / 51 / 60 / 64 / 76 mm	2 608 900 447
	20 / 22 / 25 / 32 / 35 / 40 / 44 / 51 / 60 / 68 / 76 mm	2 608 900 448

Construction Material PC Plus



Lasts up to 50× longer than Bosch 2 609 256 D05 hole saw in tough materials

Suitable for softwood, chipboard, brick, soft tiles, fibre plastics (GFK, CFK)

Diameter	Pack Quantity	Part Number
19 mm	1	2 608 900 451
20 mm	1	2 608 900 452
22 mm	1	2 608 900 453
25 mm	1	2 608 900 454
30 mm	1	2 608 900 455
32 mm	1	2 608 900 456
35 mm	1	2 608 900 457
38 mm	1	2 608 900 458
40 mm	1	2 608 900 459
41 mm	1	2 608 900 460
44 mm	1	2 608 900 461
48 mm	1	2 608 900 462
51 mm	1	2 608 900 463
54 mm	1	2 608 900 464
57 mm	1	2 608 900 465
60 mm	1	2 608 900 466
64 mm	1	2 608 900 467
65 mm	1	2 608 900 468
67 mm	1	2 608 900 469
68 mm	1	2 608 900 470
70 mm	1	2 608 900 471
73 mm	1	2 608 900 472
76 mm	1	2 608 900 473
79 mm	1	2 608 900 474
80 mm	1	2 608 900 475
83 mm	1	2 608 900 476
86 mm	1	2 608 900 477
92 mm	1	2 608 900 478
98 mm	1	2 608 900 479
102 mm	1	2 608 900 480
105 mm	1	2 608 900 481
111 mm	1	2 608 900 482
114 mm	1	2 608 900 483
121 mm	1	2 608 900 484
127 mm	1	2 608 900 485
140 mm	1	2 608 900 486
152 mm	1	2 608 900 487
159 mm	1	2 608 900 488

Universal Sets

Description	Diameter	Part Number
15 pcs	20 / 22 / 25 / 32 / 35 / 40 / 44 / 51 / 60 / 68 / 76 mm	2 608 900 489

Electrician Sets

Description	Diameter	Part Number
9 pcs	20 / 25 / 32 / 38 / 51 / 64 mm	2 608 900 490

Sheet Metal PC Plus



Lasts up to 50× longer than Bosch 2 608 580 408 hole saw in tough materials

Suitable for stainless steel sheets, steel sheets

Diameter	Pack Quantity	Part Number
20 mm	1	**2 608 900 491**
21 mm	1	**2 608 900 492**
22 mm	1	**2 608 900 493**
25 mm	1	**2 608 900 494**
27 mm	1	**2 608 900 495**
30 mm	1	**2 608 900 496**
32 mm	1	**2 608 900 497**
35 mm	1	**2 608 900 498**
40 mm	1	**2 608 900 499**
51 mm	1	**2 608 900 500**
68 mm	1	**2 608 900 501**

Sheet Metal Set

Description	Diameter	Part Number
5 pcs	22 / 25 / 32 mm	**2 608 900 502**

Pilot Drill for EXPERT Power Change Plus

Description	Length / Material	Part Number
6.0 mm	55 mm / HSS-Co	**2 608 900 503**

Power Change Plus with Pilot Drill



Adapter	Pilot drill	Part Number
HEX 11	8.5 × 105 mm Carbide drill	**2 608 900 526**
HEX 11	7.15 × 105 mm HSS-G drill	**2 608 900 527**

Pilot Drills for EXPERT Power Change Plus

Diameter	Length / Material	Part Number
7.15 mm	105 mm / HSS-G	**2 608 900 528**
	105 mm / HSS-Co	**2 608 900 530**
8.5 mm	105 mm / Carbide	**2 608 900 529**



LONG LIFE CUTTING ABRASIVE AND COMPOSITE MATERIALS

EXPERT Multi Material Segment Blades




CARBIDE TECHNOLOGY

UP TO 50×* LONG LIFE

Exceptional durability is built in with Bosch Carbide Technology

Thick gauge blade offers extra robustness and stability

Wide body for precise, straight cuts





ACZ 105 ET

Starlock Multi Material Segment Blade

Measurements	PQ	Part Number
ø 105 mm	1	**2 608 664 208**
	5	**2 608 664 207**



*vs. Bosch ACZ 85 EB **PQ** = Pack Quantity

LONG LIFE CUTTING SHEET METAL AND ABRASIVE MATERIALS

EXPERT MultiMax Blades



EXTRA COATING

CARBIDE TECHNOLOGY

UP TO 50×* LONG LIFE

Exceptional durability is built in with Bosch Carbide Technology

Extra coating makes carbide tougher

Curved-Tec blade for controlled and clean plunge cuts

Thin carbide blade for faster sawing







AIZ 32 APIT

Starlock Multi Material Plunge Cut Blade

Measurements	PQ	Part Number
32×40 mm	1	2 608 900 024
	5	2 608 900 025
	10	2 608 900 026
	25	2 608 900 027

*vs. Bosch AIZ 20 AB



AIZ 32 APILT

Starlock Multi Material Plunge Cut Blade

Measurements	PQ	Part Number
32×40 mm	1	2 608 902 394
	5	2 608 902 395
	10	2 608 902 396
	25	2 608 902 397



PAIZ 32 APIT

StarlockPlus Multi Material Plunge Cut Blade

Measurements	PQ	Part Number
32×55 mm	1	2 608 900 028
	10	2 608 900 029



PAII 52 APIT

StarlockPlus Multi Material Plunge Cut Blade

Measurements	PQ	Part Number
52×50 mm	1	2 608 900 030



MAII 32 APIT

StarlockMax Multi Material Plunge Cut Blade

Measurements	PQ	Part Number
32×70 mm	1	2 608 900 031
	10	2 608 900 032



AVZ 90 RT2

Starlock Multi Material Sanding Plate

Measurements	PQ	Part Number
⌀ 90 mm, #20	1	2 608 900 045
	10	2 608 900 046



AVZ 90 RT4

Starlock Multi Material Sanding Plate

Measurements	PQ	Part Number
⌀ 90 mm, #40	1	2 608 900 047



AVZ 90 RT6

Starlock Multi Material Sanding Plate

Measurements	PQ	Part Number
⌀ 90 mm, #60	1	2 608 900 049



AVZ 90 RT10

Starlock Multi Material Sanding Plate

Measurements	PQ	Part Number
⌀ 90 mm, #100	1	2 608 900 043



MAVZ 116 RT2

StarlockMax Multi Material Sanding Plate

Measurements	PQ	Part Number
⌀ 116 mm, #20	1	2 608 900 052



MAVZ 116 RT4

StarlockMax Multi Material Sanding Plate

Measurements	PQ	Part Number
⌀ 116 mm, #40	1	2 608 900 053



MAVZ 116 RT6

StarlockMax Multi Material Sanding Plate

Measurements	PQ	Part Number
⌀ 116 mm, #60	1	2 608 900 054



MAVZ 116 RT10

StarlockMax Multi Material Sanding Plate

Measurements	PQ	Part Number
⌀ 116 mm, #100	1	2 608 900 051



AVZ 32 RT4

Starlock Multi Material Sanding Finger

Measurements	PQ	Part Number
32×53 mm, #40	1	2 608 900 040



AVZ 32 RT10

Starlock Multi Material Sanding Finger

Measurements	PQ	Part Number
32×53 mm, #100	1	2 608 900 039

PQ = Pack Quantity



OSCILLATING MULTITOOL ACCESSORIES FOR METAL



AIZ 32 AT

Starlock Metal Plunge Cut Blade

Measurements	PQ	Part Number
32 × 40 mm	10	2 608 901 182



AIZ 20 AIT

Starlock Metal Plunge Cut Blade

Measurements	PQ	Part Number
20 × 40 mm	1	2 608 900 012
	5	2 608 900 013



AIZ 32 AIT

Starlock Metal Plunge Cut Blade

Measurements	PQ	Part Number
32 × 40 mm	1	2 608 900 014
	5	2 608 900 015
	10	2 608 900 016
	25	2 608 900 017



AIZ 45 AIT

Starlock Metal Plunge Cut Blade

Measurements	PQ	Part Number
45 × 35 mm	1	2 608 900 018



PAIZ 32 AIT

StarlockPlus Metal Plunge Cut Blade

Measurements	PQ	Part Number
32 × 55 mm	1	2 608 900 019
	10	2 608 900 020



PAIZ 45 AIT

StarlockPlus Metal Plunge Cut Blade

Measurements	PQ	Part Number
45 × 50 mm	1	2 608 900 021



MAII 32 AIT

StarlockMax Metal Plunge Cut Blade

Measurements	PQ	Part Number
32 × 70 mm	1	2 608 900 022
	10	2 608 900 023

OSCILLATING MULTITOOL ACCESSORIES FOR GROUT AND ABRASIVE



ACZ 85 RD4

Starlock Grout and Abrasive Diamond Segment Blade

Measurements	PQ	Part Number
⌀ 85 × 2.0 mm	1	2 608 900 034
	10	2 608 900 035



AVZ 70 RT4

Starlock Grout and Abrasive 3 max Grouting Plate

Measurements	PQ	Part Number
⌀ 70 × 2.5 mm	1	2 608 900 041
	10	2 608 900 042





MATI 68 RD4

StarlockMax Grout and Abrasive Diamond Corner Blade

Measurements	PQ	Part Number
68 × 30 × 2.2 mm	1	2 608 900 036
	10	2 608 900 037



MATI 68 RSD4


StarlockMax Grout and Abrasive Diamond Corner Blade

Measurements	PQ	Part Number
68 × 10 × 1.6 mm	1	2 608 900 038

PQ = Pack Quantity

ADVANCED DUST REDUCTION SANDING WOOD, PAINT, AND DRYWALL

EXPERT M480 Sanding Nets



PARTICLE CONTROL

UP TO 4×* DUST REDUCTION

Most efficient dust removal with Bosch Particle Control

Dust is sucked through Open Net Structure



*vs. Bosch C420 sandpaper



Diameter	Grit	PQ	Part Number
125 mm	80	5	**2 608 900 671**
		50	**2 608 900 680**
	100	5	**2 608 900 672**
		50	**2 608 900 681**
	120	5	**2 608 900 673**
		50	**2 608 900 682**
	150	5	**2 608 900 674**
		50	**2 608 900 683**
	180	5	**2 608 900 675**
		50	**2 608 900 684**
	220	5	**2 608 900 676**
		50	**2 608 900 685**
	240	5	**2 608 900 677**
		50	**2 608 900 686**
	320	5	**2 608 900 678**
		50	**2 608 900 687**
	400	5	**2 608 900 679**
		50	**2 608 900 688**
150 mm	80	5	**2 608 900 689**
		50	**2 608 900 698**
	100	5	**2 608 900 690**
		50	**2 608 900 699**
	120	5	**2 608 900 691**
		50	**2 608 900 700**
	150	5	**2 608 900 692**
		50	**2 608 900 701**
	180	5	**2 608 900 693**
		50	**2 608 900 702**
	220	5	**2 608 900 694**
		50	**2 608 900 703**
	240	5	**2 608 900 695**
		50	**2 608 900 704**
	320	5	**2 608 900 696**
		50	**2 608 900 705**
	400	5	**2 608 900 697**
		50	**2 608 900 706**
225 mm	80	5	**2 608 901 636**
		25	**2 608 900 707**
	100	25	**2 608 900 708**
	120	5	**2 608 901 637**
		25	**2 608 900 709**
	150	25	**2 608 900 710**
	180	5	**2 608 901 638**
		25	**2 608 900 711**
	220	25	**2 608 900 712**
	240	5	**2 608 901 639**
		25	**2 608 900 713**
	320	25	**2 608 900 714**
	400	25	**2 608 900 715**



Sets

Description	Grit	Part Number
6+1-pcs. Ø 125 mm	2× 80 / 2× 120 / 2× 180 + pad saver	**2 608 901 202**
6+1-pcs. Ø 150 mm	2× 80 / 2× 120 / 2× 180 + pad saver	**2 608 901 203**
6+1-pcs. Ø 225 mm	2× 80 / 2× 120 / 2× 180 + pad saver	**2 608 901 667**




EXTEND YOUR BACKING PAD'S LIFETIME

Pad Savers for Random Orbital Sanders

For more details visit
bosch-professional.com

Available for all diameters



PQ = Pack Quantity

EXPERT M480 SANDING NETS FOR WOOD, PAINT, AND DRYWALL



Measurements	Grit	PQ	Part Number
93 × 93 mm	80	5	**2 608 900 716**
	100	5	**2 608 900 717**
	120	5	**2 608 900 718**
	150	5	**2 608 900 719**
	180	5	**2 608 900 720**
	220	5	**2 608 900 721**
	240	5	**2 608 900 722**
	320	5	**2 608 900 723**
	400	5	**2 608 900 724**

Set

Measurements	Grit	Part Number
93 × 93 mm	2× 80 / 2× 120 / 2× 180	**2 608 901 204**



Measurements	Grit	PQ	Part Number
100 × 150 mm	80	10	**2 608 900 725**
		50	**2 608 901 623**
	100	10	**2 608 900 726**
	120	10	**2 608 900 727**
		50	**2 608 901 624**
	150	10	**2 608 900 728**
	180	10	**2 608 900 729**
		50	**2 608 901 625**
	220	10	**2 608 900 730**
	240	10	**2 608 900 731**
		50	**2 608 901 626**
	320	10	**2 608 900 732**
	400	10	**2 608 900 733**

Set

Measurements	Grit	Part Number
100 × 150 mm	4× 80 / 3× 120 / 3× 180	**2 608 901 208**





Measurements	Grit	PQ	Part Number
80 × 133 mm	80	10	**2 608 900 734**
		50	**2 608 901 631**
	100	10	**2 608 900 735**
	120	10	**2 608 900 736**
		50	**2 608 901 632**
	150	10	**2 608 900 737**
	180	10	**2 608 900 738**
		50	**2 608 901 633**
	220	10	**2 608 900 739**
	240	10	**2 608 900 740**
		50	**2 608 901 634**
	320	10	**2 608 900 741**
	400	10	**2 608 900 742**
93 × 186 mm	80	10	**2 608 900 743**
		50	**2 608 900 752**
	100	10	**2 608 900 744**
		50	**2 608 900 753**
	120	10	**2 608 900 745**
		50	**2 608 900 754**
	150	10	**2 608 900 746**
		50	**2 608 900 755**
	180	10	**2 608 900 747**
		50	**2 608 900 756**
	220	10	**2 608 900 748**
		50	**2 608 900 757**
	240	10	**2 608 900 749**
		50	**2 608 900 758**
	320	10	**2 608 900 750**
		50	**2 608 900 759**
	400	10	**2 608 900 751**
		50	**2 608 900 760**
115 × 107 mm	80	10	**2 608 901 690**
		50	**2 608 901 627**
	120	10	**2 608 901 691**
		50	**2 608 901 628**
	180	10	**2 608 901 692**
		50	**2 608 901 629**
	240	10	**2 608 901 693**
		50	**2 608 901 630**
115 × 230 mm	80	10	**2 608 900 761**
		50	**2 608 900 770**
	100	10	**2 608 900 762**
		50	**2 608 900 771**
	120	10	**2 608 900 763**
		50	**2 608 900 772**
	150	10	**2 608 900 764**
	180	10	**2 608 900 765**
		50	**2 608 621 274**
	220	10	**2 608 900 766**
		50	**2 608 900 773**
	240	10	**2 608 900 767**
		50	**2 608 621 276**
	320	10	**2 608 900 768**
		50	**2 608 900 774**
	400	10	**2 608 900 769**
		50	**2 608 900 775**



Sets

Measurements	Grit	Part Number
80 × 133 mm	4× 80 / 3× 120 / 3× 180	**2 608 901 205**
93 × 186 mm	4× 80 / 3× 120 / 3× 180	**2 608 901 206**
115 × 107 mm	4× 80 / 3× 120 / 3× 180	**2 608 901 666**
115 × 230 mm	4× 80 / 3× 120 / 3× 180	**2 608 901 207**



Measurements	Grit	PQ	Part Number
93 mm × 5 m	80	1	**2 608 900 776**
	100	1	**2 608 900 777**
	120	1	**2 608 900 778**
	150	1	**2 608 900 779**
	180	1	**2 608 900 780**
	220	1	**2 608 900 781**
	240	1	**2 608 900 782**
	320	1	**2 608 900 783**
	400	1	**2 608 900 784**
115 mm × 5 m	80	1	**2 608 900 785**
	100	1	**2 608 900 786**
	120	1	**2 608 900 787**
	150	1	**2 608 900 788**
	180	1	**2 608 900 789**
	220	1	**2 608 900 790**
	240	1	**2 608 900 791**
	320	1	**2 608 900 792**
	400	1	**2 608 900 793**

M480 Dual Density Sanding Block

3-in-1 sanding flat surfaces, curves, and profiles with M480 sandpaper (80 × 133 mm)

Suitable for wood, paint and drywall




Description	Grit	Part Number
5 pcs	2× 80 / 2× 120 / 1× 180 + Dual Density Block	**2 608 901 635**

PQ = Pack Quantity

LONG LIFE SANDING IN MULTIPLE MATERIALS

EXPERT O780 Foil Sanding Discs




CERAMIC TECHNOLOGY

LONG LIFE

Durability and no swirl marks thanks to Bosch Ceramic Technology

Foil backing for a high material removal rate and great finish

OneFit hole pattern fits all standard sanding pads





Diameter	Grit	PQ	Part Number
125 mm	60	1 (×50)	**2 608 902 416**
		6	**2 608 902 399**
		50	**2 608 902 408**
	80	1 (×50)	**2 608 902 417**
		6	**2 608 902 400**
		50	**2 608 902 409**
	120	1 (×50)	**2 608 902 418**
		6	**2 608 902 401**
		50	**2 608 902 410**
	150	1 (×50)	**2 608 902 419**
		6	**2 608 902 402**
		50	**2 608 902 411**
	180	1 (×50)	**2 608 902 420**
		6	**2 608 902 403**
		50	**2 608 902 412**
	240	1 (×50)	**2 608 902 421**
		6	**2 608 902 404**
		50	**2 608 902 413**
	320	1 (×50)	**2 608 902 422**
		6	**2 608 902 405**
		50	**2 608 902 414**
	400	1 (×50)	**2 608 902 423**
		6	**2 608 902 406**
		50	**2 608 902 415**

Sets

Diameter	Grit	Part Number
9 pcs **125 mm**	3× 80 / 3× 120 / 3× 180	**2 608 902 407**
55 pcs **125 mm**	5× 60 / 15× 80 / 15× 120 / 15× 180 / 5× 240	**2 608 902 429**



Diameter	Grit	PQ	Part Number
150 mm	60	1 (×50)	**2 608 902 457**
		6	**2 608 902 430**
		50	**2 608 902 449**
	80	1 (×50)	**2 608 902 458**
		6	**2 608 902 441**
		50	**2 608 902 450**
	120	1 (×50)	**2 608 902 459**
		6	**2 608 902 442**
		50	**2 608 902 451**
	150	1 (×50)	**2 608 902 460**
		6	**2 608 902 443**
		50	**2 608 902 452**
	180	1 (×50)	**2 608 902 461**
		6	**2 608 902 444**
		50	**2 608 902 453**
	240	1 (×50)	**2 608 902 462**
		6	**2 608 902 445**
		50	**2 608 902 454**
	320	1 (×50)	**2 608 902 463**
		6	**2 608 902 446**
		50	**2 608 902 455**
	400	1 (×50)	**2 608 902 464**
		6	**2 608 902 447**
		50	**2 608 902 456**

Sets

Diameter	Grit	Part Number
9 pcs **150 mm**	3× 80 / 3× 120 / 3× 180	**2 608 902 448**
55 pcs **150 mm**	5× 60 / 15× 80 / 15× 120 / 15× 180 / 5× 240	**2 608 902 470**

PQ = Pack Quantity







EXPERT C470 SANDING DISCS FOR WOOD AND PAINT



Diameter	Grit	PQ	Part Number
125 mm	40	5	**2 608 901 092**
		50	**2 608 901 124**
	60	5	**2 608 901 093**
		50	**2 608 901 125**
	80	5	**2 608 901 094**
		50	**2 608 901 126**
	100	5	**2 608 901 095**
		50	**2 608 901 127**
	120	5	**2 608 901 096**
		50	**2 608 901 128**
	150	50	**2 608 901 129**
	180	5	**2 608 901 097**
		50	**2 608 901 130**
	220	50	**2 608 901 131**
	240	5	**2 608 901 098**
		50	**2 608 901 132**
	320	5	**2 608 901 099**
		50	**2 608 901 133**
	400	5	**2 608 901 100**
		50	**2 608 901 134**
150 mm	40	5	**2 608 901 102**
		50	**2 608 901 135**
	60	5	**2 608 901 103**
		50	**2 608 901 136**
	80	5	**2 608 901 104**
		50	**2 608 901 137**
	100	5	**2 608 901 105**
		50	**2 608 901 138**
	120	5	**2 608 901 106**
		50	**2 608 901 139**
	150	50	**2 608 901 140**
	180	5	**2 608 901 107**
		50	**2 608 901 141**
	220	50	**2 608 901 142**
	240	5	**2 608 901 108**
		50	**2 608 901 143**
	320	5	**2 608 901 109**
		50	**2 608 901 144**
	400	5	**2 608 901 110**
		50	**2 608 901 145**

Sets

Diameter	Grit	Part Number
125 mm	2× 60 / 2× 120 / 2× 240	**2 608 901 101**
150 mm	2× 60 / 2× 120 / 2× 240	**2 608 901 111**




Diameter	Grit	PQ	Part Number
115 mm	**40**	5	**2 608 900 794**
	60	5	**2 608 900 795**
	80	5	**2 608 900 796**
	120	5	**2 608 900 797**
	180	5	**2 608 900 798**
	240	5	**2 608 900 799**
	320	5	**2 608 900 800**
	400	5	**2 608 900 801**
125 mm	**40**	5	**2 608 900 803**
		50	**2 608 900 908**
	60	5	**2 608 900 804**
		50	**2 608 900 909**
	80	5	**2 608 900 805**
		50	**2 608 900 910**
	100	5	**2 608 900 806**
		50	**2 608 900 911**
	120	5	**2 608 900 807**
		50	**2 608 900 912**
	150	50	**2 608 901 120**
	180	5	**2 608 900 808**
		50	**2 608 900 913**
	220	50	**2 608 901 121**
	240	5	**2 608 900 809**
		50	**2 608 900 914**
	320	5	**2 608 900 810**
		50	**2 608 900 915**
	400	5	**2 608 900 811**
		50	**2 608 900 916**

Sets

Diameter	Grit	Part Number
115 mm	2× 60 / 2× 120 / 2× 240	**2 608 900 802**
125 mm	2× 60 / 2× 120 / 2× 240	**2 608 900 812**





Diameter	Grit	PQ	Part Number
150 mm	40	5	**2 608 900 813**
		50	**2 608 900 917**
	60	5	**2 608 900 814**
		50	**2 608 900 918**
	80	5	**2 608 900 815**
		50	**2 608 900 919**
	100	5	**2 608 900 816**
		50	**2 608 900 920**
	120	5	**2 608 900 817**
		50	**2 608 900 921**
	150	50	**2 608 901 122**
	180	5	**2 608 900 818**
		50	**2 608 900 922**
	220	50	**2 608 901 123**
	240	5	**2 608 900 819**
		50	**2 608 900 923**
	320	5	**2 608 900 820**
		50	**2 608 900 924**
	400	5	**2 608 900 821**
		50	**2 608 900 925**

Set

Diameter	Grit	Part Number
150 mm	2× 60 / 2× 120 / 2× 240	**2 608 900 822**



Diameter	Grit	PQ	Part Number
125 mm	40	50	**2 608 900 951**
	60	50	**2 608 900 952**
	80	50	**2 608 900 953**
	100	50	**2 608 901 154**
	120	50	**2 608 900 954**
	180	50	**2 608 900 955**
	240	50	**2 608 900 956**
	320	50	**2 608 901 155**
	400	50	**2 608 901 156**



Diameter	Grit	PQ	Part Number
225 mm	40	5	**2 608 901 671**
		25	**2 608 901 146**
	60	1	**2 608 901 015**
		25	**2 608 901 147**
	80	5	**2 608 901 672**
		25	**2 608 901 148**
	100	25	**2 608 901 149**
	120	5	**2 608 901 673**
		25	**2 608 901 150**
	150	25	**2 608 901 151**
	180	5	**2 608 901 674**
		25	**2 608 901 152**
	220	25	**2 608 901 153**

Set

Diameter	Grit	Part Number
225 mm	1× 40 / 1× 80 / 2× 120 / 2× 180	**2 608 901 677**



Measurements	Grit	PQ	Part Number
93×93 mm	40	5	**2 608 900 823**
		50	**2 608 900 926**
	60	5	**2 608 900 824**
		50	**2 608 900 927**
	80	5	**2 608 900 825**
		50	**2 608 900 928**
	100	5	**2 608 900 826**
		50	**2 608 900 929**
	120	5	**2 608 900 827**
		50	**2 608 900 930**
	180	5	**2 608 900 828**
		50	**2 608 900 931**
	240	5	**2 608 900 829**
		50	**2 608 900 932**
	320	5	**2 608 900 830**
		50	**2 608 900 933**
	400	5	**2 608 900 831**
		50	**2 608 900 934**

Set

Measurements	Grit	Part Number
93×93 mm	2× 60 / 2× 120 / 2× 240	**2 608 900 832**

PQ = Pack Quantity

EXPERT C470 SANDING SHEETS FOR WOOD AND PAINT



Measurements	Grit	PQ	Part Number
93 + 62 × 102 mm	40	10	2 608 900 886
		50	2 608 901 646
	60	10	2 608 901 652
		50	2 608 901 647
	80	10	2 608 900 887
		50	2 608 901 648
	120	10	2 608 900 888
		50	2 608 901 649
	180	10	2 608 900 889
		50	2 608 901 650
	240	10	2 608 901 653
		50	2 608 901 651

Set

Measurements	Grit	Part Number
93 + 62 × 102 mm	4× 60 / 4× 120 / 2× 180	2 608 901 676



Measurements	Grit	PQ	Part Number
100 × 150 mm	40	10	2 608 901 114
		50	2 608 901 640
	60	10	2 608 901 115
		50	2 608 901 641
	80	10	2 608 901 116
		50	2 608 901 642
	120	10	2 608 901 117
		50	2 608 901 643
	180	10	2 608 901 118
		50	2 608 901 644
	240	10	2 608 901 119
		50	2 608 901 645
	320	10	2 608 901 166
	400	10	2 608 901 167

Set

Measurements	Grit	Part Number
100 × 150 mm	4× 60 / 4× 120 / 2× 180	2 608 901 675



Measurements	Grit	PQ	Part Number
80 × 133 mm	40	10	2 608 900 877
		50	2 608 901 660
	60	10	2 608 900 878
		50	2 608 901 661
	80	10	2 608 900 879
		50	2 608 901 662
	100	10	2 608 900 880
	120	10	2 608 900 881
		50	2 608 901 663
	180	10	2 608 900 882
		50	2 608 901 664
	240	10	2 608 900 883
		50	2 608 901 665
	320	10	2 608 900 884
	400	10	2 608 900 885
93 × 186 mm	40	10	2 608 900 853
		50	2 608 900 935
	60	10	2 608 900 854
		50	2 608 900 936
	80	10	2 608 900 855
		50	2 608 900 937
	100	10	2 608 900 874
		50	2 608 900 938
	120	10	2 608 900 856
		50	2 608 900 939
	180	10	2 608 900 857
		50	2 608 900 940
	240	10	2 608 900 858
	320	10	2 608 900 870
	400	10	2 608 900 859
		50	2 608 900 941
93 × 230 mm	40	10	2 608 900 833
	60	10	2 608 900 834
	80	10	2 608 900 835
	100	10	2 608 900 871
	120	10	2 608 900 836
	180	10	2 608 900 837
	240	10	2 608 900 838
	320	10	2 608 900 872
	400	10	2 608 900 839

Sets

Measurements	Grit	Part Number
80 × 133 mm	4× 60 / 4× 120 / 2× 180	2 608 901 670
93 × 230 mm	3× 60 / 4× 80 / 3× 120	2 608 901 112





Measurements	Grit	PQ	Part Number
115 × 107 mm	40	10	2 608 900 890
		50	2 608 901 654
	60	10	2 608 900 891
		50	2 608 901 655
	80	10	2 608 900 892
		50	2 608 901 656
	120	10	2 608 900 893
		50	2 608 901 657
	180	10	2 608 900 894
		50	2 608 901 658
	240	10	2 608 900 895
		50	2 608 901 659

Sets

Measurements	Grit	Part Number
115 × 107 mm	4× 60 / 4× 120 / 2× 180	2 608 901 668
	2× 40 / 2× 60 / 2× 80 / 2× 120 / 2× 180	2 608 901 113



Measurements	Grit	PQ	Part Number
93 × 230 mm	40	10	2 608 900 840
	60	10	2 608 900 841
	80	10	2 608 900 842
	100	10	2 608 900 873
	120	10	2 608 900 843
	180	10	2 608 900 844
	240	10	2 608 900 845
	320	10	2 608 900 867



Measurements	Grit	PQ	Part Number
115 × 280 mm	40	10	2 608 605 246
	60	10	2 608 605 247
	80	10	2 608 605 248
	100	10	2 608 605 968
	120	10	2 608 605 249
	180	10	2 608 605 250
	240	10	2 608 605 251



Measurements	Grit	PQ	Part Number
115 × 230 mm	40	10	2 608 900 860
		50	2 608 900 942
	60	10	2 608 900 861
		50	2 608 900 943
	80	10	2 608 900 862
		50	2 608 900 944
	100	10	2 608 900 875
		50	2 608 900 945
	120	10	2 608 900 863
		50	2 608 900 946
	180	10	2 608 900 864
		50	2 608 900 947
	240	10	2 608 900 865
		50	2 608 900 948
	320	10	2 608 900 868
		50	2 608 900 949
	400	10	2 608 900 866
		50	2 608 900 950
115 × 280 mm	40	10	2 608 900 846
	60	10	2 608 900 847
	80	10	2 608 900 848
	100	10	2 608 900 876
	120	10	2 608 900 849
	180	10	2 608 900 850
	240	10	2 608 900 851
	320	10	2 608 900 869
	400	10	2 608 900 852

PQ = Pack Quantity

EXPERT C470 SANDING SHEETS FOR WOOD AND PAINT FOR HAND SANDING



Measurements	Grit	PQ	Part Number
93 mm × 5 m	40	1	**2 608 900 902**
	60	1	**2 608 900 903**
	80	1	**2 608 900 904**
	120	1	**2 608 900 905**
	180	1	**2 608 900 906**
	240	1	**2 608 900 907**
93 mm × 50 m	40	1	**2 608 900 968**
	60	1	**2 608 900 969**
	80	1	**2 608 900 970**
	100	1	**2 608 900 971**
	120	1	**2 608 900 972**
	180	1	**2 608 900 973**
	240	1	**2 608 900 974**
	320	1	**2 608 900 975**
	400	1	**2 608 900 976**
115 mm × 5 m	40	1	**2 608 900 896**
	60	1	**2 608 900 897**
	80	1	**2 608 900 898**
	120	1	**2 608 900 899**
	180	1	**2 608 900 900**
	240	1	**2 608 900 901**
115 mm × 50 m	40	1	**2 608 900 977**
	60	1	**2 608 900 978**
	80	1	**2 608 900 979**
	100	1	**2 608 900 980**
	120	1	**2 608 900 981**
	180	1	**2 608 900 982**
	240	1	**2 608 900 983**
	320	1	**2 608 900 984**
	400	1	**2 608 900 985**



Measurements	Grit	PQ	Part Number
230 × 280 mm	40	1	**2 608 900 957**
	60	1	**2 608 900 958**
	80	1	**2 608 900 959**
	100	1	**2 608 900 960**
	120	1	**2 608 900 961**
	150	1	**2 608 900 962**
	180	1	**2 608 900 963**
	220	1	**2 608 900 964**
	240	1	**2 608 900 965**
	320	1	**2 608 900 966**
	400	1	**2 608 900 967**

PQ = Pack Quantity





EXPERT MULTIHOLE SANDING PAD



Suitable for
GET 55-125, GEX 34-125, 3M, Dynabrade, Mirka, Rupes

Diameter	Grit	PQ	Part Number
125 mm	Soft	1	**2 608 900 003**
	Medium	1	**2 608 900 004**
	Hard	1	**2 608 900 005**



Suitable for
GET 75-150, GEX 34-150, GEX 40-150, 3M, DeWalt, Dynabrade, Festool, Makita, Mirka, Rupes

Diameter	Grit	PQ	Part Number
150 mm	Soft	1	**2 608 900 006**
	Medium	1	**2 608 900 007**
	Hard	1	**2 608 900 008**



Suitable for
GEX 125-150 AVE, GEX 150 AC, GEX 150 Turbo

Diameter	Grit	PQ	Part Number
150 mm	Soft	1	**2 608 900 009**
	Medium	1	**2 608 900 010**
	Hard	1	**2 608 900 011**




Suitable for
GEX 18V-150-3

Diameter	Grit	PQ	Part Number
150 mm	Medium	1	**2 608 001 115**

HIGH SPEED GRINDING METAL AND STAINLESS STEEL

EXPERT R781 Prisma Discs for Metal and EXPERT R782 Prisma Discs for Stainless Steel



PRISMA TECHNOLOGY


UP TO 4×* SPEED

Fast stock removal with Bosch Prisma Ceramic technology

Cooling top coat lets you grind faster without overheating

Cambered design ensures disc stays flat for maximum performance

Stays faster for longer due to self-sharpening effect



*vs. Bosch R444 fibre disc

EXPERT R781 Prisma Fibre Discs for Metal



XLOCK

Diameter	Grit	PQ	Part Number
115 mm	36	5	**2 608 621 779**
		25	**2 608 621 791**
	60	5	**2 608 621 780**
		25	**2 608 621 792**
	80	5	**2 608 621 781**
		25	**2 608 621 793**
125 mm	36	5	**2 608 621 782**
		25	**2 608 621 794**
	60	5	**2 608 621 783**
		25	**2 608 621 795**
	80	5	**2 608 621 784**
		25	**2 608 621 796**



Diameter	Grit	PQ	Part Number
100 mm	36	25	**2 608 621 788**
	60	25	**2 608 621 789**
	80	25	**2 608 621 790**
180 mm	36	25	**2 608 621 797**
	60	25	**2 608 621 798**
	80	25	**2 608 621 799**

EXPERT R782 Prisma Fibre Discs for Stainless Steel



XLOCK

Diameter	Grit	PQ	Part Number
115 mm	36	5	**2 608 621 804**
		25	**2 608 621 820**
	60	5	**2 608 621 805**
		25	**2 608 621 821**
	80	5	**2 608 621 806**
		25	**2 608 621 822**
	120	5	**2 608 621 807**
		25	**2 608 621 823**
125 mm	36	5	**2 608 621 808**
		25	**2 608 621 824**
	60	5	**2 608 621 809**
		25	**2 608 621 825**
	80	5	**2 608 621 810**
		25	**2 608 621 826**
	120	5	**2 608 621 811**
		25	**2 608 621 827**



Diameter	Grit	PQ	Part Number
100 mm	36	25	**2 608 621 816**
	60	25	**2 608 621 817**
	80	25	**2 608 621 818**
	120	25	**2 608 621 819**
180 mm	36	25	**2 608 621 828**
	60	25	**2 608 621 829**
	80	25	**2 608 621 830**
	120	25	**2 608 621 831**

PQ = Pack Quantity

BACKING PADS FOR FIBRE SANDING DISCS

Choose the right backing pad for more effective performance



Soft Pads

Ideal for fine grit sanding
(P60 and finer)



Medium Pads

Ideal for fine medium sanding
(P36 to P80)



Hard Pads

Ideal for rough grit sanding
(P50 and rougher)

For more details visit **bosch-professional.com**



EXPERT HANDLE VIBRATION CONTROL FOR ANGLE GRINDERS

Fitting	Dimension	Part Number
M10	169 × 69 mm	**2 608 900 000**
M14	169 × 69 mm	**2 608 900 001**

EXPERT SURFACE CONDITIONING MATERIAL SANDING

N470 Sanding Belts



Measurements	Grit	PQ	Part Number
40 × 760 mm	Coarse	10	2 608 901 254
	Medium	10	2 608 901 255
	Fine	10	2 608 901 256

N470 Sanding Sleeves



Measurements	Grit	PQ	Part Number
100 × 290 mm	Coarse	10	2 608 901 257
	Medium	10	2 608 901 258
	Fine	10	2 608 901 259

N475 SCM Flap Discs



Diameter	Grit	PQ	Part Number
115 mm	Coarse	1	2 608 901 470
	Medium	1	2 608 901 471
	Very Fine	1	2 608 901 472
125 mm	Coarse	1	2 608 901 473
	Medium	1	2 608 901 474
	Very Fine	1	2 608 901 475

N477 SCM Discs

with removable center hole



Diameter	Grit	PQ	Part Number
100 mm	Extra Coarse	1	2 608 901 260
	Coarse	1	2 608 901 261
	Medium	1	2 608 901 262
	Very Fine	1	2 608 901 263
115 mm	Extra Coarse	1	2 608 901 264
	Coarse	1	2 608 901 265
	Medium	1	2 608 901 266
	Very Fine	1	2 608 901 267
125 mm	Extra Coarse	1	2 608 901 268
	Coarse	1	2 608 901 269
	Medium	1	2 608 901 270
	Very Fine	1	2 608 901 271

SCM BACKING PAD FOR SMALL ANGLE GRINDERS

Ideal for use with SCM fleece discs



For more details visit
bosch-professional.com



EXPERT SANDING FLEECE

N880 Fleece Pads



Measurements	Grit	PQ	Part Number
115 × 140 mm	Coarse AlOx	2	2 608 901 218
	Medium SiC	2	2 608 901 219
	Very Fine AlOx	2	2 608 901 220
	General Purpose	2	2 608 901 221
152 × 229 mm	Extra Cut S	1	2 608 901 210
	Cleaning white	1	2 608 901 211
	Coarse AlOx	1	2 608 901 212
	Medium SiC	1	2 608 901 213
	Medium AlOx	1	2 608 901 214
	Very Fine AlOx	1	2 608 901 215
	Ultra Fine SiC	1	2 608 901 216
	General Purpose	1	2 608 901 217

N880 Fleece Rolls



Measurements	Grit	PQ	Part Number
100 mm × 10 m	Coarse AlOx	1	2 608 901 222
	Medium SiC	1	2 608 901 223
	Very Fine AlOx	1	2 608 901 224
	General Purpose	1	2 608 901 225
115 mm × 10 m	Cleaning white	1	2 608 901 226
	Coarse AlOx	1	2 608 901 227
	Medium SiC	1	2 608 901 228
	Medium AlOx	1	2 608 901 229
	Very Fine AlOx	1	2 608 901 230
	Ultra Fine SiC	1	2 608 901 231
	General Purpose	1	2 608 901 232
150 mm × 10 m	Cleaning white	1	2 608 901 233
	Coarse AlOx	1	2 608 901 234
	Medium SiC	1	2 608 901 235
	Medium AlOx	1	2 608 901 236
	Very Fine AlOx	1	2 608 901 237
	Ultra Fine SiC	1	2 608 901 238
	General Purpose	1	2 608 901 239

N880 Fleece Discs

for random orbital sanders and suitable for angle grinders




Diameter	Grit	PQ	Part Number
125 mm	Cleaning white	1	2 608 901 240
	Coarse AlOx	1	2 608 901 241
		5	2 608 901 385
	Medium SiC	1	2 608 901 242
		5	2 608 901 386
	Medium AlOx	1	2 608 901 243
	Very Fine AlOx	1	2 608 901 244
	Ultra Fine SiC	1	2 608 901 245
		5	2 608 901 387
	General Purpose	1	2 608 901 246

Diameter	Grit	PQ	Part Number
150 mm	Cleaning white	1	2 608 901 247
	Coarse AlOx	1	2 608 901 248
		5	2 608 901 388
	Medium SiC	1	2 608 901 249
		5	2 608 901 389
	Medium AlOx	1	2 608 901 250
	Very Fine AlOx	1	2 608 901 251
	Ultra Fine SiC	1	2 608 901 252
		5	2 608 901 390
	General Purpose	1	2 608 901 253

PQ = Pack Quantity

LONG LIFE SANDING IN MULTIPLE MATERIALS

EXPERT W480 Web 1/4 Hand Sanding Sheets





FLEXI-WEB TECHNOLOGY


LONG LIFE

Innovative Flexi-Web backing for flexibility and resistance to tear

Superior abrasive grit on both sides for efficient sanding

Flexible folding line for reaching tight spots with ease

Water resistant and washable for long-lasting performance



Measurements	Grit	PQ	Part Number
115 × 140 mm	120	2	**2 608 902 381**
		10	**2 608 902 385**
	180	2	**2 608 902 382**
		10	**2 608 902 386**
	240	2	**2 608 902 383**
		10	**2 608 902 387**
	320	2	**2 608 902 384**
		10	**2 608 902 388**

Sets

Description	Grit	Part Number
6 pcs 115 × 140 mm	2× 120 / 2× 180 / 1× 240 / 1× 320	**2 608 902 431**
9 pcs 115 × 140 mm	3× 120 / 3× 180 / 2× 240 / 1× 320	**2 608 902 432**



EXPERT SANDING BLOCKS AND PADS

S470 Combi Sanding Blocks

Lasts up to 5× longer than Bosch C420 sandpaper

Suitable for paint on wood, softwood



Grit	PQ	Part Number
Medium	1 (×20)	**2 608 901 921**
Fine	1 (×20)	**2 608 901 922**
	1 (×50)	**2 608 901 168**
Super fine	1 (×20)	**2 608 901 923**

Set

Description	Grit	Part Number
3 pcs	Medium Fine Super fine	**2 608 901 174**

S473 Flex Sanding Pads

Lasts up to 5× longer than Bosch C420 sandpaper

Suitable for paint on wood, softwood



Grit	PQ	Part Number
Medium	1 (×20)	**2 608 621 924**
	1 (×50)	**2 608 901 171**
Fine	1 (×20)	**2 608 621 925**
	1 (×50)	**2 608 901 172**
Super fine	1 (×20)	**2 608 621 926**
	1 (×50)	**2 608 901 173**

Set

Description	Grit	Part Number
3 pcs	Medium Fine Super fine	**2 608 901 176**

S471 Standard Sanding Blocks

Lasts up to 5× longer than Bosch C420 sandpaper

Suitable for paint on wood, softwood



Grit	PQ	Part Number
Coarse	1 (×20)	**2 608 901 678**
Medium	1 (×20)	**2 608 901 177**
	1 (×50)	**2 608 901 169**
Fine	1 (×20)	**2 608 901 178**
	1 (×50)	**2 608 901 170**
Super fine	1 (×20)	**2 608 901 179**
	1 (×50)	**2 608 901 180**

Set

Description	Grit	Part Number
3 pcs	Medium Fine Super fine	**2 608 901 175**

PQ = Pack Quantity

PRECISION
CUTTING FOR A VARIETY OF APPLICATIONS

Circular Saw Blades




CARBIDE TECHNOLOGY

Universal complete range for the most common applications with best cutting result

High precision and exceptionally durable saw blade tip with Bosch Carbide Technology

Friction reduction and anti-corrosive ProteQtion coating

Optimized saw blades range available for cordless saws



SELECTED CIRCULAR SAW BLADES FROM THE EXPERT RANGE



Expert for Wood

Diameter	Bore hole	Teeth	Part Number
160 mm	20 mm	48	**2 608 644 018**
216 mm	30 mm	48	**2 608 642 497**
254 mm	30 mm	60	**2 608 642 530**
305 mm	30 mm	72	**2 608 642 531**



Expert for Wood (Cordless)

Diameter	Bore hole	Teeth	Part Number
140 mm	20 mm	42	**2 608 644 500**
165 mm	20 mm	48	**2 608 644 509**
190 mm	30 mm	24	**2 608 644 513**
216 mm	30 mm	48	**2 608 644 519**



Expert for Steel

Diameter	Bore hole	Teeth	Part Number
160 mm	20 mm	30	**2 608 643 054**
210 mm	30 mm	48	**2 608 643 057**
305 mm	25.4 mm	60	**2 608 643 060**
305 mm	25.4 mm	80	**2 608 643 061**



Expert for Fiber Cement

Diameter	Bore hole	Teeth	Part Number
160 mm	20 mm	4	**2 608 644 121**
165 mm	20 mm	4	**2 608 644 122**
190 mm	30 mm	4	**2 608 644 125**
250 mm	30 mm	6	**2 608 644 349**

You can find more information about the circular saw blade range at **bosch-professional.com**



FIND OUT MORE ABOUT OTHER EXPERT PRODUCTS

bosch-professional.com

EXPERT
ACCESSORY RANGE

Robert Bosch Limited
Power Tools Division
PO Box 98, Uxbridge
Middlesex, UB9 5HN
UNITED KINGDOM
boschpowertools.co.uk

en – PT-AC/MKB – Printed by Scintilla AG, Widistrasse 9, 4528 Zuchwil, SWITZERLAND.
Subject to technical alterations. Liability for printing errors is not accepted.