The created task (Latin only) is displayed in the 'ALL TO DOs' list

Severity	Priority	Behavior	Type
⋀ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

Run the device emulator Pixel 3a API 33 Android 13.0 with the installed program "TO-DO-MVP"

Steps to reproduce

Step	1
Action	Run the TO-DO-MVP application
Input data	
Expected result	Application is opened

Step	2
Action	Tap the '+' element for creating a new task
Input data	
Expected result	The module for creating a new task opens

Step	3
Action	Check if the module contains the fields with title and descriptions
Input data	
Expected result	Module contains the fields with title and descriptions

Step	4
Action	Check if fields contains the appropriate placeholders
Input data	

| Expected result | The title field contains placeholder 'Title', the description field contains placeholder 'Enter your TO-DO here.' |

| Step | 5 |

| Action | Enter text from Data |

| Input data | Title: MustRead books
Description: Purple Hibiscus |

| Expected result | Text entered |

| Step | 6 |

| Action | Tap the '✓' element to save a new task |

| Input data | |

| Expected result | The task is saved and displayed in the 'ALL TO DOs' list. Toast message 'TO DO saved' is displayed |

The created task (only with description, without title) is displayed in the 'ALL TO DOs' list

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

Run the device emulator Pixel 3a API 33 Android 13.0 with the installed program "TO-DO-MVP"

Steps to reproduce

Step	1
Action	Run the TO-DO-MVP application
Input data	
Expected result	Application is opened

Step	2
Action	Tap the '+' element for creating a new task
Input data	
Expected result	The module for creating a new task opens

Step	3
Action	Enter text from Data
Input data	Description: Purple hibiscus
Expected result	Text entered

Step	4
Action	Tap the '✓' element to save a new task

Input data

| Expected result | The task is saved and displayed in the 'ALL TO DOs' list. Toast message 'TO DO saved' is displayed. Text from description is displayed as a title. |

The created task (only with title, without description) is displayed in the 'ALL TO DOs' list

Severity	Priority	Behavior	Type
︿ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

Run the device emulator Pixel 3a API 33 Android 13.0 with the installed program "TO-DO-MVP"

Steps to reproduce

Step	1
Action	Run the TO-DO-MVP application
Input data	
Expected result	Application is opened

Step	2
Action	Tap the '+' element for creating a new task
Input data	
Expected result	The module for creating a new task opens

Step	3
Action	Enter text from Data
Input data	Title: MustRead book
Expected result	Text entered

Step	4
Action	Tap the '✓' element to save a new task
Input data	

Expected result The task is saved and displayed in the 'ALL TO DOs' list. Toast message 'TO DO saved' is displayed

The created task (with numbers in task description) is displayed in the 'ALL TO DOs' list

Severity	Priority	Behavior	Type
︿ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

Run the device emulator Pixel 3a API 33 Android 13.0 with the installed program "TO-DO-MVP"

Steps to reproduce

Step	1
Action	Run the TO-DO-MVP application
Input data	
Expected result	Application is opened

Step	2
Action	Tap the '+' element for creating a new task
Input data	
Expected result	The module for creating a new task opens

Step	3
Action	Enter text from Data
Input data	Title: MustRead books Description: 1 Purple Hibiscus
Expected result	Text entered

Step	4
Action	Tap the '✓' element to save a new task
Input data	

Expected result   The task is saved and displayed in the 'ALL TO DOs' list. Toast message 'TO DO saved' is displayed

The created task (with Emoji in task description) is displayed in the 'ALL TO DOs' list

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

Run the device emulator Pixel 3a API 33 Android 13.0 with the installed program "TO-DO-MVP"

Steps to reproduce

Step	1
Action	Run the TO-DO-MVP application
Input data	
Expected result	Application is opened

Step	2
Action	Tap the '+' element for creating a new task
Input data	
Expected result	The module for creating a new task opens

Step	3
Action	Enter text from Data
Input data	Title: MustRead books Description: Purple Hibiscus⬜
Expected result	Text entered

Step	4
Action	Tap the '✓' element to save a new task
Input data	

Expected result The task is saved and displayed in the 'ALL TO DOs' list. Toast message 'TO DO saved' is displayed

The created task (with special characters in the title) is displayed in the 'ALL TO DOs' list

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

Run the device emulator Pixel 3a API 33 Android 13.0 with the installed program "TO-DO-MVP"

Steps to reproduce

Step	1
Action	Run the TO-DO-MVP application
Input data	
Expected result	Application is opened

Step	2
Action	Tap the '+' element for creating a new task
Input data	
Expected result	The module for creating a new task opens

Step	3
Action	Enter text from Data
Input data	Title: Must-Read books Description: Purple Hibiscus
Expected result	Text entered

Step	4
Action	Tap the '✓' element to save a new task
Input data	

Expected result The task is saved and displayed in the 'ALL TO DOs' list. Toast message 'TO DO saved' is displayed

The created task (with long string in the title) is displayed in the 'ALL TO DOs' list

Severity	**Priority**	**Behavior**	**Type**
︿ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

Run the device emulator Pixel 3a API 33 Android 13.0 with the installed program "TO-DO-MVP"

Steps to reproduce

Step	1
Action	Run the TO-DO-MVP application
Input data	
Expected result	Application is opened

Step	2
Action	Tap the '+' element for creating a new task
Input data	
Expected result	The module for creating a new task opens

Step	3
Action	Enter text from Data
Input data	Title: List of books from the long lists and short lists of the Booker and Pulitzer Prizes that must be read in the summer of two thousand twenty three
Expected result	Text entered

Step	4
Action	Tap the '✓' element to save a new task

Input data	
Expected result	The task is saved and displayed in the 'ALL TO DOs' list. Toast message 'TO DO saved' is displayed

Step	5
Action	Tap on the title of the task
Input data	
Expected result	Task card is opened, the title saved completely

Creating a new task: tap on the 'back' arrow button returns to the screen with 'ALL TO DOs' list

Severity	Priority	Behavior	Type
O Normal	O Medium	Not set	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

Run the device emulator Pixel 3a API 33 Android 13.0 with the installed program "TO-DO-MVP"

Steps to reproduce

Step	1
Action	Run the TO-DO-MVP application
Input data	
Expected result	Application is opened

Step	2
Action	Tap the '+' element for creating a new task
Input data	
Expected result	The module for creating a new task opens

Step	3
Action	Enter text from Data
Input data	Title: MustRead books Description: Purple hibiscus
Expected result	Text entered

Step	4
Action	Tap the 'back' arrow button
Input data	

Expected result	Return to the screen with 'ALL TO DOs' list. Data not saved

Creating a new task with empty fields: an error message is displayed and the task is not saved

Severity	Priority	Behavior	Type
O Normal	O Medium	Not set	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

Run the device emulator Pixel 3a API 33 Android 13.0 with the installed program "TO-DO-MVP"

Steps to reproduce

Step	1
Action	Run the TO-DO-MVP application
Input data	
Expected result	Application is opened

Step	2
Action	Tap the '+' element for creating a new task
Input data	
Expected result	The module for creating a new task opens

Step	3
Action	Tap the '✓' element to save a new task
Input data	
Expected result	Error message 'TO DO can not be empty' is displayed. The task is not saved

Creating a new task: tap the 'back' button on the device returns to the screen with 'ALL TO DOs' list

Severity	Priority	Behavior	Type
O Normal	O Medium	Not set	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

Run the device emulator Pixel 3a API 33 Android 13.0 with the installed program "TO-DO-MVP"

Steps to reproduce

Step	1
Action	Run the TO-DO-MVP application
Input data	
Expected result	Application is opened

Step	2
Action	Tap the '+' element for creating a new task
Input data	
Expected result	The module for creating a new task opens

Step	3
Action	Enter text from Data
Input data	Title: MustRead books Description: Purple hibiscus
Expected result	Text entered

Step	4
Action	Tap the 'back' button on the device
Input data	

Expected result	Return to the screen with 'ALL TO DOs' list. Data not saved