Making PT accessible

Implementing PT in TypeScript

Petter Sæther Moen



Thesis submitted for the degree of
Master in Informatics: Programming and System
Architecture
60 credits

Department of Informatics Faculty of mathematics and natural sciences

UNIVERSITY OF OSLO

Autumn 2020

Making PT accessible

Implementing PT in TypeScript

Petter Sæther Moen

© 2020 Petter Sæther Moen

Making PT accessible

http://www.duo.uio.no/

Printed: Reprosentralen, University of Oslo

Abstract

Contents

I	Intr	oducti	on	1
1	Back 1.1 1.2		d ge Templates	3 3 3
II	Th	e proje	ect	5
2	Plan	ning th	ne project	7
	2.1	TS con	npiler fork vs Babel Plugin vs?	7
		2.1.1	TypeScript Compiler Plugin	7
		2.1.2		7
		2.1.3		7
		2.1.4	Babel plugin	7
III	I C	onclus	ion	9
3	Resi	ults		11

List of Figures

List of Tables

Preface

Part I Introduction

Chapter 1

Background

- 1.1 Package Templates
- 1.2 TypeScript

Part II The project

Chapter 2

Planning the project

2.1 TS compiler fork vs Babel Plugin vs ...?

2.1.1 TypeScript Compiler Plugin

Not possible at the time as the TypeScript compiler wiki specifies "Type-Script Language Service Plugins ("plugins") are for changing the editing experience only." [1]. This might be possible in the future...

2.1.2 TypeScript Compiler Fork

Possible, however not as accessible as other alternatives and will make upkeep expensive.

2.1.3 Preprocessor for the TypeScript Compiler

2.1.4 Babel plugin

Babel isn't strictly for TypeScript, but for JavaScript as a whole. Will however make it very accessible as most web-projects use Babel, and the upkeep is cheap, as plugins are pretty independent from the core.

Part III Conclusion

Chapter 3

Results

Bibliography

[1] Microsoft. *microsoft/TypeScript*. URL: https://github.com/microsoft/ TypeScript/wiki/Writing-a-Language-Service-Plugin.