

NEBULAOPS v22.3 FINAL

Script Catalog & Operational Runbook

Final script inventory, v22.3 upgrade flow and local validation commands.

53

scripts

3

new v22.3 scripts

1

health runbook


1

smoke suite

Professional release closure package - prepared for technical review, handover and local validation.

NebulaOps v22.3 · Operational Intelligence & Governance Layer

Release Center · Policy Center · Incident Center · Audit/Event Timeline · Command Palette



Reference figure - NebulaOps v22.3 platform topology.

1. Script catalog closure

The script layer closes with explicit v22.3 upgrade, build and smoke-test helpers, while preserving the previous WSL/Docker operational scripts. These scripts are intended to make local validation repeatable and reduce ambiguity when moving from source package to running runtime.

Script	Purpose / usage
scripts/argocd-apply-local.sh	Operational script
scripts/backup-local.sh	Operational script
scripts/docker-network-fix.sh	Operational script
scripts/gitlab-validate.sh	Operational script
scripts/helm-install-local.sh	Operational script
scripts/helm-render.sh	Operational script
scripts/keycloak-ensure-sso-clients.sh	Operational script
scripts/keycloak-reimport-realm.sh	Operational script
scripts/keycloak-smoke-test.sh	Operational script
scripts/keycloak-sso-reset.sh	Operational script
scripts/linux/create-kind-cluster.sh	Operational script
scripts/linux/helm-install-nebulaops.sh	Operational script
scripts/linux/install-native-toolchain.sh	Operational script
scripts/linux/start-native.sh	Start local Docker/WSL runtime
scripts/linux/start.sh	Start local Docker/WSL runtime
scripts/local-down.sh	Operational script
scripts/local-up.sh	Operational script
scripts/oauth2-proxy-preflight.sh	Operational script
scripts/observability-open.sh	Operational script
scripts/restore-local.sh	Operational script
scripts/smoke-test.sh	Operational script
scripts/terraform/apply-local.sh	Operational script
scripts/terraform/plan-local.sh	Operational script
scripts/test-all.sh	Operational script
scripts/verify-local.sh	Operational script
scripts/wsl/build-v22.3.sh	Targeted build for new v22.3 components
scripts/wsl/check-wsl.sh	Operational script
scripts/wsl/diagnose-runtime.sh	Troubleshoot local runtime or SSO bridge
scripts/wsl/diagnose-sso.sh	Troubleshoot local runtime or SSO bridge
scripts/wsl/disable-gitlab.sh	Operational script
scripts/wsl/docker-cache-repair.sh	Operational script
scripts/wsl/fix-tool-ui-ports.sh	Operational script
scripts/wsl/gateway-logs.sh	Operational script
scripts/wsl/health.sh	Platform health checks including new v22.3 ports/APIs
scripts/wsl/install-kubectl.sh	Operational script
scripts/wsl/install-native-toolchain.sh	Operational script
scripts/wsl/install-prereqs-ubuntu.sh	Operational script
scripts/wsl/keycloak-apply-theme.sh	Operational script
scripts/wsl/lib/common.sh	Operational script
scripts/wsl/logs.sh	Operational script
scripts/wsl/preflight-v22.2.sh	Operational script
scripts/wsl/preflight-v22.3.sh	Operational script
scripts/wsl/prepare-kubeconfig-for-docker.sh	Operational script
scripts/wsl/prepare-runtime-tools.sh	Operational script

2. Script catalog continued

Script	Purpose / usage
scripts/wsl/reset.sh	Operational script
scripts/wsl/restart-gateway.sh	Start local Docker/WSL runtime
scripts/wsl/smoke-test.sh	Operational script
scripts/wsl/smoke-v22.3.sh	Gateway smoke tests for v22.3 APIs
scripts/wsl/start-sso-tools.sh	Start local Docker/WSL runtime
scripts/wsl/start.sh	Start local Docker/WSL runtime
scripts/wsl/status.sh	Operational script
scripts/wsl/stop.sh	Stop local runtime
scripts/wsl/upgrade-to-v22.3.sh	Validate v22.3 modules and prepare local upgrade

3. Recommended v22.3 runbook

```
./scripts/wsl/upgrade-to-v22.3.sh
./scripts/wsl/stop.sh
./scripts/wsl/build-v22.3.sh
./scripts/wsl/start.sh --with-sso-proxy
./scripts/wsl/health.sh
./scripts/wsl/smoke-v22.3.sh
```

4. Smoke test coverage

The smoke test covers gateway health, Release Center, Policy Center, platform events, Notification Center, AI Ops incident analysis, DevSecOps vulnerabilities, FinOps services and Kubernetes events. Protected deployments may require NEBULAOPS_TOKEN to be exported before execution.