Bill Service API

Table of Contents

st bills	1
trieve bill by id	2
eate bill	3
odate bill	4
odate bill status	6
gister payment	7
elete bill	8
ror responses	8

This section documents the Bill REST API produced by the Spring Boot application. The snippets are generated automatically from the controller tests.

NOTE

Run the Spring REST Docs test suite (for example with ./mvnw test) before building this document to refresh the snippets.

List bills

```
GET /api/bills HTTP/1.1
Host: localhost:8080
```

```
HTTP/1.1 200 OK
Content-Type: application/json
Content-Length: 389

[ {
    "id" : "b8829103-769d-4f1c-b50d-f7e317ea43f4",
    "customerId" : "CUST-001",
    "customerName" : "Wayne Enterprises",
    "description" : "Security services",
    "amount" : 1200.0,
    "dueDate" : "2025-11-04",
    "status" : "ISSUED",
    "issuedAt" : "2025-10-04T22:04:12.7769263+03:30",
    "updatedAt" : "2025-10-05T22:04:12.7769263+03:30",
    "lastPaymentReference" : "PAY-XYZ"
} ]
```

Path	Туре	Description
[].id	String	Bill identifier
[].customerId	String	Customer external identifier
[].customerName	String	Customer name
[].description	String	Bill description
[].amount	Number	Bill amount
[].dueDate	String	Due date (ISO-8601)
[].status	String	Bill status
[].issuedAt	String	Issuing timestamp
[].updatedAt	String	Last update timestamp
[].lastPaymentReference	String	Reference of the latest payment

Retrieve bill by id

Table 1. /api/bills/{id}

Parameter	Description
id	Bill identifier

```
GET /api/bills/233a17a9-e0ba-48d0-ba7c-b59735469dbd HTTP/1.1
Host: localhost:8080
```

```
HTTP/1.1 200 OK
Content-Type: application/json
Content-Length: 385

{
    "id" : "233a17a9-e0ba-48d0-ba7c-b59735469dbd",
    "customerId" : "CUST-001",
    "customerName" : "Wayne Enterprises",
    "description" : "Security services",
    "amount" : 1200.0,
    "dueDate" : "2025-11-04",
    "status" : "ISSUED",
    "issuedAt" : "2025-10-04T22:04:12.5481517+03:30",
    "updatedAt" : "2025-10-05T22:04:12.5481517+03:30",
    "lastPaymentReference" : "PAY-XYZ"
}
```

Path	Туре	Description
id	String	Bill identifier

Path	Туре	Description
customerId	String	Customer external identifier
customerName	String	Customer name
description	String	Bill description
amount	Number	Bill amount
dueDate	String	Due date (ISO-8601)
status	String	Bill status
issuedAt	String	Issuing timestamp
updatedAt	String	Last update timestamp
lastPaymentReference	String	Reference of the latest payment

Create bill

```
POST /api/bills HTTP/1.1

Content-Type: application/json; charset=UTF-8

Content-Length: 189

Host: localhost:8080

{
    "customerId" : "CUST-001",
    "customerName" : "Wayne Enterprises",
    "description" : "Security services",
    "amount" : 1200.0,
    "dueDate" : "2025-11-04",
    "status" : "ISSUED"
}
```

Path	Туре	Description
customerId	String	Customer external identifier
customerName	String	Customer name
description	String	Bill description
amount	Number	Bill amount
dueDate	String	Due date (ISO-8601 date)
status	String	Bill status (defaults to ISSUED when omitted)

HTTP/1.1 201 Created

Location: /api/bills/0497bf1b-19df-4ab2-bd28-e5e48e82fe52

Content-Type: application/json

Content-Length: 385

```
"id" : "0497bf1b-19df-4ab2-bd28-e5e48e82fe52",
    "customerId" : "CUST-001",
    "customerName" : "Wayne Enterprises",
    "description" : "Security services",
    "amount" : 1200.0,
    "dueDate" : "2025-11-04",
    "status" : "ISSUED",
    "issuedAt" : "2025-10-04T22:04:12.4079352+03:30",
    "updatedAt" : "2025-10-05T22:04:12.4079352+03:30",
    "lastPaymentReference" : "PAY-XYZ"
}
```

Path	Туре	Description
id	String	Bill identifier
customerId	String	Customer external identifier
customerName	String	Customer name
description	String	Bill description
amount	Number	Bill amount
dueDate	String	Due date (ISO-8601)
status	String	Bill status
issuedAt	String	Issuing timestamp
updatedAt	String	Last update timestamp
lastPaymentReference	String	Reference of the latest payment

Update bill

Table 2. /api/bills/{id}

Parameter	Description
id	Bill identifier

```
PUT /api/bills/314ace94-c8c5-42a8-8cd2-8543287108df HTTP/1.1
Content-Type: application/json; charset=UTF-8
Content-Length: 189
Host: localhost:8080

{
    "customerId" : "CUST-001",
    "customerName" : "Wayne Enterprises",
    "description" : "Security services",
    "amount" : 1200.0,
```

```
"dueDate" : "2025-11-04",
    "status" : "ISSUED"
}
```

Path	Туре	Description
customerId	String	Customer external identifier
customerName	String	Customer name
description	String	Bill description
amount	Number	Bill amount
dueDate	String	Due date (ISO-8601 date)
status	String	Bill status (defaults to ISSUED when omitted)

```
HTTP/1.1 200 OK
Content-Type: application/json
Content-Length: 385

{
    "id": "314ace94-c8c5-42a8-8cd2-8543287108df",
    "customerId": "CUST-001",
    "customerName": "Wayne Enterprises",
    "description": "Security services",
    "amount": 1200.0,
    "dueDate": "2025-11-04",
    "status": "ISSUED",
    "issuedAt": "2025-10-04T22:04:12.7327798+03:30",
    "updatedAt": "2025-10-05T22:04:12.7327798+03:30",
    "lastPaymentReference": "PAY-XYZ"
}
```

Path	Туре	Description
id	String	Bill identifier
customerId	String	Customer external identifier
customerName	String	Customer name
description	String	Bill description
amount	Number	Bill amount
dueDate	String	Due date (ISO-8601)
status	String	Bill status
issuedAt	String	Issuing timestamp
updatedAt	String	Last update timestamp
lastPaymentReference	String	Reference of the latest payment

Update bill status

Table 3. /api/bills/{id}/status

Parameter	Description
id	Bill identifier

```
POST /api/bills/e188b39f-82ff-4ba6-97aa-edc3cc05d1a3/status HTTP/1.1
Content-Type: application/json; charset=UTF-8
Content-Length: 30
Host: localhost:8080

{
    "status" : "CANCELLED"
}
```

Path	Туре	Description
status	String	New bill status

```
HTTP/1.1 200 OK
Content-Type: application/json
Content-Length: 385

{
    "id" : "e188b39f-82ff-4ba6-97aa-edc3cc05d1a3",
    "customerId" : "CUST-001",
    "customerName" : "Wayne Enterprises",
    "description" : "Security services",
    "amount" : 1200.0,
    "dueDate" : "2025-11-04",
    "status" : "ISSUED",
    "issuedAt" : "2025-10-04T22:04:12.8331551+03:30",
    "updatedAt" : "2025-10-05T22:04:12.8331551+03:30",
    "lastPaymentReference" : "PAY-XYZ"
}
```

Path	Туре	Description
id	String	Bill identifier
customerId	String	Customer external identifier
customerName	String	Customer name
description	String	Bill description
amount	Number	Bill amount
dueDate	String	Due date (ISO-8601)

Path	Туре	Description
status	String	Bill status
issuedAt	String	Issuing timestamp
updatedAt	String	Last update timestamp
lastPaymentReference	String	Reference of the latest payment

Register payment

Table 4. /api/bills/{id}/payments

Parameter	Description
id	Bill identifier

```
POST /api/bills/769f13da-1df4-4f47-96ef-72465a0fb3a3/payments HTTP/1.1
Content-Type: application/json; charset=UTF-8
Content-Length: 38
Host: localhost:8080

{
    "paymentReference" : "PAY-001"
}
```

Path	Туре	Description
paymentReference	String	Payment reference supplied by the PSP

```
HTTP/1.1 200 OK
Content-Type: application/json
Content-Length: 385

{
    "id" : "769f13da-1df4-4f47-96ef-72465a0fb3a3",
    "customerId" : "CUST-001",
    "customerName" : "Wayne Enterprises",
    "description" : "Security services",
    "amount" : 1200.0,
    "dueDate" : "2025-11-04",
    "status" : "ISSUED",
    "issuedAt" : "2025-10-04T22:04:11.8544147+03:30",
    "updatedAt" : "2025-10-05T22:04:11.8544147+03:30",
    "lastPaymentReference" : "PAY-XYZ"
}
```

Path	Туре	Description
id	String	Bill identifier
customerId	String	Customer external identifier
customerName	String	Customer name
description	String	Bill description
amount	Number	Bill amount
dueDate	String	Due date (ISO-8601)
status	String	Bill status
issuedAt	String	Issuing timestamp
updatedAt	String	Last update timestamp
lastPaymentReference	String	Reference of the latest payment

Delete bill

Table 5. /api/bills/{id}

Parameter	Description
id	Bill identifier

```
DELETE /api/bills/8ddf343a-e7d7-4060-991d-b45675b9200b HTTP/1.1
Host: localhost:8080
```

HTTP/1.1 204 No Content

Error responses

Table 6. /api/bills/{id}

Parameter	Description
id	Bill identifier

```
HTTP/1.1 404 Not Found
Content-Type: application/json
Content-Length: 205

{
    "timestamp" : "2025-10-05T22:04:12.7028828+03:30",
    "status" : 404,
    "error" : "Not Found",
    "message" : "Bill with id 1a7b52db-a3e6-4bb4-8cf4-7ba2e5a8fe11 was not found",
```

```
"details" : null
}
```

Path	Туре	Description
timestamp	String	Time of the error
status	Number	HTTP status code
error	String	HTTP reason phrase
message	String	Human readable message
details	Array	Validation details (when available)

```
POST /api/bills HTTP/1.1
Content-Type: application/json; charset=UTF-8
Content-Length: 135
Host: localhost:8080

{
    "customerId" : "",
    "customerName" : "",
    "description" : null,
    "amount" : null,
    "dueDate" : null,
    "status" : null
}
```

```
HTTP/1.1 400 Bad Request
Content-Type: application/json
Content-Length: 344

{
    "timestamp" : "2025-10-05T22:04:12.6141975+03:30",
    "status" : 400,
    "error" : "Bad Request",
    "message" : "Validation failed",
    "details" : [ "description: Description is required", "customerId: Customer id is required", "dueDate: Due date is required", "amount: Amount is required",
    "customerName: Customer name is required" ]
}
```

Path	Туре	Description
timestamp	String	Time of the error
status	Number	HTTP status code
error	String	HTTP reason phrase

Path	Туре	Description
message	String	Human readable message
details	Array	Validation details (when available)