Identify the list of variables and their datatypes

(i) Bill of an amazon order

Order ID – string
Customer name – string
Product names – string[]
Quantities – int[]
Prices – double[]
discounts – double[]
GST – double
delivery charge – double
Total Amount – double
Payment method – string
Order date – string
Delivery date – string
Order status – string
is delivered – boolean.

(ii) Bus ticket

Ticket NO – string
Passenger Names – string[]
mobile number – string
bus Number – string
bus name – string
source – string
destination – string
Journey date – string
departure time – string
arrival time – string

Seat numbers - int[]
total amount - double
Payment method - string
booking status - string
ages - int[]
genders - string[]
categories - string[].

(3) Current Bill
Consumer name - string
Address - string
Date - string
Present reading - int
previous reading - int
Additional charges - float
electricity duty - float
Total bill amount - float
Structure code - string
bill amount - float
Net amount - float
Units - int
Time - string
ERO number - int

Gas bill

Consumer Name - String

Consumer NO - String

LPD ID - String

Address - String

Mobile no - int

Category - String

Product / HSN - String

Booking source - String

Order number - int

Order date - String

Cash memo number - int

Cash memo Date - String

Base Price - float

Taxable Amount - float

CGST - float

SGST - float

Total Amount - float