

Number of input reads

Caudate

Putamen

LR_RM_C1034
LR_RM_C1252
LR_RM_C1262
LR_RM_C13114
LR_RM_C13151
LR_RM_C13281
LR_RM_C13291
LR_RM_C1366
LR_RM_C1488
LR_RM_C1572
LR_RM_C1670B
LR_RM_C612
LR_RM_P1034
LR_RM_P1252
LR_RM_P1262
LR_RM_P13114B
LR_RM_P13151B
LR_RM_P13281
LR_RM_P13291
LR_RM_P1366B
LR_RM_P1488
LR_RM_P1572
LR_RM_P1670
LR_RM_P612

Sample


Tissue





Caudate





Putamen











Number of splices: Total

Caudate

Putamen

2.0e+07
1.5e+07
1.0e+07
5.0e+06
0.0e+00

LR_RM_C1034 LR_RM_C1252 LR_RM_C1262 LR_RM_C13114 LR_RM_C13151 LR_RM_C13281 LR_RM_C13291 LR_RM_C1366 LR_RM_C1488 LR_RM_C1572 LR_RM_C1670B LR_RM_C612
LR_RM_P1034 LR_RM_P1252 LR_RM_P1262 LR_RM_P13114B LR_RM_P13151B LR_RM_P13281 LR_RM_P13291 LR_RM_P1366B LR_RM_P1488 LR_RM_P1572 LR_RM_P1670 LR_RM_P612

Sample


Tissue



Caudate



Putamen



Number of splices: GT/AG

Caudate

Putamen

2.0e+07

1.5e+07

1.0e+07

5.0e+06

0.0e+00

LR_RM_C1034 LR_RM_C1252 LR_RM_C1262 LR_RM_C13114 LR_RM_C13151 LR_RM_C13281 LR_RM_C13291 LR_RM_C1366 LR_RM_C1488 LR_RM_C1572 LR_RM_C1670B LR_RM_C612

LR_RM_P1034 LR_RM_P1252 LR_RM_P1262 LR_RM_P13114B LR_RM_P13151B LR_RM_P13281 LR_RM_P13291 LR_RM_P1366B LR_RM_P1488 LR_RM_P1572 LR_RM_P1670 LR_RM_P612

Sample

Tissue




Caudate



Putamen

Number of splices: GC/AG



Tissue




Caudate



Putamen

Number of splices: AT/AC



Sample


Tissue




Caudate



Putamen





Deletion rate per base

Caudate

Putamen

LR_RM_C1034 LR_RM_C1252 LR_RM_C1262 LR_RM_C13114 LR_RM_C13151 LR_RM_C13281 LR_RM_C13291 LR_RM_C1366 LR_RM_C1488 LR_RM_C1572 LR_RM_C1670B LR_RM_C612 LR_RM_P1034 LR_RM_P1252 LR_RM_P1262 LR_RM_P13114B LR_RM_P13151B LR_RM_P13281 LR_RM_P13291 LR_RM_P1366B LR_RM_P1488 LR_RM_P1572 LR_RM_P1670 LR_RM_P612

Sample

Tissue





Caudate




Putamen

0.020
0.015
0.010
0.005
0.000





Insertion rate per base




Tissue



Caudate



Putamen



Mapped to multiple loci

Caudate

Putamen

1.5e+08

1.0e+08

5.0e+07

0.0e+00

LR_RM_C1034
LR_RM_C1252
LR_RM_C1262
LR_RM_C13114
LR_RM_C13151
LR_RM_C13281
LR_RM_C13291
LR_RM_C1366
LR_RM_C1488
LR_RM_C1572
LR_RM_C1670B
LR_RM_C612
LR_RM_P1034
LR_RM_P1252
LR_RM_P1262
LR_RM_P13114B
LR_RM_P13151B
LR_RM_P13281
LR_RM_P13291
LR_RM_P1366B
LR_RM_P1488
LR_RM_P1572
LR_RM_P1670
LR_RM_P612

Sample


Tissue




Caudate




Putamen




Mapped to too many loci






Number of reads unmapped: too short



% of reads unmapped: too short



Tissue



Caudate



Putamen

Number of reads unmapped: other

