



Create credentials to access your database instance

Objective(s)

At the end of this lab you will be able to:

- Create your own instance of database on IBM Cloud using DB2 service

Exercise

Database credentials are required to connect from remote applications like Jupyter notebooks which are used in the labs and assignment in the last two weeks of the course.

0. Go to your IBM Cloud Resources dashboard (or click on IBM Cloud in the top left corner):

<https://cloud.ibm.com/resources>

Note: you may need to log into IBM Cloud in the process of loading the resources/dashboard.


If your connection is slow it may take over 30 seconds for the dashboard to fully load.

1. In the Resource list, expand the **Databases** heading and locate and click on your instance of Db2 you provisioned in exercise 2 (the name typically starts with Db2-xx for example Db2-fk, Db2-50, etc.)


The screenshot shows the IBM Cloud Resources dashboard. On the left is a sidebar with various resource categories. The main area displays a table of resources. The 'Databases' category is expanded, showing a single instance named 'Db2-pg'. This instance is highlighted with a red rectangle. The table has columns for Name, Group, Location, Product, Status, and Tags.

Name	Group	Location	Product	Status	Tags
Db2-pg	Default	London	Db2	Active	—

2. Click on Service Credentials in the left menu



3. Click on the button to create **New credential**



In the prompt that comes up click the **Add** Button in the bottom right:

Create credential



Name:

Service credentials-3

Role: ⓘ

Manager



[Advanced options](#) ▾

Cancel

Add

4. Check the box to **View credentials**
5. Copy and save the credentials making a note of the following:

- **port** is the database port
- **db** is the database name
- **host** is the hostname of the database instance
- **username** is the username you'll use to connect
- **password** is the password you'll use to connect

[Resource list](#) /**Db2-f7**

✓ Active

Add tags [✎](#)[Details](#)[Actions](#)

Manage

Getting started

Service credentials

Connections

Service credentials

You can generate a new set of credentials for cases where you want to manually connect an app or external consumer to an IBM Cloud service. [Learn more](#)

[New cre](#)

Key name

Date created



Service credentials-1

2021-07-09 4:42 PM

```
{
  "connection": {
    "cli": {
      "arguments": [
        "-u",
        "mwh70849",
        "-p",
        "XXXXXXXXXXXXXXXXXXXX",
        "--ssl",
        "--sslCAFile",
        "1dd14d0c-1b52-4f63-a606-53ecba28771d",
        "--authenticationDatabase",
        "admin",
        "--host",
        "abases.appdomain.cloud:31198"
      ]
    }
  }
}
```

You need to scroll down to get the credentials details.

```

"db2": {
  "authentication": {
    "method": "direct",
    "password": " ",
    "username": "qdg93144"
  },
  "certificate": {
    "certificate_base64": "LS0tLS1CRUdJTiBDRVJUSUZJQ0FURSB0tLS0tCk1JSURFakNDQWZxZ0F3SUJBZ0lKQVA1S0R3ZTNCTkxiTUeW0tNTcUdTSWZiZFFkN3VUFNQjR4SERBYUJnTlYKQkFNTU
UU0JEYkc5MVpDQkVZWZJOWW1GelpYTXdIaGN0TWpBd01qSTVNRFF5TVRBeVdoY05NekF3TWpJMGpNRFF5TVRBeVdqQWVNUnd3R2dZRFZRUUREQk5KUWswZ1EyeHZkV1FnUkdGMF1XSdhjM1Z6TU1JQk1qQU5CZ2t0
Uc5dzBCQVFFRkF8T0NBUThtBTU1JQkNnS0NBUEVbdXUvbitpW9xdkdGNU8xSGpEalpsK25iYjE4UkR4ZGwKTzRUL3FoUGMxMTREY1FUK0p1RXdhG13aG1jTGxaQnF2QWFMb1hrbmhqbSVFOMG01L0x5YzdBY291V0
0QwpDVGcrSUsxbjBrdDMrTHM3d1dTakxqVE96N3M3M1ZUSU5yYmx3cnRIRU1vM1JWTKV6SkNH5W5LSXZdZWZVSUtrC1dNM1R0SD15cnFsSGN0Z2pIU1FmRkVTRm1YaHJiODhSQmd0amIva0xtVGpCaTFBeEVadWNe
VRmNEN0Y3EKY21QcHNqdDBPTnI0YnhJMVRyUWxEemNiN1hMSFB8rWw91SUprdnVzMUZvaTEySmRNM1MxK3labFZPMUZmZkU3bWpKMjhUdGJoZ3JGOGtIU0NMSkVvTTF5Z3FPZG90Vm5QOC9EOWZhamNNN01Wd2V4a6
KR1FJREFRQUJvMU13C1VUQWRCZ05WSFE0RUZnUVVlQ3JZanFJQzc1VUpxVmZEMDh1ZWdqeDZiUmN3SHdZRFZSMGpCQmd3Rm9BVWVdclKkanFJQzc1VUpxVmZEMDh1ZWdqeDZiUmN3RHdZRFZSMFRBUUgVQkFVd0F3
kFOQmdrcWhraUc5dzBCQVZFRgpbQ9DQVFFQUkyRTBU0Ut3M1N3RjJ2MXBqaHV4M01kWV2SGFVSkRMb0tPd0hSRnFSOHgxZ2dRcGVFcFBnMk5SCkx3R08yek85SWZUMmhLaWd1d2orWnJ5SGxxcH1xQ0pLOHJEU2
PekIyWmE2S1YrQTVscEttMWdjV3VHYzMkK1UzVTFzTDdlUjd3ZFVvU0TVU4aERvNi9sVHRMRVB2Mnc3VlNPS1FDK013ejgrTFJMdjVHSW5BN1JySWNhKwozM0wxNnB4ZEtttd1pLYThWcnBnMXJ3QzRnY3dlYUhh
E42K0JIBzhvWG5YWkh6UG91cldYS1BoaGdXZ2J5CkN0cUdIK0NWnNq1eFg3b05NS3VNSUNqRVZndnNLWnRqeTQ5VW5iNVZZbH0b1J3dTF1bGdzRDNjek1tbj1LREQKNH81REFvYTZyMktZZE4xVXxuN3F3VG1Tb0
RPT0KLS0tLS1FTkQgQ0VSVE1GSUNBVEUtLS0tLQo=",
    "name": "1cbbb1b6-3a1a-4d49-9262-3102a8f7a7c8"
  },
  "composed": [
    "db2://qdg93144: @54a2f15b-5c0f-46df-8954-7e38e612c2bd.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud:32733/bludb?authSource=admin&replica
eplset"
  ],
  "database": "bludb",
  "host_ios": [
    "54a2f15b-5c0f-46df-8954-7e38e612c2bd.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud:30592"
  ],
  "hosts": [
    {
      "hostname": " ",
      "port": 32733
    }
  ],
  "jdbc_url": [
    "jdbc:db2://54a2f15b-5c0f-46df-8954-7e38e612c2bd.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud:32733/bludb:user=<userid>;password=<your_password>;sslCon
on=true;"
  ],
  "path": "/bludb"
}

```

Author(s)

Rav Ahuja

Other Contributor(s)

Simran Garg



Skills Network