CONFIDENTIAL

pfpdf Template Sample

pfpdf contributors

2026-08-04

Contents

1. Text and Paragraphs ····· **4**

1.1 Regular paragraph ····· 4

1.2 Emphasis ····· 4

1.3 Inline code ····· 4

1.4 Links ····· 4

1.5 Blockquote ····· 5

2. Lists ····· **5**

2.1 Bulleted list ····· 5

2.2 Numbered list ····· 5

2.3 Nesting ····· 5

2.4 Task list ····· 6

2.5 Emphasis inside a blockquote ····· 6

3. Tables ····· **6**

3.1 Basic table ····· 6

3.2 Table with many columns ····· 7

3.3 Long strings in narrow cells ····· 7

3.4 Table with many rows ····· 8

4. Code and Math ····· **8**

4.1 TypeScript ····· 8

4.2 A long code line ····· 9

4.3 A long code block ····· 9

4.4 Inline math ····· 9

4.5 Display math ····· 10

4.6 Mermaid ····10

5. Images and HTML ····10

5.1 Image ····10

5.2 Keyboard keys ····10

5.3 details element ····11

5.4 Inline style ····11

5.5 Unicode ····11

5.6 Text after an image ····11

6. Page Layout ····12

6.1 Heading level 2 ····12

6.1.1 Heading level 3 ····12

6.1.1.1 Heading level 4 ····12

6.1.1.1.1 Heading level 5 ····12

6.1.1.1.1.1 Heading level 6 ····12

6.2 End of page ····12

6.3 Top of page ····12

6.4 Final checks ····12

6.4.1 Top margin ····12

6.4.1.1 Bottom margin ····12

6.4.1.1.1 Running header ····12

6.4.1.1.1.1 Footer ····12

6.5 Page numbers ····12

6.5.1 Orphaned headings ····12

6.5.1.1 End of document ····12

7. Bibliography ····13

1. Text and Paragraphs

The same input is used to check each template. English, 日本語, digits 0123456789, and symbols “”—… appear together.

1.1 Regular paragraph —

This paragraph checks line height, letter spacing, and margins. The quick brown fox jumps over the lazy dog, and the five boxing wizards jump quickly.

1.2 Emphasis —

emphasis, **strong**, ***strong emphasis***, ~~strikethrough~~, and **“emphasis with quotation marks”** in running text.

1.3 Inline code —

Check `const value = 42` and the long identifier `previewRendererKeepsLongInlineCodeVisibleWithoutClipping`.

1.4 Links —

pfpdf / https://vivliostyle.org/

15-character boundary: `abcdefghijklmno` / 16-character boundary: abcdefghijklmnop

Long URL: https://example.invalid/reports/2026/template-preview/long-document-name?include=typography,tables,code,math&format=print-quality-pdf

Long identifiers: previewRendererKeepsLongIdentifiersVisible123456789 / preview_renderer_keeps_long_identifiers_visible_123456789

1.5 Blockquote —

> This quotation checks indentation and wrapping. The quick brown fox jumps over the lazy dog.

◆

2. Lists

2.1 Bulleted list —

- A short item
- A longer item for checking line wrapping. With English words and 日本語 mixed, the second line should align with the text on the first line
- The final item

2.2 Numbered list —

1. Read the input
2. Assemble the HTML
3. Validate the PDF

2.3 Nesting —

- Parent item
    - Child item
        1. Numbered grandchild item
        2. Another item

2.4 Task list —

- [x] A completed check
- [ ] An unfinished check

2.5 Emphasis inside a blockquote —

> **Emphasized quotation:** checks color, boldness, and rules inside quotations.

3. Tables

3.1 Basic table —

Item	Left	Center	Right
Alpha	left	center	1,234
Beta	a description that may wrap onto two lines	B	56,789

3.2 Table with many columns —

ID	Status	Owner	Start	End	Count	Ratio	Long notes column
001	Done	Alice	2026-07-01	2026-07-03	120	98.5%	A sentence that should wrap naturally in a narrow cell without overlapping its neighbors.
002	Active	Bob	2026-07-04	2026-08-15	2,048	67.0%	A fairly long description mixing English words and 日本語 in one cell.
003	Hold	Carol	2026-08-01	—	9	12.5%	Contains a URL-like long string example.invalid/reports/2026/template-preview/overflow-check for wrapping.

3.3 Long strings in narrow cells —

Kind	Value	Owner	Status
URL	https://example.invalid/a/very/long/path/to/report?format=pdf&language=en	Alice	Reviewing
ID	narrowTableCellIdentifierWithNumbers123456789	Bob	Done

3.4 Table with many rows —

No.	Input	Expected result	Notes
01	heading	added to the TOC	level 1
02	paragraph	renders a paragraph	English
03	emphasis	renders emphasis	inline
04	list	renders markers	nested
05	table	renders cells	aligned
06	code	highlighted	TypeScript
07	math	renders SVG	display
08	image	registers assets	local SVG
09	raw HTML	keeps elements	trusted
10	page break	breaks the page	directive
11	link	renders anchors	external
12	task	renders checkboxes	GFM

◆

4. Code and Math

4.1 TypeScript —

```ts
interface PreviewResult {
  template: string;
  pages: number;
  warnings: readonly string[];
}

export function summarize(result: PreviewResult): string {
  const label = `${result.template}: ${result.pages} pages`;
```

```
  return result.warnings.length === 0
    ? label
    : `${label} (${result.warnings.join(', ')})`;
}
```

4.2 A long code line —

```
GET /api/v1/template-preview/reports/2026/08/04?include=typography,tables,code,math,images,raw-html&format=print-quality-pdf HTTP/1.1
```

4.3 A long code block —

```
01  prepare input and metadata
02  parse GitHub Flavored Markdown
03  normalize heading anchors
04  build the table of contents
05  resolve template slots
06  collect local resources
07  rewrite stylesheet URLs
08  wait for fonts and images
09  paginate with Vivliostyle
10  validate the generated PDF
11  commit output atomically
12  render selected preview pages
13  upload CI artifacts
14  inspect cover and typography
15  inspect both contents pages
16  inspect dense feature content
```


4.4 Inline math —

The quadratic formula is $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$.

4.5 Display math —


$$\int_{-\infty}^{\infty} e^{-x^2}\,dx = \sqrt{\pi}$$

4.6 Mermaid —



5. Images and HTML

5.1 Image —



5.2 Keyboard keys —

Raw HTML displays the key combination <kbd>Ctrl</kbd> + <kbd>Enter</kbd>, H_2O with a subscript, and x^2 with a superscript.

5.3 details element —

> **An open details element**
>
> Checks the summary, body text, and marker placement.

5.4 Inline style —

A short framed element appears inside running text.

5.5 Unicode —

Hiragana ひらがな, katakana カタカナ, kanji 漢字, ＡＢＣ, ①, →, √, ©, αβγ, and ㋡.

5.6 Text after an image —

Checks that the image and the following paragraph do not overlap.

6. Page Layout

6.1 Heading level 2 —

6.1.1 Heading level 3

6.1.1.1 Heading level 4

6.1.1.1.1 Heading level 5

6.1.1.1.1.1 Heading level 6

6.2 End of page —

6.3 Top of page —

6.4 Final checks —

6.4.1 Top margin

6.4.1.1 Bottom margin

6.4.1.1.1 Running header

6.4.1.1.1.1 Footer

6.5 Page numbers —

6.5.1 Orphaned headings

6.5.1.1 End of document

Checks that headings stay on the same page as the following text and that the end of

the document is not truncated.

◆

7. Bibliography

This paragraph checks numbering, wrapping, and internal links when citing one reference[1] or several references together[2, 3]. When the same reference is cited again[2], its bibliography entry links back to each citation.

1. CommonMark contributors. CommonMark Spec, Version 0.31.2 [Internet]. 2024. Available from: https://spec.commonmark.org/0.31.2/ ↩

2. Willighagen LG. Citation.js: a format-independent, modular bibliography tool for the browser and command line. PeerJ Computer Science. 2019;5:e214. doi:10.7717/peerj-cs.214 ↩ ↩

3. Vivliostyle Foundation. Vivliostyle Flavored Markdown [Internet]. 2026. Available from: https://vivliostyle.github.io/vfm/vfm ↩