

Relating Fractions and Decimals

A fraction represents a part of a whole. Decimals are a kind of fraction because they show parts of a whole. For example, fifty cents (\$.50) is a fraction of one dollar ($\frac{1}{2}$ dollar).

Decimals use place value to show the value of a digit. The decimal 0.7 means *seven tenths* because the digit 7 is in the tenths place. You can also write *seven tenths* as $\frac{7}{10}$.



The shaded portion of this figure can be written 0.7 or $\frac{7}{10}$. Both are read “seven tenths.”

In the fraction $\frac{7}{10}$ the top number, or numerator, tells how many parts are shaded. The bottom number, the denominator, tells how many total parts there are in the figure.

$\frac{7}{10}$

numerator

denominator

When the denominator of a fraction is 10, 100, 1,000, or another multiple of 10, you can easily change the fraction to a decimal.

Example

Hide

Write $\frac{75}{1,000}$ as a decimal.

$75 \div 1000 = .075$
 $= 0.075$

Step 1

Think:

How many decimal places does a fraction with a denominator of 1,000 need?

It needs 3 decimal places.

0. ____ ← thousandths place

Step 2

The numerator should fill the place value named by the denominator. Use placeholder zeros if necessary.

0.**0**75 means “seventy-five thousandths”
↑ placeholder zero

Rate Your Confidence

^ High

= Medium

v Low

Continue >>

Category

Lesson 4: Fraction Basics

Related Questions:

[Practice questions taken related to this topic](#)