

{REPROGRAMA}



PSI *queer*




ALUNA: GABRIELA P P JESUS
TURMA: ON 22 - B3 - BACK - END




{REPROGRAMA}


SOBRE MIM



- cursei 6 semestres de Psicologia
- Mulher Cis Les periférica
- artesã
- Programadora back-end
- Mãe de pets
- Devota de Religião de Matriz Africana



O Psiqueer consiste em uma API, capaz de cadastrar profissionais da área de Psicologia, que tem foco no trabalho com o público LGBTQIAP+, que ofereçam esse serviço de forma gratuita ou a valores populares.



POST

ROTAS

The screenshot displays the Postman API client interface. The top navigation bar includes 'Home', 'Workspaces', 'API Network', and 'Explore'. The left sidebar shows 'My Workspace' with a list of collections and environments. The main area shows a POST request to 'https://psiqueer.onrender.com/cadastropsi/add'. The request body is a JSON object with the following fields: 'nome', 'email', 'telefone', 'cidade', 'estado', 'atendimento', and 'bairro'. The response is a 201 Created status with a JSON body containing a 'message' field and a 'savedPsi' object with the same fields as the request body, plus an '_id' and a '__v' field.

```
POST https://psiqueer.onrender.com/cadastropsi/add

{
  "nome": "Maria Rita silva",
  "email": "mariarita@gmail.com",
  "telefone": "7777777777",
  "cidade": "Rio de Janeiro",
  "estado": "RJ",
  "atendimento": "online",
  "bairro": "Méier"
}
```

```
{
  "message": "Profissional cadastrado",
  "savedPsi": {
    "nome": "Maria Rita silva",
    "email": "mariarita@gmail.com",
    "telefone": "7777777777",
    "cidade": "Rio de Janeiro",
    "estado": "RJ",
    "atendimento": "online",
    "bairro": "Méier",
    "_id": "64b9d91440f1a05b00b29ca5",
    "__v": 0
  }
}
```





{REPROGRAMA}

ROTAS

GET ALL

Postman interface showing a REST client request for the endpoint `https://psiqueer.onrender.com/cadastropsi/all` using the GET method. The request is part of a collection named "Projeto-Final".

The response is a JSON array of two objects, each representing a professional profile. The status is 200 OK, with a response time of 629 ms and a size of 1.56 KB.

Query Params

Key	Value	Description
Key	Value	Description

Body

```
1 {
2   "_id": "64b32573558f9e2a313bfc77",
3   "nome": "Abigail Rosa de Sá",
4   "email": "abgailpsi@gmail.com",
5   "telefone": "88888888888",
6   "cidade": "São Paulo",
7   "estado": "SP",
8   "atendimento": "online e presencial",
9   "__v": 0,
10  "bairro": "Consolação"
11 }
12 ,
13 {
14   "_id": "64b35b39558f9e2a313bfc79",
15   "nome": "Chiquinha Filha do Madruginha",
16   "email": "chilindrina103@gmail.com",
17   "telefone": "99999999999",
18   "cidade": "João Pessoa",
19   "estado": "PB",
20   "atendimento": "online e presencial",
21   "__v": 0,
```





ROTAS

{REPROGRAMA}

GET BY ID

The screenshot shows the Postman interface with a workspace named 'Projeto-Final'. The selected collection is 'Projeto-Final' and the specific request is 'busca profissional por id'. The request is a GET method to the URL 'https://psiqueer.onrender.com/cadastropsi/64b32573558f9e2a313bfc77'. The response is a JSON object with the following data:

```
{
  "_id": "64b32573558f9e2a313bfc77",
  "nome": "Abigail Rosa de Sá",
  "email": "abgailpsi@gmail.com",
  "telefone": 88888888888,
  "cidade": "São Paulo",
  "estado": " SP",
  "atendimento": "online e presencial",
  "__v": 0,
  "bairro": "Consolação"
}
```





ROTAS

{REPROGRAMA}

GET BY LOCATION

Postman interface showing a GET request to the endpoint `https://psiqueer.onrender.com/cadastropsi/bairro?bairro=Consolação`. The request is part of a collection named "Projeto-Final" under the workspace "Projeto-Final". The response is a JSON object representing a professional profile.

Query Params

Key	Value	Description
<input checked="" type="checkbox"/> bairro	Consolação	

Body

```
1 {
2   {
3     "_id": "64b32573558f9e2a313bfc77",
4     "nome": "Abigail Rosa de Sá",
5     "email": "abgailpsi@gmail.com",
6     "telefone": 888888888888,
7     "cidade": "São Paulo",
8     "estado": "SP",
9     "atendimento": "online e presencial",
10    "__v": 0,
11    "bairro": "Consolação"
12  }
13 }
```

Status: 200 OK Time: 521 ms Size: 925 B





ROTAS

PATCH BY ID

{REPROGRAMA}

The screenshot displays the Postman API client interface. The left sidebar shows a collection named 'Projeto-Final' with several endpoints. The main panel shows a PATCH request to the URL 'https://psiqueer.onrender.com/cadastrops/64b473bdf38e4eb29d4106ec'. The request body is a JSON object with the key 'atendimento' and the value 'online'. The response is a JSON object with a 'message' field and an 'updatePsi' object containing user details. The status of the request is 200 OK.

Request:

```
PATCH https://psiqueer.onrender.com/cadastrops/64b473bdf38e4eb29d4106ec
```

Body:

```
{  "atendimento": "online"}
```

Response:

```
{  "message": "Profissional atualizado!",  "updatePsi": {    "_id": "64b473bdf38e4eb29d4106ec",    "nome": "Beyonc  Knowles",    "email": "beypsi@gmail.com",    "telefone": "99999999999",    "cidade": "Rio de Janeiro",    "estado": "RJ",    "atendimento": "online",    "bairro": "Bonsucesso",    "__v": 0  }}
```



ROTAS

DELETE BY ID

The screenshot displays a REST client interface with a sidebar on the left showing a project structure. The main area is titled 'Projeto-Final / Deleta profissional da base de dados'. A DELETE request is configured with the URL `https://psiqueer.onrender.com/cadastrpsl/64b32573558f9e2a313bfc77`. The response is shown in the 'Body' tab, indicating a successful deletion with a 200 OK status.

Request Details:

- Method: DELETE
- URL: `https://psiqueer.onrender.com/cadastrpsl/64b32573558f9e2a313bfc77`



Response Details:

- Status: 200 OK
- Time: 433 ms
- Size: 779 B
- Body (JSON):

```
{  "message": "Profissional Abigail Rosa de S\u00e1 foi deletad(a/e/o) com sucesso"}
```



DOCUMENTAÇÃO



{REPROGRAMA}



OBRIGADA!

Visite meu GitHub para mais detalhes
<https://github.com/pgabrielapereira>

