
PolyQuery

An AI just wrote a SQL database in assembly language, and it outruns Java. Same benchmark, same machine: 2.85 ms for the AI-written x86-64 assembly engine, 3.41 ms for Java, at half the memory. That is the surprise. The real story is how it got there, and why we can trust the answer.



One spec. Eight languages. One answer.

*A VSNC story: **V**ision, **S**teps, **N**ews, **C**ontributions.*

	The five things to remember
Symbol	**The polygon.** Eight corners are eight independently built database engines. The middle is the one specification and test suite they all answer to. The name says the same thing: *Poly*-gon, *Poly*-glot, *PolyQuery*.
Slogan	**One spec. Eight languages. One answer.**
Surprise	**An AI wrote a complete SQL database in raw assembly language, and it beat Java.** On the same 1-million-row benchmark, on the same machine, the x86-64 assembly engine answers in 2.85 ms against Java's 3.41 ms, using half the memory. Both assembly engines together cost $310.
Salient point	**It started with a spec, not with code.** Language-agnostic tests checked every implementation against the same expected answers, so eight engines could be verified against each other.
Story	**How it was made:** one weekend, one conductor, up to twelve AI agents at a time, a subscription that never went into overage. Read on.

V — Vision

Software is expensive because of two hard questions: *what exactly should it do?* and *how do we know it does that?* Typing the code was never the hard part. Now it is nearly free.

PolyQuery tests a simple vision:

1. **People write the specification**: inputs, outputs, errors and edge cases, in plain language.
2. **People turn it into language-agnostic tests**: questions with known answers that any implementation must give.
3. **AI agents build the implementations**, in parallel, in sandboxes, as many times and in as many languages as we like.
4. **The tests, and the implementations themselves, check the result.** If independent builds agree, trust goes up. If they disagree, we've found a bug, or a gap in the spec, before a customer did.

The test bed was deliberately hard: a complete analytical SQL database. It includes SQL with joins, grouping and subqueries, a binary storage format, an HTTP server with concurrency, timeouts and cancellation, and parallel, vectorized execution. It was built **eight times**: in Java, Clojure, Rust, Python, Go and Common Lisp, then in x86-64 and ARM assembly.

S — Steps (the story of how it was made)

Step 1: write the spec (Saturday 13:46). A Claude Code session, "the conductor", wrote the specification first. It covered:

- the data types and SQL dialect;
- the wire protocol and the storage file format;
- the concurrency rules and the error codes.


It also defined five build phases, from an in-memory engine (Phase 1) to parallel execution (Phase 5).

Step 2: write the tests, in no particular language. 746 test cases in a plain-text format. Each one is a request and its expected answer, so any engine can be checked without anyone reading its code. Part of the suite was **kept hidden** from the builders, so passing meant implementing the spec, not memorising the tests. Expected answers came from the spec and were cross-checked against SQLite, never taken from another engine.

Step 3: build in parallel.

- The conductor started fresh agent sessions, one per language and phase.
- Each agent worked alone in a **sandbox**:
    - the spec and the public tests, and nothing else;

    - no internet, and no peeking at the other languages.
- The ARM assembly agents ran natively on a separate ARM machine.



Step 4: referee every result. Nothing merged on an agent's say-so. Every submission was rebuilt from a clean copy and run against the public **and hidden** tests.

- **Saturday 16:15:** all six engines pass Phase 1.
- **Saturday 23:21:** all six pass Phase 5, under ten hours after the first commit.

Step 5: stay inside the subscription.

- No new agent starts while the 5-hour usage window is above 80 %. Instead the run waits for the window to roll forward. On Saturday six runs waited 35–95 minutes this way.
- A watchdog stops a running agent at 95 %, or instantly on any paid overage.
- Usage peaked at 89 % of the 5-hour window and 62 % of the weekly window. All 108 sessions saw "allowed": no rejections, no overage.


Step 6: change it, like real software. On Sunday the agents got the jobs that come after version 1:

- add a feature (`UNION ALL`);
- widen a data type, which also needed a new file format version;
- restructure the planner;
- hunt a planted bug from a vague report;
- make it faster;
- plug in hand-written assembly kernels.

Step 7: go to extremes, then audit.

- Two more engines were built in assembly language and finished every task the others did.
- Each engine got two independent AI code reviews.
- Black-box probes then tested what the reviewers suspected.

The bill. 108 agent sessions and 75 agent-hours. That is **$1,256 at API list prices**, run on a Claude subscription. A complete, tested engine with all its later changes came to about **$120–180 per language**.



N — News

Six strangers, one answer


Six AI agents never saw each other's work. Each built a complete database engine, in Java, Clojure, Rust, Python, Go and Common Lisp, from the same specification. Given the same 20 benchmark queries over a million rows, **all six return identical answers, every time.** Each engine also reads the storage files written by every other engine: 36 out of 36 combinations work. The two assembly-language engines that followed pass the same conformance suite.


That is the salient point made concrete. When independent builds agree on everything a shared, language-agnostic test suite can ask, agreement becomes evidence.

Also in the news:

- **Disagreement is useful too.** Where the engines *did* differ, the specification had a gap.
  - Two agents independently flagged that comparing huge integers with decimals overflowed under the spec's own rule. The spec was fixed.
  - The engines split on what to do with gigantic SQL expressions: some computed them, some refused, some hung. That became change request CR-6, which the agents are implementing right now.
- **The opening hook, in numbers.** The AI-written x86-64 assembly engine answers in 2.85 ms against Java's 3.41 ms, at 1,612 MiB peak memory against 3,219 MiB. Both assembly engines together cost $310.

- **Eight engines in one weekend, for the price of a laptop.** Six engines went through all five phases in under 10 hours. Everything cost $1,256 at API list prices.
- **75 hours of AI work, zero overage.** A usage gate paused work instead of raising the bill.
- **The AI auditors caught real bugs.** Independent AI code reviews flagged suspected defects; black-box probes confirmed some and cleared others. Everything is published, failures included.
- **Next: twin implementations for the numbers that matter.** The same recipe applies to pricing, billing or interest calculations, with two independent implementations checking each other on every input.





C — Contributions

What this project gives us:

- **A method** that works beyond databases: spec first, language-agnostic tests (some hidden), parallel sandboxed agents, an automatic referee, and guard rails on spend.
- **Twin-implementation verification.** For logic where a wrong number is expensive, build it twice in different languages and compare every answer.
  - When both agree, confidence goes up a lot.
  - When they disagree, there's a bug or a spec gap, found early.
  - One caveat: keep an independent reference (the spec, or a trusted system), because two builds that share a misreading of the spec will agree wrongly.
- **Reusable tooling:**
  - the orchestrator (waves, sandboxes, usage gate, watchdog, validation);
  - the test harness;
  - the reporting dashboard.
- **Open evidence:** every one of the 108 agent sessions is recorded, with its transcript, cost, time and outcome, failures included. Live dashboard: https://pgdad.github.io/poly-query/. Code and data: https://github.com/pgdad/poly-query.

Who contributed:

- **The owner** set the direction and the budget, and made the calls: raising the usage gate to 80 %, approving the assembly stretch goal and its $600 cap, choosing the ARM machine.
- **The conductor** (one Claude Code session) wrote the spec, the tests and the tooling. It ran the waves, refereed, and wrote the reports, and it never touched engine code.
- **The agents** (108 Claude sessions) wrote about 193,000 lines across eight engines and the assembly kernels.
- **Two hands-on interventions** in the whole project, both logged.

One spec. Eight languages. One answer.

Companion version: the full story. Charts are generated from the experiment data by `tools/reporting/story_assets.py`; `build.sh` rebuilds both PDFs.