

# Notes: Quantification of uncertainty in longitudinal segmentation

various authors at MMIV-ML

25 November 2020; updated 25 November 2020

## 1 Synopsis

## 2 Notes on Iglesias et al.'s paper [Luca]

✚ TODO: Reformulate & simplify their approach in terms of a hierarchic probability distribution.

Notes on Iglesias et al. (2016).

- The approximation on p. 545 left bottom can be very bad in high dimensions<sup>1</sup>.

## Bibliography

("de X" is listed under D, "van X" under V, and so on, regardless of national conventions.)

Iglesias, J. E., Van Leemput, K., Augustinack, J., Insausti, R., Fischl, B., Reuter, M. (2016): *Bayesian longitudinal segmentation of hippocampal substructures in brain MRI using subject-specific atlases*. *NeuroImage* **141**, 542–555. DOI:[10.1016/j.neuroimage.2016.07.020](https://doi.org/10.1016/j.neuroimage.2016.07.020).

MacKay, D. J. C. (1996): *Hyperparameters: optimize, or integrate out?* In: Heidbreder (1996): 43–59. <https://bayes.wustl.edu/MacKay/alpha.pdf>.

Heidbreder, G. R., ed. (1996): *Maximum Entropy and Bayesian Methods*. Santa Barbara, California, U.S.A., 1993. (Springer, Dordrecht). DOI:[10.1007/978-94-015-8729-7](https://doi.org/10.1007/978-94-015-8729-7).

---

<sup>1</sup> MacKay 1996.