

What's special about 89% credibility intervals?

P.G.L. Porta Mana 

Western Norway University of Applied Sciences [<pgl@portamana.org>](mailto:pgl@portamana.org)

7 July 2025; updated 6 September 2025 [draft]

A curious property of 89% credibility intervals is discussed.

A Bayesian *credibility interval* (also called “credible” or “compatibility” interval) is a range where the true value of some real quantity lies, with a given probability. For instance, if $[1.2, 7.0]$ is a 60% credibility interval for the quantity Q , then there is a 60% probability that the true value of Q is between 1.2 and 7.4 (note the difference in meaning from a *confidence* interval, whose definition is much more involved and less direct).

It is of course always best to report the full posterior probability distribution of a quantity of interest, so that the reader can derive from it the probabilities of any desired range as well as other properties. But a credibility interval often provides a useful summary of the full probability distribution.

Credibility intervals of 50%, 75%, 90%, 95%, or even 99% probability are more or less commonly reported in the Bayesian literature. Also 89% credibility intervals have become quite fashionable since around 2016. They seem to originate in McElreath's *Statistical Rethinking* (2020), first published in that year. McElreath rightly points out¹ that the specific probability value should be chosen depending on the context; otherwise it's just arbitrary. To emphasize and remind us of this fact, he uses 89%, which is an arbitrary value.

Or so he thought. It turns out that 89% credibility intervals do possess a peculiar property.

With a p credibility interval, the true value lies within the interval with probability p , and without with probability $1 - p$. We can quantify our uncertainty about the two possibilities by means of the Shannon entropy²:

$$H(p) := -p \log_2 p - (1 - p) \log_2 (1 - p) \text{ Sh.} \quad (1)$$

The value of 1 Sh represent an equal uncertainty between two alternatives.

¹ McElreath 2020 e.g. § 3.2.2 p. 56, § 4.3.5 p. 88. ² ISO 2008 Items 13-24, 13-25.

Thus for a 50% credibility interval we have an uncertainty of 1 Sh on whether the true values lies within or without. This is the highest lever of uncertainty we can have. It is useful to also provide an interval where we are somewhat more certain that the true values lies within than without.

We can ask: for which interval is our maximal uncertainty halved: 0.5 Sh? The answer is: *an 89.00% credibility interval*. This result is easily calculated numerically from eq. (1).

A more precise value is 88.9972%; the entropy for the exact probability 89% is approximately 0.499 916 Sh.

When we report a 50% and an 89% credibility interval we are therefore reporting intervals with uncertainties of one shannon and of half a shannon.

Of course the arbitrariness remains. We could also report intervals with uncertainties 1 Sh, $\frac{2}{3}$ Sh, $\frac{1}{3}$ Sh; their credibilities would be 50%, 82.6%, 93.9%. Or with uncertainties 1 Sh, 0.5 Sh, 0.25 Sh: 50%, 89.0%, 95.8%.

For your amusement, some corresponding values of entropies and probabilities are reported in table 1.

Bibliography

- ("de X" is listed under D, "van X" under V, and so on, regardless of national conventions.)
- ISO (2008): *ISO 80000-13:2008: Quantities and units 13: Information science and technology*. International Organization for Standardization.
- McElreath, R. (2020): *Statistical Rethinking: A Bayesian Course with Examples in R and STAN*, 2nd ed. (CRC, Boca Raton, USA). [doi:10.1201/9780429029608](https://doi.org/10.1201/9780429029608). First publ. 2016.

		entropy/Sh probability/%	
		1.00	50.00
		0.95	63.09
		0.90	68.40
		0.85	72.40
		0.80	75.70
		0.75	78.55
		0.70	81.07
		2/3	82.60
		0.65	83.33
		0.60	85.39
		0.55	87.27
		0.50	89.00
		0.45	90.59
		0.40	92.06
		0.35	93.42
		1/3	93.85
		0.30	94.68
		0.25	95.83
		0.20	96.89
		0.15	97.85
		0.10	98.70
		0.05	99.44
		0.00	100.00
		probability/% entropy/Sh	
50	1.0000	75	0.8110
51	1.0000	76	0.7950
52	0.9990	77	0.7780
53	0.9970	78	0.7600
54	0.9950	79	0.7410
55	0.9930	80	0.7220
56	0.9900	81	0.7010
57	0.9860	82	0.6800
58	0.9810	83	0.6580
59	0.9770	84	0.6340
60	0.9710	85	0.6100
61	0.9650	86	0.5840
62	0.9580	87	0.5570
63	0.9510	88	0.5290
64	0.9430	89	0.5000
65	0.9340	90	0.4690
66	0.9250	91	0.4360
67	0.9150	92	0.4020
68	0.9040	93	0.3660
69	0.8930	94	0.3270
70	0.8810	95	0.2860
71	0.8690	96	0.2420
72	0.8550	97	0.1940
73	0.8410	98	0.1410
74	0.8270	99	0.0808

Table 1 Some corresponding values of probabilities and entropies