





Note. Results from 100 simulated datasets with 200 respondents.







Note. Results from 100 simulated datasets with 200 respondents. Orange diamonds indicate observed partial gamma.

DIF: item locations by group





Item locations are means of threshold locations

Item location (logits)




DIF group

Note. Andersen LR $\chi^2 = 4.064$, $df = 7$, $p = 0.772$. Error bars: 95% CI. Black diamond = whole-sample location.




Observed CFA fit vs simulated null distribution




Note. Histograms: 39 parametric-bootstrap datasets simulated under RM unidimensionality at $n = 100$, refitted with


Observed CFA fit vs simulated null distribution



Note. Histograms: 39 parametric-bootstrap datasets simulated under RM unidimensionality at $n = 100$, refitted with





Note. Standardised residuals (Christensen et al. 2002, eq. 13). $n = 400$ complete cases. Cells with $|\text{residual}| > 2$ indi




Note. Total observed variance: 9.7% explained by measures, 90.3% unexplained (basis for PCA; n = 200 non-ex

I1






Note. Note. Item locations are indicated by black diamond shapes and black text. Item threshold locations are indicated by red circles and red text.




Logit location


Note. Note. Item locations are indicated by black diamond shapes and black text. Item threshold locations are indicated by red circles and red text.

Conditional Item Characteristic Curves




Conditional Item Characteristic Curves







Note. Results from 100 simulated datasets with 200 respondents.





Note. Results from 100 simulated datasets with 200 respondents. Orange dots indicate observed conditional item fit. Black dots indicate median fit from simulations.





Note. Results from 100 simulated datasets with 200 respondents. Orange dots indicate observed conditional item fit. Black dots indicate median fit from simulations.


Expected - observed restscore correlation


















Item responses








A





B




Female


Male








Note. Person location mean: -0.01 (SD 0.34). Item threshold location mean: 0 (SD 0.2). n = 200. Error bars show




Note. Person location median: 0.03 (MAD 0.31). Item threshold location median: -0.04 (MAD 0.15). n = 200. Err

My custom title

Mean = -0.01, SD = 0.34





Note. Person location mean: -0.12 (SD 0.83). Item threshold location mean: 0 (SD 0.16). n = 200. Error bars show standard error.