



GLOBAL HOSPITAL & TRAUMA CENTRE

A Unit of ASP Global Health & Educare Pvt. Ltd.
GST NO. : 06AAZCA2057M1Z3

Opp. New Bus Stand, Near Civil Hospital Pataudi, Gurugram (Hr.)

Mobil No. : 0124-2672124, 9996888124, Email : globalhospitalpataudi@gmail.com

Discharge Summary

UHID No. :	GHTC014446	IPD No. :	1685
Name :	YOGENDRA PRATAP SINGH	Date Of Admission :	25-04-2026/01:40:00 PM
Age :	70Yrs.-/ Male	Date Of Discharge	28-04-2026 12:53 PM
Address :	INDRAPURAM , GAZIYABAD , U.P	Mobile :	9818339007
Doctor:	Dr. Sunil Saini MBBS, MS(Orthopaedics) (Ex. Consultant Fortis Hospital Ggn)		

DIAGNOSIS **MULTIPLE LEVEL PIVD L3-L4 WITH ANTERIOLISTHESIS OF L4 WITH SEVERE SECONDRY CANAL STENOSIS WITH RADICULOPATHY WITH POORLY CONTROLLED DIABETES WITH NEUROPATHY**

TREATMENT GIVEN

- 1 .TRANSFORMINAL EPIDURAL STEROID INJECTION AT L4 LEVEL DONE UNDER LA + GENERAL ANAESTHESIA SEDATION ON 27/04/2026
- B/L FACET BLOCK AT L4
- SELECTIVE NERVE ROOT ANKLE BLOCK L4 LEFT
- 2. CONSERVATIVE MANAGEMENT OF DIABETES.

CHIEF COMPLAINTS

- ACUTE ONSET SEVERE LOWER BACKACHE WITH BOTH LOWER LIMB RADICULOPATHY L>>R FOR LAST 20 DAYS
- AGGRAVATED SINCE MORNING ON TRAVELLING
- HAD HISTORY OF LBA FOR LAST 5-6 MONTHS
- NOW, UNABLE TO WALK FOR MORE THAN 01 MIN
- CANNOT STAND FOR MORE THAN 2-3 MINS
- PAIN CONTINUE 24 HOURS
- TINGLING+
- NUMBNESS+
- BURNING +

PATIENT MR. YOGENDRA PRATAP SINGH 70 YRS OLD MALE REPORTING IN OPD DEPTT. WITH ABOVE MENTIONED CHIEF COMPLAINTS. PATIENT WAS EXAMINED THOROUGHLY

ON EXAMINATION :

- TENDERNESS + OVER L4-L5, L5-S1 WITH B/L SI JOINT
- SLRT - R - 30⁰
- SLRT - L - <20⁰
- POWER - R-4/5+,L-4/5+
- SENSORY – INTACT, LESSIGUE +
- BLADDER & BOWEL – NORMAL

PATIENT WAS ADVICE ADMISSION AND EXPLAINED ABOUT NEED OF PROCEDURE TRANSFORMINAL EPIDURAL STEROID INJECTION AT L4 LEVEL, B/L FACET JOINT BLOCK L4, ANKLE NERVE ROOT BLOCKS.

MRI LUMBAR SPINE SHOWED:

HISTORY OF PRESENT ILLNESS

- MULTIPLE LEVEL PIVD L3-L5 WITH GRAD-I ANTERIOLISTHESIS L4 OVER L5 WITH MILD RETROLISTHESIS L5-S1 WITH SEVERE CANAL STENOSIS AT L4 LEVEL.

PATIENT WAS ADMITTED AND IV CONSERVATIVE TREATMENT STARTED ACCORDINGLY ALONG WITH PROCEDURE OF TRANSFORMINAL EPIDURAL STEROID INJECTION AT L4 LEVEL, B/L FACET JOINT BLOCK L4, ANKLE NERVE ROOT BLOCKS AT L4 ON EFT SIDE.

ALL PRE-OP INVESTIGATION DONE PAC DONE ,TRANSFORMINAL EPIDURAL STEROID INJECTION AT L4 LEVEL , B/L FACET JOINT BLOCK L4, SELECTIVE ANKLE NERVE ROOT BLOCKS AT LEFT SIDE L4 DONE UNDER LA + GA SEDATION ON 27/04/2026.

POST PROCEDURE PATIENT RESPONDED WELL , PAIN UNDER CONTROL , CONTINUE SAME TREATMENT WAS ADVISED.

ON POD1 : PATIENT SYMPTOMATICALLY & HEMODYNAMICALLY STABLE , PAIN UNDER CONTROL , ACTIVE TOE & FINGER MOVEMENTS + ,DOING WELL , UNDERGOING PHYSIO.SO DISCHARGE IS BEING PLANNED TODAY WITH FOLLOWING ADVICE AND MEDICINES .

OT NOTES : PATIENT WAS IN PRONE POSITION LUMBOSACRAL SPINE WAS CLEANED WITH 10% BETADINE & DRAPPING

DONE FOLLOWED BY MARKING DONE UNDER C-ARM L4, L5 SPACE IDENTIFIED 2% LOX INJECTEF LEFT SIDE L4 SPACE.SQUARING OF VERTEBRAE DONE FOLLOWED BY OBLIQUE SCOTISH DOG VIEW

- (22G SPINAL NEEDLE INSERTED IN EPIDURAL SPACE AT L4 2ML OF COCKTAIL (40MG KENACORT+ 2% LOX 2ML + 3ML DISTILL WATER) INJECTED
- FACET JOINT INJECTION AT L4 B/L FOLLOWED BY CONFIRMED WITH DYE.1 ML COCKTAIL INJECTED AT BOTH SIDE.
- SELECTIVE ANKLE NERVE ROOT BLOCKS L4 IDENTIFIED UNDER C-ARM, 1ML COCKTAIL INJECTED. PATIENT OBSERVED IN SUPINE POSITION. SHIFTED TO POST-OP ICU CARE IN STABLE CONDITION FOR OBSERVATION.

GENERAL EXAMINATION AT DISCHARGE

- GENERAL EXAMINATION
- BP- 132/84 MMHG
 - PULSE RATE- 80/MIN
 - CHEST- B/L VB+
 - CVS- S1 , S2 NORMAL
 - CNS- NAD
 - P/A- SOFT

- LOCAL EXAMINATION
- TENDERNESS + OVER L4-L5, L5-S1 WITH B/L SI JOINT
 - SLRT - R - 30⁰
 - SLRT - L - <20⁰
 - POWER - R-4/5+,L-4/5+
 - SENSORY – INTACT, LESSIGUE +
 - BLADDER & BOWEL – NORMAL

INVESTIGATIONS ALL INVESTIGATIONS ENCLOSED

COURSE IN HOSPITAL UN EVENTFUL

CONDITION ON DISCHARGE STABLE

DISCHARGE MEDICATION	Sr.	Drug/ Medicine Name	Dosage	Frequency	How to Take	Duration	Remarks
	1.	TAB. HYOXIB-90	1 TAB	1 - 0 - 0	After Breakfast	10 Days	
	2.	TAB. MEDROL-8MG	1 TAB	0 - 1 - 0	After Food	1 - 5 Days	Followed by
	3.	TAB. MEDROL-4MG	1 TAB	1 - 0 - 0	After Food	6 - 10 Days	
	4.	TAB. OXAGILLIN-NT	1 TAB	0 - 0 - 1	After Dinner	10 Days	
	5.	TAB. SUPERAB-DSR	1 TAB	1 - 0 - 0	Empty Stomach	10 Days	
	6.	CAP. DGAIN 60K	1 CAP	Weekly	With Milk/Water	4	
	7.	TAB. ULTRACET	1 TAB	SOS	When Severe Pain	10	
	8.	TAB. VITAWINN	1 TAB	1 - 0 - 0	After Food	10 Days	
	9.	TAB. PREGABALIN-75	1 TAB	1 - 0 - 0	After Food	10 Days	
	10.	TAB. DULOXTEINE-20	1 TAB	0 - 0 - 1	After Dinner	10 Days	
	11.	TAB. EMPANEO-S10	1 TAB	0 - 1 - 0	After Lunch	10 Days	
	12.	TAB. UZIMET G2 FORTE	1 TAB	1 - 0 - 1	Before Meal	10 Days	

- ADVICE
- PHYSIO AS INSTRUCTED
 - AVOID PROLONG SITTING AND STANDING / AVOID SITTING ON HARD FLOOR / SURFACE
 - AVOID LIFTING HEAVY WEIGHT , FORWARD BENDING , EXCESSIVE USE OF STAIRS
 - AVOID USE OF INDIAN TOILET , SQUATTING
 - INCREASE HYDRATION ORS , COCONUT WATER , NORMAL WATER
 - INTAKE CALCIUM AND PROTIEIN ENRICHED DIET | PULSES , MILK & MILK PRODUCTS , FISH , EGG-WHITE , GREEN VEGETABLES
 - REVIEW AFTER 10 DAYS IN ORTHO OPD
 - IN CASE OF EMERGENCY ,SEVERE PAIN , MOVEMENT RESTRICTED , HIGH GRADE FEVER PLEASE CONTACT TO HOSPITAL

- FOLLOW UP
- FOLLOW UP AFTER 10 DAYS IN ORTHO OPD
 - OPD TIMINGS : 10AM - 01PM
 - MONDAY - SATURDAY

IN CASE OF EMERGENCY PLEASE CONTACT 09996888124,0124-2672124

NOTE

DR. SUNIL SAINI

MBBS , MS (ORTHO)

