
# Treetasks cheatsheet



# Paste (1)

Keychains for pasting:

- pp Paste after cursor
- pP Paste in front of cursor
- po Paste as child, after other children
- $\bullet\,$  p0 Paste as child, in front of other children

# Delete fields (2)

Keychains for deleting tasks and fields:

- dd Cut curson
- dD Delete cursor (while keeping clipboard)
- dc Delete category
- dp Delete priority
- dr Delete due date
- de Delete scheduled date
- dt Delete text

Watch out: no operations have undo at the moment

# Replace/Change (3)

Keychains for editing tasks by replacing fields.

- C Replace title
- cp Replace priority
- cc Replace category
- cr Replace due date
- ce Replace scheduled date
- ct Replace text

Watch out: no operations have undo at the moment

#### Edit (4)

Keychains for editing tasks by replacing fields.

- at or aa Edit text
- ap Edit priority
- ac Edit category
- ar Edit due date
- ae Edit scheduled date

Without using keychains, the title can be edited:

• i Edit title

# Sort (5)

Keychains for reordering the tree. The "natural" order defined by moving around tasks is always saved. Replace the second letter of the keychain by its corresponding capital to order in reverse.

- ss Restore natural order
- st Sort by title
- sp Sort by priority
- sc Sort by category
- sr Sort by due date
- se Sort by scheduled date
- $\bullet\,$  sd Sort by whichever date is earlier (like the schedule)

# Movement

You can traverse the tree in two ways:

- Flat: The next/previous tasks are the tasks on the next/previous line, regardless of hierarchy
- Hierarchically: Traversing only traverses the siblings, visiting children/parents need explicit operations.

Treetasks always keeps both ways at your hands: there is a primary and a secondary mode of movement, the primary is mapped on the well-known j and k keys per default, and the secondary is mapped on Y and U keys per default. By pressing u (default) the primary and secondary modes are swapped. The default order can be set by the config variable behaviour.primary\_movement\_hierarchic. When True the primary mode is hierarchical movement, when False the primary mode is flat movement. For making hierarchical movement more practical there is the option behaviour.auto\_move\_up which when set to True (default) moves the cursor as in flat movement for one step when reaching the end of a set of children.

When behaviour.roundtrip is set the cursor can go around the ends of the list. If behaviour.auto\_move\_up is not set, children are also traversed in roundtrips.

# Schedule

The schedule shows tasks that are not marked as done or cancelled and have a scheduled date or due date assigned. They are sorted by the earlier date of those two. Tasks whose scheduled date or due date lies in the past are printed in red, tasks that are scheduled or due today are printed in yellow.

The schedule has its own independent cursor which is controlled by  $\tt n$  and  $\tt m$  by default. You can directly skip to the top using  $\tt M$  and to today using  $\tt N$ .

- behaviour.follow\_schedule: If set to True cursor movements in the schedule result in the tree cursor jumping to the task selected in the schedule (only if the task is currently shown in the tree). Default: True.
- behaviour.filter\_categories\_schedule: If set to True, the schedule is filtered by the same category filters that apply to the tree. Default: False.
- behaviour.global\_schedule: If set to True, the schedule is generated from all tasks from all open tabs. If set to False, every tab has its own schedule. If a global schedule is used, a + sign denotes tasks that are not in the currently shown tab. If the cursor follows the schedule cursor, tabs are automatically switched, too. Default: True.